

# Mingzhe Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3389113/publications.pdf>

Version: 2024-02-01

52  
papers

3,604  
citations

126858

33  
h-index

168321

53  
g-index

54  
all docs

54  
docs citations

54  
times ranked

3570  
citing authors

#	ARTICLE	IF	CITATIONS
1	Lithium-rich sulfide/selenide cathodes for next-generation lithium-ion batteries: challenges and perspectives. <i>Chemical Communications</i> , 2022, 58, 3591-3600.	2.2	12
2	Regulating Pseudo-Jahn-Teller Effect and Superstructure in Layered Cathode Materials for Reversible Alkali-Ion Intercalation. <i>Journal of the American Chemical Society</i> , 2022, 144, 7929-7938.	6.6	22
3	Organic Small Molecules with Electrochemically Active Phenolic Enolate Groups for Ready-to-Charge Organic Sodium-Ion Batteries. <i>Small Methods</i> , 2022, 6, .	4.6	15
4	Microstructural Investigation into Na-Ion Storage Behaviors of Cellulose-Based Hard Carbons for Na-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2021, 125, 14559-14566.	1.5	15
5	Oxygen-Deficient P <sub>2</sub> -Na <sub>0.7</sub> Mn <sub>0.75</sub> Ni <sub>0.25</sub> O <sub>2-x</sub> Cathode by a Reductive NH <sub>4</sub> HF <sub>2</sub> Treatment for Highly Reversible Na-Ion Storage. <i>ACS Applied Energy Materials</i> , 2021, 4, 8036-8044.	2.5	15
6	Superior sodium storage of Na <sub>3</sub> V(PO <sub>3</sub> ) <sub>3</sub> N nanofibers as a high voltage cathode for flexible sodium-ion battery devices. <i>Nanotechnology</i> , 2021, 32, 435404.	1.3	5
7	Electrochemical energy storage devices working in extreme conditions. <i>Energy and Environmental Science</i> , 2021, 14, 3323-3351.	15.6	140
8	Activating a Multielectron Reaction of NASICON-Structured Cathodes toward High Energy Density for Sodium-Ion Batteries. <i>Journal of the American Chemical Society</i> , 2021, 143, 18091-18102.	6.6	96
9	Synthesis Strategies and Structural Design of Porous Carbon-Incorporated Anodes for Sodium-Ion Batteries. <i>Small Methods</i> , 2020, 4, 1900163.	4.6	49
10	Development and Investigation of a NASICON-Type High-Voltage Cathode Material for High-Power Sodium-Ion Batteries. <i>Angewandte Chemie</i> , 2020, 132, 2470-2477.	1.6	26
11	Development and Investigation of a NASICON-Type High-Voltage Cathode Material for High-Power Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 2449-2456.	7.2	101
12	Emerging polyanionic and organic compounds for high energy density, non-aqueous potassium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 16061-16080.	5.2	37
13	Designing Advanced Vanadium-Based Materials to Achieve Electrochemically Active Multielectron Reactions in Sodium/Potassium-Ion Batteries. <i>Advanced Energy Materials</i> , 2020, 10, 2002244.	10.2	79
14	Building High Power Density of Sodium-Ion Batteries: Importance of Multidimensional Diffusion Pathways in Cathode Materials. <i>Frontiers in Chemistry</i> , 2020, 8, 152.	1.8	26
15	A Cation and Anion Dual Doping Strategy for the Elevation of Titanium Redox Potential for High-Power Sodium-Ion Batteries. <i>Angewandte Chemie</i> , 2020, 132, 12174-12181.	1.6	20
16	The Cathode Choice for Commercialization of Sodium-Ion Batteries: Layered Transition Metal Oxides versus Prussian Blue Analogs. <i>Advanced Functional Materials</i> , 2020, 30, 1909530.	7.8	276
17	Hierarchically Porous MoS <sub>2</sub> -Carbon Hollow Rhomboids for Superior Performance of the Anode of Sodium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 10402-10409.	4.0	36
18	Manipulating Molecular Structure and Morphology to Invoke High-Performance Sodium Storage of Copper Phosphide. <i>Advanced Energy Materials</i> , 2020, 10, 1903542.	10.2	38

#	ARTICLE	IF	CITATIONS
19	A Cation and Anion Dual Doping Strategy for the Elevation of Titanium Redox Potential for High-Power Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 12076-12083.	7.2	78
20	Understanding rhombohedral iron hexacyanoferrate with three different sodium positions for high power and long stability sodium-ion battery. <i>Energy Storage Materials</i> , 2020, 30, 42-51.	9.5	62
21	Ultrathin 2D TiS <sub>2</sub> Nanosheets for High Capacity and Long-Life Sodium Ion Batteries. <i>Advanced Energy Materials</i> , 2019, 9, 1803210.	10.2	100
22	Understanding Challenges of Cathode Materials for Sodium-Ion Batteries using Synchrotron-Based X-Ray Absorption Spectroscopy. <i>Batteries and Supercaps</i> , 2019, 2, 842-851.	2.4	23
23	A nanoarchitected Na <sub>6</sub> Fe <sub>5</sub> (SO <sub>4</sub> ) <sub>8</sub> /CNTs cathode for building a low-cost 3.6V sodium-ion full battery with superior sodium storage. <i>Journal of Materials Chemistry A</i> , 2019, 7, 14656-14669.	5.2	51
24	P2-type Na <sub>2/3</sub> Ni <sub>1/3</sub> Mn <sub>2/3</sub> O <sub>2</sub> as a cathode material with high-rate and long-life for sodium ion storage. <i>Journal of Materials Chemistry A</i> , 2019, 7, 9215-9221.	5.2	102
25	Recent progress on iron- and manganese-based anodes for sodium-ion and potassium-ion batteries. <i>Energy Storage Materials</i> , 2019, 19, 163-178.	9.5	90
26	NASICON-type air-stable and all-climate cathode for sodium-ion batteries with low cost and high-power density. <i>Nature Communications</i> , 2019, 10, 1480.	5.8	260
27	High-Abundance and Low-Cost Metal-Based Cathode Materials for Sodium-Ion Batteries: Problems, Progress, and Key Technologies. <i>Advanced Energy Materials</i> , 2019, 9, 1803609.	10.2	176
28	Recent Progress of Layered Transition Metal Oxide Cathodes for Sodium-Ion Batteries. <i>Small</i> , 2019, 15, e1805381.	5.2	246
29	Highly Ambient-Stable 1T-MoS <sub>2</sub> and 1T-WS <sub>2</sub> by Hydrothermal Synthesis under High Magnetic Fields. <i>ACS Nano</i> , 2019, 13, 1694-1702.	7.3	131
30	Organic Cross-Linker Enabling a 3D Porous Skeleton-Supported Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /Carbon Composite for High Power Sodium-Ion Battery Cathode. <i>Small Methods</i> , 2019, 3, 1800169.	4.6	87
31	Lithium/Oxygen Incorporation and Microstructural Evolution during Synthesis of Li-Rich Layered Li <sub>0.2</sub> Ni <sub>0.2</sub> Mn <sub>0.6</sub> O <sub>2</sub> Oxides. <i>Advanced Energy Materials</i> , 2019, 9, 1803094.	10.2	78
32	Insight into the Multirole of Graphene in Preparation of High Performance Na <sub>2+x</sub> Fe <sub>2-x</sub> (SO <sub>4</sub> ) <sub>3</sub> Cathodes. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 16105-16112.	3.2	24
33	All Carbon Dual Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 35978-35983.	4.0	93
34	Constructing a Protective Pillaring Layer by Incorporating Gradient Mn <sup>4+</sup> to Stabilize the Surface/Interfacial Structure of LiNi <sub>0.815</sub> Co <sub>0.15</sub> Al <sub>0.035</sub> O <sub>2</sub> Cathode. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 27821-27830.	4.0	113
35	A Novel Graphene Oxide Wrapped Na <sub>2</sub> Fe <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> /C Cathode Composite for Long Life and High Energy Density Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1800944.	10.2	101
36	Unravelling the growth mechanism of hierarchically structured Ni <sub>1/3</sub> Co <sub>1/3</sub> Mn <sub>1/3</sub> (OH) <sub>2</sub> and their application as precursors for high-power cathode materials. <i>Electrochimica Acta</i> , 2017, 232, 123-131.	2.6	60

#	ARTICLE	IF	CITATIONS
37	The influences of sodium sources on the structure evolution and electrochemical performances of layered-tunnel hybrid Na <sub>0.6</sub> MnO <sub>2</sub> cathode. <i>Ceramics International</i> , 2017, 43, 6303-6311.	2.3	14
38	Construction of 3D pomegranate-like Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /conducting carbon composites for high-power sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 9833-9841.	5.2	101
39	Improved rate and cycle performance of nano-sized 5LiFePO <sub>4</sub> ·Li <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /C via high-energy ball milling assisted carbothermal reduction. <i>Journal of Alloys and Compounds</i> , 2017, 719, 281-287.	2.8	12
40	Screw dislocation-driven t-Ba <sub>2</sub> V <sub>2</sub> O <sub>7</sub> helical meso/nanosquares: microwave irradiation assisted-SDBS fabrication and their unique magnetic properties. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6336-6342.	2.7	13
41	Carbon-coated Na <sub>3.32</sub> Fe <sub>2.34</sub> (PO <sub>4</sub> ) <sub>2</sub> Cathode Material for High-Rate and Long-Life Sodium-Ion Batteries. <i>Advanced Materials</i> , 2017, 29, 1605535.	11.1	161
42	Multangular Rod-Shaped Na <sub>0.44</sub> MnO <sub>2</sub> as Cathode Materials with High Rate and Long Life for Sodium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 3644-3652.	4.0	107
43	Insight into the Origin of Capacity Fluctuation of Na <sub>2</sub> Ti <sub>6</sub> O <sub>13</sub> Anode in Sodium Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 43596-43602.	4.0	34
44	Shape-controlled synthesis of hierarchically layered lithium transition-metal oxide cathode materials by shear exfoliation in continuous stirred-tank reactors. <i>Journal of Materials Chemistry A</i> , 2017, 5, 25391-25400.	5.2	67
45	In Situ Grown S Nanosheets on Cu Foam: An Ultrahigh Electroactive Cathode for Room-Temperature Na-S Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 24446-24450.	4.0	65
46	Understanding Performance Differences from Various Synthesis Methods: A Case Study of Spinel LiCr <sub>0.2</sub> Ni <sub>0.4</sub> Mn <sub>1.4</sub> O <sub>4</sub> Cathode Material. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 26051-26057.	4.0	12
47	Confined synthesis of graphene wrapped LiMn <sub>0.5</sub> Fe <sub>0.5</sub> PO <sub>4</sub> composite via two step solution phase method as high performance cathode for Li-ion batteries. <i>Journal of Power Sources</i> , 2016, 329, 94-103.	4.0	35
48	Modeling and experimental studies of ammonia absorption in a spray tower. <i>Korean Journal of Chemical Engineering</i> , 2016, 33, 63-72.	1.2	9
49	Hierarchical structured LiMn <sub>0.5</sub> Fe <sub>0.5</sub> PO <sub>4</sub> spheres synthesized by template-engaged reaction as cathodes for high power Li-ion batteries. <i>Electrochimica Acta</i> , 2015, 178, 353-360.	2.6	35
50	Facile synthesis of porous Li <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /C composite and its superior electrochemical performance for lithium ion battery. <i>Materials Letters</i> , 2015, 142, 189-192.	1.3	5
51	Submicrometer porous Li <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /C composites with high rate electrochemical performance prepared by sol-gel combustion method. <i>Electrochimica Acta</i> , 2014, 137, 489-496.	2.6	32
52	Synthesis of LiCr <sub>0.2</sub> Ni <sub>0.4</sub> Mn <sub>1.4</sub> O <sub>4</sub> with superior electrochemical performance via a two-step thermo polymerization technique. <i>Electrochimica Acta</i> , 2013, 97, 184-191.	2.6	18