

# Yuan Cheng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3390371/publications.pdf>

Version: 2024-02-01

74  
papers

4,436  
citations

147801

31  
h-index

110387

64  
g-index

87  
all docs

87  
docs citations

87  
times ranked

3963  
citing authors

#	ARTICLE	IF	CITATIONS
1	Primary nature of brown carbon absorption in a frigid atmosphere with strong haze chemistry. <i>Environmental Research</i> , 2022, 204, 112324.	7.5	6
2	New open burning policy reshaped the aerosol characteristics of agricultural fire episodes in Northeast China. <i>Science of the Total Environment</i> , 2022, 810, 152272.	8.0	17
3	Synergy of multiple drivers leading to severe winter haze pollution in a megacity in Northeast China. <i>Atmospheric Research</i> , 2022, 270, 106075.	4.1	5
4	Strong biomass burning contribution to ambient aerosol during heating season in a megacity in Northeast China: Effectiveness of agricultural fire bans?. <i>Science of the Total Environment</i> , 2021, 754, 142144.	8.0	33
5	Identification of PM <sub>2.5</sub> sources contributing to both Brown carbon and reactive oxygen species generation in winter in Beijing, China. <i>Atmospheric Environment</i> , 2021, 246, 118069.	4.1	13
6	Model vs. observation discrepancy in aerosol characteristics during a half-year long campaign in Northeast China: The role of biomass burning. <i>Environmental Pollution</i> , 2021, 269, 116167.	7.5	15
7	Brown carbon's emission factors and optical characteristics in household biomass burning: developing a novel algorithm for estimating the contribution of brown carbon. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 2329-2341.	4.9	18
8	Measurement report: Chemical characteristics of PM <sub>2.5</sub> during typical biomass burning season at an agricultural site of the North China Plain. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 3181-3192.	4.9	17
9	Formation of secondary inorganic aerosol in a frigid urban atmosphere. <i>Frontiers of Environmental Science and Engineering</i> , 2021, 16, 1.	6.0	10
10	Mapping the drivers of formaldehyde (HCHO) variability from 2015 to 2019 over eastern China: insights from Fourier transform infrared observation and GEOS-Chem model simulation. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 6365-6387.	4.9	20
11	Strong Impacts of Legitimate Open Burning on Brown Carbon Aerosol in Northeast China. <i>Environmental Science and Technology Letters</i> , 2021, 8, 732-738.	8.7	16
12	Quantifying variability, source, and transport of CO in the urban areas over the Himalayas and Tibetan Plateau. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 9201-9222.	4.9	10
13	Spatiotemporal variation and source analysis of air pollutants in the Harbin-Changchun (HC) region of China during 2014–2020. <i>Environmental Science and Ecotechnology</i> , 2021, 8, 100126.	13.5	10
14	Investigating the effect of sources and meteorological conditions on wintertime haze formation in Northeast China: A case study in Harbin. <i>Science of the Total Environment</i> , 2021, 801, 149631.	8.0	20
15	Dramatic changes in Harbin aerosol during 2018–2020: the roles of open burning policy and secondary aerosol formation. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 15199-15211.	4.9	15
16	Air Quality in the Harbin-Changchun Metropolitan Area in Northeast China: Unique Episodes and New Trends. <i>Toxics</i> , 2021, 9, 357.	3.7	2
17	Top-Down Determination of Black Carbon Emissions from Oil Sand Facilities in Alberta, Canada Using Aircraft Measurements. <i>Environmental Science &amp; Technology</i> , 2020, 54, 412-418.	10.0	7
18	Biomass burning impacts on ambient aerosol at a background site in East China: Insights from a yearlong study. <i>Atmospheric Research</i> , 2020, 231, 104660.	4.1	27

#	ARTICLE	IF	CITATIONS
19	Integration of field observation and air quality modeling to characterize Beijing aerosol in different seasons. <i>Chemosphere</i> , 2020, 242, 125195.	8.2	10
20	Secondary inorganic aerosol during heating season in a megacity in Northeast China: Evidence for heterogeneous chemistry in severe cold climate region. <i>Chemosphere</i> , 2020, 261, 127769.	8.2	12
21	Influence of High Relative Humidity on Secondary Organic Carbon: Observations at a Background Site in East China. <i>Journal of Meteorological Research</i> , 2019, 33, 905-913.	2.4	13
22	Characterization of carbon fractions in carbonaceous aerosols from typical fossil fuel combustion sources. <i>Fuel</i> , 2019, 254, 115620.	6.4	35
23	Uncertainties in thermal-optical measurements of black carbon: Insights from source and ambient samples. <i>Science of the Total Environment</i> , 2019, 656, 239-249.	8.0	16
24	Characterization of saccharides and associated usage in determining biogenic and biomass burning aerosols in atmospheric fine particulate matter in the North China Plain. <i>Science of the Total Environment</i> , 2019, 650, 2939-2950.	8.0	33
25	Size distribution and coating thickness of black carbon from the Canadian oil sands operations. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 2653-2667.	4.9	17
26	Contribution of Hydroxymethane Sulfonate to Ambient Particulate Matter: A Potential Explanation for High Particulate Sulfur During Severe Winter Haze in Beijing. <i>Geophysical Research Letters</i> , 2018, 45, 11,969.	4.0	72
27	The characteristics of carbonaceous aerosol in Beijing during a season of transition. <i>Chemosphere</i> , 2018, 212, 1010-1019.	8.2	5
28	Effectiveness evaluation of temporary emission control action in 2016 in winter in Shijiazhuang, China. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 7019-7039.	4.9	46
29	A new persistent luminescent composite for tracing toxic air particulate matter. <i>Environmental Chemistry Letters</i> , 2018, 16, 1487-1492.	16.2	5
30	Brown and black carbon in Beijing aerosol: Implications for the effects of brown coating on light absorption by black carbon. <i>Science of the Total Environment</i> , 2017, 599-600, 1047-1055.	8.0	92
31	The effects of biodiesels on semivolatile and nonvolatile particulate matter emissions from a light-duty diesel engine. <i>Environmental Pollution</i> , 2017, 230, 72-80.	7.5	10
32	Contribution of fungal spores to organic carbon in ambient aerosols in Beijing, China. <i>Atmospheric Pollution Research</i> , 2017, 8, 351-358.	3.8	18
33	Long-term trends of chemical characteristics and sources of fine particle in Foshan City, Pearl River Delta: 2008-2014. <i>Science of the Total Environment</i> , 2016, 565, 519-528.	8.0	79
34	Chemical characterization of humic-like substances (HULIS) in PM <sub>2.5</sub> in Lanzhou, China. <i>Science of the Total Environment</i> , 2016, 573, 1481-1490.	8.0	63
35	Light absorption by biomass burning source emissions. <i>Atmospheric Environment</i> , 2016, 127, 347-354.	4.1	34
36	Seasonal variations and source estimation of saccharides in atmospheric particulate matter in Beijing, China. <i>Chemosphere</i> , 2016, 150, 365-377.	8.2	86

#	ARTICLE	IF	CITATIONS
37	The characteristics of brown carbon aerosol during winter in Beijing. <i>Atmospheric Environment</i> , 2016, 127, 355-364.	4.1	213
38	Exploring the severe winter haze in Beijing: the impact of synoptic weather, regional transport and heterogeneous reactions. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 2969-2983.	4.9	843
39	Measurement of carbonaceous aerosol with different sampling configurations and frequencies. <i>Atmospheric Measurement Techniques</i> , 2015, 8, 2639-2648.	3.1	7
40	Uncertainties in observational data on organic aerosol: An annual perspective of sampling artifacts in Beijing, China. <i>Environmental Pollution</i> , 2015, 206, 113-121.	7.5	7
41	Humidity plays an important role in the PM 2.5 pollution in Beijing. <i>Environmental Pollution</i> , 2015, 197, 68-75.	7.5	170
42	A newly identified calculation discrepancy of the Sunset semi-continuous carbon analyzer. <i>Atmospheric Measurement Techniques</i> , 2014, 7, 1969-1977.	3.1	11
43	A yearlong study of water-soluble organic carbon in Beijing II: Light absorption properties. <i>Atmospheric Environment</i> , 2014, 89, 235-241.	4.1	155
44	Investigation on sampling artifacts of particle associated PAHs using ozone denuder systems. <i>Frontiers of Environmental Science and Engineering</i> , 2014, 8, 284-292.	6.0	11
45	Source of atmospheric heavy metals in winter in Foshan, China. <i>Science of the Total Environment</i> , 2014, 493, 262-270.	8.0	88
46	Sources of primary and secondary organic aerosol and their diurnal variations. <i>Journal of Hazardous Materials</i> , 2014, 264, 536-544.	12.4	22
47	Ambient organic carbon to elemental carbon ratios: Influence of the thermal "optical temperature protocol and implications. <i>Science of the Total Environment</i> , 2014, 468-469, 1103-1111.	8.0	28
48	The characteristics of Beijing aerosol during two distinct episodes: Impacts of biomass burning and fireworks. <i>Environmental Pollution</i> , 2014, 185, 149-157.	7.5	80
49	A yearlong study of water-soluble organic carbon in Beijing I: Sources and its primary vs. secondary nature. <i>Atmospheric Environment</i> , 2014, 92, 514-521.	4.1	122
50	Measurement of humic-like substances in aerosols: A review. <i>Environmental Pollution</i> , 2013, 181, 301-314.	7.5	138
51	Rapid detection and quantification of fungal spores in the urban atmosphere by flow cytometry. <i>Journal of Aerosol Science</i> , 2013, 66, 179-186.	3.8	26
52	PM <sub>2.5</sub> mass, chemical composition, and light extinction before and during the 2008 Beijing Olympics. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 12,158.	3.3	32
53	Evaluation of fungal spore characteristics in Beijing, China, based on molecular tracer measurements. <i>Environmental Research Letters</i> , 2013, 8, 014005.	5.2	35
54	Biomass burning contribution to Beijing aerosol. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 7765-7781.	4.9	343

#	ARTICLE	IF	CITATIONS
55	Characteristics of 2-methyltetrols in ambient aerosol in Beijing, China. <i>Atmospheric Environment</i> , 2012, 59, 376-381.	4.1	23
56	Source apportionment of PM <sub>2.5</sub> nitrate and sulfate in China using a source-oriented chemical transport model. <i>Atmospheric Environment</i> , 2012, 62, 228-242.	4.1	192
57	Intercomparison of thermal-optical method with different temperature protocols: Implications from source samples and solvent extraction. <i>Atmospheric Environment</i> , 2012, 61, 453-462.	4.1	22
58	Chemical characteristics of size-resolved PM <sub>2.5</sub> at a roadside environment in Beijing, China. <i>Environmental Pollution</i> , 2012, 161, 215-221.	7.5	79
59	Sampling artifacts of organic and inorganic aerosol: Implications for the speciation measurement of particulate matter. <i>Atmospheric Environment</i> , 2012, 55, 229-233.	4.1	15
60	Characterization of carbonaceous aerosol by the stepwise-extraction thermal-optical-transmittance (SE-TOT) method. <i>Atmospheric Environment</i> , 2012, 59, 551-558.	4.1	17
61	Intercomparison of Thermal-Optical Methods for the Determination of Organic and Elemental Carbon: Influences of Aerosol Composition and Implications. <i>Environmental Science &amp; Technology</i> , 2011, 45, 10117-10123.	10.0	33
62	Characteristics of particulate PAHs during a typical haze episode in Guangzhou, China. <i>Atmospheric Research</i> , 2011, 102, 91-98.	4.1	88
63	Carbonaceous species in PM <sub>2.5</sub> at a pair of rural/urban sites in Beijing, 2005-2008. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 7893-7903.	4.9	63
64	Mass absorption efficiency of elemental carbon and water-soluble organic carbon in Beijing, China. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 11497-11510.	4.9	266
65	Developing chemical signatures of particulate air pollution in the Pearl River Delta region, China. <i>Journal of Environmental Sciences</i> , 2011, 23, 1143-1149.	6.1	17
66	Sources of excess urban carbonaceous aerosol in the Pearl River Delta Region, China. <i>Atmospheric Environment</i> , 2011, 45, 1175-1182.	4.1	39
67	Comparison of two thermal-optical methods for the determination of organic carbon and elemental carbon: Results from the southeastern United States. <i>Atmospheric Environment</i> , 2011, 45, 1913-1918.	4.1	38
68	The impact of the pollution control measures for the 2008 Beijing Olympic Games on the chemical composition of aerosols. <i>Atmospheric Environment</i> , 2011, 45, 2789-2794.	4.1	68
69	Ambient organic carbon to elemental carbon ratios: Influences of the measurement methods and implications. <i>Atmospheric Environment</i> , 2011, 45, 2060-2066.	4.1	48
70	Dust storms come to Central and Southwestern China, too: implications from a major dust event in Chongqing. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 2615-2630.	4.9	59
71	Improved measurement of carbonaceous aerosol: evaluation of the sampling artifacts and inter-comparison of the thermal-optical analysis methods. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 8533-8548.	4.9	36
72	Measurement of semivolatile carbonaceous aerosols and its implications: A review. <i>Environment International</i> , 2009, 35, 674-681.	10.0	42

#	ARTICLE	IF	CITATIONS
73	Positive sampling artifact of carbonaceous aerosols and its influence on the thermal-optical split of OC/EC. <i>Atmospheric Chemistry and Physics</i> , 2009, 9, 7243-7256.	4.9	47
74	Overestimated role of sulfate in haze formation over Chinese megacities due to improper simulation of heterogeneous reactions. <i>Environmental Chemistry Letters</i> , 0, , .	16.2	2