## Marit B. VeierÃ,d

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3393111/publications.pdf

Version: 2024-02-01

194 papers 12,566 citations

47409 49 h-index 106 g-index

207 all docs

207 docs citations

times ranked

207

20568 citing authors

#	Article	IF	CITATIONS
1	Sunscreens With High Versus Low Sun Protection Factor and Cutaneous Squamous Cell Carcinoma Risk: A Population-Based Cohort Study. American Journal of Epidemiology, 2022, 191, 75-84.	1.6	1
2	Increased risk of peripheral artery disease in persons with familial hypercholesterolaemia: a prospective registry study. European Journal of Preventive Cardiology, 2022, 28, e11-e13.	0.8	6
3	Prediagnostic serum 25â€hydroxyvitamin D and leptin in relation to melanomaâ€specific death and overall death. Pigment Cell and Melanoma Research, 2022, 35, 280-284.	1.5	O
4	Detection of gluten immunogenic peptides and the Celiac Disease Adherence Test to monitor gluten-free diet: a pilot study. European Journal of Clinical Nutrition, 2022, 76, 902-903.	1.3	8
5	A Low FODMAP Diet Reduces Symptoms in Treated Celiac Patients With Ongoing Symptoms–A Randomized Controlled Trial. Clinical Gastroenterology and Hepatology, 2022, 20, 2258-2266.e3.	2.4	20
6	The influence of metabolic factors and ethnicity on breast cancer risk, treatment and survival: The Oslo ethnic breast cancer study. Acta Oncol $\tilde{A}^3$ gica, 2022, 61, 649-657.	0.8	1
7	Comparison of cancer incidence and mortality in the Norwegian Fire Departments Cohort, 1960–2018. Occupational and Environmental Medicine, 2022, 79, 736-743.	1.3	4
8	Cohort Profile: Norwegian Offshore Petroleum Workers (NOPW) Cohort. International Journal of Epidemiology, 2021, 50, 398-399.	0.9	7
9	Survival among women diagnosed with screen-detected or interval breast cancer classified as true, minimal signs, or missed through an informed radiological review. European Radiology, 2021, 31, 2677-2686.	2.3	4
10	Ultraviolet radiation and risk of cutaneous melanoma and squamous cell carcinoma in males and females in the Norwegian Offshore Petroleum Workers cohort. American Journal of Industrial Medicine, 2021, 64, 496-510.	1.0	7
11	Novel associations between parental and newborn cord blood metabolic profiles in the Norwegian Mother, Father and Child Cohort Study. BMC Medicine, 2021, 19, 91.	2.3	8
12	High disease burden in treated celiac patients – a web-based survey. Scandinavian Journal of Gastroenterology, 2021, 56, 882-888.	0.6	14
13	Early detection of prostate cancer in firefighters: a register-based study of prognostic factors and survival. Occupational and Environmental Medicine, 2021, , oemed-2021-107622.	1.3	4
14	Menopausal hormone therapy and risk of melanoma: a populationâ€based cohort study. British Journal of Dermatology, 2021, 185, 1266-1267.	1.4	3
15	Physical activity and cutaneous melanoma risk: A Norwegian population-based cohort study. Preventive Medicine, 2021, 153, 106556.	1.6	1
16	Excess risk of male breast cancer in the Norwegian Offshore Petroleum Workers (NOPW) cohort: a possible link to extreme night shift work?. Breast Cancer Research, 2021, 23, 106.	2.2	1
17	Women's conceptual knowledge about breast cancer screening and overdiagnosis in Norway: a cross-sectional study. BMJ Open, 2021, 11, e052121.	0.8	1
18	Terminal digit preference: a source of measurement error in breast cancer diameter reporting. Acta Oncol $\tilde{A}^3$ gica, 2020, 59, 260-267.	0.8	5

#	Article	IF	Citations
19	Work Conditions and Practices in Norwegian Fire Departments From 1950 Until Today: A Survey on Factors Potentially Influencing Carcinogen Exposure. Safety and Health at Work, 2020, 11, 509-516.	0.3	11
20	Prediagnostic serum 25-hydroxyvitamin D and melanoma risk. Scientific Reports, 2020, 10, 20129.	1.6	3
21	Risk Prediction Models for Melanoma: A Systematic Review on the Heterogeneity in Model Development and Validation. International Journal of Environmental Research and Public Health, 2020, 17, 7919.	1.2	18
22	Trunk, pelvic and hip kinematics during the Stork test in pregnant women with pelvic girdle pain, asymptomatic pregnant and non-pregnant women. Clinical Biomechanics, 2020, 80, 105168.	0.5	4
23	Lifetime Ultraviolet Radiation Exposure and DNA Methylation in Blood Leukocytes: The Norwegian Women and Cancer Study. Scientific Reports, 2020, 10, 4521.	1.6	4
24	<p>Use of Antidepressants and Risk of Cutaneous Melanoma: A Prospective Registry-Based Case-Control Study</p> . Clinical Epidemiology, 2020, Volume 12, 193-202.	1.5	12
25	<p>Use of Immunomodulating Drugs and Risk of Cutaneous Melanoma: A Nationwide Nested Case-Control Study</p> . Clinical Epidemiology, 2020, Volume 12, 1389-1401.	1.5	9
26	Prevalence of Indoor Tanning Among Teenagers in Norway Before and After Enforcement of Ban for Ages Under 18 Years. Acta Dermato-Venereologica, 2020, 100, adv00127-2.	0.6	1
27	Circulating insulinâ€ike growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 144, 957-966.	2.3	12
28	Lipoprotein(a) concentration is associated with plasma arachidonic acid in subjects with familial hypercholesterolaemia. British Journal of Nutrition, 2019, 122, 790-799.	1.2	4
29	Pharmacokinetic interaction between modified Atkins diet and antiepileptic drugs in adults with drugâ€resistant epilepsy. Epilepsia, 2019, 60, 2235-2244.	2.6	38
30	Association of Low-Density Lipoprotein Cholesterol With Risk of Aortic Valve Stenosis in Familial Hypercholesterolemia. JAMA Cardiology, 2019, 4, 1156.	3.0	31
31	Postprandial changes in gene expression of cholesterol influx and efflux mediators after intake of SFA compared with <i>n</i> -6 PUFA in subjects with and without familial hypercholesterolaemia: secondary outcomes of a randomised controlled trial. Journal of Nutritional Science, 2019, 8, e27.	0.7	9
32	Association of Lifetime Indoor Tanning and Subsequent Risk of Cutaneous Squamous Cell Carcinoma. JAMA Dermatology, 2019, 155, 1350.	2.0	11
33	Abnormal blood lactate accumulation during repeated exercise testing in myalgic encephalomyelitis/chronic fatigue syndrome. Physiological Reports, 2019, 7, e14138.	0.7	41
34	Kinematic and spatiotemporal gait characteristics in pregnant women with pelvic girdle pain, asymptomatic pregnant and non-pregnant women. Clinical Biomechanics, 2019, 68, 45-52.	0.5	11
35	Global test for highâ€dimensional mediation: Testing groups of potential mediators. Statistics in Medicine, 2019, 38, 3346-3360.	0.8	26
36	Dietary and symptom assessment in adults with self-reported non-coeliac gluten sensitivity. Clinical Nutrition ESPEN, 2019, 31, 88-94.	0.5	26

#	Article	IF	CITATIONS
37	The Timed Up & Dest in pregnant women with pelvic girdle pain compared to asymptomatic pregnant and non-pregnant women. Musculoskeletal Science and Practice, 2019, 43, 110-116.	0.6	9
38	Cardiovascular, antidepressant and immunosuppressive drug use in relation to risk of cutaneous melanoma: a protocol for a prospective case–control study. BMJ Open, 2019, 9, e025246.	0.8	4
39	Reproductive factors and risk of melanoma: a populationâ€based cohort study. British Journal of Dermatology, 2019, 181, 282-289.	1.4	5
40	Use of skincare products and risk of cancer of the breast and endometrium: a prospective cohort study. Environmental Health, 2019, 18, 105.	1.7	11
41	Association of Phenotypic Characteristics and UV Radiation Exposure With Risk of Melanoma on Different Body Sites. JAMA Dermatology, 2019, 155, 39.	2.0	50
42	Challenges in assessing the sunscreenâ€melanoma association. International Journal of Cancer, 2019, 144, 2651-2668.	2.3	26
43	Risk of Ischemic Stroke and Total Cerebrovascular Disease in Familial Hypercholesterolemia. Stroke, 2019, 50, 172-174.	1.0	12
44	Ablative Fractional Laser-assisted Daylight Photodynamic Therapy for Actinic Keratoses of the Scalp and Forehead in Organ Transplant Recipients: A Pilot Study. Acta Dermato-Venereologica, 2019, 99, 1047-1048.	0.6	6
45	Impact of age on excess risk of coronary heart disease in patients with familial hypercholesterolaemia. Heart, 2018, 104, 1600-1607.	1.2	49
46	Sex differences in cholesterol levels from birth to 19Âyears of age may lead to increased cholesterol burden in females with FH. Journal of Clinical Lipidology, 2018, 12, 748-755.e2.	0.6	19
47	Melanoma staging: Varying precision and terminal digit clustering in Breslow thickness data is evident in a population-based study. Journal of the American Academy of Dermatology, 2018, 79, 118-125.e1.	0.6	6
48	Anthropometric factors and cutaneous melanoma: Prospective data from the populationâ€based Janus Cohort. International Journal of Cancer, 2018, 142, 681-690.	2.3	16
49	Fructan, Rather Than Gluten, Induces Symptoms in Patients With Self-Reported Non-Celiac Gluten Sensitivity. Gastroenterology, 2018, 154, 529-539.e2.	0.6	317
50	Effects of individualized nutrition after allogeneic hematopoietic stem cell transplantation following myeloablative conditioning; a randomized controlled trial. Clinical Nutrition ESPEN, 2018, 28, 59-66.	0.5	15
51	Intake of sfa compared to pufa induce lower postprandial ldl receptor gene expression in pbmc in subjects with and without FH. Atherosclerosis, 2018, 275, e165-e166.	0.4	0
52	The impact of age and sex on excess risk of coronary heart disease in patients with familial hypercholesterolemia: A registry study. Atherosclerosis, 2018, 275, e175.	0.4	1
53	Delayed postprandial TAG peak after intake of SFA compared with PUFA in subjects with and without familial hypercholesterolaemia: a randomised controlled trial. British Journal of Nutrition, 2018, 119, 1142-1150.	1.2	8
54	Observed to expected or logistic regression to identify hospitals with high or low 30-day mortality?. PLoS ONE, 2018, 13, e0195248.	1,1	7

#	Article	IF	CITATIONS
55	Nausea and vomiting in pregnancy – association with pelvic girdle pain during pregnancy and 4-6Âmonths post-partum. BMC Pregnancy and Childbirth, 2018, 18, 137.	0.9	5
56	High mortality due to cutaneous melanoma in Norway: a study of prognostic factors in a nationwide cancer registry. Clinical Epidemiology, 2018, Volume 10, 537-548.	1.5	32
57	Anthropometric factors and Breslow thickness: prospective data on 2570 cases of cutaneous melanoma in the population-based Janus Cohort. British Journal of Dermatology, 2018, 179, 632-641.	1.4	15
58	Effect of modified Atkins diet in adults with drugâ€resistant focal epilepsy: A randomized clinical trial. Epilepsia, 2018, 59, 1567-1576.	2.6	65
59	Why a randomized melanoma screening trial is not a good idea. British Journal of Dermatology, 2018, 179, 532-533.	1.4	5
60	Reply. Gastroenterology, 2018, 155, 228.	0.6	1
61	Coffee, tea and melanoma risk: findings from the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2017, 140, 2246-2255.	2.3	39
62	Enhanced nutrient supply to very low birth weight infants is associated with higher blood amino acid concentrations and improved growth. Clinical Nutrition ESPEN, 2017, 18, 16-22.	0.5	14
63	The Norwegian dietary guidelines and colorectal cancer survival (CRC-NORDIET) study: a food-based multicentre randomized controlled trial. BMC Cancer, 2017, 17, 83.	1.1	25
64	Indoor Tanning and Melanoma Risk: Long-Term Evidence From a Prospective Population-Based Cohort Study. American Journal of Epidemiology, 2017, 185, 147-156.	1.6	60
65	Ghiasvand et al. Respond to "Indoor Tanning—A Melanoma Accelerator?― American Journal of Epidemiology, 2017, 185, 160-161.	1.6	1
66	Standardized incidence ratio of peripheral arterial disease and aortic stenosis in genotyped familial hypercholesterolemia in Norway during 2001-2009. Atherosclerosis, 2017, 263, e78.	0.4	0
67	Postprandial response after intake of saturated fat compared to polyunsaturated fat in subjects with familial hypercholesterolemia and normolipidemic controls-a randomized controlled trial. Atherosclerosis, 2017, 263, e210.	0.4	O
68	Increased risk of heart failure and atrial fibrillation in heterozygous familial hypercholesterolemia. Atherosclerosis, 2017, 266, 69-73.	0.4	16
69	Incidence of various types of atherosclerotic disease in patients with genotyped familial hypercholesterolemia. Atherosclerosis, 2017, 263, e26.	0.4	3
70	A protocol for prospective studies of 25-hydroxyvitamin D, leptin and body mass index in relation to cutaneous melanoma incidence and survival. BMJ Open, 2017, 7, e014829.	0.8	6
71	Wheat challenge in self-reported gluten sensitivity: a comparison of scoring methods. Scandinavian Journal of Gastroenterology, 2017, 52, 185-192.	0.6	9
72	Cardiovascular disease mortality in patients with genetically verified familial hypercholesterolemia in Norway during 1992–2013. European Journal of Preventive Cardiology, 2017, 24, 137-144.	0.8	49

#	Article	IF	CITATIONS
73	Prostate-specific antigen testing for prostate cancer: Depleting a limited pool of susceptible individuals?. European Journal of Epidemiology, 2017, 32, 511-520.	2.5	2
74	THE AUTHORS REPLY. American Journal of Epidemiology, 2017, 186, 749-749.	1.6	0
75	Ultraviolet exposure from indoor tanning devices: a systematic review. British Journal of Dermatology, 2016, 174, 730-740.	1.4	82
76	Enhanced nutrition improves growth and increases blood adiponectin concentrations in very low birth weight infants. Food and Nutrition Research, 2016, 60, 33171.	1.2	9
77	Low-carbohydrate diets increase LDL-cholesterol, and thereby indicate increased risk of CVD. British Journal of Nutrition, 2016, 115, 2264-2266.	1.2	5
78	Effects of low-carbohydrate diets <i>&gt;v</i> . low-fat diets on body weight and cardiovascular risk factors: a meta-analysis of randomised controlled trials. British Journal of Nutrition, 2016, 115, 466-479.	1.2	348
79	Cardiovascular disease in patients with genotyped familial hypercholesterolemia in Norway during 1994–2009, a registry study. European Journal of Preventive Cardiology, 2016, 23, 1962-1969.	0.8	31
80	Mortality of cardiovascular disease in patients with genetically verified familial hypercholesterolemia. Atherosclerosis, 2016, 252, e38.	0.4	0
81	Dietary patterns of women aged 50–69 years and associations with nutrient intake, sociodemographic factors and key risk factors for non-communicable diseases. Public Health Nutrition, 2016, 19, 2024-2032.	1.1	25
82	Cutaneous head and neck melanoma (CHNM): A population-based study of the prognostic impact of tumor location. Journal of the American Academy of Dermatology, 2016, 75, 975-982.e2.	0.6	30
83	Dietary counseling is associated with an improved lipid profile in children with familial hypercholesterolemia. Atherosclerosis, 2016, 252, 21-27.	0.4	27
84	Sunscreen Use and Subsequent Melanoma Risk: A Population-Based Cohort Study. Journal of Clinical Oncology, 2016, 34, 3976-3983.	0.8	94
85	The effect of under-reporting of energy intake on dietary patterns and on the associations between dietary patterns and self-reported chronic disease in women aged 50–69 years. British Journal of Nutrition, 2016, 116, 547-558.	1.2	22
86	Pre-diagnostic body mass index and weight change in relation to colorectal cancer survival among incident cases from a population-based cohort study. BMC Cancer, 2016, 16, 402.	1.1	12
87	Characterization of heavy users of skin care products among Norwegian women from 2003 to 2011. Archives of Public Health, 2016, 74, 53.	1.0	5
88	Development and External Validation of a Melanoma Risk Prediction Model Based on Self-assessed Risk Factors. JAMA Dermatology, 2016, 152, 889.	2.0	53
89	Melanoma Epidemiology and Prevention. Cancer Treatment and Research, 2016, 167, 17-49.	0.2	111
90	Increased levels of phthalates in very low birth weight infants with septicemia and bronchopulmonary dysplasia. Environment International, 2016, 89-90, 228-234.	4.8	27

#	Article	IF	Citations
91	No Effect of Individualized Nutrition on Quality of Life, Acute Graft-Versus-Host Disease or Oral Mucositis after Allogeneic Stem Cell Transplantation: A Randomized Controlled Trial. Blood, 2016, 128, 2211-2211.	0.6	1
92	Cutaneous squamous cell carcinoma in norway 1963–2011: increasing incidence and stable mortality. Cancer Medicine, 2015, 4, 472-480.	1.3	46
93	Vitamin D in Norwegian renal transplant recipients: A longitudinal study with repeated measurements in winter and summer. European Journal of Dermatology, 2015, 25, 234-239.	0.3	7
94	Long-term follow-up of young adults with familial hypercholesterolemia after participation in clinical trials during childhood. Journal of Clinical Lipidology, 2015, 9, 778-785.	0.6	19
95	Improved Visual Perception in Very Low Birth Weight Infants on Enhanced Nutrient Supply. Neonatology, 2015, 108, 30-37.	0.9	48
96	Baseline oxidative defense and survival after 5–7 years among elderly stroke patients at nutritional risk: Follow-up of a randomized, nutritional intervention trial. Clinical Nutrition, 2015, 34, 775-778.	2.3	5
97	Evaluation of dietary patterns among Norwegian postmenopausal women using plasma carotenoids as biomarkers. British Journal of Nutrition, 2015, 113, 672-682.	1.2	20
98	Pregnancy complications and birth outcomes among women experiencing nausea only or nausea and vomiting during pregnancy in the Norwegian Mother and Child Cohort Study. BMC Pregnancy and Childbirth, 2015, 15, 138.	0.9	42
99	Maternal inheritance does not predict cholesterol levels in children with familial hypercholesterolemia. Atherosclerosis, 2015, 243, 155-160.	0.4	28
100	Prevalence and trends of sunscreen use and sunburn among Norwegian women. British Journal of Dermatology, 2015, 172, 475-483.	1.4	36
101	Enhanced Nutrient Supply to Very Low Birth Weight Infants is Associated with Improved White Matter Maturation and Head Growth. Neonatology, 2015, 107, 68-75.	0.9	61
102	Forekomsten av fÅ,flekkreft Å,ker igjen. Tidsskrift for Den Norske Laegeforening, 2015, 135, 450-452.	0.2	5
103	Shape Information in Repeated Glucose Curves during Pregnancy Provided Significant Physiological Information for Neonatal Outcomes. PLoS ONE, 2014, 9, e90798.	1.1	9
104	Urinary Metabolite Profiles in Premature Infants Show Early Postnatal Metabolic Adaptation and Maturation. Nutrients, 2014, 6, 1913-1930.	1.7	40
105	A Hierarchical Frailty Model for Familial Testicular Germ-Cell Tumors. American Journal of Epidemiology, 2014, 179, 499-506.	1.6	20
106	Mortality Among Patients With Familial Hypercholesterolemia: A Registryâ€Based Study in Norway, 1992–2010. Journal of the American Heart Association, 2014, 3, e001236.	1.6	99
107	Host characteristics, sun exposure, indoor tanning and risk of squamous cell carcinoma of the skin. International Journal of Cancer, 2014, 135, 413-422.	2.3	29
108	Enhanced Feeding and Diminished Postnatal Growth Failure in Very‣owâ€Birthâ€Weight Infants. Journal of Pediatric Gastroenterology and Nutrition, 2014, 58, 344-351.	0.9	64

#	Article	IF	CITATIONS
109	Food items contributing most to variation in antioxidant intake; a cross-sectional study among Norwegian women. BMC Public Health, 2014, 14, 45.	1.2	21
110	On the power of the Cochran–Armitage test for trend in the presence of misclassification. Statistical Methods in Medical Research, 2014, 23, 218-243.	0.7	19
111	Markers of atherosclerotic development in children with familial hypercholesterolemia: A literature review. Atherosclerosis, 2014, 235, 299-309.	0.4	88
112	Clinical course of pelvic girdle pain postpartum $\hat{a}\in$ Impact of clinical findings in late pregnancy. Manual Therapy, 2014, 19, 190-196.	1.6	33
113	Dietary changes during first trimester pregnancy for women with nausea and vomiting in the Norwegian Mother and Child Cohort Study. Norsk Epidemiologi, 2014, 24, .	0.2	0
114	Nausea and vomiting in pregnancy: associations with maternal gestational diet and lifestyle factors in the <scp>N</scp> orwegian <scp>M</scp> other and <scp>C</scp> hild <scp>C</scp> ohort <scp>S</scp> tudy. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 1642-1653.	1.1	50
115	Shape information from glucose curves: Functional data analysis compared with traditional summary measures. BMC Medical Research Methodology, 2013, 13, 6.	1.4	40
116	Intensified fractional CO <sub>2</sub> laser-assisted photodynamic therapy vs. laser alone for organ transplant recipients with multiple actinic keratoses and wart-like lesions: a randomized half-side comparative trial on dorsal hands. British Journal of Dermatology, 2013, 169, 1087-1092.	1.4	78
117	Enhanced feeding in very-low-birth-weight infants may cause electrolyte disturbances and septicemia – A randomized, controlled trial. Clinical Nutrition, 2013, 32, 207-212.	2.3	142
118	The Global Cardiovascular Risk Transition. Circulation, 2013, 127, 1493-1502.	1.6	205
119	Meat intake, cooking methods and risk of proximal colon, distal colon and rectal cancer: The Norwegian Women and Cancer (NOWAC) cohort study. International Journal of Cancer, 2013, 133, 1153-1163.	2.3	55
120	Intake of <i>trans</i> fatty acids from partially hydrogenated vegetable and fish oils and ruminant fat in relation to cancer risk. International Journal of Cancer, 2013, 132, 1389-1403.	2.3	37
121	Children and young adults with familial hypercholesterolaemia (FH) have healthier food choices particularly with respect to dietary fat sources compared with non-FH children. Journal of Nutritional Science, 2013, 2, e32.	0.7	14
122	A prospective study of intake of <i>trans </i> -fatty acids from ruminant fat, partially hydrogenated vegetable oils, and marine oils and mortality from CVD. British Journal of Nutrition, 2012, 108, 743-754.	1.2	34
123	High UVâ€A exposure from sunbeds. Pigment Cell and Melanoma Research, 2012, 25, 639-640.	1.5	7
124	Comparing hospital mortality – how to count does matter for patients hospitalized for acute myocardial infarction (AMI), stroke and hip fracture. BMC Health Services Research, 2012, 12, 364.	0.9	28
125	National, regional, and global trends in adult overweight and obesity prevalences. Population Health Metrics, 2012, 10, 22.	1.3	730
126	19 ULTRAVIOLET EXPOSURE AND WOMEN'S HEALTH. Maturitas, 2012, 71, S5.	1.0	0

#	Article	IF	CITATIONS
127	Frailty modeling of age–incidence curves of osteosarcoma and Ewing sarcoma among individuals younger than 40 years. Statistics in Medicine, 2012, 31, 3731-3747.	0.8	6
128	UVB and UVA irradiances from indoor tanning devices. Photochemical and Photobiological Sciences, 2011, 10, 1129-1136.	1.6	42
129	Ultraviolet exposure and women's health. Maturitas, 2011, 70, 208-209.	1.0	1
130	Correction of an unexpected increasing trend in glucose measurements during 7 years recruitment to a cohort study. Clinical Biochemistry, 2011, 44, 1483-1486.	0.8	9
131	National, regional, and global trends in body-mass index since 1980: systematic analysis of health examination surveys and epidemiological studies with 960 country-years and $9\hat{A}\cdot 1$ million participants. Lancet, The, 2011, 377, 557-567.	6.3	3,476
132	Attention among very low birth weight infants following early supplementation with docosahexaenoic and arachidonic acid. Acta Paediatrica, International Journal of Paediatrics, 2011, 100, 47-52.	0.7	68
133	Metabolic factors and the risk of colorectal cancer in 580,000 men and women in the metabolic syndrome and cancer project (Meâ€Can). Cancer, 2011, 117, 2398-2407.	2.0	94
134	Vitamin Dâ€effective solar UV radiation, dietary vitamin D and breast cancer risk. International Journal of Cancer, 2011, 128, 1425-1433.	2.3	57
135	Ultraviolet Exposure and Mortality among Women in Sweden. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 683-690.	1.1	67
136	Prospective Study of UV Exposure and Cancer Incidence Among Swedish Women. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 1358-1367.	1.1	32
137	The interleukins IL-6 and IL-1Ra: a mediating role in the associations between BMI and birth weight?. Journal of Developmental Origins of Health and Disease, 2010, 1, 310-318.	0.7	9
138	Metabolic profile, physical activity, and mortality in breast cancer patients. Breast Cancer Research and Treatment, 2010, 121, 651-660.	1.1	114
139	Cancer risk in Norwegian world class athletes. Cancer Causes and Control, 2010, 21, 1711-1719.	0.8	26
140	Nonfasting triglycerides and risk of cardiovascular death in men and women from the Norwegian Counties Study. European Journal of Epidemiology, 2010, 25, 789-798.	2.5	84
141	Pelvic girdle pain: Potential risk factors in pregnancy in relation to disability and pain intensity three months postpartum. Manual Therapy, 2010, 15, 522-528.	1.6	65
142	Categorisation of continuous exposure variables revisited. A response to the Hyperglycaemia and Adverse Pregnancy Outcome (HAPO) Study. BMC Medical Research Methodology, 2010, 10, 103.	1.4	27
143	Pelvic girdle pain - associations between risk factors in early pregnancy and disability or pain intensity in late pregnancy: a prospective cohort study. BMC Musculoskeletal Disorders, 2010, 11, 91.	0.8	63
144	First year growth among very low birth weight infants. Acta Paediatrica, International Journal of Paediatrics, 2010, 99, 556-562.	0.7	49

#	Article	IF	CITATIONS
145	Pigmentary Characteristics, UV Radiation Exposure, and Risk of Non–Hodgkin Lymphoma: a Prospective Study among Scandinavian Women. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1569-1576.	1.1	23
146	Sun and Solarium Exposure and Melanoma Risk: Effects of Age, Pigmentary Characteristics, and Nevi. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 111-120.	1.1	185
147	A Prospective Study of Body Mass Index, Weight Change, and Risk of Cancer in the Proximal and Distal Colon. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1511-1522.	1.1	63
148	Growth and nutrient intake among very-low-birth-weight infants fed fortified human milk during hospitalisation. British Journal of Nutrition, 2009, 102, 1179-1186.	1.2	75
149	Meat consumption and the risk of type 2 diabetes: a systematic review and meta-analysis of cohort studies. Diabetologia, 2009, 52, 2277-2287.	2.9	308
150	Response: errors in assessing risk factors for melanoma. Melanoma Research, 2009, 19, 61.	0.6	2
151	En prospektiv undersøkelse av sammenhengen mellom kosthold og kreft blant middelaldrende kvinner og menn i Norge 1977-1992. Prosjektbeskrivelse. Norsk Epidemiologi, 2009, 7, .	0.2	0
152	Trends in UV Irradiance of Tanning Devices in Norway: 1983–2005. Photochemistry and Photobiology, 2008, 84, 1100-1108.	1.3	31
153	Recall Bias in Melanoma Risk Factors and Measurement Error Effects: A Nested Case-Control Study Within the Norwegian Women and Cancer Study. American Journal of Epidemiology, 2008, 169, 257-266.	1.6	41
154	17-Â-Estradiol in relation to age at menarche and adult obesity in premenopausal women. Human Reproduction, 2008, 23, 919-927.	0.4	98
155	Parr et al. Respond to "Recall Bias in Melanoma". American Journal of Epidemiology, 2008, 169, 271-272.	1.6	2
156	Comparing methods for handling missing values in food-frequency questionnaires and proposing $\langle i\rangle k\langle i\rangle$ nearest neighbours imputation: effects on dietary intake in the Norwegian Women and Cancer study (NOWAC). Public Health Nutrition, 2008, 11, 361-370.	1.1	32
157	Physical Activity, Heart Rate, Metabolic Profile, and Estradiol in Premenopausal Women. Medicine and Science in Sports and Exercise, 2008, 40, 1022-1030.	0.2	30
158	Reproducibility of self-reported melanoma risk factors in a large cohort study of Norwegian women. Melanoma Research, 2008, 18, 1-9.	0.6	44
159	The ability of the SCORE high-risk model to predict 10-year cardiovascular disease mortality in Norway. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 501-507.	3.1	43
160	Effects of long-term exercise and diet intervention on plasma adipokine concentrations. American Journal of Clinical Nutrition, 2007, 86, 1293-1301.	2.2	98
161	Free School Fruit-sustained effect three years later. International Journal of Behavioral Nutrition and Physical Activity, 2007, 4, 5.	2.0	78
162	Children and adolescents with type 1 diabetes eat a more atherosclerosis-prone diet than healthy control subjects. Diabetologia, 2007, 50, 307-316.	2.9	81

#	Article	IF	CITATIONS
163	Plasma levels of leptin and mammographic density among postmenopausal women: a cross-sectional study. Breast Cancer Research, 2006, 8, R55.	2.2	9
164	Test-retest reproducibility of a food frequency questionnaire (FFQ) and estimated effects on disease risk in the Norwegian Women and Cancer Study (NOWAC). Nutrition Journal, 2006, 5, 4.	1.5	83
165	Intake of milk fat, reflected in adipose tissue fatty acids and risk of myocardial infarction: a case–control study. European Journal of Clinical Nutrition, 2006, 60, 236-244.	1.3	48
166	The SCORE risk model applied to recent population surveys in Norway compared to observed mortality in the general population. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 731-737.	3.1	12
167	Clinical Course and Prognostic Factors in Acute Low Back Pain. Spine, 2005, 30, 976-982.	1.0	163
168	Evaluation of three dietary assessment methods and serum biomarkers as measures of fruit and vegetable intake, using the method of triads. British Journal of Nutrition, 2005, 93, 519-527.	1.2	75
169	Relations between high ponderal index at birth, feeding practices and body mass index in infancy. European Journal of Clinical Nutrition, 2005, 59, 1241-1249.	1.3	23
170	Evaluation of the odd fatty acids 15:0 and 17:0 in serum and adipose tissue as markers of intake of milk and dairy fat. European Journal of Clinical Nutrition, 2005, 59, 1417-1422.	1.3	138
171	On the Effect of Misclassification on Bias of Perfectly Measured Covariates in Regression. Biometrics, 2005, 61, 831-836.	0.8	10
172	Free school fruitsustained effect 1 year later. Health Education Research, 2005, 21, 268-275.	1.0	65
173	Plasma Levels of Enterolactone and Percentage Mammographic Density among Postmenopausal Women. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2154-2159.	1.1	13
174	Outcome and process evaluation of a Norwegian school-randomized fruit and vegetable intervention: Fruits and Vegetables Make the Marks (FVMM). Health Education Research, 2005, 21, 258-267.	1.0	101
175	The Norwegian School Fruit Programme: evaluating paid vs. no-cost subscriptions. Preventive Medicine, 2005, 41, 463-470.	1.6	131
176	The influence of the â^'401G/T and â^'402G/A polymorphisms of the coagulation FVII promoter on plasma levels of FVII. Thrombosis Research, 2005, 116, 313-320.	0.8	4
177	The effects of long-term diet and omega-3 fatty acid supplementation on coagulation factor VII and serum phospholipids with special emphasis on the R353Q polymorphism of the FVII gene. Thrombosis and Haemostasis, 2004, 91, 1097-1104.	1.8	37
178	Serum High-Density Lipoprotein Cholesterol, Metabolic Profile, and Breast Cancer Risk. Journal of the National Cancer Institute, 2004, 96, 1152-1160.	3.0	239
179	The Efficacy of a Treatment Program Focusing on Specific Stabilizing Exercises for Pelvic Girdle Pain After Pregnancy. Spine, 2004, 29, E197-E203.	1.0	171
180	Coagulation factor VII, R353Q polymorphism, and serum choline-containing phospholipids in males at high risk for coronary heart disease. Thrombosis Research, 2004, 113, 57-65.	0.8	14

#	Article	IF	CITATIONS
181	Fear-avoidance beliefs and distress in relation to disability in acute and chronic low back pain. Pain, 2004, 112, 343-352.	2.0	178
182	Breast-feeding at 12 months of age and dietary habits among breast-fed and non-breast-fed infants. Public Health Nutrition, 2004, 7, 495-503.	1.1	43
183	A comparison of the effects of cheese and butter on serum lipids, haemostatic variables and homocysteine. British Journal of Nutrition, 2004, 92, 791-797.	1.2	109
184	A Prospective Study of Pigmentation, Sun Exposure, and Risk of Cutaneous Malignant Melanoma in Women. Journal of the National Cancer Institute, 2003, 95, 1530-1538.	3.0	302
185	Effects of dietary fat quantity and composition on fasting and postprandial levels of coagulation factor VII and serum choline-containing phospholipids. British Journal of Nutrition, 2003, 90, 329-336.	1.2	10
186	Supplementation with fish oil affects the association between very long-chain n-3 polyunsaturated fatty acids in serum non-esterified fatty acids and soluble vascular cell adhesion molecule-1. Clinical Science, 2003, 105, 13-20.	1.8	57
187	Infant feeding practices and associated factors in the first six months of life: The Norwegian Infant Nutrition Survey. Acta Paediatrica, International Journal of Paediatrics, 2003, 92, 152-161.	0.7	218
188	Exposure misclassification: bias in category specific Poisson regression coefficients. Statistics in Medicine, 2001, 20, 771-784.	0.8	12
189	Results from two repeated 5 day dietary records with a 1 y interval among patients with colorectal polyps. European Journal of Clinical Nutrition, 2001, 55, 374-379.	1.3	10
190	Prevalence and trends in homosexual behaviour in Norway. Scandinavian Journal of Public Health, 1997, 25, 33-38.	0.6	7
191	Diet and risk of cutaneous malignant melanoma: A prospective study of 50,757 Norwegian men and women., 1997, 71, 600-604.		146
192	Dietary fat intake and risk of prostate cancer: A prospective study of 25,708 Norwegian men., 1997, 73, 634-638.		162
193	Reproducibility and stability of normalized EMG measurements on musculus trapezius. Ergonomics, 1996, 39, 171-185.	1.1	72
194	Impact on Sexually Transmitted Disease Spread of Increased Condom Use by Young Females, 1987–1992. International Journal of Epidemiology, 1995, 24, 813-820.	0.9	33