

Francesco Nazzi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3394290/publications.pdf>

Version: 2024-02-01

54
papers

3,283
citations

236925

25
h-index

168389

53
g-index

58
all docs

58
docs citations

58
times ranked

2921
citing authors

#	ARTICLE	IF	CITATIONS
1	Neonicotinoid clothianidin adversely affects insect immunity and promotes replication of a viral pathogen in honey bees. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 18466-18471.	7.1	531
2	Synergistic Parasite-Pathogen Interactions Mediated by Host Immunity Can Drive the Collapse of Honeybee Colonies. <i>PLoS Pathogens</i> , 2012, 8, e1002735.	4.7	364
3	Are bee diseases linked to pesticides? A brief review. <i>Environment International</i> , 2016, 89-90, 7-11.	10.0	350
4	Standard methods for varroa research. <i>Journal of Apicultural Research</i> , 2013, 52, 1-54.	1.5	264
5	Ecology of <i>Varroa destructor</i> , the Major Ectoparasite of the Western Honey Bee, <i>Apis mellifera</i> . <i>Annual Review of Entomology</i> , 2016, 61, 417-432.	11.8	261
6	A mutualistic symbiosis between a parasitic mite and a pathogenic virus undermines honey bee immunity and health. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 3203-3208.	7.1	188
7	Unity in defence: honeybee workers exhibit conserved molecular responses to diverse pathogens. <i>BMC Genomics</i> , 2017, 18, 207.	2.8	100
8	Disentangling multiple interactions in the hive ecosystem. <i>Trends in Parasitology</i> , 2014, 30, 556-561.	3.3	75
9	Statistical guidelines for <i>Apis mellifera</i> research. <i>Journal of Apicultural Research</i> , 2013, 52, 1-24.	1.5	73
10	Reinfestation of an acaricide-treated apiary by <i>Varroa jacobsoni</i> Oud. <i>Experimental and Applied Acarology</i> , 1992, 16, 279-286.	1.6	66
11	The hexagonal shape of the honeycomb cells depends on the construction behavior of bees. <i>Scientific Reports</i> , 2016, 6, 28341.	3.3	57
12	A semiochemical from brood cells infested by <i>Varroa destructor</i> triggers hygienic behaviour in <i>Apis mellifera</i> . <i>Apidologie</i> , 2004, 35, 65-70.	2.0	56
13	How does the mite <i>Varroa destructor</i> kill the honeybee <i>Apis mellifera</i> ? Alteration of cuticular hydrocarbons and water loss in infested honeybees. <i>Journal of Insect Physiology</i> , 2012, 58, 1548-1555.	2.0	56
14	Haemolymph removal by <i>Varroa</i> mite destabilizes the dynamical interaction between immune effectors and virus in bees, as predicted by Volterra's model. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20190331.	2.6	53
15	Selection of <i>Apis mellifera</i> workers by the parasitic mite <i>Varroa destructor</i> using host cuticular hydrocarbons. <i>Parasitology</i> , 2010, 137, 967-973.	1.5	52
16	Elucidating the mechanisms underlying the beneficial health effects of dietary pollen on honey bees (<i>Apis mellifera</i>) infested by <i>Varroa</i> mite ectoparasites. <i>Scientific Reports</i> , 2017, 7, 6258.	3.3	48
17	Honey Bee Antiviral Immune Barriers as Affected by Multiple Stress Factors: A Novel Paradigm to Interpret Colony Health Decline and Collapse. <i>Viruses</i> , 2018, 10, 159.	3.3	43
18	Repellent effect of sweet basil compounds on <i>Ixodes ricinus</i> ticks. <i>Experimental and Applied Acarology</i> , 2008, 45, 219-228.	1.6	41

#	ARTICLE	IF	CITATIONS
19	Degradation of Fumonisin B1 by a Bacterial Strain Isolated from Soil. <i>Biodegradation</i> , 2006, 17, 31-38.	3.0	37
20	Octanoic acid confers to royal jelly varroa-repellent properties. <i>Die Naturwissenschaften</i> , 2009, 96, 309-314.	1.6	36
21	Transcriptional signatures of parasitization and markers of colony decline in <i>Varroa</i> -infested honey bees (<i>Apis mellifera</i>). <i>Insect Biochemistry and Molecular Biology</i> , 2017, 87, 1-13.	2.7	35
22	A semiochemical from larval food influences the entrance of <i>Varroa destructor</i> into brood cells. <i>Apidologie</i> , 2004, 35, 403-410.	2.0	33
23	Neonicotinoid Clothianidin reduces honey bee immune response and contributes to <i>Varroa</i> mite proliferation. <i>Nature Communications</i> , 2020, 11, 5887.	12.8	32
24	Epidemiology of a major honey bee pathogen, deformed wing virus: potential worldwide replacement of genotype A by genotype B. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2022, 18, 157-171.	1.5	31
25	Semiochemicals from larval food affect the locomotory behaviour of <i>Varroa destructor</i> . <i>Apidologie</i> , 2001, 32, 149-155.	2.0	27
26	Prevalence of tick-borne encephalitis virus in <i>Ixodes Ricinus</i> from a novel endemic area of North Eastern Italy. <i>Journal of Medical Virology</i> , 2009, 81, 309-316.	5.0	27
27	(Z)-8-Heptadecene reduces the reproduction of <i>Varroa destructor</i> in brood cells. <i>Apidologie</i> , 2004, 35, 265-273.	2.0	25
28	Ticks and Lyme borreliosis in an alpine area in northeast Italy. <i>Medical and Veterinary Entomology</i> , 2010, 24, no-no.	1.5	24
29	Soil invertebrate dynamics of soybean agroecosystems encircled by hedgerows or not in Friuli, Italy. First data. <i>Agriculture, Ecosystems and Environment</i> , 1989, 27, 163-176.	5.3	23
30	(Z)-8-heptadecene from infested cells reduces the reproduction of <i>Varroa destructor</i> under laboratory conditions. <i>Journal of Chemical Ecology</i> , 2002, 28, 2181-2190.	1.8	22
31	Possible side effects of sugar supplementary nutrition on honey bee health. <i>Apidologie</i> , 2020, 51, 594-608.	2.0	22
32	Mite infestation during development alters the in-hive behaviour of adult honeybees. <i>Apidologie</i> , 2015, 46, 306-314.	2.0	21
33	Standard methods for chemical ecology research in <i>Apis mellifera</i> . <i>Journal of Apicultural Research</i> , 2013, 52, 1-34.	1.5	20
34	The presence of inhibitors of the reproduction of <i>Varroa jacobsoni</i> Oud. (Gamasida: Varroidae) in infested cells. <i>Experimental and Applied Acarology</i> , 1996, 20, 617-623.	1.6	19
35	The reduced brood nursing by mite-infested honey bees depends on their accelerated behavioral maturation. <i>Journal of Insect Physiology</i> , 2018, 109, 47-54.	2.0	19
36	Investigating the relationship between environmental factors and tick abundance in a small, highly heterogeneous region. <i>Journal of Vector Ecology</i> , 2015, 40, 107-116.	1.0	16

#	ARTICLE	IF	CITATIONS
37	Holistic environmental risk assessment for bees. <i>Science</i> , 2021, 371, 897-897.	12.6	14
38	Semiochemicals affecting the host-related behaviour of the dry bean beetle <i>Acanthoscelides obtectus</i> (Say). <i>Journal of Stored Products Research</i> , 2008, 44, 108-114.	2.6	13
39	Sex pheromone of aphid parasitoid <i>Praon volucre</i> (Hymenoptera, Braconidae). <i>Journal of Chemical Ecology</i> , 1996, 22, 1169-1175.	1.8	12
40	Honeybees use propolis as a natural pesticide against their major ectoparasite. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20212101.	2.6	12
41	Two Distances of Forewing Venation as Estimates of Wing Size. <i>Journal of Apicultural Research</i> , 1994, 33, 59-61.	1.5	10
42	From Chemistry to Behavior. Molecular Structure and Bioactivity of Repellents against <i>Ixodes ricinus</i> Ticks. <i>PLoS ONE</i> , 2013, 8, e67832.	2.5	9
43	Fluctuation of forewing characters in hybrid honey bees from northeastern Italy. <i>Journal of Apicultural Research</i> , 1992, 31, 27-31.	1.5	8
44	Analysis of cuticular hydrocarbons in two <i>Anagrus</i> species (Hymenoptera: Mymaridae) as a tool to improve their correct identification. <i>Canadian Entomologist</i> , 2006, 138, 348-356.	0.8	7
45	Response of western flower thrips, <i>Frankliniella occidentalis</i> and its predator <i>Amblyseius cucumeris</i> to chrysanthemum volatiles in olfactometer and greenhouse trials. <i>International Journal of Tropical Insect Science</i> , 1998, 18, 139-144.	1.0	6
46	Research and education for sustainability in a beekeeping project in sub-Saharan Africa. <i>Environment, Development and Sustainability</i> , 2014, 16, 619-632.	5.0	3
47	Factors affecting the response of <i>Ceutorhynchus assimilis</i> Payk. (Col., Curculionidae) males to conspecific odour. <i>Journal of Applied Entomology</i> , 2001, 125, 433-435.	1.8	2
48	Honeybees use various criteria to select the site for performing the waggle dances on the comb. <i>Behavioral Ecology and Sociobiology</i> , 2019, 73, 1.	1.4	2
49	The Beneficial Effect of Pollen on <i>Varroa</i> Infested Bees Depends on Its Influence on Behavioral Maturation Genes. <i>Frontiers in Insect Science</i> , 2022, 2, .	2.1	2
50	Behavioural Evidence and Chemical Identification of a Female Sex Pheromone in <i>Anagrus atomus</i> (Hymenoptera: Mymaridae). <i>Journal of Chemical Ecology</i> , 2021, 47, 534-543.	1.8	1
51	A bioassay to assess the activity of repellent substances on <i>Ixodes ricinus</i> nymphs. , 2010, , 517-519.		1
52	Commentary: Engineered symbionts activate honey bee immunity and limit pathogens. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	2.2	1
53	Roberto Milani 1950–2008. <i>Journal of Apicultural Research</i> , 2008, 47, 179-179.	1.5	0
54	Acari parassiti. , 2014, , 211-254.		0