Caroline C Duwaerts

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3394642/publications.pdf

Version: 2024-02-01

19 papers

422 citations

759233 12 h-index 18 g-index

22 all docs 22 docs citations

times ranked

22

761 citing authors

#	Article	IF	CITATIONS
1	Hepatocyte-specific deletion of XBP1 sensitizes mice to liver injury through hyperactivation of IRE1α. Cell Death and Differentiation, 2021, 28, 1455-1465.	11.2	20
2	Induced Pluripotent Stem Cell–derived Hepatocytes From Patients With Nonalcoholic Fatty Liver Disease Display a Disease-specific Gene Expression Profile. Gastroenterology, 2021, 160, 2591-2594.e6.	1.3	13
3	Doxycycline Significantly Enhances Induction of Induced Pluripotent Stem Cells to Endoderm by Enhancing Survival Through Protein Kinase B Phosphorylation. Hepatology, 2021, 74, 2102-2117.	7.3	5
4	ER Disposal Pathways in Chronic Liver Disease: Protective, Pathogenic, and Potential Therapeutic Targets. Frontiers in Molecular Biosciences, 2021, 8, 804097.	3.5	5
5	Polycystic ovary syndrome (PCOS) is associated with NASH severity and advanced fibrosis. Liver International, 2020, 40, 355-359.	3.9	50
6	Targeting acid ceramidase inhibits YAP/TAZ signaling to reduce fibrosis in mice. Science Translational Medicine, 2020, 12, .	12.4	71
7	Macronutrients and the Adipose-Liver Axis in Obesity and FattyÂLiver. Cellular and Molecular Gastroenterology and Hepatology, 2019, 7, 749-761.	4.5	63
8	The Association of Hispanic Ethnicity with Nonalcoholic Fatty Liver Disease in Polycystic Ovary Syndrome. Current Opinion in Gynecology and Obstetrics, 2018, 1, 24-33.	0.0	16
9	The Association of Hispanic Ethnicity with Nonalcoholic Fatty Liver Disease in Polycystic Ovary Syndrome., 2018, 1, 24-33.		3
10	Specific Macronutrients Exert Unique Influences on the Adipose-Liver Axis to Promote Hepatic Steatosis in Mice. Cellular and Molecular Gastroenterology and Hepatology, 2017, 4, 223-236.	4.5	13
11	CD18 deficiency improves liver injury in the MCD model of steatohepatitis. PLoS ONE, 2017, 12, e0183912.	2.5	8
12	Isocaloric manipulation of macronutrients within a high-carbohydrate/moderate-fat diet induces unique effects on hepatic lipogenesis, steatosis and liver injury. Journal of Nutritional Biochemistry, 2016, 29, 12-20.	4.2	16
13	Mechanisms of Liver Injury in Non-Alcoholic Steatohepatitis. Current Hepatology Reports, 2014, 13, 119-129.	0.9	37
14	Contrasting responses of <scp>K</scp> upffer cells and inflammatory mononuclear phagocytes to biliary obstruction in a mouse model of cholestatic liver injury. Liver International, 2013, 33, 255-265.	3.9	19
15	Cross-Activating Invariant NKT Cells and Kupffer Cells Suppress Cholestatic Liver Injury in a Mouse Model of Biliary Obstruction. PLoS ONE, 2013, 8, e79702.	2.5	19
16	NK cells suppress experimental cholestatic liver injury by an interleukin-6-mediated, Kupffer cell-dependent mechanism. Journal of Hepatology, 2011, 54, 746-752.	3.7	21
17	Effects of recovery from immobilization stress on striatal preprodynorphin- and kappa opioid receptor-mRNA levels of the male rat. Physiology and Behavior, 2011, 104, 972-980.	2.1	15
18	Targeting the diverse immunological functions expressed by hepatic NKT cells. Expert Opinion on Therapeutic Targets, 2011, 15, 973-988.	3.4	23

#	Article	lF	CITATIONS
19	Effects of acute diuresis stress on egr-1 (zif268) mRNA levels in brain regions associated with motivated behavior. Brain Research Bulletin, 2010, 81, 114-119.	3.0	4