

Chiara Zanardi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3396972/chiara-zanardi-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97
papers

1,785
citations

27
h-index

37
g-index

101
ext. papers

2,024
ext. citations

4.7
avg, IF

4.64
L-index

#	Paper	IF	Citations
97	Bioresponsive, Electroactive, and Inkjet-Printable Graphene-Based Inks. <i>Advanced Functional Materials</i> , 2022 , 32, 2105028	15.6	5
96	Emerging challenges in the extraction, analysis and bioanalysis of cannabidiol and related compounds. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 192, 113633	3.5	17
95	Development of an electrochemical sensor based on carbon black for the detection of cannabidiol in vegetable extracts. <i>Analyst, The</i> , 2021 , 146, 612-619	5	10
94	Continuous capillary-flow sensing of glucose and lactate in sweat with an electrochemical sensor based on functionalized graphene oxide. <i>Sensors and Actuators B: Chemical</i> , 2021 , 344, 130253	8.5	12
93	Separation and non-separation methods for the analysis of cannabinoids in Cannabis sativa L. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 206, 114346	3.5	6
92	Recent advances in the direct electrochemical detection of drugs of abuse. <i>Journal of Solid State Electrochemistry</i> , 2020 , 24, 2603-2616	2.6	31
91	Green nanomaterials fostering agrifood sustainability. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 125, 115840	14.6	28
90	Dopamine-functionalized graphene oxide as a high-performance material for biosensing. <i>2D Materials</i> , 2020 , 7, 024007	5.9	6
89	Preparation and characterization of reusable Sonogel-Carbon electrodes containing carbon black: Application as amperometric sensors for determination of catechol 2020 , 877, 114653-114653		1
88	Electrochemical sensing of glucose by chitosan modified graphene oxide. <i>JPhys Materials</i> , 2020 , 3, 014011	11.2	8
87	Fast electroanalytical determination of Cannabidiol and Cannabinol in aqueous solution using Sonogel-Carbon-PEDOT devices. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 878, 114591	4.1	7
86	Unusual metals as electrode materials for electrochemical sensors. <i>Current Opinion in Electrochemistry</i> , 2019 , 16, 157-163	7.2	6
85	Dispersion Stability and Surface Morphology Study of Electrochemically Exfoliated Bilayer Graphene Oxide. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 15122-15130	3.8	16
84	A Flexible Platform of Electrochemically Functionalized Carbon Nanotubes for NADH Sensors. <i>Sensors</i> , 2019 , 19,	3.8	5
83	One-pot sonocatalyzed synthesis of sol-gel graphite electrodes containing gold nanoparticles for application in amperometric sensing. <i>Journal of Materials Science</i> , 2019 , 54, 9553-9564	4.3	3
82	Electrochemical Sensing of Caffeic Acid Using Gold Nanoparticles Embedded in Poly(3,4-ethylenedioxythiophene) Layer by Sinusoidal Voltage Procedure. <i>Chemosensors</i> , 2019 , 7, 65	4	9
81	Chemical and electrochemical properties of a hydrophobic deep eutectic solvent. <i>Electrochimica Acta</i> , 2019 , 295, 124-129	6.7	46

80	Highly sensitive amperometric sensor for morphine detection based on electrochemically exfoliated graphene oxide. Application in screening tests of urine samples. <i>Sensors and Actuators B: Chemical</i> , 2019 , 281, 739-745	8.5	28
79	Voltammetric behaviour of Cu alloys toward hydrogen peroxide and organic species. <i>Electrochemistry Communications</i> , 2018 , 90, 56-60	5.1	1
78	Synthesis, spectroscopic and electrochemical characterization of Co(II)-terpyridine based metallopolymer. <i>Electrochimica Acta</i> , 2018 , 260, 314-323	6.7	3
77	Electroanalytical determination of soluble Mn(II) species at high concentration levels. <i>Electrochimica Acta</i> , 2017 , 240, 108-113	6.7	5
76	Systematic study of the correlation between surface chemistry, conductivity and electrocatalytic properties of graphene oxide nanosheets. <i>Carbon</i> , 2017 , 120, 165-175	10.4	29
75	Synthesis and investigation on processing-dependending polarized fluorescence emission in thin-films of 2,2'-(2,2'-bithiophene)-5,5'-diyl)bis(5-octyl-4-phenyl-4H-thieno[2,3-c]pyrrol-6(5H)-one). <i>Journal of Materials Chemistry C</i> , 2017 , 5, 10320-10331	7.1	5
74	The inherent coupling of charge transfer and mass transport processes: the curious electrochemical reversibility. <i>ChemTexts</i> , 2016 , 2, 1	2.2	19
73	Anthracene-based molecular emitters for non-doped deep-blue organic light emitting transistors. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 9411-9417	7.1	20
72	Electrocatalytic and antifouling properties of CeO ₂ -glassy carbon electrodes. <i>Journal of Solid State Electrochemistry</i> , 2016 , 20, 3125-3131	2.6	1
71	Determination of polyphenol content and colour index in wines through PEDOT-modified electrodes. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 7329-38	4.4	5
70	A novel unsymmetrically substituted chiral amphiphilic perylene diimide: Synthesis, photophysical and electrochemical properties both in solution and solid state. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2016 , 318, 104-113	4.7	4
69	Development of a redox polymer based on poly(2-hydroxyethyl methacrylate) for disposable amperometric sensors. <i>Electrochemistry Communications</i> , 2016 , 62, 34-37	5.1	1
68	Effective electrochemical sensor based on screen-printed electrodes modified with a carbon black-Au nanoparticles composite. <i>Sensors and Actuators B: Chemical</i> , 2015 , 212, 536-543	8.5	61
67	Ti metal electrode as an unconventional amperometric sensor for determination of Au(III) species. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 983-90	4.4	6
66	Amperometric sensing. A melting pot for material, electrochemical, and analytical sciences. <i>Electrochimica Acta</i> , 2015 , 179, 350-363	6.7	20
65	Development of an Electrochemical Sensor for NADH Determination Based on a Caffeic Acid Redox Mediator Supported on Carbon Black. <i>Chemosensors</i> , 2015 , 3, 118-128	4	24
64	Links between electrochemical thermodynamics and kinetics. <i>ChemTexts</i> , 2015 , 1, 1	2.2	18
63	Carbon Black/Gold Nanoparticles Composite for Efficient Amperometric Sensors. <i>Lecture Notes in Electrical Engineering</i> , 2015 , 159-163	0.2	2

62	Electroanalytical applications of a graphite/Au nanoparticles composite included in a sonogel matrix. <i>Electrochimica Acta</i> , 2014 , 122, 310-315	6.7	4
61	Functional Materials in Amperometric Sensing. <i>Monographs in Electrochemistry</i> , 2014 ,	0.8	11
60	Nanosized Materials in Amperometric Sensors. <i>Nanostructure Science and Technology</i> , 2014 , 497-527	0.9	
59	Intrinsically Conducting Polymers. <i>Monographs in Electrochemistry</i> , 2014 , 23-57	0.8	
58	Development of Nanostructured Electrode Coatings for Amperometric Sensors. <i>Lecture Notes in Electrical Engineering</i> , 2014 , 43-48	0.2	
57	Importance of Modified Electrodes in Amperometric Sensing. <i>Monographs in Electrochemistry</i> , 2014 , 1-21	0.8	2
56	Nanosized Materials. <i>Monographs in Electrochemistry</i> , 2014 , 139-181	0.8	1
55	Redox Polymers and Metallopolymers. <i>Monographs in Electrochemistry</i> , 2014 , 59-97	0.8	
54	Silica-Based Materials and Derivatives. <i>Monographs in Electrochemistry</i> , 2014 , 183-220	0.8	
53	Homoleptic Ru(II) complex with terpyridine ligands appended with terthiophene moieties: Synthesis, characterization and electropolymerization. <i>Polyhedron</i> , 2013 , 49, 24-28	2.7	18
52	Behaviour of Ti electrode in the amperometric determination of high concentrations of strong oxidising species. <i>Electrochemistry Communications</i> , 2013 , 34, 138-141	5.1	9
51	Graphene-modified electrode. Determination of hydrogen peroxide at high concentrations. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 3579-86	4.4	13
50	Polythiophenes and polythiophene-based composites in amperometric sensing. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 509-31	4.4	73
49	Development of a sensor system for the determination of sanitary quality of grapes. <i>Sensors</i> , 2013 , 13, 4571-80	3.8	8
48	Development of a gold-nanostructured surface for amperometric genosensors. <i>Journal of Nanoparticle Research</i> , 2012 , 14, 1	2.3	13
47	Electroreduction of Chloramines Through Novel Electrode Materials. <i>Electroanalysis</i> , 2012 , 24, 833-841	3	5
46	Peptide nucleic acids tagged with four lysine residues for amperometric genosensors. <i>Artificial DNA, PNA & XNA</i> , 2012 , 3, 80-7		8
45	A UV/Visible/Raman spectroelectrochemical study of the stability of poly(3,4-ethylenedioxythiophene) films. <i>Polymer Degradation and Stability</i> , 2011 , 96, 2112-2119	4.7	16

44	Layer-by-layer deposition of a polythiophene/Au nanoparticles multilayer with effective electrochemical properties. <i>Journal of Solid State Electrochemistry</i> , 2011 , 15, 2395-2400	2.6	9
43	A new terpyridine tethered polythiophene: Electrosynthesis and characterization. <i>Journal of Polymer Science Part A</i> , 2011 , 49, 3513-3523	2.5	12
42	Composite PEDOT/Au Nanoparticles Modified Electrodes for Determination of Mercury at Trace Levels by Anodic Stripping Voltammetry. <i>Electroanalysis</i> , 2011 , 23, 456-462	3	27
41	Au/Pt nanoparticle systems in methanol and carbon monoxide electrooxidation. <i>Electrochimica Acta</i> , 2011 , 56, 3673-3678	6.7	15
40	Poly(3,4-ethylenedioxythiophene)/Au-nanoparticles composite as electrode coating suitable for electrocatalytic oxidation. <i>Electrochimica Acta</i> , 2011 , 56, 3575-3579	6.7	32
39	Effective catalytic electrode system based on polyviologen and Au nanoparticles multilayer. <i>Sensors and Actuators B: Chemical</i> , 2010 , 144, 92-98	8.5	21
38	Composite electrode coatings in amperometric sensors. Effects of differently encapsulated gold nanoparticles in poly(3,4-ethylenedioxythiophene) system. <i>Sensors and Actuators B: Chemical</i> , 2010 , 148, 277-282	8.5	25
37	Classification of red wines by chemometric analysis of voltammetric signals from PEDOT-modified electrodes. <i>Analytica Chimica Acta</i> , 2009 , 643, 67-73	6.6	42
36	Preparation and Characterization of a Redox Multilayer Film Containing Au Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 4868-4874	3.8	13
35	Amperometric sensors based on poly(3,4-ethylenedioxythiophene)-modified electrodes: discrimination of white wines. <i>Analytica Chimica Acta</i> , 2008 , 614, 213-22	6.6	51
34	Development and characterisation of a novel composite electrode material consisting of poly(3,4-ethylenedioxythiophene) including Au nanoparticles. <i>Electrochimica Acta</i> , 2008 , 53, 3916-3923	6.7	44
33	Electrochemical, spectroscopic and microscopic characterisation of novel poly(3,4-ethylenedioxythiophene)/gold nanoparticles composite materials. <i>Journal of Electroanalytical Chemistry</i> , 2008 , 619-620, 75-82	4.1	42
32	Structure and properties of 1,4-benzenedimethanethiol films grown from solution on Au(111): An XPS and NEXAFS study. <i>Surface Science</i> , 2007 , 601, 1419-1427	1.8	32
31	Electro-oxidation of chlorophenols on poly(3,4-ethylenedioxythiophene)-poly(styrene sulphonate) composite electrode. <i>Electrochimica Acta</i> , 2007 , 52, 1910-1918	6.7	34
30	Development of an electronic tongue based on a PEDOT-modified voltammetric sensor. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 387, 2101-10	4.4	59
29	Optimization of the DPV potential waveform for determination of ascorbic acid on PEDOT-modified electrodes. <i>Sensors and Actuators B: Chemical</i> , 2007 , 121, 430-435	8.5	65
28	Bonding and orientation of 1,4-benzenedimethanethiol on Au(111) prepared from solution and from gas phase. <i>Journal of Physics Condensed Matter</i> , 2007 , 19, 305020	1.8	9
27	Synthesis and electrochemical polymerisation of 3?-functionalised terthiophenes. <i>Electrochimica Acta</i> , 2006 , 51, 4859-4864	6.7	25

8	Temperature and composition dependence of the refractive indices of the 2-chloroethanol + 2-methoxyethanol binary mixtures. <i>Annali Di Chimica</i> , 2002 , 92, 187-201		3
7	Synthesis and spectroscopic and electrochemical characterisation of a conducting polythiophene bearing a chiral beta-substituent: polymerisation of (+)-4,4 bi. <i>Chemistry - A European Journal</i> , 2001 , 7, 676-85	4.8	52
6	Electropolymerisation and characterisation of poly[4,4'-bis(butylsulphanil)-2,2'-bithiophene]. <i>Electrochimica Acta</i> , 2001 , 46, 881-889	6.7	19
5	p- and n-doping processes in polythiophene with reduced bandgap. An electrochemical impedance spectroscopy study. <i>Electrochimica Acta</i> , 2001 , 46, 2721-2732	6.7	41
4	Density and Volume Properties of the 2-Methoxyethanol + 1,2-Dimethoxyethane + Water Ternary Solvent System at Various Temperatures. <i>Physics and Chemistry of Liquids</i> , 2001 , 39, 151-168	1.5	8
3	Anionic Clay Modified Electrode for Detection of Alcohols. An Electrocatalytic Amperometric Sensor. <i>Electroanalysis</i> , 2000 , 12, 434-441	3	31
2	Density and volumetric properties of ethane-1,2-diol+di-ethylen-glycol mixtures at different temperatures. <i>Fluid Phase Equilibria</i> , 2000 , 172, 93-104	2.5	32
1	Graphene-Paper-Based Electrodes on Plastic and Textile Supports as New Platforms for Amperometric Biosensing. <i>Advanced Functional Materials</i> , 2107941	15.6	4