
Shari B Brosnahan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3397450/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Use of High-Dose Corticosteroids Versus Low-Dose Corticosteroids With and Without Tocilizumab in COVID-19 Acute Respiratory Distress Syndrome. Annals of Pharmacotherapy, 2023, 57, 5-15.	1.9	3
2	Pharmacologic neuroprotection in ischemic brain injury after cardiac arrest. Annals of the New York Academy of Sciences, 2022, 1507, 49-59.	3.8	18
3	Reply: Low-Dose Tocilizumab With High-Dose Corticosteroids in Patients Hospitalized for COVID-19 Hypoxic Respiratory Failure Improves Mortality Without Increased Infection Risk. Annals of Pharmacotherapy, 2022, 56, 507-508.	1.9	1
4	Thromboprophylaxis in Patients With COVID-19. Chest, 2022, 162, 213-225.	0.8	58
5	POINT: Should Therapeutic Heparin Be Administered to Acutely Ill Hospitalized Patients With COVID-19? Yes. Chest, 2022, 161, 1446-1448.	0.8	8
6	Rebuttal From Dr Tritschler etÂal. Chest, 2022, , .	0.8	0
7	Inhaled pulmonary vasodilators are not associated with improved gas exchange in mechanically ventilated patients with COVID-19: A retrospective cohort study. Journal of Critical Care, 2022, 69, 153990.	2.2	8
8	Impact of pulmonary embolism response teams on acute pulmonary embolism: a systematic review and meta-analysis. European Respiratory Review, 2022, 31, 220023.	7.1	18
9	Thrombosis at hospital presentation in patients with and without coronavirus disease 2019. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2021, 9, 845-852.	1.6	15
10	Pulmonary Embolism Response Team activation during the COVID-19 pandemic in a New York City Academic Hospital: a retrospective cohort analysis. Journal of Thrombosis and Thrombolysis, 2021, 51, 330-338.	2.1	10
11	Risk of thrombotic events after respiratory infection requiring hospitalization. Scientific Reports, 2021, 11, 4053.	3.3	5
12	Low-Dose Tocilizumab With High-Dose Corticosteroids in Patients Hospitalized for COVID-19 Hypoxic Respiratory Failure Improves Mortality Without Increased Infection Risk. Annals of Pharmacotherapy, 2021, , 106002802110288.	1.9	7
13	Pulmonary Critical Care Fellows' Use of and Self-reported Barriers to Learning Bedside Ultrasound During Training. Chest, 2021, 160, 231-237.	0.8	21
14	Microbial signatures in the lower airways of mechanically ventilated COVID-19 patients associated with poor clinical outcome. Nature Microbiology, 2021, 6, 1245-1258.	13.3	101
15	Advanced management of intermediate-high risk pulmonary embolism. Critical Care, 2021, 25, 311.	5.8	9
16	Invasive Management of Acute Myocardial Infarctions During the Initial Wave of the COVID-19 Pandemic. Journal of Invasive Cardiology, 2021, , .	0.4	0
17	COVID-19: management in the ICU. , 2021, , 124-143.		2
18	Low left ventricular outflow tract velocity time integral is associated with poor outcomes in acute pulmonary embolism. Vascular Medicine, 2020, 25, 133-140.	1.5	29

Shari B Brosnahan

#	Article	IF	CITATIONS
19	COVID-19 and Respiratory System Disorders. Arteriosclerosis, Thrombosis, and Vascular Biology, 2020, 40, 2586-2597.	2.4	110
20	Thromboelastography Profiles of Critically III Patients With Coronavirus Disease 2019. Critical Care Medicine, 2020, 48, 1319-1326.	0.9	71
21	Clinical characteristics and outcomes of in-hospital cardiac arrest among patients with and without COVID-19. Resuscitation Plus, 2020, 4, 100054.	1.7	15
22	Prevention, Diagnosis, and Treatment of VTE in Patients With Coronavirus Disease 2019. Chest, 2020, 158, 1143-1163.	0.8	531
23	Right ventricular stroke distance predicts death and clinical deterioration in patients with pulmonary embolism. Thrombosis Research, 2020, 195, 29-34.	1.7	9
24	COVID-19 Pneumonia Hospitalizations Followed by Re-Presentation for Presumed Thrombotic Event. Chest, 2020, 158, 1665-1668.	0.8	0
25	Evaluating time to treatment and in-hospital outcomes of pulmonary embolism response teams. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2020, 8, 717-724.	1.6	12
26	Successful use of an automated proning system to achieve prone positioning in a patient with severe ARDS requiring veno-venous ECMO. Respiratory Medicine Case Reports, 2020, 31, 101315.	0.4	1
27	A STANDARDIZED INPATIENT TB EVALUATION PROTOCOL UTILIZING XPERT MTB/RIF AT A LARGE URBAN PUBLIC HOSPITAL IMPROVES RAPIDITY OF TB EVALUATION AND REDUCES LENGTH OF STAY IN AIRBORNE INFECTION ISOLATION. Chest, 2019, 156, A953-A954.	0.8	0
28	Not Just a Simple Urinothorax: A Rare Case Requiring Operative Management. Chest, 2016, 150, 572A.	0.8	1