

Sam Fong-Yau Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3397729/sam-fong-yau-li-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

317 papers	9,621 citations	49 h-index	78 g-index
322 ext. papers	10,457 ext. citations	5.3 avg, IF	6.36 L-index

#	Paper	IF	Citations
3 ¹⁷	Evaluation of Anti-Inflammatory Effects of Celery Leaf and Stem Extracts in LPS-Induced RAW 264.7 Cells Using Nitric Oxide Assay and LC-MS Based Metabolomics. <i>Current Issues in Molecular Biology</i> , 2021 , 43, 1876-1888	2.9	1
3 ¹⁶	Application of omics beyond the central dogma in coronary heart disease research: A bibliometric study and literature review. <i>Computers in Biology and Medicine</i> , 2021 , 140, 105069	7	1
3 ¹⁵	Cross-identification of N-Glycans by CE-LIF using two capillary coatings and three labeling dyes. <i>Talanta</i> , 2021 , 239, 123061	6.2	0
3 ¹⁴	Optimisation of an Aglycone-Enhanced Celery Extract with Germinated Soy Supplementation Using Response Surface Methodology. <i>Foods</i> , 2021 , 10,	4.9	1
3 ¹³	Rapid and Sensitive Direct Detection of Endotoxins by Pyrolysis-Gas Chromatography-Mass Spectrometry. <i>ACS Omega</i> , 2021 , 6, 15192-15198	3.9	1
3 ¹²	Analysis of lipopolysaccharides by coupling microscale solid-phase extraction with capillary electrophoresis-laser induced fluorescence. <i>Microchemical Journal</i> , 2021 , 161, 105771	4.8	4
3 ¹¹	Untargeted LC-QTOF-MS/MS based metabolomics approach for revealing bioactive components in probiotic fermented coffee brews. <i>Food Research International</i> , 2021 , 149, 110656	7	5
3 ¹⁰	Recent advances in 3D printing of nanocellulose: structure, preparation, and application prospects. <i>Nanoscale Advances</i> , 2021 , 3, 1167-1208	5.1	15
3 ⁰⁹	H NMR-based metabolomics for the discrimination of celery (<i>Apium graveolens</i> L. var. dulce) from different geographical origins. <i>Food Chemistry</i> , 2020 , 332, 127424	8.5	7
3 ⁰⁸	Recent advances in fluorescence probes based on carbon dots for sensing and speciation of heavy metals. <i>Nanophotonics</i> , 2020 , 10, 877-908	6.3	22
3 ⁰⁷	Metabolomics reveals that tris(1,3-dichloro-2-propyl)phosphate (TDCPP) causes disruption of membrane lipids in microalga <i>Scenedesmus obliquus</i> . <i>Science of the Total Environment</i> , 2020 , 708, 134498	10.2	6
3 ⁰⁶	A global metabolomic insight into the oxidative stress and membrane damage of copper oxide nanoparticles and microparticles on microalga <i>Chlorella vulgaris</i> . <i>Environmental Pollution</i> , 2020 , 258, 113647	9.3	12
3 ⁰⁵	Glycans in blood as biomarkers for forensic applications. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 133, 116084	14.6	0
3 ⁰⁴	A Label-Free Fluorescent Sensor Based on the Formation of Poly(thymine)-Templated Copper Nanoparticles for the Sensitive and Selective Detection of MicroRNA from Cancer Cells. <i>Chemosensors</i> , 2020 , 8, 52	4	3
3 ⁰³	Metabolic Profiling of a Porcine Combat Trauma-Injury Model Using NMR and Multi-Mode LC-MS Metabolomics-A Preliminary Study. <i>Metabolites</i> , 2020 , 10,	5.6	3
3 ⁰²	A label-free lead(II) ion sensor based on surface plasmon resonance and DNAzyme-gold nanoparticle conjugates. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 7525-7533	4.4	8
3 ⁰¹	Preparation, characterization and application of sorbent envelopes with <i>Carica papaya</i> seeds and <i>Citrus grandis</i> rind for cationic dyes removal. <i>Green Chemistry Letters and Reviews</i> , 2019 , 12, 343-352	4.7	3

300	Development of a hydrophilic molecularly imprinted polymer for the detection of hydrophilic targets using quartz crystal microbalance. <i>Sensors and Actuators B: Chemical</i> , 2019 , 300, 127044	8.5	10
299	Detection of Endotoxins: From Inferring the Responses of Biological Hosts to the Direct Chemical Analysis of Lipopolysaccharides. <i>Critical Reviews in Analytical Chemistry</i> , 2019 , 49, 126-137	5.2	11
298	Rapid determination of trace level N-nitrosamine precursors in secondary-treated wastewater by using two dimensional-ion chromatography. <i>Journal of Hazardous Materials</i> , 2019 , 368, 452-458	12.8	6
297	Uptake and toxic effects of triphenyl phosphate on freshwater microalgae <i>Chlorella vulgaris</i> and <i>Scenedesmus obliquus</i> : Insights from untargeted metabolomics. <i>Science of the Total Environment</i> , 2019 , 650, 1239-1249	10.2	31
296	Rapid, sensitive and highly specific label-free fluorescence biosensor for microRNA by branched rolling circle amplification. <i>Sensors and Actuators B: Chemical</i> , 2019 , 281, 424-431	8.5	14
295	Toxicity assessment of copper by electrochemically active bacteria in wastewater. <i>Environmental Geochemistry and Health</i> , 2019 , 41, 81-91	4.7	5
294	Metabolism of tri-n-butyl phosphate in earthworm <i>Perionyx excavatus</i> . <i>Environmental Pollution</i> , 2018 , 234, 389-395	9.3	16
293	A halogen bond-mediated highly active artificial chloride channel with high anticancer activity. <i>Chemical Science</i> , 2018 , 9, 4044-4051	9.4	61
292	Chemical Fingerprint and Quantitative Analysis for the Quality Evaluation of <i>Platycladi cacumen</i> by Ultra-performance Liquid Chromatography Coupled with Hierarchical Cluster Analysis. <i>Journal of Chromatographic Science</i> , 2018 , 56, 41-48	1.4	6
291	Selective and sensitive sensors based on molecularly imprinted poly(vinylidene fluoride) for determination of pesticides and chemical threat agent simulants. <i>Sensors and Actuators B: Chemical</i> , 2018 , 258, 228-237	8.5	18
290	HS adsorption by municipal solid waste incineration (MSWI) fly ash with heavy metals immobilization. <i>Chemosphere</i> , 2018 , 195, 40-47	8.4	30
289	Simultaneous Determination of Quercitrin, Afzelin, Amentoflavone, Hinokiflavone in Rat Plasma by UFLC-MS-MS and Its Application to the Pharmacokinetics of <i>Platycladus orientalis</i> Leaves Extract. <i>Journal of Chromatographic Science</i> , 2018 , 56, 895-902	1.4	9
288	Untargeted metabolomics reveals transformation pathways and metabolic response of the earthworm <i>Perionyx excavatus</i> after exposure to triphenyl phosphate. <i>Scientific Reports</i> , 2018 , 8, 16440	4.9	12
287	Intact NIST monoclonal antibody characterization: Proteoforms, glycoforms Using CE-MS and CE-LIF. <i>Cogent Chemistry</i> , 2018 , 4, 1480455	2.5	17
286	Enzymatic electrosynthesis of formate from CO ₂ reduction in a hybrid biofuel cell system. <i>Renewable Energy</i> , 2017 , 108, 581-588	8.1	22
285	Multiplexing N-glycan analysis by DNA analyzer. <i>Electrophoresis</i> , 2017 , 38, 1788-1799	3.6	17
284	Correlation of antioxidant activity and volatile oil chemical components from <i>Schizonepeta tenuifolia</i> herbs by chemometric methods. <i>International Journal of Food Properties</i> , 2017 , 20, S1082-S1092	3	3
283	Integrated metabolomics and metallomics analyses in acute coronary syndrome patients. <i>Metallomics</i> , 2017 , 9, 734-743	4.5	12

282	An efficient "off-on" carbon nanoparticle-based fluorescent sensor for recognition of chromium(vi) and ascorbic acid based on the inner filter effect. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 2979-2988	7.3	58
281	Parallel analysis and orthogonal identification of N-glycans with different capillary electrophoresis mechanisms. <i>Analytica Chimica Acta</i> , 2017 , 953, 79-86	6.6	12
280	Location of photocatalytic oxidation processes on anatase titanium dioxide. <i>Catalysis Science and Technology</i> , 2017 , 7, 441-451	5.5	12
279	Correlations in the elemental and metabolic profiles of the lichen <i>Dirinaria picta</i> after road traffic exposure. <i>Metallomics</i> , 2017 , 9, 1610-1621	4.5	8
278	Evaluation of the performance of zero-electrolyte-discharge microbial fuel cell based on the type of substrate. <i>RSC Advances</i> , 2017 , 7, 4070-4077	3.7	6
277	High throughput human plasma N-glycan analysis using DNA analyzer and multivariate analysis for biomarker discovery. <i>Analytica Chimica Acta</i> , 2017 , 995, 106-113	6.6	6
276	Extraction, separation and characterization of endotoxins in water samples using solid phase extraction and capillary electrophoresis-laser induced fluorescence. <i>Scientific Reports</i> , 2017 , 7, 10774	4.9	24
275	Synergistic effect of the bifunctional polydopamine/Mn ₃ O ₄ composite electrocatalyst for vanadium redox flow batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 15154-15166	13	37
274	Rapid detection of an anthrax biomarker based on the recovered fluorescence of carbon dots/Cu(II) systems. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 6962-6972	7.1	40
273	Elucidation of structures of surface sulfate species on sulfated titania and mechanism of improved activity. <i>Applied Catalysis B: Environmental</i> , 2017 , 203, 731-739	21.8	15
272	A Review on the Phytochemistry, Pharmacology, and Pharmacokinetics of Amentoflavone, a Naturally-Occurring Biflavonoid. <i>Molecules</i> , 2017 , 22,	4.8	78
271	A Review on the Phytochemistry, Pharmacology, Pharmacokinetics and Toxicology of Geniposide, a Natural Product. <i>Molecules</i> , 2017 , 22,	4.8	51
270	Immobilization of dye pollutants on iron hydroxide coated substrates: kinetics, efficiency and the adsorption mechanism. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 13280-13288	13	42
269	Specific and sustainable bioelectro-reduction of carbon dioxide to formate on a novel enzymatic cathode. <i>Chemosphere</i> , 2016 , 162, 228-34	8.4	21
268	(1)H nuclear magnetic resonance-based metabolomics study of earthworm <i>Perionyx excavatus</i> in vermifiltration process. <i>Bioresource Technology</i> , 2016 , 218, 1115-22	11	5
267	Elucidation of mesopore-organic molecules interactions in mesoporous TiO ₂ photocatalysts to improve photocatalytic activity. <i>Applied Catalysis B: Environmental</i> , 2016 , 199, 64-74	21.8	16
266	Vapor grown carbon fiber combined with polyaniline and gold nanoparticles in composite bioelectrodes and their application in glucose fuel cells. <i>RSC Advances</i> , 2016 , 6, 53705-53712	3.7	2
265	Magnetic micro-solid-phase-extraction of polycyclic aromatic hydrocarbons in water. <i>Journal of Chromatography A</i> , 2016 , 1440, 23-30	4.5	55

264	Identification of cypermethrin induced protein changes in green algae by iTRAQ quantitative proteomics. <i>Journal of Proteomics</i> , 2016 , 139, 67-76	3.9	25
263	Evaluation of graphene-based sorbent in the determination of polar environmental contaminants in water by micro-solid phase extraction-high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2016 , 1427, 29-36	4.5	36
262	Photocatalytic degradation of terephthalic acid on sulfated titania particles and identification of fluorescent intermediates. <i>Journal of Hazardous Materials</i> , 2016 , 303, 64-75	12.8	10
261	Micro-solid phase extraction followed by thermal extraction coupled with gas chromatography-mass selective detector for the determination of polybrominated diphenyl ethers in water. <i>Journal of Chromatography A</i> , 2016 , 1458, 25-34	4.5	14
260	Evaluation of sample extraction methods for proteomics analysis of green algae <i>Chlorella vulgaris</i> . <i>Electrophoresis</i> , 2016 , 37, 1270-6	3.6	12
259	Application of porous membrane-protected chitosan microspheres to determine benzene, toluene, ethylbenzene, xylenes and styrene in water. <i>Journal of Chromatography A</i> , 2016 , 1448, 42-48	4.5	28
258	Rapid toxicity screening of gasification ashes. <i>Waste Management</i> , 2016 , 50, 93-104	8.6	15
257	Selective removal of photocatalytic non-degradable fluorosurfactants from reverse osmosis concentrate. <i>Water Research</i> , 2015 , 68, 831-8	12.5	10
256	Electro membrane extraction using sorbent filled porous membrane bag. <i>Journal of Chromatography A</i> , 2015 , 1423, 1-8	4.5	12
255	Nonaqueous redox-flow batteries: organic solvents, supporting electrolytes, and redox pairs. <i>Energy and Environmental Science</i> , 2015 , 8, 3515-3530	35.4	272
254	Metallomics and NMR-based metabolomics of <i>Chlorella</i> sp. reveal the synergistic role of copper and cadmium in multi-metal toxicity and oxidative stress. <i>Metallomics</i> , 2015 , 7, 426-38	4.5	38
253	Selection of cholesterol esterase aptamers using a dual-partitioning approach. <i>Electrophoresis</i> , 2015 , 36, 2616-21	3.6	8
252	Whole-cell-based identification of electrochemically active bacteria in microbial fuel cells by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2015 , 29, 2211-8	2.2	4
251	Nonaqueous redox-flow batteries: features, challenges, and prospects. <i>Current Opinion in Chemical Engineering</i> , 2015 , 8, 105-113	5.4	43
250	Graphene oxide-based dispersive solid-phase extraction combined with in situ derivatization and gas chromatography-mass spectrometry for the determination of acidic pharmaceuticals in water. <i>Journal of Chromatography A</i> , 2015 , 1426, 69-76	4.5	38
249	Multiplex PMA-qPCR Assay with Internal Amplification Control for Simultaneous Detection of Viable <i>Legionella pneumophila</i> , <i>Salmonella typhimurium</i> , and <i>Staphylococcus aureus</i> in Environmental Waters. <i>Environmental Science & Technology</i> , 2015 , 49, 14249-56	10.3	32
248	Identification of edible Bird's nest with amino acid and monosaccharide analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 279-89	5.7	34
247	Simultaneous determination of bromate, chlorite and haloacetic acids by two-dimensional matrix elimination ion chromatography with coupled conventional and capillary columns. <i>Journal of Chromatography A</i> , 2015 , 1383, 112-20	4.5	23

246	Response surface modeling of Carbamazepine (CBZ) removal by Graphene-P25 nanocomposites/UVA process using central composite design. <i>Water Research</i> , 2014 , 57, 270-9	12.5	80
245	Highly sensitive and quantitative human thrombospondin-1 detection by an M55 aptasensor and clinical validation in patients with atherosclerotic disease. <i>Biosensors and Bioelectronics</i> , 2014 , 55, 405-11	11.8	9
244	Highly sensitive and selective detection of Pb ²⁺ ions using a novel and simple DNAzyme-based quartz crystal microbalance with dissipation biosensor. <i>Analyst, The</i> , 2014 , 139, 5170-5	5	34
243	NMR-based metabolomics and LC-MS/MS quantification reveal metal-specific tolerance and redox homeostasis in <i>Chlorella vulgaris</i> . <i>Molecular BioSystems</i> , 2014 , 10, 149-60		42
242	Determination of organic pollutants in municipal reverse osmosis concentrate by electrospray ionization/quadrupole time-of-flight tandem mass spectrometry and photocatalytic degradation methods. <i>Desalination</i> , 2014 , 344, 206-211	10.3	14
241	Development of variable pathlength UV-vis spectroscopy combined with partial-least-squares regression for wastewater chemical oxygen demand (COD) monitoring. <i>Talanta</i> , 2014 , 120, 325-30	6.2	44
240	Polyelectrolyte-single wall carbon nanotube composite as an effective cathode catalyst for air-cathode microbial fuel cells. <i>Water Science and Technology</i> , 2014 , 70, 1610-6	2.2	2
239	Metabolite profiling of edible bird's nest using gas chromatography/mass spectrometry and liquid chromatography/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2014 , 28, 1387-400	2.2	23
238	In-syringe dispersive solid-phase extraction using dissolvable layered double oxide hollow spheres as sorbent followed by high-performance liquid chromatography for determination of 11 phenols in river water. <i>Journal of Chromatography A</i> , 2014 , 1373, 31-9	4.5	43
237	Detection of Hg ²⁺ using molecular beacon-based fluorescent sensor with high sensitivity and tunable dynamic range. <i>Sensors and Actuators B: Chemical</i> , 2014 , 195, 623-629	8.5	22
236	A two-step stimulus-response cell-SELEX method to generate a DNA aptamer to recognize inflamed human aortic endothelial cells as a potential in vivo molecular probe for atherosclerosis plaque detection. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 6853-61	4.4	13
235	Electrocatalytic performance of silica nanoparticles on graphene oxide sheets for hydrogen peroxide sensing. <i>Journal of Electroanalytical Chemistry</i> , 2013 , 690, 8-12	4.1	27
234	An aptamer based surface plasmon resonance biosensor for the detection of bovine catalase in milk. <i>Biosensors and Bioelectronics</i> , 2013 , 48, 126-31	11.8	45
233	Efficient removal of Rhodamine B using a rice hull-based silica supported iron catalyst by Fenton-like process. <i>Chemical Engineering Journal</i> , 2013 , 229, 351-363	14.7	120
232	Rapid screening for detection and differentiation of detergent powder adulteration in infant milk formula by LC-MS. <i>Forensic Science International</i> , 2013 , 232, 32-9	2.6	13
231	The role of ions and reaction sites for electrochemical reversible charge cycling in mesoporous nickel hydroxides. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 15095	13	11
230	Dengue virus detection using impedance measured across nanoporous alumina membrane. <i>Biosensors and Bioelectronics</i> , 2013 , 42, 391-6	11.8	43
229	Three-dimensional selection of leptin aptamers using capillary electrophoresis and implications for clone validation. <i>Analytical Biochemistry</i> , 2013 , 434, 146-52	3.1	19

228	Colorimetric anticancer drug detection by gold nanoparticle-based DNA interstrand cross-linking. <i>Analytical Methods</i> , 2013 , 5, 1116	3.2	10
227	Characterization of oils and fats by ¹ H NMR and GC/MS fingerprinting: classification, prediction and detection of adulteration. <i>Food Chemistry</i> , 2013 , 138, 1461-9	8.5	78
226	A green and effective approach for characterisation and quality control of chrysanthemum by pressurized hot water extraction in combination with HPLC with UV absorbance detection. <i>Food Chemistry</i> , 2013 , 141, 1807-13	8.5	33
225	Rapid detection of melamine based on immunoassay using portable surface plasmon resonance biosensor. <i>Sensors and Actuators B: Chemical</i> , 2013 , 178, 541-546	8.5	43
224	Manganese polypyrrole-carbon nanotube, a new oxygen reduction catalyst for air-cathode microbial fuel cells. <i>Journal of Power Sources</i> , 2013 , 221, 381-386	8.9	73
223	Green synthesis of gold nanoparticles using palm oil mill effluent (POME): a low-cost and eco-friendly viable approach. <i>Bioresource Technology</i> , 2012 , 113, 132-5	11	179
222	Metabolic profile associated with glucose and cholesterol lowering effects of berberine in Sprague-Dawley rats. <i>Metabolomics</i> , 2012 , 8, 1052-1068	4.7	8
221	Synthesis, structural investigation and computational modelling of water-binding aquafoldamers. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 1172-80	3.9	30
220	Metabolomics studies show dose-dependent toxicity induced by SiO ₂ nanoparticles in MRC-5 human fetal lung fibroblasts. <i>Advanced Healthcare Materials</i> , 2012 , 1, 779-84	10.1	27
219	Selection of bovine catalase aptamers using non-SELEX. <i>Electrophoresis</i> , 2012 , 33, 2783-9	3.6	35
218	Cathode Reactions and Applications in Microbial Fuel Cells: A Review. <i>Critical Reviews in Environmental Science and Technology</i> , 2012 , 42, 2504-2525	11.1	44
217	Patterned recognition of amines and ammonium ions by a pyridine-based helical oligoamide host. <i>Chemical Communications</i> , 2012 ,	5.8	21
216	Novel sensor for simultaneous determination of K ⁺ and Na ⁺ using Prussian blue pencil graphite electrode. <i>Sensors and Actuators B: Chemical</i> , 2012 , 173, 914-918	8.5	6
215	Chiral crystallization of aromatic helical foldamers via complementarities in shape and end functionalities. <i>Chemical Science</i> , 2012 , 3, 2042	9.4	45
214	Potential of plant as a biological factory to synthesize gold and silver nanoparticles and their applications. <i>Reviews in Environmental Science and Biotechnology</i> , 2012 , 11, 169-206	13.9	135
213	A combination of metabolomics and metallomics studies of urine and serum from hypercholesterolaemic rats after berberine injection. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 403, 847-56	4.4	16
212	Systematic optimisation of coupled microwave-assisted extraction-solid phase extraction for the determination of pesticides in infant milk formula via LC-MS/MS. <i>Food Chemistry</i> , 2012 , 134, 2473-80	8.5	41
211	Chelerythrine perturbs lamellar actomyosin filaments by selective inhibition of myotonic dystrophy kinase-related Cdc42-binding kinase. <i>FEBS Letters</i> , 2011 , 585, 1260-8	3.8	29

210	Carbon nanotube supported MnO ₂ catalysts for oxygen reduction reaction and their applications in microbial fuel cells. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 4728-32	11.8	104
209	Encapsulation of conventional and unconventional water dimers by water-binding foldamers. <i>Organic Letters</i> , 2011 , 13, 3194-7	6.2	49
208	Investigation of the effect of exposure to non cytotoxic amounts of microcystins. <i>Metabolomics</i> , 2011 , 7, 485-499	4.7	4
207	Optimization of separation of heavy metals by capillary electrophoresis with contactless conductivity detection. <i>Electrophoresis</i> , 2011 , 32, 1190-4	3.6	16
206	Folding-promoted TBACl-mediated chemo- and regioselective demethylations of methoxybenzene-based macrocyclic pentamers. <i>Organic Letters</i> , 2011 , 13, 6212-5	6.2	23
205	Metabolomics approach for investigation of effects of dengue virus infection using the EA.hy926 cell line. <i>Journal of Proteome Research</i> , 2010 , 9, 6523-34	5.6	56
204	Molecular aptamer beacon for myotonic dystrophy kinase-related Cdc42-binding kinase alpha. <i>Talanta</i> , 2010 , 81, 732-6	6.2	13
203	Mechanism of mercury detection based on interaction of single-strand DNA and hybridized DNA with gold nanoparticles. <i>Talanta</i> , 2010 , 82, 1642-6	6.2	28
202	Selection of aptamers for signal transduction proteins by capillary electrophoresis. <i>Electrophoresis</i> , 2010 , 31, 2055-62	3.6	53
201	Elevation of human alpha-defensins and S100 calcium-binding proteins A8 and A9 in tear fluid of patients with pterygium 2009 , 50, 2077-86		57
200	Determination of cyanobacterial cyclic peptide hepatotoxins in drinking water using CE. <i>Electrophoresis</i> , 2009 , 30, 2737-42	3.6	17
199	Combination of ¹ H nuclear magnetic resonance spectroscopy and liquid chromatography/mass spectrometry with pattern recognition techniques for evaluation of metabolic profile associated with albuminuria. <i>Journal of Proteome Research</i> , 2009 , 8, 1828-37	5.6	13
198	Quantitative analysis of N-linked glycoproteins in tear fluid of climatic droplet keratopathy by glycopeptide capture and iTRAQ. <i>Journal of Proteome Research</i> , 2009 , 8, 1992-2003	5.6	62
197	Determination of senkirkine and senecionine in Tussilago farfara using microwave-assisted extraction and pressurized hot water extraction with liquid chromatography tandem mass spectrometry. <i>Talanta</i> , 2009 , 79, 539-46	6.2	53
196	Determination of pyrrolizidine alkaloids in comfrey by liquid chromatography-electrospray ionization mass spectrometry. <i>Talanta</i> , 2009 , 80, 916-23	6.2	43
195	Microchip capillary electrophoresis. <i>Methods in Molecular Biology</i> , 2009 , 509, 159-68	1.4	4
194	Detection of enteropathogenic Escherichia coli by microchip capillary electrophoresis. <i>Methods in Molecular Biology</i> , 2009 , 509, 169-79	1.4	9
193	Metabonomics investigation of human urine after ingestion of green tea with gas chromatography/mass spectrometry, liquid chromatography/mass spectrometry and (1)H NMR spectroscopy. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 2436-46	2.2	44

192	Determination of pharmaceuticals classified as emerging pollutants using capillary electrophoresis with capacitively coupled contactless conductivity detection. <i>Electrophoresis</i> , 2008 , 29, 3701-9	3.6	20
191	Simultaneous determination of low-molecular-weight organic acids and chlorinated acid herbicides in environmental water by a portable CE system with contactless conductivity detection. <i>Electrophoresis</i> , 2007 , 28, 1530-9	3.6	40
190	Floating resistivity detector for microchip electrophoresis. <i>Electrophoresis</i> , 2007 , 28, 4620-8	3.6	5
189	Rapid identification of purified enteropathogenic Escherichia coli by microchip electrophoresis. <i>Journal of Separation Science</i> , 2007 , 30, 1446-52	3.4	13
188	Capillary electrophoresis with capacitively coupled contactless conductivity detection for low molecular weight organic acids in different samples. <i>Journal of Separation Science</i> , 2007 , 30, 3247-54	3.4	21
187	Immunoassay by capillary electrophoresis with quantum dots. <i>Journal of Chromatography A</i> , 2007 , 1156, 75-9	4.5	38
186	Large-volume sample stacking with polarity switching for the analysis of bacteria by capillary electrophoresis with laser-induced fluorescence detection. <i>Journal of Chromatography A</i> , 2007 , 1161, 308-13	4.5	28
185	Proteomic analysis of rabbit tear fluid: Defensin levels after an experimental corneal wound are correlated to wound closure. <i>Proteomics</i> , 2007 , 7, 3194-206	4.8	50
184	Experimental studies on supercritical fluid separation processes. <i>Journal of Chemical Technology and Biotechnology</i> , 2007 , 46, 1-10	3.5	1
183	Rapid analysis of native neomycin components on a portable capillary electrophoresis system with potential gradient detection. <i>Analytical and Bioanalytical Chemistry</i> , 2006 , 385, 1575-9	4.4	18
182	Determination of tobramycin in human serum by capillary electrophoresis with contactless conductivity detection. <i>Electrophoresis</i> , 2006 , 27, 1932-8	3.6	42
181	Carbon nanotube-enhanced separation of DNA fragments by a portable capillary electrophoresis system with contactless conductivity detection. <i>Electrophoresis</i> , 2006 , 27, 4025-8	3.6	59
180	Systematic parameter screening for capillary electrophoresis monitoring of surfactants on silicon wafer surfaces by designed experiments. <i>Journal of Chromatographic Science</i> , 2006 , 44, 6-12	1.4	
179	Nanotechnologic nutraceuticals: nurturing or nefarious?. <i>Clinical Chemistry</i> , 2006 , 52, 331-2	5.5	12
178	Clinical analysis by microchip capillary electrophoresis. <i>Clinical Chemistry</i> , 2006 , 52, 37-45	5.5	57
177	Detection of Proteins by On-Column, Non-Covalent Labeling with NanoOrange During Capillary Zone Electrophoresis. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2006 , 29, 1447-1455	1.3	5
176	Transient ITP in Nonaqueous CE by Introducing Ions with a Long Hydrophobic Chain as Terminating Ions. <i>Chromatographia</i> , 2006 , 63, 513-517	2.1	6
175	Ionic liquids as additives for separation of benzoic acid and chlorophenoxy acid herbicides by capillary electrophoresis. <i>Analytica Chimica Acta</i> , 2005 , 547, 165-171	6.6	53

174	Electrophoretic Behavior Study of Bacteria of <i>Pseudomonas aeruginosa</i> , <i>Edwardsiella tarda</i> and Enteropathogenic <i>Escherichia coli</i> by Capillary Electrophoresis with UV and Fluorescence Detection. <i>Chromatographia</i> , 2005 , 62, 401-407	2.1	14
173	Combination of cationic surfactant-assisted solid-phase extraction with field-amplified sample stacking for highly sensitive analysis of chlorinated acid herbicides by capillary zone electrophoresis. <i>Electrophoresis</i> , 2005 , 26, 3507-17	3.6	17
172	Direct determination of gentamicin components by capillary electrophoresis with potential gradient detection. <i>Electrophoresis</i> , 2005 , 26, 196-201	3.6	21
171	Portable capillary electrophoresis system with potential gradient detection for separation of DNA fragments. <i>Electrophoresis</i> , 2005 , 26, 517-23	3.6	20
170	Separation and determination of toxic pyrrolizidine alkaloids in traditional Chinese herbal medicines by micellar electrokinetic chromatography with organic modifier. <i>Electrophoresis</i> , 2005 , 26, 3397-404	3.6	33
169	On-line sample enrichment for the determination of proteins by capillary zone electrophoresis with poly(vinyl alcohol)-coated bubble cell capillaries. <i>Electrophoresis</i> , 2005 , 26, 3486-94	3.6	28
168	Dynamic pH junction-sweeping capillary electrophoresis for online preconcentration of toxic pyrrolizidine alkaloids in Chinese herbal medicine. <i>Electrophoresis</i> , 2005 , 26, 4360-7	3.6	36
167	Determination of vitamin C and preservatives in beverages by conventional capillary electrophoresis and microchip electrophoresis with capacitively coupled contactless conductivity detection. <i>Electrophoresis</i> , 2005 , 26, 4648-55	3.6	62
166	Miniaturized detection technology in molecular diagnostics. <i>Expert Review of Molecular Diagnostics</i> , 2005 , 5, 549-59	3.8	19
165	On-chip potential gradient detection with a portable capillary electrophoresis system. <i>Electrophoresis</i> , 2004 , 25, 909-13	3.6	20
164	Determination of the bacterial pathogen <i>Edwardsiella tarda</i> in fish species by capillary electrophoresis with blue light-emitting diode-induced fluorescence. <i>Electrophoresis</i> , 2004 , 25, 3139-44	3.6	22
163	Proteomic analysis of human tears: defensin expression after ocular surface surgery. <i>Journal of Proteome Research</i> , 2004 , 3, 410-6	5.6	101
162	Determination of ammonium and metal ions by capillary electrophoresis with potential gradient detection using ionic liquid as background electrolyte and covalent coating reagent 2004 , 1048, 253-253		10
161	Determination of chlorophenoxy acid herbicides by capillary electrophoresis with integrated potential gradient detection. <i>Electrophoresis</i> , 2003 , 24, 2174-9	3.6	20
160	Practical integration of polymerase chain reaction amplification and electrophoretic analysis in microfluidic devices for genetic analysis. <i>Electrophoresis</i> , 2003 , 24, 172-8	3.6	47
159	1,3-dialkylimidazolium-based room-temperature ionic liquids as background electrolyte and coating material in aqueous capillary electrophoresis. <i>Journal of Chromatography A</i> , 2003 , 985, 447-54	4.5	108
158	Modified field amplification sample injection for micellar electrokinetic chromatography of neutral compounds with amino-substituted cyclodextrin as carrier and 1-adamantanecarboxylate as displacer. <i>Journal of Chromatography A</i> , 2003 , 1013, 19-27	4.5	7
157	Electron transfer kinetics across a dodecanethiol monolayer self assembled on gold. <i>Journal of Electroanalytical Chemistry</i> , 2003 , 542, 7-11	4.1	37

156	Sensitive determination of trace-metal elements in tea with capillary electrophoresis by using chelating agent 4-(2-pyridylazo) resorcinol (PAR). <i>Food Chemistry</i> , 2003 , 81, 607-611	8.5	21
155	A high-performance glucose biosensor based on monomolecular layer of glucose oxidase covalently immobilised on indium-tin oxide surface. <i>Biosensors and Bioelectronics</i> , 2003 , 19, 43-9	11.8	55
154	The oxidation and reduction behavior of nitrite at carbon nanotube powder microelectrodes. <i>Microchemical Journal</i> , 2003 , 75, 189-198	4.8	35
153	Indirect capillary electrophoresis with 8-anilino-1-naphthalenesulfonic acid as a fluorescence probe for determining the apparent stability constant of an inclusion complex formed between a cyclodextrin and a solute. <i>Journal of Chromatography A</i> , 2003 , 987, 485-92	4.5	4
152	Analysis of Chinese medicine preparations by capillary electrophoresis-mass spectrometry. <i>Journal of Chromatography A</i> , 2003 , 1014, 83-91	4.5	54
151	Electrophoresis of DNA in ionic liquid coated capillary. <i>Analyst, The</i> , 2003 , 128, 37-41	5	77
150	Detection of two orchid viruses using quartz crystal microbalance (QCM) immunosensors. <i>Journal of Virological Methods</i> , 2002 , 99, 71-9	2.6	89
149	An ionic liquid coating for determination of sildenafil and UK-103,320 in human serum by capillary zone electrophoresis-ion trap mass spectrometry. <i>Electrophoresis</i> , 2002 , 23, 4110-6	3.6	94
148	Direct electrochemistry of horseradish peroxidase at carbon nanotube powder microelectrode. <i>Sensors and Actuators B: Chemical</i> , 2002 , 87, 168-172	8.5	150
147	Determination of five toxic alkaloids in two common herbal medicines with capillary electrophoresis. <i>Journal of Chromatography A</i> , 2002 , 973, 243-7	4.5	54
146	Determination of acidic herbicides in surface water by solid-phase extraction followed by capillary zone electrophoresis. <i>Journal of Chromatographic Science</i> , 2002 , 40, 387-91	1.4	10
145	Detection of two orchid viruses using quartz crystal microbalance-based DNA biosensors. <i>Phytopathology</i> , 2002 , 92, 654-8	3.8	32
144	Solvation Forces Using Sample-Modulation Atomic Force Microscopy. <i>Langmuir</i> , 2002 , 18, 6116-6124	4	43
143	Protein Microarrays on ITO Surfaces by a Direct Covalent Attachment Scheme. <i>Langmuir</i> , 2002 , 18, 6324-6329	4.329	36
142	Soft-Lithography-Mediated Chemical Vapor Deposition of Architected Carbon Nanotube Networks on Elastomeric Polymer. <i>Langmuir</i> , 2002 , 18, 1-5	4	31
141	Separation of ionic liquid cations and related imidazole derivatives by alpha-cyclodextrin modified capillary zone electrophoresis. <i>Analyst, The</i> , 2002 , 127, 490-3	5	48
140	Piezoelectric quartz crystal based veterinary diagnosis for Salmonella enteritidis infection in chicken and egg. <i>Sensors and Actuators B: Chemical</i> , 2001 , 75, 29-35	8.5	23
139	Microgravimetric DNA sensor based on quartz crystal microbalance: comparison of oligonucleotide immobilization methods and the application in genetic diagnosis. <i>Biosensors and Bioelectronics</i> , 2001 , 16, 85-95	11.8	142

138	Serological determination of Helicobacter pylori infection using sandwiched and enzymatically amplified piezoelectric biosensor. <i>Analytica Chimica Acta</i> , 2001 , 429, 27-36	6.6	30
137	In Situ Electrochemical ATR-FTIR Spectroscopic Investigation of Hydrogen-Terminated Si(111) Surface in Diluted NH ₄ F Solution. <i>Journal of the Electrochemical Society</i> , 2001 , 148, E336	3.9	2
136	Synthesis and Cathodic Properties of LiCo _{1/3} Rh _y O ₂ (0.0.2) and LiRhO ₂ . <i>Journal of the Electrochemical Society</i> , 2001 , 148, A1279	3.9	59
135	Enantioselective sensor based on microgravimetric quartz crystal microbalance with molecularly imprinted polymer film. <i>Analyst, The</i> , 2001 , 126, 184-8	5	46
134	In Situ Electrochemical ATR-FTIR Spectroscopic Investigation of Hydrogen-Terminated Si(110) Surface in Dilute NH ₄ F Solution. <i>Journal of the Electrochemical Society</i> , 2001 , 148, E439	3.9	5
133	Au nanoparticle- and silver-enhancement reaction-amplified microgravimetric biosensor. <i>Chemical Communications</i> , 2001 , 755-756	5.8	38
132	Flexible carbon nanotube membrane sensory system: a generic platform. <i>Journal of Nanoscience and Nanotechnology</i> , 2001 , 1, 375-9	1.3	19
131	In Situ STM Study of Chloride Adsorption on Cu(110) Electrode in Hydrochloric Acid Aqueous Solution. <i>Journal of Physical Chemistry B</i> , 2001 , 105, 1829-1833	3.4	32
130	Anchoring of Self-Assembled Hemoglobin Molecules on Bare Indium-Tin Oxide Surfaces. <i>Langmuir</i> , 2001 , 17, 4360-4366	4	12
129	Design and Application of Piezoelectric Quartz Crystal-based Immunoassay.. <i>Analytical Sciences</i> , 2000 , 16, 107-114	1.7	55
128	High-speed chiral separations on microchip electrophoresis devices. <i>Electrophoresis</i> , 2000 , 21, 211-9	3.6	96
127	Coupling of solvent semimicroextraction with capillary electrophoresis using ethyl acetate as sample matrix. <i>Electrophoresis</i> , 2000 , 21, 573-8	3.6	8
126	Separation of polymerase chain reaction amplified bird genes by capillary electrophoresis. <i>Electrophoresis</i> , 2000 , 21, 1336-40	3.6	
125	Simultaneous chiral separation of triadimefon and triadimenol by sulfated beta-cyclodextrin-mediated capillary electrophoresis. <i>Electrophoresis</i> , 2000 , 21, 1611-9	3.6	36
124	Derivatization, extraction and concentration of amino acids and peptides by using organic/aqueous phases in capillary electrophoresis with fluorescence detection. <i>Electrophoresis</i> , 2000 , 21, 3593-9	3.6	15
123	Synthesis and characterization of the hollandite-type MnO ₂ as a cathode material in lithium batteries. <i>Electrochimica Acta</i> , 2000 , 45, 2211-2217	6.7	54
122	Piezoelectric quartz crystal based label-free analysis for allergy disease. <i>Biosensors and Bioelectronics</i> , 2000 , 15, 629-39	11.8	55
121	Structural stability of aluminum stabilized alpha nickel hydroxide as a positive electrode material for alkaline secondary batteries. <i>Journal of Power Sources</i> , 2000 , 89, 40-45	8.9	65

120	Molecular-scale interface engineering for polymer light-emitting diodes. <i>Nature</i> , 2000 , 404, 481-4	50.4	704
119	A fluorescence detection scheme for capillary electrophoresis of N-methylcarbamates with on-column thermal decomposition and derivatization. <i>Analytical Chemistry</i> , 2000 , 72, 1441-7	7.8	30
118	Alternative NH ₄ F/HCl solution for ultraclean Si(001) surface. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2000 , 18, 2542	2.9	1
117	Spontaneous formation of complex and ordered structures on oxygen-plasma-treated elastomeric polydimethylsiloxane. <i>Applied Physics Letters</i> , 2000 , 76, 721-723	3.4	175
116	Soft-Lithography-Mediated Submicrometer Patterning of Self-Assembled Monolayer of Hemoglobin on ITO Surfaces. <i>Langmuir</i> , 2000 , 16, 5221-5226	4	24
115	Disposable, low cost, silver-coated, piezoelectric quartz crystal biosensor and electrode protection. <i>Analyst, The</i> , 2000 , 125, 2268-73	5	12
114	Amplified microgravimetric gene sensor using Au nanoparticle modified oligonucleotides. <i>Chemical Communications</i> , 2000 , 953-954	5.8	89
113	Piezoelectric quartz crystal based screening test for porcine reproductive and respiratory syndrome virus infection in pigs. <i>Analyst, The</i> , 2000 , 125, 725-730	5	24
112	Demonstration of High-Resolution Capability of Chemical Force Titration via Study of Acid/Base Properties of a Patterned Self-Assembled Monolayer. <i>Langmuir</i> , 2000 , 16, 517-521	4	47
111	Fabrication of Microelectrode Arrays Using Microcontact Printing. <i>Langmuir</i> , 2000 , 16, 9683-9686	4	37
110	Fabrication of Designed Architectures of Au Nanoparticles on Solid Substrate with Printed Self-Assembled Monolayers as Templates. <i>Langmuir</i> , 2000 , 16, 3846-3851	4	144
109	The Formation of Two-Dimensional Supramolecular Chiral Lamellae by Diamide Molecules at the Solution/Graphite Interface: A Scanning Tunneling Microscopy Study. <i>Langmuir</i> , 2000 , 16, 7023-7030	4	18
108	SINGLE UV-ABSORBING BACKGROUND ELECTROLYTE FOR SIMULTANEOUS DETECTION OF CATIONS AND ANIONS IN CAPILLARY ELECTROPHORESIS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1999 , 22, 2353-2365	1.3	4
107	Separation of inorganic phosphorus-containing anions by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1999 , 834, 233-241	4.5	12
106	Design of background electrolytes for indirect photometric detections based on a model of sample zone absorption in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1999 , 835, 169-185	4.5	15
105	Self-assembled monolayer-based piezoelectric crystal immunosensor for the quantification of total human immunoglobulin E. <i>Analytical Biochemistry</i> , 1999 , 273, 66-72	3.1	69
104	Microchannel electrophoretic separation of biogenic amines by micellar electrokinetic chromatography. <i>Electrophoresis</i> , 1999 , 20, 118-26	3.6	38
103	Chiral resolution of atropine, homatropine and eight synthetic tropinyl and piperidinyl esters by capillary zone electrophoresis with cyclodextrin additives. <i>Electrophoresis</i> , 1999 , 20, 198-203	3.6	12

102	Enantiomeric separation of amino acids derivatized with fluoresceine isothiocyanate isomer I by micellar electrokinetic chromatography using beta- and gamma-cyclodextrins as chiral selectors. <i>Electrophoresis</i> , 1999 , 20, 1538-45	3.6	40
101	Indirect laser-induced fluorescence detection of valproic acid in human serum by capillary electrophoresis. <i>Electrophoresis</i> , 1999 , 20, 1856-61	3.6	17
100	Ion-pair solid-phase extraction of biogenic amines before micellar electrokinetic chromatography with laser-induced fluorescence detection of their fluorescein thiocarbamyl derivatives. <i>Electrophoresis</i> , 1999 , 20, 1862-8	3.6	26
99	Screening of carbohydrates in urine by capillary electrophoresis. <i>Electrophoresis</i> , 1999 , 20, 3450-4	3.6	17
98	Novel Method for Synthesis of Lithium Vanadium Oxide as Cathode Materials in Lithium Ion Batteries. <i>Chemistry of Materials</i> , 1999 , 11, 3086-3090	9.6	29
97	Dynamics of Hydrides on Hydrogen-Terminated Silicon (111)(111) Surface. <i>Journal of Physical Chemistry B</i> , 1999 , 103, 5820-5825	3.4	10
96	Thermal-Induced Chemical Modification of Palladium Acetate on the Submicrometer Scale by in Situ Scanning Thermal Microscopy. <i>Langmuir</i> , 1999 , 15, 2425-2430	4	3
95	Indirect laser-induced fluorescence detection of valproic acid in human serum by capillary electrophoresis 1999 , 20, 1856		1
94	Separation of synthetic inorganic polymers of condensed phosphates by capillary gel electrophoresis with indirect photometric detection. <i>Journal of Chromatography A</i> , 1998 , 802, 159-165	4.5	16
93	Capillary electrophoretic analysis of cyclodextrins with dynamic fluorescence labeling and detection. <i>Journal of Chromatography A</i> , 1998 , 800, 333-338	4.5	5
92	Selection and optimization of background electrolytes for simultaneous detection of small cations and organic acids by capillary electrophoresis with indirect photometry. <i>Journal of Chromatography A</i> , 1998 , 822, 125-136	4.5	22
91	A new form of vanadium oxide for use as a cathode material in lithium batteries. <i>Journal of Power Sources</i> , 1998 , 74, 40-45	8.9	2
90	Rapid estimation of octanol-water partition coefficients of pesticides by micellar electrokinetic chromatography. <i>Electrophoresis</i> , 1998 , 19, 1719-27	3.6	15
89	Nonaqueous capillary zone electrophoresis for separation of free fatty acids with indirect fluorescence detection. <i>Electrophoresis</i> , 1998 , 19, 2187-92	3.6	29
88	Dual UV-absorbing background electrolytes for simultaneous separation and detection of small cations and anions by capillary zone electrophoresis. <i>Electrophoresis</i> , 1998 , 19, 2243-51	3.6	10
87	Separation and determination of pesticides by capillary electrophoresis. II. Determination of N-methylcarbamates in drinking water by micellar electrokinetic chromatography with SPE and on-column enrichment. <i>Journal of Separation Science</i> , 1998 , 10, 529-535		11
86	Tin-based oxide anode for lithium-ion batteries with low irreversible capacity. <i>Journal of Power Sources</i> , 1998 , 75, 9-12	8.9	26
85	Lubricant Effect on Noncontact-Mode Atomic Force Microscopy Images of Hard-Disk Surfaces. <i>Langmuir</i> , 1998 , 14, 1263-1271	4	11

84	Rugged gap reactor device for postcolumn fluorescence detection in capillary electrophoresis. <i>Analytical Chemistry</i> , 1998 , 70, 5097-102	7.8	9
83	Minimization of sample discrimination introduced by on-column fracture/electrokinetic injection in capillary electrophoresis. <i>Analytical Chemistry</i> , 1998 , 70, 2248-53	7.8	7
82	Quartz Crystal Microbalance Sensor Deposited with Langmuir-Blodgett Films of Functionalized Polythiophenes and Application to Heavy Metal Ions Analysis. <i>Langmuir</i> , 1998 , 14, 1748-1752	4	50
81	Low-Temperature Synthesized LiV ₃ O ₈ as a Cathode Material for Rechargeable Lithium Batteries. <i>Journal of the Electrochemical Society</i> , 1998 , 145, 3057-3062	3.9	51
80	New Series of Blue-Light-Emitting Polymers Constituted of 3-Alkylthiophenes and 1,4-Di(1,3,4-oxadiazolyl)phenylene. <i>Chemistry of Materials</i> , 1998 , 10, 3340-3345	9.6	56
79	Determination of Sodium, Potassium, Magnesium, and Calcium in Seawater by Capillary Electrophoresis with Indirect Photometric Detection. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1998 , 21, 2485-2496	1.3	7
78	Sequential Observation of Electroless Copper Deposition via Noncontact Atomic Force Microscopy. <i>Journal of the Electrochemical Society</i> , 1998 , 145, 3301-3307	3.9	20
77	Submicrometer lithography of a silicon substrate by machining of photoresist using atomic force microscopy followed by wet chemical etching. <i>Nanotechnology</i> , 1997 , 8, 76-81	3.4	13
76	Scanning thermal microscope tip-induced chemical reaction on solid organometallic compound thin films. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 1997 , 15, 1871		15
75	Liquid Chromatographic Separation of Calixarenes. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1997 , 20, 1197-1209	1.3	2
74	Determination of Trace Levels of Aluminum by Capillary Electrophoresis with Lumogallion Fluorometric Detection. <i>Journal of Chromatographic Science</i> , 1997 , 35, 333-336	1.4	7
73	Comparison of Supercritical Fluid Chromatographic and High-Performance Liquid Chromatographic Separations of p-tert-Butylcalix[n]arenes. <i>Journal of Chromatographic Science</i> , 1997 , 35, 232-236	1.4	4
72	Determination of Carbendazim Residues in Grains by Solid-Phase Extraction and Micellar Electrokinetic Chromatography with Ultraviolet Detection. <i>Journal of Chromatographic Science</i> , 1997 , 35, 513-518	1.4	13
71	Several Efficiency Influencing Factors In CdTe/CdS Solar Cells. <i>Materials Research Society Symposia Proceedings</i> , 1997 , 485, 197		5
70	Scanning tunneling microscopy and spectroscopy of polyaniline: Evidence for chain-folded lamellae with anomalous deformability. <i>Physical Review B</i> , 1997 , 56, 15919-15925	3.3	11
69	Trends in capillary electrophoresis: 1997. <i>Journal of Chromatographic Science</i> , 1997 , 35, 358-73	1.4	22
68	Subcritical Fluid Extraction of Stevia Sweeteners from Stevia rebaudiana. <i>Journal of Chromatographic Science</i> , 1997 , 35, 446-450	1.4	18
67	The fabrication and evaluation of a vapour sensor based on quartz crystal microbalance coated with poly(o-anisidine) langmuir-Blodgett layers. <i>Synthetic Metals</i> , 1997 , 87, 201-204	3.6	17

66	Separation of ribonucleotides by capillary electrophoresis with multifunctional electrophoretic media of phosphate ammonium salts. <i>Journal of Chromatography A</i> , 1997 , 779, 215-225	4.5	6
65	Anomalous optical properties and electron-phonon coupling enhancement in Fe ₂ O ₃ nanoparticles coated with a layer of stearates. <i>Journal of Physics and Chemistry of Solids</i> , 1997 , 58, 1315-1320	3.9	38
64	A microstructural study on the surface and interface of CdTe/CdS solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 1997 , 8, 125-132	2.1	14
63	Detection of underivatized carbohydrates in capillary electrophoresis with a bienzyme electrode. <i>Electrophoresis</i> , 1997 , 18, 2024-9	3.6	11
62	Separation of porphyrins by capillary electrophoresis in fused-silica and ethylene vinyl acetate copolymer capillaries with visible absorbance detection. <i>Biomedical Chromatography</i> , 1997 , 11, 366-70	1.7	11
61	Separation and Determination of Auxins by Capillary Electrophoresis. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1996 , 19, 1697-1713	1.3	5
60	Surface structures of thermoplastic and thermoset films after modification by graft copolymerization: Comparative study by x-ray photoelectron spectroscopy and atomic force microscopy. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 1996 , 14, 1611		0
59	In Situ Atomic Force Microscopy of the Electrochemical Dissolution of a Copper Grain. <i>Langmuir</i> , 1996 , 12, 2580-2586	4	11
58	Detection of organic solvent vapours and studies of thermodynamic parameters using quartz crystal microbalance sensors modified with siloxane polymers. <i>Analyst, The</i> , 1996 , 121, 1721	5	17
57	Separation of calixarenes with a chemically bonded C60 silica stationary phase in microcolumn liquid chromatography. <i>Journal of High Resolution Chromatography</i> , 1996 , 19, 475-477		23
56	Separation of polyphosphates and polycarboxylates by capillary electrophoresis in a carrier electrolyte containing adenosine 5'-triphosphate and cetyltrimethylammonium bromide with indirect UV detection. <i>Journal of Chromatography A</i> , 1996 , 723, 197-205	4.5	27
55	Separation of myoglobin molecular mass markers using non-gel sieving capillary electrophoresis. <i>Journal of Chromatography A</i> , 1996 , 744, 249-257	4.5	19
54	Determination of Erythrocyte Porphyrins by Epi-Illumination Fluorescence Microscope with Capillary Electrophoresis. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1996 , 19, 1-15	1.3	2
53	Controlled modification of conducting polymer surfaces by atomic force microscope. <i>Journal of Materials Science Letters</i> , 1996 , 15, 2080-2084		1
52	Use of overlapping resolution mapping scheme for optimization of the high-performance liquid chromatographic separation of pharmaceuticals. <i>Journal of Chromatography A</i> , 1995 , 692, 207-212	4.5	6
51	Combination of orthogonal array design and overlapping resolution mapping for optimizing the separation of heterocyclic amines by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1995 , 709, 351-359	4.5	39
50	Analysis of polycyclic aromatic hydrocarbons and heavy metals in soil from a municipal refuse dump. <i>International Journal of Environmental Studies</i> , 1995 , 47, 143-150	1.8	3
49	Determination of Organolead and Organotin Compounds in Water Samples by Micellar Electrokinetic Chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1995 , 18, 1325-1347		21

48	Response of A Modified Surface Acoustic Wave (Saw) Sensor System to Changes in Dielectric Constant and Solution Conductivity. <i>Instrumentation Science and Technology</i> , 1995 , 23, 301-309	1.4	
47	Determination of Alkyllead and Alkyltin Compounds in Solid Samples by Supercritical and Subcritical Fluid Extraction and MEKC. <i>Journal of Chromatographic Science</i> , 1995 , 33, 309-315	1.4	31
46	Speciation of selenium and arsenic compounds in natural waters by capillary zone electrophoresis after on-column preconcentration with field-amplified injection. <i>Analyst, The</i> , 1995 , 120, 361	5	64
45	Separation and Determination of Stevia Sweeteners by Capillary Electrophoresis and High Performance Liquid Chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1995 , 18, 1703-1719		29
44	Analysis of recombinant human tumor necrosis factor beta by capillary electrophoresis. <i>Electrophoresis</i> , 1995 , 16, 647-53	3.6	21
43	Determination of Anions in Water Samples by Capillary Zone Electrophoresis with indirect UV Detection. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1994 , 17, 3889-3910		28
42	Systematic Multivariate Optimization of Supercritical Fluid Extraction. <i>Journal of Chromatographic Science</i> , 1994 , 32, 53-56	1.4	26
41	Capillary Electrophoretic Separation of Nitrosamines Using Combined Open-Tubular and Packed Capillary Columns. <i>Journal of Chromatographic Science</i> , 1994 , 32, 121-125	1.4	16
40	Comparative study of the internal structures of Kevlar and spider silk by atomic force microscopy. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1994 , 12, 1891-1894	2.9	20
39	The use of mixed surfactants in micellar electrokinetic chromatography. <i>Electrophoresis</i> , 1994 , 15, 1273-5.6	3.6	20
38	Fluorescence detection in capillary electrophoresis using a variable wavelength epi-fluorescence microscope. <i>Fresenius Journal of Analytical Chemistry</i> , 1994 , 349, 487-490		7
37	Separation of Tamoxifen and Metabolites by Capillary Electro-Phoresis with Non-aqueous Buffer System. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1994 , 17, 3847-3857		42
36	Determination of Diffusion Coefficients by Capillary Zone Electrophoresis. <i>Journal of Chromatographic Science</i> , 1994 , 32, 117-120	1.4	27
35	Optimization of Mobile Phase Composition for HPLC Separations of Nitroaromatics Using Overlapping Resolution Mapping. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1993 , 16, 2223-2235		7
34	Capillary Electrophoresis of Biologically Important Compounds: Optimization of Separation Conditions by the Overlapping Resolution Mapping Scheme. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1993 , 16, 3653-3666		10
33	Systematic optimization of capillary electrophoretic separations using the overlapping resolution mapping scheme. <i>Journal of Separation Science</i> , 1993 , 5, 191-197		12
32	Resolution optimization in micellar electrokinetic chromatography: Use of overlapping resolution mapping scheme in the analysis of dinitrophenyl derivatized amino acids. <i>Chromatographia</i> , 1993 , 35, 560-566	2.1	40
31	Reversed-phase high performance liquid chromatographic separation of nitrosamines: The use of the overlapping resolution mapping technique for the optimization of solvent compositions. <i>Chromatographia</i> , 1993 , 35, 671-674	2.1	2

30	Analysis of food additives by ion-pairing electrokinetic chromatography. <i>Journal of Chromatographic Science</i> , 1992 , 30, 167-70	1.4	13
29	Analysis of nitroaromatics in aqueous samples by capillary supercritical fluid chromatography. <i>International Journal of Environmental Studies</i> , 1992 , 41, 17-25	1.8	4
28	Systematic optimization of micellar electrokinetic chromatographic separation of flavonoids. <i>Chromatographia</i> , 1992 , 34, 166-172	2.1	40
27	Separation of nitroaromatics by micellar electrokinetic capillary chromatography. <i>Journal of High Resolution Chromatography</i> , 1992 , 15, 198-200		9
26	SYSTEMATIC OPTIMIZATION OF CAPILLARY ELECTROPHORETIC SEPARATIONS. <i>Analytical Sciences</i> , 1991 , 7, 1539-1544	1.7	
25	Optimization of supercritical fluid chromatographic separation of nitroaromatics by the overlapping resolution mapping scheme. <i>Journal of High Resolution Chromatography</i> , 1991 , 14, 249-253		7
24	An optimization procedure for the isocratic high-performance liquid chromatographic separations of environmental pollutants. <i>Environmental Monitoring and Assessment</i> , 1991 , 19, 35-46	3.1	1
23	Some applications of Freon-22 in supercritical fluid chromatographic analysis of environmental pollutants. <i>Environmental Monitoring and Assessment</i> , 1991 , 19, 47-53	3.1	3
22	Direct coupling of supercritical fluid extraction-supercritical fluid chromatography for the determination of selected polycyclic aromatic hydrocarbons in aqueous environmental samples. <i>Environmental Monitoring and Assessment</i> , 1991 , 19, 63-71	3.1	12
21	Separation of selected PAHs by using high performance capillary electrophoresis with modifiers. <i>Environmental Monitoring and Assessment</i> , 1991 , 19, 73-81	3.1	9
20	Optimization of the gradient HPLC separation of selected phthalates using the overlapping resolution mapping technique. <i>Environmental Monitoring and Assessment</i> , 1991 , 19, 83-91	3.1	3
19	Analysis of priority substituted phenols by micellar electrokinetic chromatography. <i>Environmental Monitoring and Assessment</i> , 1991 , 19, 93-103	3.1	7
18	Optimization of the High-Performance Liquid Chromatographic Separation of Steroids by the Overlapping Resolution Mapping Procedure. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1991 , 14, 2445-2455		5
17	A high-performance liquid chromatographic procedure for the analysis of priority substituted phenols in water samples. <i>International Journal of Environmental Studies</i> , 1991 , 38, 19-24	1.8	2
16	Application of Iso-Selective Gradient Elution for the Separation of Selected Phthalates. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1991 , 14, 3153-3166		4
15	Optimization of high-performance capillary electrophoresis of plant growth regulators using the overlapping resolution mapping scheme. <i>Analytical Chemistry</i> , 1991 , 63, 2222-2225	7.8	40
14	Infinite dilution diffusion coefficients of poly(ethylene glycol) and poly(propylene glycol) in water in the temperature range 303-318 K. <i>Journal of Chemical & Engineering Data</i> , 1991 , 36, 329-331	2.8	7
13	Binary diffusion coefficients of the methanol/water system in the temperature range 30-40 .degree.C. <i>Journal of Chemical & Engineering Data</i> , 1991 , 36, 240-243	2.8	36

12	Chlorodifluoromethane as the mobile phase in supercritical fluid chromatography of selected phenols. <i>Analytical Chemistry</i> , 1990 , 62, 1389-1391	7.8	22
11	Composition dependence of binary diffusion coefficients in alkane mixtures. <i>International Journal of Thermophysics</i> , 1990 , 11, 537-554	2.1	15
10	The extraction of cholesterol from solid and liquid matrices using supercritical CO ₂ . <i>Journal of Separation Science</i> , 1990 , 2, 69-73		25
9	Optimization of the isocratic high-performance liquid chromatographic separation of selected phthalates using the overlapping resolution mapping technique. <i>Journal of Chromatography A</i> , 1990 , 513, 360-366	4.5	11
8	Infinite dilution diffusion coefficients of several alcohols in water. <i>Journal of Chemical & Engineering Data</i> , 1990 , 35, 136-137	2.8	20
7	Mutual diffusion coefficients for two n-octane isomers in n-heptane. <i>International Journal of Thermophysics</i> , 1989 , 10, 995-1003	2.1	6
6	The thermal conductivity of liquid mixtures at elevated pressures. <i>International Journal of Thermophysics</i> , 1989 , 10, 1041-1051	2.1	14
5	Retention prediction of substituted phenols in reversed-phase HPLC. <i>Chromatographia</i> , 1988 , 25, 515-519	2.1	8
4	Thermal conductivity of oct-1-ene in the temperature range 307 to 360 K at pressures up to 0.5 GPa. <i>International Journal of Thermophysics</i> , 1987 , 8, 407-414	2.1	6
3	The transport coefficients of polyatomic liquids. <i>International Journal of Thermophysics</i> , 1986 , 7, 273-284	2.1	36
2	Standard Reference Data for the Thermal Conductivity of Liquids. <i>Journal of Physical and Chemical Reference Data</i> , 1986 , 15, 1073-1086	4.3	136
1	The Thermal Conductivity of n-Hexane and n-Octane at Pressures up to 0.64 GPa in the Temperature Range 340-400°C. <i>Zeitschrift Fur Elektrotechnik Und Elektrochemie</i> , 1984 , 88, 32-36		36