

Willem A Nolen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3397757/publications.pdf>

Version: 2024-02-01

80
papers

5,106
citations

186209

28
h-index

88593

70
g-index

83
all docs

83
docs citations

83
times ranked

6322
citing authors

#	ARTICLE	IF	CITATIONS
1	Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. <i>European Neuropsychopharmacology</i> , 2022, 60, 91-99.	0.3	9
2	A skewed perspective – A reply to Kovvuru et al. <i>Bipolar Disorders</i> , 2021, 23, 86-87.	1.1	0
3	Lithium: The best current treatment for the well-informed bipolar patient. <i>Bipolar Disorders</i> , 2021, 23, 92-92.	1.1	3
4	Plasma androgens and the presence and course of depression in a large cohort of women. <i>Translational Psychiatry</i> , 2021, 11, 124.	2.4	7
5	Guideline concordance and outcome in long-term naturalistic treatment of bipolar disorder - a one-year longitudinal study using latent change models. <i>Journal of Affective Disorders</i> , 2021, 283, 395-401.	2.0	2
6	25 Years of the International Bipolar Collaborative Network (BCN). <i>International Journal of Bipolar Disorders</i> , 2021, 9, 13.	0.8	8
7	Plasma androgens and the presence and course of depression in a large cohort of men. <i>Psychoneuroendocrinology</i> , 2021, 130, 105278.	1.3	4
8	Association of the neutrophil to lymphocyte ratio and white blood cell count with response to pharmacotherapy in unipolar psychotic depression: An exploratory analysis. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 16, 100319.	1.3	4
9	The course of bipolar disorder in pregnant versus non-pregnant women. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 35.	0.8	1
10	Mania and bipolar depression: complementing not opposing poles – a post-hoc analysis of mixed features in manic and hypomanic episodes. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 36.	0.8	2
11	Pharmacological treatment for psychotic depression. <i>The Cochrane Library</i> , 2021, 2021, CD004044.	1.5	10
12	More assortative mating in US compared to European parents and spouses of patients with bipolar disorder: implications for psychiatric illness in the offspring. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 237-245.	1.8	4
13	Double jeopardy in the United States: Early onset bipolar disorder and treatment delay. <i>Psychiatry Research</i> , 2020, 292, 113274.	1.7	15
14	Psychomotor Retardation and the prognosis of antidepressant treatment in patients with unipolar Psychotic Depression. <i>Journal of Psychiatric Research</i> , 2020, 130, 321-326.	1.5	11
15	New vision on the mental problems of Vincent van Gogh; results from a bottom-up approach using (semi-)structured diagnostic interviews. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 30.	0.8	9
16	Development and implementation of guidelines for the management of depression: a systematic review. <i>Bulletin of the World Health Organization</i> , 2020, 98, 683-697H.	1.5	25
17	What is the optimal serum level for lithium in the maintenance treatment of bipolar disorder? A systematic review and recommendations from the ISBD/IGSLI Task Force on treatment with lithium. <i>Bipolar Disorders</i> , 2019, 21, 394-409.	1.1	98
18	Cost-effectiveness, cost-utility and the budget impact of antidepressants versus preventive cognitive therapy with or without tapering of antidepressants. <i>BJPsych Open</i> , 2019, 5, e12.	0.3	9

#	ARTICLE	IF	CITATIONS
19	Aspirin for recurrence prevention in bipolar disorder—Promising, yet clinically understudied?. <i>Bipolar Disorders</i> , 2019, 21, 13-15.	1.1	1
20	Testing a clinical staging model for bipolar disorder using longitudinal life chart data. <i>Bipolar Disorders</i> , 2019, 21, 228-234.	1.1	23
21	Predictors of psychosocial outcome of bipolar disorder: data from the Stanley Foundation Bipolar Network. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 28.	0.8	17
22	Adding Increased Energy or Activity to Criterion (A) of the DSM-5 Definition of Hypomania and Mania. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	11
23	Effectiveness of preventive cognitive therapy while tapering antidepressants versus maintenance antidepressant treatment versus their combination in prevention of depressive relapse or recurrence (DRD study): a three-group, multicentre, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 401-410.	3.7	84
24	Effectiveness of maintenance therapy of lithium vs other mood stabilizers in monotherapy and in combinations: a systematic review of evidence from observational studies. <i>Bipolar Disorders</i> , 2018, 20, 419-431.	1.1	86
25	Lithium and Renal Impairment: A Review on a Still Hot Topic. <i>Pharmacopsychiatry</i> , 2018, 51, 200-205.	1.7	32
26	The circulating levels of CD4+ t helper cells are higher in bipolar disorder as compared to major depressive disorder. <i>Journal of Neuroimmunology</i> , 2018, 319, 28-36.	1.1	42
27	A nationwide study on concordance with multimodal treatment guidelines in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 22.	0.8	10
28	Multigenerational transmission of liability to psychiatric illness in offspring of parents with bipolar disorder. <i>Bipolar Disorders</i> , 2018, 20, 432-440.	1.1	18
29	More childhood onset bipolar disorder in the United States than Canada or Europe: Implications for treatment and prevention. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 74, 204-213.	2.9	48
30	Seasonal affective disorder and non-seasonal affective disorders: Results from the NESDA study. <i>BJPsych Open</i> , 2017, 3, 196-203.	0.3	11
31	Illnesses in siblings of US patients with bipolar disorder relate to multigenerational family history and patients severity of illness. <i>Journal of Affective Disorders</i> , 2017, 207, 313-319.	2.0	1
32	The relationship between self-reported borderline personality features and prospective illness course in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 31.	0.8	19
33	The association between hippocampal volume and life events in healthy twins. <i>Hippocampus</i> , 2016, 26, 1088-1095.	0.9	7
34	Age of onset of bipolar disorder: Combined effect of childhood adversity and familial loading of psychiatric disorders. <i>Journal of Psychiatric Research</i> , 2016, 81, 63-70.	1.5	41
35	The dysregulated brain: consequences of spatial and temporal brain complexity for bipolar disorder pathophysiology and diagnosis. <i>Bipolar Disorders</i> , 2016, 18, 696-701.	1.1	6
36	Mixed Depression in Bipolar Disorder: Prevalence Rate and Clinical Correlates During Naturalistic Follow-Up in the Stanley Bipolar Network. <i>American Journal of Psychiatry</i> , 2016, 173, 1015-1023.	4.0	52

#	ARTICLE	IF	CITATIONS
37	Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: Randomised controlled non-inferiority trial. <i>British Journal of Psychiatry</i> , 2016, 208, 366-373.	1.7	51
38	Categorical and dimensional psychopathology in Dutch and US offspring of parents with bipolar disorder: A preliminary cross-national comparison. <i>Journal of Affective Disorders</i> , 2016, 205, 95-102.	2.0	32
39	Childhood trauma and HPA axis functionality in offspring of bipolar parents. <i>Psychoneuroendocrinology</i> , 2016, 74, 316-323.	1.3	30
40	Diffusion tensor imaging in euthymic bipolar disorder – A tract-based spatial statistics study. <i>Journal of Affective Disorders</i> , 2016, 203, 281-291.	2.0	29
41	Does refining the phenotype improve replication rates? A review and replication of candidate gene studies on Major Depressive Disorder and Chronic Major Depressive Disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 215-236.	1.1	13
42	Clinical correlates of sustained response to individual drugs used in naturalistic treatment of patients with bipolar disorder. <i>Comprehensive Psychiatry</i> , 2016, 66, 146-156.	1.5	25
43	Patients with a preference for medication do equally well in mindfulness-based cognitive therapy for recurrent depression as those preferring mindfulness. <i>Journal of Affective Disorders</i> , 2016, 195, 32-39.	2.0	9
44	More illness in offspring of bipolar patients from the U.S. compared to Europe. <i>Journal of Affective Disorders</i> , 2016, 191, 180-186.	2.0	15
45	Volume, metabolites and neuroinflammation of the hippocampus in bipolar disorder – A combined magnetic resonance imaging and positron emission tomography study. <i>Brain, Behavior, and Immunity</i> , 2016, 56, 21-33.	2.0	66
46	Age at Onset of Bipolar Disorder Related to Parental and Grandparental Illness Burden. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e1309-e1315.	1.1	13
47	Further Evidence of a Cohort Effect in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2016, 77, 1043-1049.	1.1	15
48	Contribution of genes and unique environment to cross-sectional and longitudinal measures of subcortical volumes in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2015, 25, 2197-2209.	0.3	12
49	Low self-recognition and awareness of past hypomanic and manic episodes in the general population. <i>International Journal of Bipolar Disorders</i> , 2015, 3, 22.	0.8	15
50	Pharmacological treatment for psychotic depression. <i>The Cochrane Library</i> , 2015, , CD004044.	1.5	46
51	More robust evidence for the efficacy of lithium in the long-term treatment of bipolar disorder: should lithium (again) be recommended as the single preferred first-line treatment?. <i>International Journal of Bipolar Disorders</i> , 2015, 3, 1.	0.8	44
52	The influence of life events on first and recurrent admissions in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2015, 3, 6.	0.8	19
53	Glucocorticoid and mineralocorticoid receptor polymorphisms and recurrence of major depressive disorder. <i>Psychoneuroendocrinology</i> , 2015, 55, 154-163.	1.3	23
54	Adding mindfulness-based cognitive therapy to maintenance antidepressant medication for prevention of relapse/recurrence in major depressive disorder: Randomised controlled trial. <i>Journal of Affective Disorders</i> , 2015, 187, 54-61.	2.0	36

#	ARTICLE	IF	CITATIONS
55	Changes in winter depression phenotype correlate with white blood cell gene expression profiles: A combined metagene and gene ontology approach. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 58, 8-14.	2.5	5
56	Feature-expression heat maps – A new visual method to explore complex associations between two variable sets. <i>Journal of Biomedical Informatics</i> , 2015, 53, 156-161.	2.5	48
57	Maintenance Use of Antidepressants in Dutch General Practice: Non-Guideline Concordant. <i>PLoS ONE</i> , 2014, 9, e97463.	1.1	18
58	Predictors of the Onset of Manic Symptoms and a (Hypo)Manic Episode in Patients with Major Depressive Disorder. <i>PLoS ONE</i> , 2014, 9, e106871.	1.1	15
59	Does tryptophan degradation along the kynurenine pathway mediate the association between pro-inflammatory immune activity and depressive symptoms?. <i>Psychoneuroendocrinology</i> , 2014, 45, 202-210.	1.3	86
60	Neuroinflammation in bipolar disorder – A [11C]-(R)-PK11195 positron emission tomography study. <i>Brain, Behavior, and Immunity</i> , 2014, 40, 219-225.	2.0	176
61	Relationship between clinical features and inflammation-related monocyte gene expression in bipolar disorder – towards a better understanding of psychoimmunological interactions. <i>Bipolar Disorders</i> , 2014, 16, 137-150.	1.1	45
62	Treatment of bipolar disorder in the Netherlands and concordance with treatment guidelines: study protocol of an observational, longitudinal study on naturalistic treatment of bipolar disorder in everyday clinical practice. <i>BMC Psychiatry</i> , 2014, 14, 58.	1.1	7
63	Increased cortisol awakening response was associated with time to recurrence of major depressive disorder. <i>Psychoneuroendocrinology</i> , 2014, 50, 62-71.	1.3	42
64	Gender differences in major depressive disorder: Results from the Netherlands study of depression and anxiety. <i>Journal of Affective Disorders</i> , 2014, 156, 156-163.	2.0	208
65	Implicit and explicit self-associations in bipolar disorder: A comparison with healthy controls and unipolar depressive disorder. <i>Psychiatry Research</i> , 2014, 215, 329-334.	1.7	18
66	Illness Progression as a Function of Independent and Accumulating Poor Prognosis Factors in Outpatients With Bipolar Disorder in the United States. <i>primary care companion for CNS disorders</i> , The, 2014, 16, .	0.2	3
67	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 2.	0.8	17
68	The Mood Disorder Questionnaire (MDQ) for detecting (hypo)manic episodes: Its validity and impact of recall bias. <i>Journal of Affective Disorders</i> , 2013, 151, 203-208.	2.0	25
69	The association of the effect of lithium in the maintenance treatment of bipolar disorder with lithium plasma levels: a post hoc analysis of a double-blind study comparing switching to lithium or placebo in patients who responded to quetiapine (Trial 144). <i>Bipolar Disorders</i> , 2013, 15, 100-109.	1.1	60
70	The continuum of unipolar depression – bipolar II depression – bipolar I depression: different treatments indicated?. <i>World Psychiatry</i> , 2011, 10, 196-197.	4.8	2
71	Continuation of Quetiapine Versus Switching to Placebo or Lithium for Maintenance Treatment of Bipolar I Disorder. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1452-1464.	1.1	145
72	Inflammatory gene expression in monocytes of patients with schizophrenia: overlap and difference with bipolar disorder. A study in naturalistically treated patients. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 1369-1381.	1.0	130

#	ARTICLE	IF	CITATIONS
73	Association between lithium serum level, mood state, and patient-reported adverse drug reactions during long-term lithium treatment: a naturalistic follow-up study. <i>Bipolar Disorders</i> , 2009, 11, 434-440.	1.1	24
74	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 121-140.	1.1	791
75	Three times more days depressed than manic or hypomanic in both bipolar I and bipolar II disorder. <i>Bipolar Disorders</i> , 2007, 9, 531-535.	1.1	317
76	Seclusion and the use of antipsychotics in hospitalized psychiatric patients. <i>Psychology, Crime and Law</i> , 2005, 11, 489-495.	0.8	15
77	Prophylactic Efficacy of Lithium Versus Carbamazepine in Treatment-Naive Bipolar Patients. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 144-151.	1.1	125
78	Bipolar disorder in the general population in The Netherlands (prevalence, consequences and care) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 <i>Journal of Affective Disorders</i> , 2002, 68, 203-213.	2.0	175
79	The Stanley Foundation Bipolar Treatment Outcome Network. <i>Journal of Affective Disorders</i> , 2001, 67, 45-59.	2.0	436
80	Modification of the Clinical Global Impressions (CGI) scale for use in bipolar illness (BP): the CGI-BP. <i>Psychiatry Research</i> , 1997, 73, 159-171.	1.7	944