

# Jun Guo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3399908/publications.pdf>

Version: 2024-02-01

43  
papers

2,833  
citations

304743

22  
h-index

243625

44  
g-index

46  
all docs

46  
docs citations

46  
times ranked

3263  
citing authors

#	ARTICLE	IF	CITATIONS
1	RBD conjugate vaccine with a built-in TLR1/2 agonist is highly immunogenic against SARS-CoV-2 and variants of concern. <i>Chemical Communications</i> , 2022, 58, 2120-2123.	4.1	17
2	Self-Adjuvanting Lipoprotein Conjugate $\hat{\pm}$ GalCer-RBD Induces Potent Immunity against SARS-CoV-2 and its Variants of Concern. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 2558-2570.	6.4	23
3	MPLA-Adjuvanted Liposomes Encapsulating S-Trimer or RBD or S1, but Not S-ECD, Elicit Robust Neutralization Against SARS-CoV-2 and Variants of Concern. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 3563-3574.	6.4	21
4	MUC1 Specific Immune Responses Enhanced by Coadministration of Liposomal DDA/MPLA and Lipoglycopeptide. <i>Frontiers in Chemistry</i> , 2022, 10, 814880.	3.6	6
5	A protein vaccine with Alum/c-GAMP/poly(I:C) rapidly boosts robust immunity against SARS-CoV-2 and variants of concern. <i>Chemical Communications</i> , 2022, 58, 3925-3928.	4.1	9
6	Alum Adjuvant and Built-in TLR7 Agonist Synergistically Enhance Anti-MUC1 Immune Responses for Cancer Vaccine. <i>Frontiers in Immunology</i> , 2022, 13, 857779.	4.8	12
7	Adjuvant-Protein Conjugate Vaccine with Built-In TLR7 Agonist on S1 Induces Potent Immunity against SARS-CoV-2 and Variants of Concern. <i>ACS Infectious Diseases</i> , 2022, 8, 1367-1375.	3.8	7
8	Synthesis and Evaluation of Liposomal Anti-GM3 Cancer Vaccine Candidates Covalently and Noncovalently Adjuvanted by $\hat{\pm}$ GalCer. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 1951-1965.	6.4	32
9	Potent Neutralizing Antibodies Elicited by RBD-Fc-Based COVID-19 Vaccine Candidate Adjuvanted by the Th2-Skewing iNKT Cell Agonist. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 11554-11569.	6.4	9
10	Correction to Coordination Polymers Based on Organic-Inorganic Hybrid Rigid Rod Comprising a Backbone of Anderson-Evans POMs. <i>Crystal Growth and Design</i> , 2020, 20, 514-514.	3.0	0
11	Peptidyl $\hat{\%}$ -Asp Selenoesters Enable Efficient Synthesis of N-Linked Glycopeptides. <i>Frontiers in Chemistry</i> , 2020, 8, 396.	3.6	12
12	Multifunctional Protein Conjugates with Built-in Adjuvant (Adjuvant-Protein-Antigen) as Cancer Vaccines Boost Potent Immune Responses. <i>IScience</i> , 2020, 23, 100935.	4.1	25
13	Liposomal Antitumor Vaccines Targeting Mucin 1 Elicit a Lipid-Dependent Immunodominant Response. <i>Chemistry - an Asian Journal</i> , 2019, 14, 2116-2121.	3.3	25
14	Peptide-free Synthetic Nicotine Vaccine Candidates with $\hat{\pm}$ -Galactosylceramide as Adjuvant. <i>Molecular Pharmaceutics</i> , 2019, 16, 1467-1476.	4.6	18
15	Coordination Polymers Based on Organic-Inorganic Hybrid Rigid Rod Comprising a Backbone of Anderson-Evans POMs. <i>Crystal Growth and Design</i> , 2019, 19, 925-931.	3.0	23
16	Glycopeptide ligation via direct aminolysis of selenoester. <i>Chinese Chemical Letters</i> , 2018, 29, 1127-1130.	9.0	13
17	IgG Antibody Response Elicited by a Fully Synthetic Two-Component Carbohydrate-Based Cancer Vaccine Candidate with $\hat{\pm}$ -Galactosylceramide as Built-in Adjuvant. <i>Organic Letters</i> , 2017, 19, 456-459.	4.6	72
18	Nonpeptide-Based Small-Molecule Probe for Fluorogenic and Chromogenic Detection of Chymotrypsin. <i>Analytical Chemistry</i> , 2017, 89, 3687-3693.	6.5	26

#	ARTICLE	IF	CITATIONS
19	Synthesis of Transition-State Inhibitors of Chorismate Utilizing Enzymes from Bromobenzene <i>cis</i> -1,2-Dihydrodiol. <i>Journal of Organic Chemistry</i> , 2017, 82, 3432-3440.	3.2	7
20	NKT-cell glycolipid agonist as adjuvant in synthetic vaccine. <i>Carbohydrate Research</i> , 2017, 452, 78-90.	2.3	21
21	Polyfluorophenyl Ester-Terminated Homobifunctional Cross-Linkers for Protein Conjugation. <i>Synlett</i> , 2017, 28, 1934-1938.	1.8	7
22	Convergent Synthesis of <i>N</i> -Linked Glycopeptides via Aminolysis of <i>o</i> -Asp <i>p</i> -Nitrophenyl Thioesters in Solution. <i>Organic Letters</i> , 2016, 18, 4828-4831.	4.6	20
23	Preparation of Protein Conjugates via Homobifunctional Diselenoester Cross-Linker. <i>Organic Letters</i> , 2016, 18, 5796-5799.	4.6	15
24	Visible-Light-Induced Specific Desulfurization of Cysteiny Peptide and Glycopeptide in Aqueous Solution. <i>Organic Letters</i> , 2016, 18, 1166-1169.	4.6	66
25	Heterothiometallic clusters as robust and efficient copper(I) catalysts for azide-alkyne [3 + 2] cycloadditions. <i>Catalysis Communications</i> , 2016, 73, 103-108.	3.3	10
26	Rapid and Ratiometric Fluorescent Detection of Cysteine with High Selectivity and Sensitivity by a Simple and Readily Available Probe. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 17543-17550.	8.0	169
27	Selective and reversible photochemical derivatization of cysteine residues in peptides and proteins. <i>Chemical Science</i> , 2014, 5, 1591-1598.	7.4	63
28	A Chemo-Mechanical Tweezer for Single-Molecular Characterization of Soft Materials. <i>Chemistry - A European Journal</i> , 2012, 18, 4568-4574.	3.3	3
29	Two-step bioorthogonal activity-based proteasome profiling using copper-free click reagents: A comparative study. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 662-666.	3.0	26
30	Multifunctional Surface Modification of Gold-Stabilized Nanoparticles by Bioorthogonal Reactions. <i>Journal of the American Chemical Society</i> , 2011, 133, 11147-11153.	13.7	54
31	Metal-Free Sequential [3 + 2]-Dipolar Cycloadditions using Cyclooctynes and 1,3-Dipoles of Different Reactivity. <i>Journal of the American Chemical Society</i> , 2011, 133, 949-957.	13.7	187
32	Convergent Assembly and Surface Modification of Multifunctional Dendrimers by Three Consecutive Click Reactions. <i>Chemistry - A European Journal</i> , 2011, 17, 839-846.	3.3	57
33	Strain-Promoted Alkyne-Azide Cycloadditions (SPAAC) Reveal New Features of Glycoconjugate Biosynthesis. <i>ChemBioChem</i> , 2011, 12, 1912-1921.	2.6	132
34	Surface Modification of Polymeric Micelles by Strain-Promoted Alkyne-Azide Cycloadditions. <i>Chemistry - A European Journal</i> , 2010, 16, 13360-13366.	3.3	22
35	Protein Modification by Strain-Promoted Alkyne-Nitrone Cycloaddition. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 3065-3068.	13.8	193
36	Synthesis of a molecular trefoil knot by folding and closing on an octahedral coordination template. <i>Nature Chemistry</i> , 2010, 2, 218-222.	13.6	150

#	ARTICLE	IF	CITATIONS
37	The Molecular Basis of Inhibition of Golgi $\alpha$ -Mannosidase II by Mannostatin A. <i>ChemBioChem</i> , 2009, 10, 268-277.	2.6	35
38	Visualizing Metabolically Labeled Glycoconjugates of Living Cells by Copper-Free and Fast Huisgen Cycloadditions. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 2253-2255.	13.8	825
39	Phosphinates as new electrophilic partners for cross-coupling reactions. <i>Organic and Biomolecular Chemistry</i> , 2008, 6, 4053.	2.8	15
40	Selective Inhibition of Glycosidases by Feedback Prodrugs. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 5345-5348.	13.8	5
41	A simple solid phase diversity linker strategy using enol phosphonates. <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 2725.	2.8	29
42	Knot tied around an octahedral metal centre. <i>Nature</i> , 2001, 411, 763-763.	27.8	91
43	Tetradecanuclear Molybdenum(Tungsten)/Copper/Sulfur Heterobimetallic Clusters[(nBu) <sub>4</sub> N] <sub>4</sub> [M <sub>4</sub> Cu <sub>10</sub> S <sub>16</sub> O <sub>2</sub> E]·H <sub>2</sub> O, (M= Mo, E= O; M= W, E= 1/2O+ 1/2S). <i>Angewandte Chemie International Edition in English</i> , 1997, 36, 2464-2466.	4.4	33