Filippos T Filippidis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3401643/publications.pdf

Version: 2024-02-01

134 papers 3,225 citations

236925 25 h-index 197818 49 g-index

141 all docs

141 docs citations

141 times ranked

4299 citing authors

#	Article	IF	CITATIONS
1	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	13.7	609
2	Effect of early versus late or no tracheostomy on mortality and pneumonia of critically ill patients receiving mechanical ventilation: a systematic review and meta-analysis. Lancet Respiratory Medicine,the, 2015, 3, 150-158.	10.7	196
3	Determinants and prevalence of e-cigarette use throughout the European Union: a secondary analysis of 26â€566 youth and adults from 27 Countries. Tobacco Control, 2015, 24, 442-448.	3.2	159
4	Two-year trends and predictors of e-cigarette use in 27 European Union member states. Tobacco Control, 2017, 26, 98-104.	3.2	148
5	Impact of tobacco control policies on smoking prevalence and quit ratios in 27 European Union countries from 2006 to 2014. Tobacco Control, 2019, 28, tobaccocontrol-2017-054119.	3.2	85
6	Levels of physical activity among adults $18\hat{a}\in$ 64 years old in 28 European countries. Preventive Medicine, 2015, 81, 87-91.	3.4	84
7	Smoking, SARS-CoV-2 and COVID-19: A review of reviews considering implications for public health policy and practice. Tobacco Induced Diseases, 2020, 18, 58.	0.6	82
8	Long-term antithrombotic treatment in intracranial hemorrhage survivors with atrial fibrillation. Neurology, 2017, 89, 687-696.	1.1	79
9	Poly-tobacco use among adults in 44 countries during 2008–2012: Evidence for an integrative and comprehensive approach in tobacco control. Drug and Alcohol Dependence, 2014, 139, 60-70.	3.2	71
10	Patterns, trends and determinants of e-cigarette use in 28 European Union Member States 2014–2017. Preventive Medicine, 2018, 116, 13-18.	3.4	58
11	Who Smokes in Europe? Data From 12 European Countries in the TackSHS Survey (2017–2018). Journal of Epidemiology, 2021, 31, 145-151.	2.4	55
12	Changes in smoking cessation assistance in the European Union between 2012 and 2017: pharmacotherapy versus counselling versus e-cigarettes. Tobacco Control, 2019, 28, tobaccocontrol-2017-054117.	3.2	54
13	Trends in cardiovascular risk factors in Greece before and during the financial crisis: the impact of social disparities. European Journal of Public Health, 2014, 24, 974-979.	0.3	51
14	Cigarette design and marketing features are associated with increased smoking susceptibility and perception of reduced harm among smokers in 27 EU countries. Tobacco Control, 2015, 24, e233-e240.	3.2	49
15	ERS and tobacco harm reduction. European Respiratory Journal, 2019, 54, 1902009.	6.7	42
16	The association between peer, parental influence and tobacco product features and earlier age of onset of regular smoking among adults in 27 European countries. European Journal of Public Health, 2015, 25, 814-818.	0.3	39
17	Women in Saudi Arabia and the Prevalence of Cardiovascular Risk Factors: A Systematic Review. Journal of Environmental and Public Health, 2016, 2016, 1-15.	0.9	39
18	Prevalence and determinants of tobacco use among adults in Greece: 4 year trends. European Journal of Public Health, 2013, 23, 772-776.	0.3	38

#	Article	IF	CITATIONS
19	Medium-term impact of the economic crisis on mortality, health-related behaviours and access to healthcare in Greece. Scientific Reports, 2017, 7, 46423.	3.3	38
20	Design and marketing features influencing choice of e-cigarettes and tobacco in the EU: Table 1. European Journal of Public Health, 2016, 26, 838-841.	0.3	36
21	Relationship of secondhand smoke exposure with sociodemographic factors and smoke-free legislation in the European Union. European Journal of Public Health, 2016, 26, 344-349.	0.3	36
22	Prevalence and reasons for use of Heated Tobacco Products (HTP) in Europe: an analysis of Eurobarometer data in 28 countries. Lancet Regional Health - Europe, The, 2021, 8, 100159.	5.6	36
23	The ticking time bomb in lifestyle-related diseases among women in the Gulf Cooperation Council countries; review of systematic reviews. BMC Public Health, 2017, 17, 536.	2.9	33
24	Adherence of popular smoking cessation mobile applications to evidence-based guidelines. BMC Public Health, 2019, 19, 743.	2.9	33
25	The Great Recession And Increased Cost Sharing In European Health Systems. Health Affairs, 2016, 35, 1204-1213.	5.2	31
26	Association of searching for health-related information online with self-rated health in the European Union. European Journal of Public Health, 2016, 26, 748-753.	0.3	29
27	Use of gamification strategies and tactics in mobile applications for smoking cessation: a review of the UK mobile app market. BMJ Open, 2019, 9, e027883.	1.9	29
28	Compliance with a healthy lifestyle in a representative sample of the Greek population: Preliminary results of the Hellas Health I study. Public Health, 2011, 125, 436-441.	2.9	26
29	Socio-demographic inequalities in cigarette smoking in Indonesia, 2007 to 2014. Preventive Medicine, 2019, 123, 27-33.	3.4	26
30	Prevalence and determinants of cigarette smoking relapse among US adult smokers: a longitudinal study. BMJ Open, 2019, 9, e031676.	1.9	26
31	Smoking uptake in UK children: analysis of the UK Millennium Cohort Study. Thorax, 2019, 74, 607-610.	5.6	25
32	Association of Cigarette Price Differentials With Infant Mortality in 23 European Union Countries. JAMA Pediatrics, 2017, 171, 1100.	6.2	24
33	Impact of Gamification on the Self-Efficacy and Motivation to Quit of Smokers: Observational Study of Two Gamified Smoking Cessation Mobile Apps. JMIR Serious Games, 2021, 9, e27290.	3.1	24
34	Impact of cigarette price differences across the entire European Union on cross-border purchase of tobacco products among adult cigarette smokers. Tobacco Control, 2016, 25, 333-340.	3.2	23
35	The role of the non-smoker in enforcing smoke-free laws. Journal of Public Health Policy, 2011, 32, 46-59.	2.0	22
36	Analysis of tobacco industry pricing strategies in 23 European Union countries using commercial pricing data. Tobacco Control, 2019, 28, e102-e109.	3.2	22

3

#	Article	IF	CITATIONS
37	Effects of Exposure to Tobacco and Electronic Cigarette Advertisements on Tobacco Use: An Analysis of the 2015 National Youth Tobacco Survey. Journal of Adolescent Health, 2020, 66, 64-71.	2.5	21
38	Methods of the International Tobacco Control (ITC) EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii4-iii9.	0.3	21
39	Trends and correlates of unhealthy dieting behaviours among adolescents in the United States, 1999–2013. BMC Public Health, 2018, 18, 439.	2.9	20
40	Flavour capsule cigarette use and perceptions: a systematic review. Tobacco Control, 2023, 32, e83-e94.	3.2	20
41	Characteristics and outcomes of e-cigarette exposure incidents reported to 10 European Poison Centers: a retrospective data analysis. Tobacco Induced Diseases, 2017, 15, 36.	0.6	19
42	Are smokers "hardening―or rather "softening� An ecological and multilevel analysis across 28 European Union countries. European Respiratory Journal, 2019, 54, 1900596.	6.7	19
43	Correlates of self-reported exposure to advertising of tobacco products and electronic cigarettes across 28 European Union member states. Tobacco Control, 2017, 26, e130-e133.	3.2	18
44	Association of environmental and sociodemographic factors with life satisfaction in 27 European countries. BMC Public Health, 2019, 19, 534.	2.9	18
45	Awareness and use of heated tobacco products among adult smokers in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii78-iii83.	0.3	18
46	Manufacturing doubt: Assessing the effects of independent vs industry-sponsored messaging about the harms of fossil fuels, smoking, alcohol, and sugar sweetened beverages. SSM - Population Health, 2022, 17, 101009.	2.7	18
47	E-cigarette use and support for banning e-cigarette use in public places in the European Union. Preventive Medicine, 2017, 105, 10-14.	3.4	17
48	Smoke-free legislation and neonatal and infant mortality in Brazil: longitudinal quasi-experimental study. Tobacco Control, 2019, 29, tobaccocontrol-2019-054923.	3.2	17
49	Determinants of use of smoking cessation aids in 27 European countries. Preventive Medicine, 2014, 65, 99-102.	3.4	16
50	Trends and correlates of the public's perception of healthcare systems in the European Union: a multilevel analysis of Eurobarometer survey data from 2009 to 2013. BMJ Open, 2018, 8, e018178.	1.9	15
51	Trends and Correlates of Waterpipe use in the European Union: Analysis of Selected Eurobarometer Surveys (2009–2017). Nicotine and Tobacco Research, 2019, 21, 469-474.	2.6	15
52	Self-Efficacy and Motivation to Quit of Smokers Seeking to Quit: Quantitative Assessment of Smoking Cessation Mobile Apps. JMIR MHealth and UHealth, 2021, 9, e25030.	3.7	14
53	Global Patterns and Prevalence of Dual and Poly-Tobacco Use: A Systematic Review. Nicotine and Tobacco Research, 2021, 23, 1816-1820.	2.6	14
54	Characteristics and correlates of electronic cigarette product attributes and undesirable events during e-cigarette use in six countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A1.	0.6	14

#	Article	IF	CITATIONS
55	Experimentation with e-cigarettes as a smoking cessation aid: a cross-sectional study in 28 European Union member states. BMJ Open, 2016, 6, e012084.	1.9	13
56	Are political views related to smoking and support for tobacco control policies? A survey across 28 European countries. Tobacco Induced Diseases, 2017, 15, 45.	0.6	13
57	Child awareness of and access to cigarettes: impacts of the point-of-sale display ban in England. Tobacco Control, 2019, 28, 526-531.	3.2	13
58	Evaluating the impact of introducing standardized packaging with larger health-warning labels in England: findings from adult smokers within the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii91-iii97.	0.3	13
59	Tobacco taxation: the importance of earmarking the revenue to health care and tobacco control. Tobacco Induced Diseases, 2012, 10, 21.	0.6	12
60	The impact of inter-survey differences in the definition of current smokeless tobacco use on comparability of US national and state-specific prevalence estimates, 2009–2011. Preventive Medicine, 2015, 74, 86-92.	3.4	12
61	5-Year trends in the intention to quit smoking amidst the economic crisis and after recently implemented tobacco control measures in Greece. Addictive Behaviors, 2014, 39, 140-145.	3.0	11
62	European adult smokers' perceptions of the harmfulness of e-cigarettes relative to combustible cigarettes: cohort findings from the 2016 and 2018 EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii38-iii45.	0.3	11
63	Receiving support to quit smoking and quit attempts among smokers with and without smoking related diseases: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A14.	0.6	11
64	Patterns of tobacco use, quit attempts, readiness to quit and selfefficacy among smokers with anxiety or depression: Findings among six countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A9.	0.6	11
65	Perceptions, Predictors of and Motivation for Quitting among Smokers from Six European Countries from 2016 to 2018: Findings from EUREST-PLUS ITC Europe Surveys. International Journal of Environmental Research and Public Health, 2020, 17, 6263.	2.6	10
66	Quitting behaviours and cessation methods used in eight European Countries in 2018: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii26-iii33.	0.3	10
67	Cessation behaviours among smokers of menthol and flavoured cigarettes following the implementation of the EU Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii34-iii37.	0.3	10
68	Association between cardiovascular risk factors and measurements of blood pressure and cholesterol in 27 European countries in 2009. Preventive Medicine, 2014, 67, 71-74.	3.4	9
69	Support for smoke-free cars when children are present: a secondary analysis of 164,819 U.S. adults in 2010/2011. European Journal of Pediatrics, 2014, 173, 1459-1466.	2.7	9
70	Perceptions of opportunities for physical activity in 28 European countries. Preventive Medicine, 2016, 86, 136-140.	3.4	9
71	Geographic variation and socio-demographic determinants of the co-occurrence of risky health behaviours in 27 European Union member states. Journal of Public Health, 2016, 38, e13-e20.	1.8	9
72	Prices and Illicit Trade of Cigarettes in the European Union: A Cross-sectional Analysis. Nicotine and Tobacco Research, 2020, 22, 2271-2275.	2.6	9

#	Article	IF	CITATIONS
73	The Secondhand Smoke Exposure Scale (SHSES): A hair nicotine validated tool for assessing exposure to secondhand smoke among elderly adults in primary care. Tobacco Prevention and Cessation, 2017, 3, 9.	0.4	9
74	Prevalence, determinants and impact of unawareness about the health consequences of tobacco use among 17 929 school personnel in 29 African countries. BMJ Open, 2014, 4, e005837-e005837.	1.9	8
75	Cardiac diagnostic work-up for atrial fibrillation after transient ischaemic attacks in England and Wales: results from a cross-sectional survey. BMJ Open, 2016, 6, e012714.	1.9	8
76	Perceptions of quality and safety and experience of adverse events in 27 European Union healthcare systems, 2009–2013. International Journal for Quality in Health Care, 2016, 28, 721-727.	1.8	8
77	Plain packaging of tobacco products in the European Union: an EU success story?. European Respiratory Journal, 2017, 50, 1701232.	6.7	8
78	Associations between cigarette prices and consumption in Europe 2004–2014. Tobacco Control, 2021, 30, 111-113.	3.2	8
79	Prevalence and determinants of dual and poly-tobacco use among males in 19 low-and middle-income countries: Implications for a comprehensive tobacco control regulation. Preventive Medicine, 2021, 142, 106377.	3.4	8
80	Price differentials of tobacco products: A cross-sectional analysis of 79 countries from the six WHO regions. Tobacco Induced Diseases, 2021, 19, 1-9.	0.6	8
81	Trends in mortality from respiratory system diseases in Greece during the financial crisis. European Respiratory Journal, 2016, 48, 1487-1489.	6.7	7
82	Changes in support for bans of illicit drugs, tobacco, and alcohol among adolescents and young adults in Europe, 2008–2014. International Journal of Public Health, 2018, 63, 23-31.	2.3	7
83	Impact of the economic crisis on household health expenditure in Greece: an interrupted time series analysis. BMJ Open, 2020, 10, e038158.	1.9	7
84	Introduction of standardised packaging and availability of illicit cigarettes: a difference-in-difference analysis of European Union survey data 2015–2018. Thorax, 2021, 76, 89-91.	5.6	7
85	Uptake of e-cigarettes among a nationally representative cohort of UK children. Tobacco Prevention and Cessation, 2018, 4, 16.	0.4	7
86	Marketing of flavour capsule cigarettes: a systematic review. Tobacco Control, 2023, 32, e103-e112.	3.2	7
87	Greece giving up on tobacco control. Addiction, 2016, 111, 1306-1307.	3.3	6
88	The association between tobacco control policy implementation and country-level socioeconomic factors in 31 European countries. Scientific Reports, 2021, 11, 8912.	3.3	6
89	European progress in working towards a tobacco-free generation. European Journal of Pediatrics, 2021, 180, 3423-3431.	2.7	6
90	Smoke-free vehicles: impact of legislation on child smoke exposure across three countries. European Respiratory Journal, 2021, 58, 2004600.	6.7	6

#	Article	IF	Citations
91	Electronic Cigarette Use in 12 European Countries: Results From the TackSHS Survey. Journal of Epidemiology, 2023, 33, 276-284.	2.4	6
92	Burden of current and past smoking across 28 European countries in 2017: A cross-sectional analysis. Tobacco Induced Diseases, 2022, 20, 1-11.	0.6	6
93	Trends in age verification among U.S. adolescents attempting to buy cigarettes at retail stores, 2000–2009. Preventive Medicine, 2014, 61, 61-65.	3.4	5
94	Tobacco control: a victim of political instability in Greece. Lancet, The, 2016, 387, 338-339.	13.7	5
95	Transitions in product use during the implementation of the European Tobacco Products Directive: cohort study findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii10-iii17.	0.3	5
96	Extent of white matter lesion is associated with early hemorrhagic transformation in acute ischemic stroke related to atrial fibrillation. Brain and Behavior, 2021, 11, e2250.	2.2	5
97	Secondhand Smoke Exposure in European Countries With Different Smoke-Free Legislation: Findings From the EUREST-PLUS ITC Europe Surveys. Nicotine and Tobacco Research, 2022, 24, 85-92.	2.6	5
98	Cigarette prices in eight sub-Saharan African countries in 2018: a cross-sectional analysis. BMJ Open, 2021, 11, e053114.	1.9	5
99	Cost, prevalence and correlates of cigarillo use in 28 European countries in 2017. Central European Journal of Public Health, 2019, 27, 182-187.	1.1	5
100	Brazilian smokers are ready for the ban on flavour additives in tobacco to be implemented. Preventive Medicine, 2022, 160, 107074.	3.4	5
101	The association between economic recession and public support for increased tobacco taxation in 27 European countries. Scandinavian Journal of Public Health, 2014, 42, 589-592.	2.3	4
102	Prevalence and determinants of SHS exposure in public and private areas after the 2010 smoke-free legislation in Greece. International Journal of Environmental Health Research, 2014, 24, 401-411.	2.7	4
103	Commentary on Farsalinoset al. (2016): Electronic cigarette use in the European Union: analysis of a representative sample of 27 460 Europeans from 28 countries. Addiction, 2017, 112, 544-545.	3.3	4
104	The association between occupational secondhand smoke exposure and life satisfaction among adults in the European Union. Tobacco Induced Diseases, 2017, 15, 19.	0.6	4
105	Macro-environmental factors and physical activity in 28 European Union countries. European Journal of Public Health, 2018, 28, 300-302.	0.3	4
106	Transitions from and to roll-your-own tobacco, perceptions and health beliefs among smokers: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii18-iii25.	0.3	4
107	Awareness and correlates of noticing changes to cigarette packaging design after implementation of the European Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii98-iii107.	0.3	4
108	Size matters: An analysis of cigarette pack sizes across 23 European Union countries using Euromonitor data, 2006 to 2017. PLoS ONE, 2020, 15, e0237513.	2.5	4

#	Article	IF	Citations
109	Social responsibility during the COVID-19 pandemic: Tobacco industry's trojan horse in Europe. Tobacco Prevention and Cessation, 2020, 6, 37.	0.4	4
110	Cigarette taxation and neonatal and infant mortality: A longitudinal analysis of 159 countries. PLOS Global Public Health, 2022, 2, e0000042.	1.6	4
111	Association of history of allergies and influenza-like infections with laryngeal cancer in a case–control study. European Archives of Oto-Rhino-Laryngology, 2015, 272, 2063-2069.	1.6	3
112	Changes in electronic cigarette use and label awareness among smokers before and after the European Tobacco Products Directive implementation in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii62-iii67.	0.3	3
113	Factors associated with abstinence after a recent smoking cessation attempt across 28 European Union member states. Tobacco Prevention and Cessation, 2021, 7, 1-11.	0.4	3
114	Predicting COVID-19 Transmission to Inform the Management of Mass Events: Model-Based Approach. JMIR Public Health and Surveillance, 2021, 7, e30648.	2.6	3
115	Ischemic stroke in oral anticoagulated patients with atrial fibrillation. Acta Neurologica Scandinavica, 2022, 145, 288-296.	2.1	3
116	How do Europeans quit using tobacco, e-cigarettes and heated tobacco products? A cross-sectional analysis in 28 European countries. BMJ Open, 2022, 12, e059068.	1.9	3
117	"Euphoria―or "Only Teardrops� Eurovision Song Contest performance, life satisfaction and suicide. BMC Public Health, 2018, 18, 582.	2.9	2
118	Cigarette taxation and price differentials in 195 countries during 2014–2018. Tobacco Control, 2023, 32, 359-365.	3.2	2
119	Perceptions of the safety of vaccines and vaccine associated knowledge levels in Europe: A 2019 cross-sectional study in 28 countries. Preventive Medicine, 2022, , 107071.	3.4	2
120	Effect of comprehensive smoke-free legislation on neonatal mortality and infant mortality across 106 middle-income countries: a synthetic control study. Lancet Public Health, The, 2022, 7, e616-e625.	10.0	2
121	Association between e-cigarette use initiated after cigarette smoking and smoking abstinence: a cross-sectional study among adolescent established smokers in the USA. Tobacco Control, 2022, 31, 416-423.	3.2	1
122	Associations of e-cigarette experimentation with support for tobacco control policies in the European Union, 2012-2014. Tobacco Induced Diseases, 2018, 16, 1-8.	0.6	1
123	WHO FCTC Article 14 enforcement in Albania: An urgent issue to tackle. Tobacco Prevention and Cessation, 2019, 5, 6.	0.4	1
124	European Union citizens' views on development assistance for developing countries, during the recent migrant crisis in Europe. Globalization and Health, 2018, 14, 61.	4.9	0
125	Evaluating the impact of the Tobacco Products Directive within the context of the FCTC in Europe—findings from the EUREST-PLUS ITC Europe Surveys: introductory Commentary. European Journal of Public Health, 2020, 30, iii1-iii3.	0.3	0
126	The association of migration with multiple tobacco product use among male adults in 15 low- and middle-income countries. European Journal of Public Health, 2021, 31, 500-502.	0.3	0

#	Article	IF	CITATIONS
127	OP70â€Merchants of doubt: a randomized controlled trial of responses to independent vs industry-funded messaging on the harms of alcohol, climate change, tobacco and sugar sweetened beverages. , 2021, , .		0
128	Tobacco is still the most important preventable cause of respiratory diseases. , 2021, , 1-17.		0
129	Beware big tobacco bearing gifts: tobacco industry corporate social responsibility activities in Greece. Tobacco Control, 2023, 32, 675-676.	3.2	O
130	Legislative provisions for standardised tobacco packaging and changes in public support in 27 European countries. Tobacco Control, 2023, 32, 664-666.	3.2	0
131	Title is missing!. , 2020, 15, e0237513.		O
132	Title is missing!. , 2020, 15, e0237513.		0
133	Title is missing!. , 2020, 15, e0237513.		0
134	Title is missing!. , 2020, 15, e0237513.		0