Jianjun Yu

List of Publications by Citations

Source: https://exaly.com/author-pdf/3401837/jianjun-yu-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

208 4,319 33 55 h-index g-index citations papers 2.8 5,418 5.95 237 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
208	Optical millimeter-wave generation or up-conversion using external modulators. <i>IEEE Photonics Technology Letters</i> , 2006 , 18, 265-267	2.2	331
207	Fiber-wireless transmission system of 108 Gb/sdata over 80[km fiber and 2½multiple-input multiple-output wireless links at 100[GHz W-band frequency. <i>Optics Letters</i> , 2012 , 37, 5106-8	3	153
206	Multi-Level, Multi-Dimensional Coding for High-Speed and High-Spectral-Efficiency Optical Transmission. <i>Journal of Lightwave Technology</i> , 2009 , 27, 3641-3653	4	125
205	A 400G optical wireless integration delivery system. <i>Optics Express</i> , 2013 , 21, 18812-9	3.3	109
204	Multichannel 120-Gb/s Data Transmission Over 2 \$,times,\$2 MIMO Fiber-Wireless Link at W-Band. <i>IEEE Photonics Technology Letters</i> , 2013 , 25, 780-783	2.2	108
203	Ultra-High-Capacity DWDM transmission system for 100G and beyond 2010 , 48, S56-S64		106
202	64-Tb/s, 8 b/s/Hz, PDM-36QAM Transmission Over 320 km Using Both Pre- and Post-Transmission Digital Signal Processing. <i>Journal of Lightwave Technology</i> , 2011 , 29, 571-577	4	100
201	Faster than fiber: over 100-Gb/s signal delivery in fiber wireless integration system. <i>Optics Express</i> , 2013 , 21, 22885-904	3.3	93
200	Cost-Effective Optical Millimeter Technologies and Field Demonstrations for Very High Throughput Wireless-Over-Fiber Access Systems. <i>Journal of Lightwave Technology</i> , 2010 , 28, 2376-2397	4	92
199	Seamless integration of an 8/spl times/2.5 Gb/s WDM-PON and radio-over-fiber using all-optical up-conversion based on Raman-assisted FWM. <i>IEEE Photonics Technology Letters</i> , 2005 , 17, 1986-1988	2.2	88
198	W-Band 8QAM Vector Signal Generation by MZM-Based Photonic Frequency Octupling. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 1257-1260	2.2	83
197	QAM Vector Signal Generation by Optical Carrier Suppression and Precoding Techniques. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 1977-1980	2.2	72
196	Fiber-Wireless-Fiber Link for 100-Gb/s PDM-QPSK Signal Transmission at W-Band. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 1825-1828	2.2	66
195	Fiber-Wireless-Fiber Link for 128-Gb/s PDM-16QAM Signal Transmission at (W) -Band. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 1948-1951	2.2	66
194	Transmission Performance Comparison for 100-Gb/s PAM-4, CAP-16, and DFT-S OFDM With Direct Detection. <i>Journal of Lightwave Technology</i> , 2017 , 35, 5127-5133	4	66
193	Polarization-Multiplexed Optical Wireless Transmission With Coherent Detection. <i>Journal of Lightwave Technology</i> , 2010 , 28, 1218-1227	4	61
192	Wavelength conversion based on four-wave mixing in high-nonlinear dispersion shifted fiber using a dual-pump configuration. <i>Journal of Lightwave Technology</i> , 2006 , 24, 2851-2858	4	54

(2016-2017)

191	Experimental Demonstration of Four-Channel WDM 560 Gbit/s 128QAM-DMT Using IM/DD for 2-km Optical Interconnect. <i>Journal of Lightwave Technology</i> , 2017 , 35, 941-948	4	52	
190	Long-Distance Wireless mm-Wave Signal Delivery at W-Band. <i>Journal of Lightwave Technology</i> , 2016 , 34, 661-668	4	52	
189	Transmission of 32-Tb/s Capacity Over 580 km Using RZ-Shaped PDM-8QAM Modulation Format and Cascaded Multimodulus Blind Equalization Algorithm. <i>Journal of Lightwave Technology</i> , 2010 , 28, 456-465	4	50	
188	Photonics-Assisted Millimeter-Wave Wireless Communication. <i>IEEE Journal of Quantum Electronics</i> , 2017 , 53, 1-17	2	46	
187	Demonstration of Ultra-Capacity Wireless Signal Delivery at W-Band. <i>Journal of Lightwave Technology</i> , 2016 , 34, 180-187	4	45	
186	Time-domain digital pre-equalization for band-limited signals based on receiver-side adaptive equalizers. <i>Optics Express</i> , 2014 , 22, 20515-29	3.3	45	
185	A novel technique for optical label and payload generation and multiplexing using optical carrier suppression and separation. <i>IEEE Photonics Technology Letters</i> , 2004 , 16, 320-322	2.2	44	
184	Antenna polarization diversity for high-speed polarization multiplexing wireless signal delivery at W-band. <i>Optics Letters</i> , 2014 , 39, 1169-72	3	42	
183	A new scheme for bidirectional WDM-PON using upstream and downstream channels generated by optical carrier suppression and separation technique. <i>IEEE Photonics Technology Letters</i> , 2006 , 18, 340-3	3 42²	40	
182	Photonics-Assisted Technologies for Extreme Broadband 5G Wireless Communications. <i>Journal of Lightwave Technology</i> , 2019 , 37, 2851-2865	4	39	
181	Rayleigh Backscattering Noise-Eliminated 115-km Long-Reach Bidirectional Centralized WDM-PON With 10-Gb/s DPSK Downstream and Remodulated 2.5-Gb/s OCS-SCM Upstream Signal. <i>IEEE Photonics Technology Letters</i> , 2008 , 20, 2081-2083	2.2	38	
180	All-optical 16 /spl times/ 2.5 Gb/s WDM signal simultaneous up-conversion based on XPM in an NOLM in ROF systems. <i>IEEE Photonics Technology Letters</i> , 2005 , 17, 2724-2726	2.2	37	
179	Reversely Modulated Optical Single Sideband Scheme and Its Application in a 60-GHz Full Duplex ROF System. <i>IEEE Photonics Technology Letters</i> , 2012 , 24, 827-829	2.2	36	
178	Performance Assessment of Noise-Suppressed Nyquist-WDM for Terabit Superchannel Transmission. <i>Journal of Lightwave Technology</i> , 2012 , 30, 3965-3971	4	35	
177	EML-based IM/DD 400G (4112.5-Gbit/s) PAM-4 over 80 km SSMF Based on Linear Pre-Equalization and Nonlinear LUT Pre-Distortion for Inter-DCI Applications 2017 ,		35	
176	1-Tb/s Millimeter-Wave Signal Wireless Delivery at D-Band. <i>Journal of Lightwave Technology</i> , 2019 , 37, 196-204	4	35	
175	40-Gb/s PDM-QPSK signal transmission over 160-m wireless distance at W-band. <i>Optics Letters</i> , 2015 , 40, 998-1001	3	33	
174	Frequency-Quadrupling Vector mm-Wave Signal Generation by Only One Single-Drive MZM. <i>IEEE Photonics Technology Letters</i> , 2016 , 28, 1302-1305	2.2	33	

173	Experimental Demonstration of 48-Gb/s PDM-QPSK Radio-Over-Fiber System Over 40-GHz mm-Wave MIMO Wireless Transmission. <i>IEEE Photonics Technology Letters</i> , 2012 , 24, 2276-2279	2.2	33
172	Tutorial: Broadband fiber-wireless integration for 5G+ communication. <i>APL Photonics</i> , 2018 , 3, 111101	5.2	33
171	120 Gb/s Wireless Terahertz-Wave Signal Delivery by 375 GHz-500 GHz Multi-Carrier in a 2 🗹 MIMO System. <i>Journal of Lightwave Technology</i> , 2019 , 37, 606-611	4	32
170	Recent progress on high-speed optical transmission. <i>Digital Communications and Networks</i> , 2016 , 2, 65-	7 6 .9	31
169	Investigation of interference in multiple-input multiple-output wireless transmission at W band for an optical wireless integration system. <i>Optics Letters</i> , 2013 , 38, 742-4	3	31
168	Enabling Technologies for Next-Generation Optical Packet-Switching Networks. <i>Proceedings of the IEEE</i> , 2006 , 94, 892-910	14.3	31
167	A dynamically reconfigurable folded-path time delay buffer for optical packet switching. <i>IEEE Photonics Technology Letters</i> , 2004 , 16, 2559-2561	2.2	31
166	Full-Duplex Quasi-Gapless Carrier Aggregation Using FBMC in Centralized Radio-Over-Fiber Heterogeneous Networks. <i>Journal of Lightwave Technology</i> , 2017 , 35, 989-996	4	30
165	Doubling transmission capacity in optical wireless system by antenna horizontal- and vertical-polarization multiplexing. <i>Optics Letters</i> , 2013 , 38, 2125-7	3	30
164	Multi-channel multi-carrier generation using multi-wavelength frequency shifting recirculating loop. <i>Optics Express</i> , 2012 , 20, 21833-9	3.3	30
163	Single-Carrier Dual-Polarization 328-Gb/s Wireless Transmission in a D-Band Millimeter Wave 2 DMU-MIMO Radio-Over-Fiber System. <i>Journal of Lightwave Technology</i> , 2018 , 36, 587-593	4	29
162	Single-sideband W-band photonic vector millimeter-wave signal generation by one single I/Q modulator. <i>Optics Letters</i> , 2016 , 41, 4162-5	3	29
161	Balanced Precoding Technique for Vector Signal Generation Based on OCS. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 2469-2472	2.2	29
160	Reducing the Peak-to-Average Power Ratio With Companding Transform Coding in 60 GHz OFDM-ROF Systems. <i>Journal of Optical Communications and Networking</i> , 2012 , 4, 202	4.1	29
159	High speed all optical Nyquist signal generation and full-band coherent detection. <i>Scientific Reports</i> , 2014 , 4, 6156	4.9	28
158	Multi-Band Transport Technologies for In-Building Host-Neutral Wireless Over Fiber Access Systems. <i>Journal of Lightwave Technology</i> , 2010 , 28, 2406-2415	4	28
157	Performance Comparison of DFT-Spread and Pre-Equalization for 8 🛮 244.2-Gb/s PDM-16QAM-OFDM. <i>Journal of Lightwave Technology</i> , 2015 , 33, 227-233	4	27
156	Comparison of 100G PAM-8, CAP-64 and DFT-S OFDM with a bandwidth-limited direct-detection receiver. <i>Optics Express</i> , 2017 , 25, 32254	3.3	27

(2015-2016)

155	W-Band Millimeter-Wave Vector Signal Generation Based on Precoding-Assisted Random Photonic Frequency Tripling Scheme Enabled by Phase Modulator. <i>IEEE Photonics Journal</i> , 2016 , 8, 1-10	1.8	26	
154	Simple and reconfigured single-sideband OFDM RoF system. <i>Optics Express</i> , 2016 , 24, 22830-22835	3.3	26	
153	. Journal of Lightwave Technology, 2012 , 30, 3219-3225	4	24	
152	Generation and Heterodyne Detection of >100-Gb/s \$Q\$ -Band PDM-64QAM mm-Wave Signal. <i>IEEE Photonics Technology Letters</i> , 2017 , 29, 27-30	2.2	23	
151	100 Gbit/s VSB-PAM-n IM/DD transmission system based on 10 GHz DML with optical filtering and joint nonlinear equalization. <i>Optics Express</i> , 2019 , 27, 6098-6105	3.3	23	
150	W-Band Vector Millimeter-Wave Signal Generation Based on Phase Modulator With Photonic Frequency Quadrupling and Precoding. <i>Journal of Lightwave Technology</i> , 2017 , 35, 2548-2558	4	22	
149	200-Gbps DFT-S OFDM Using DD-MZM-Based Twin-SSB With a MIMO-Volterra Equalizer. <i>IEEE Photonics Technology Letters</i> , 2017 , 29, 1183-1186	2.2	22	
148	QPSK Vector Signal Generation Based on Photonic Heterodyne Beating and Optical Carrier Suppression. <i>IEEE Photonics Journal</i> , 2015 , 7, 1-6	1.8	22	
147	. Journal of Lightwave Technology, 2001 , 19, 1316-1325	4	22	
146	Probabilistically Shaped 16QAM Signal Transmission in a Photonics-aided Wireless Terahertz-Wave System 2018 ,		22	
145	Optical independent-sideband modulation for bandwidth-economic coherent transmission. <i>Optics Express</i> , 2014 , 22, 9465-70	3.3	21	
144	Over 100 Gb/s Ultrabroadband MIMO Wireless Signal Delivery System at the D-Band. <i>IEEE Photonics Journal</i> , 2016 , 8, 1-10	1.8	21	
143	W-band RoF transmission based on optical multi-carrier generation by cascading one directly-modulated DFB laser and one phase modulator. <i>Optics Communications</i> , 2015 , 345, 80-85	2	20	
142	Optical-wireless-optical full link for polarization multiplexing quadrature amplitude/phase modulation signal transmission. <i>Optics Letters</i> , 2013 , 38, 4712-5	3	20	
141	Seamless integration of 57.2-Gb/s signal wireline transmission and 100-GHz wireless delivery. <i>Optics Express</i> , 2012 , 20, 24364-9	3.3	20	
140	Symmetrical 50-Gb/s/IPAM-4 TDM-PON in O-band with DSP and Semiconductor Optical Amplifier Supporting PR-30 Link Loss Budget 2018 ,		20	
139	Over 100-Gb/s V-Band Single-Carrier PDM-64QAM Fiber-Wireless-Integration System. <i>IEEE Photonics Journal</i> , 2016 , 8, 1-7	1.8	19	
138	High-Frequency Photonic Vector Signal Generation Employing a Single Phase Modulator. <i>IEEE Photonics Journal</i> , 2015 , 1-1	1.8	18	

137	Reduction of Intercarrier Interference Based on Window Shaping in OFDM RoF Systems. <i>IEEE Photonics Technology Letters</i> , 2013 , 25, 851-854	2.2	18
136	Pre-coding assisted generation of a frequency quadrupled optical vector D-band millimeter wave with one Mach-Zehnder modulator. <i>Optics Express</i> , 2017 , 25, 26483-26491	3.3	18
135	Demonstration of 260-Gb/s Single-Lane EML-Based PS-PAM-8 IM/DD for Datacenter Interconnects 2019 ,		18
134	Photonics-Aided Millimeter-Wave Technologies for Extreme Mobile Broadband Communications in 5G. <i>Journal of Lightwave Technology</i> , 2020 , 38, 366-378	4	18
133	Improved Performance of high-order QAM OFDM Based on Probabilistically Shaping in the Datacom 2018 ,		17
132	Heterodyne coherent detection of WDM PDM-QPSK signals with spectral efficiency of 4b/s/Hz. <i>Optics Express</i> , 2013 , 21, 8808-14	3.3	16
131	Spectrally efficient localized carrier distribution scheme for multiple-user DFT-S OFDM RoF- PON wireless access systems. <i>Optics Express</i> , 2012 , 20, 29665-72	3.3	16
130	Optical label swapping in a packet-switched optical network using optical carrier suppression, separation, and wavelength conversion. <i>IEEE Photonics Technology Letters</i> , 2004 , 16, 2156-2158	2.2	16
129	Delivery of 54-Gb/s 8QAM W-Band Signal and 32-Gb/s 16QAM K -Band Signal Over 20-km SMF-28 and 2500-m Wireless Distance. <i>Journal of Lightwave Technology</i> , 2018 , 36, 50-56	4	15
128	61.3-Gbps Hybrid Fiber-Wireless In-Home Network Enabled by Optical Heterodyne and Polarization Multiplexing. <i>Journal of Lightwave Technology</i> , 2014 , 32, 3227-3233	4	15
127	A Bidirectional 60-GHz Wireless-Over-Fiber Transport System With Centralized Local Oscillator Service Delivered to Mobile Terminals and Base Stations. <i>IEEE Photonics Technology Letters</i> , 2012 , 24, 1984-1987	2.2	15
126	Optical carrier suppression and separation label-switching techniques. <i>Journal of Lightwave Technology</i> , 2005 , 23, 3372-3387	4	15
125	SOA Pre-Amplified 100 Gb/s/IPAM-4 TDM-PON Downstream Transmission Using 10 Gbps O-Band Transmitters. <i>Journal of Lightwave Technology</i> , 2020 , 38, 185-193	4	15
124	Performance Comparison of Dual-Carrier 400G With 8/16/32-QAM Modulation Formats. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 1414-1417	2.2	14
123	Photonic Vector Signal Generation Employing a Single-Drive MZM-Based Optical Carrier Suppression Without Precoding. <i>Journal of Lightwave Technology</i> , 2015 , 33, 5235-5241	4	14
122	Demonstration of Four-Channel CWDM 560 Gbit/s 128QAM-OFDM for Optical Inter-connection 2016 ,		14
121	Demonstration of Single-Carrier ETDM 400GE PAM-4 Signals Generation and Detection. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 2543-2546	2.2	13
120	Improved BER Performance of Real-Time DDO-OFDM Systems Using Interleaved ReedBolomon Codes. <i>IEEE Photonics Technology Letters</i> , 2016 , 28, 1014-1017	2.2	13

119	Fiber-Wireless-Fiber Link for DFT-Spread OFDM Signal Transmission at \$W\$ -Band. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 1273-1276	2.2	13
118	The reduction of the LO number for heterodyne coherent detection. <i>Optics Express</i> , 2012 , 20, 29613-9	3.3	13
117	Generation of modified duobinary RZ signals by using one single dual-arm LiNbO3 modulator. <i>IEEE Photonics Technology Letters</i> , 2003 , 15, 1455-1457	2.2	13
116	Experimental Demonstration of PDM-32QAM Single-Carrier 400G over 1200-km Transmission Enabled by Training-assisted Pre-equalization and Look-up Table 2016 ,		13
115	1-Tb/s Photonics-aided Vector Millimeter-Wave Signal Wireless Delivery at D-Band 2018,		13
114	Twin-SSB-OFDM Transmission Over Heterodyne W-Band Fiber-Wireless System With Real-Time Implementable Blind Carrier Recovery. <i>Journal of Lightwave Technology</i> , 2018 , 36, 5562-5572	4	13
113	Mitigation of Pattern-Dependent Effect in SOA at O-Band by Using DSP. <i>Journal of Lightwave Technology</i> , 2020 , 38, 590-597	4	12
112	140-Gb/s PS-256-QAM Transmission in an OFDM System Using Kramers K ronig Detection. <i>IEEE Photonics Technology Letters</i> , 2019 , 31, 1405-1408	2.2	12
111	High Spectral Efficiency 400 Gb/s Transmission by Different Modulation Formats and Advanced DSP. <i>Journal of Lightwave Technology</i> , 2019 , 37, 5317-5325	4	12
110	Real-Time Generation and Reception of OFDM Signals for \$X\$-Band RoF Uplink With Heterodyne Detection. <i>IEEE Photonics Technology Letters</i> , 2017 , 29, 51-54	2.2	12
109	Improved Multicarriers Generation by Using Multifrequency Shifting Recirculating Loop. <i>IEEE Photonics Technology Letters</i> , 2012 , 24, 1405-1408	2.2	12
108	PAM-8 IM/DD Transmission Based on Modified Lookup Table Nonlinear Predistortion. <i>IEEE Photonics Journal</i> , 2018 , 10, 1-9	1.8	12
107	Real-Time Q-Band OFDM-RoF Systems With Optical Heterodyning and Envelope Detection for Downlink Transmission. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-7	1.8	11
106	Fiber-THz-Fiber Link for THz Signal Transmission. <i>IEEE Photonics Journal</i> , 2018 , 10, 1-6	1.8	11
105	2	3	11
104	Enhanced Performance Utilizing Joint Processing Algorithm for CAP Signals. <i>Journal of Lightwave Technology</i> , 2018 , 36, 3169-3175	4	11
103	Physical Layer Encryption in DMT Based on Digital Multi-Scroll Chaotic System. <i>IEEE Photonics Technology Letters</i> , 2020 , 1-1	2.2	11
102	Approaching Terabits Per Carrier Metro-Regional Transmission Using Beyond-100GBd Coherent Optics With Probabilistically Shaped DP-64QAM Modulation. <i>Journal of Lightwave Technology</i> , 2019 , 37, 1751-1755	4	11

101	Probabilistically Shaped DP-64QAM Coherent Optics at 105 GBd Achieving 900 Gbps Net Bit Rate per Carrier over 800 km Transmission 2018 ,		11
100	Fiber-wireless integration for 80 Gbps polarization division multiplexing 16QAM signal transmission at W-band without RF down conversion. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 9-13	1.2	10
99	A Novel PON Architecture Based on OAM Multiplexing for Efficient Bandwidth Utilization. <i>IEEE Photonics Journal</i> , 2015 , 7, 1-6	1.8	10
98	135-GHz D-Band 60-Gbps PAM-8 Wireless Transmission Employing a Joint DNN Equalizer With BP and CMMA. <i>Journal of Lightwave Technology</i> , 2020 , 38, 3592-3601	4	10
97	Transmission and full-band coherent detection of polarization-multiplexed all-optical Nyquist signals generated by Sinc-shaped Nyquist pulses. <i>Scientific Reports</i> , 2015 , 5, 13649	4.9	10
96	DWDM reconfigurable optical delay buffer for optical packet switched networks. <i>IEEE Photonics Technology Letters</i> , 2006 , 18, 1176-1178	2.2	10
95	Spectral efficient DWDM optical label/payload generation and transport for next-generation Internet. <i>Journal of Lightwave Technology</i> , 2004 , 22, 2469-2482	4	10
94	Photonics-Aided 32-Gb/s Wireless Signal Transmission Over 1 km at K-Band. <i>IEEE Photonics Technology Letters</i> , 2017 , 29, 1120-1123	2.2	9
93	Enhanced Vector Signal Transmission Over Double-Sideband Carrier-Suppressed Optical Millimeter-Waves Through a Small LO Feedthrough. <i>IEEE Photonics Technology Letters</i> , 2012 , 24, 173-17	5 ^{2.2}	9
92	Wavelength Converter for Polarization-Multiplexed 100-G Transmission With Multilevel Modulation Using a Bismuth Oxide-Based Nonlinear Fiber. <i>IEEE Photonics Technology Letters</i> , 2010 , 22, 1832-1834	2.2	9
91	Multirate payload switching using a swappable optical carrier suppressed label in a packet-switched DWDM optical network. <i>Journal of Lightwave Technology</i> , 2005 , 23, 196-202	4	9
90	Four-Channel WDM 640 Gb/s 256 QAM Transmission Utilizing Kramers-Kronig Receiver. <i>Journal of Lightwave Technology</i> , 2019 , 37, 5466-5473	4	8
89	Transmission of 100-Gb/s VSB DFT-Spread DMT Signal in Short-Reach Optical Communication Systems. <i>IEEE Photonics Journal</i> , 2015 , 7, 1-7	1.8	8
88	Comparison of Geometrically Shaped 32-QAM and Probabilistically Shaped 32-QAM in a Bandwidth-Limited IM-DD System. <i>Journal of Lightwave Technology</i> , 2020 , 38, 4352-4358	4	8
87	D-band Millimeter Wave Generation and Transmission Though Radio-Over-Fiber System. <i>IEEE Photonics Journal</i> , 2020 , 12, 1-8	1.8	8
86	Multichannel optical frequency-locked multicarrier source generation based on multichannel recirculation frequency shifter loop. <i>Optics Letters</i> , 2012 , 37, 4714-6	3	8
85	Theoretical and Experimental Study on Improved Frequency-Locked Multicarrier Generation by Using Recirculating Loop Based on Multifrequency Shifting Single-Sideband Modulation. <i>IEEE Photonics Journal</i> , 2012 , 4, 2249-2261	1.8	8
84	A nonlinear ANN equalizer with mini-batch gradient descent in 40Gbaud PAM-8 IM/DD system. <i>Optical Fiber Technology</i> , 2018 , 46, 113-117	2.4	8

83	Phase Factor Optimization for QPSK Signals Generated from MZM Based on Optical Carrier Suppression. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-6	1.8	7	
82	High Symbol Rate Signal Generation and Detection With Linear and Nonlinear Signal Processing. Journal of Lightwave Technology, 2018, 36, 408-415	4	7	
81	Application of Volterra Nonlinear Compensation in 75-GHz mm-Wave Fiber-Wireless System. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-7	1.8	7	
80	All-optical label swapping for same wavelength data switching using optical carrier suppression, separation and without regular wavelength converter. <i>IEEE Photonics Technology Letters</i> , 2005 , 17, 112	27 ² 1 ² 12:	9 <i>7</i>	
79	Large Capacity Optical Wireless Signal Delivery at W-Band: OFDM or Single Carrier? 2016,		7	
78	High-Speed PS-PAM8 Transmission in a Four-Lane IM/DD System Using SOA at O-Band for 800G DCI. <i>IEEE Photonics Technology Letters</i> , 2020 , 32, 293-296	2.2	5	
77	Transmission of 51.2 Gb/s 16 QAM single carrier signal in a MIMO radio-over-fiber system at W-band. <i>Microwave and Optical Technology Letters</i> , 2017 , 59, 2870-2874	1.2	5	
76	Super Broadband Optical Wireless over Optical Fiber Network Architecture 2006,		5	
75	Real-time demonstration of 103.125-Gbps fiber-THz-fiber 2 MIMO transparent transmission at 360-430 GHz based on photonics <i>Optics Letters</i> , 2022 , 47, 1214-1217	3	5	
74	400G/channel 50-GHz WDM Coherent Transmission: PS 64QAM versus Hybrid 32/64QAM 2019 ,		5	
73	280 Gb/s IM/DD PS-PAM-8 Transmission Over 10 km SSMF at O-band For Optical Interconnects 2020 ,		5	
72	112 Gb/s/ICAP Signals Transmission over 480 km in IM-DD System 2018 ,		5	
71	640-Gbps/Carrier WDM Transmission over 6,400 km Based on PS-16QAM at 106 Gbaud Employing Advanced DSP. <i>Journal of Lightwave Technology</i> , 2021 , 39, 55-63	4	5	
70	Comparison of Real- and Complex-Valued NN Equalizers for Photonics-Aided 90-Gbps D-band PAM-4 Coherent Detection. <i>Journal of Lightwave Technology</i> , 2021 , 1-1	4	5	
69	3.5 Gbit/s OOK THz signal delivery over 88 cm free-space at 441.504 GHz. <i>Microwave and Optical Technology Letters</i> , 2018 , 60, 1435-1439	1.2	5	
68	High-Speed Terahertz Band Radio-Over-Fiber System Using Hybrid Time-Frequency Domain Equalization. <i>IEEE Photonics Technology Letters</i> , 2022 , 34, 559-562	2.2	5	
67	800-Gb/s/carrier WDM Coherent Transmission over 2000 km Based on Truncated PS-64QAM Utilizing MIMO Volterra Equalizer. <i>Journal of Lightwave Technology</i> , 2022 , 1-1	4	4	
66	160 Gb/s 256QAM Transmission in a 25 GHz Grid Using Kramers-Kronig Detection 2019 ,		4	

65	A 2½ MIMO Optical Wireless System at D-Band 2016 ,		4
64	A Chaotic Encryption Scheme in DMT for IM/DD Intra-Datacenter Interconnects. <i>IEEE Photonics Technology Letters</i> , 2021 , 33, 383-386	2.2	4
63	Seamless Integration of a Fiber-THz Wireless-Fiber 2X2 MIMO Broadband Network 2018 ,		4
62	124.8-Gbit/s PS-256QAM Signal Wireless Delivery over 104 m in a Photonics-aided Terahertz-Wave System. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2022 , 1-1	3.4	4
61	Fiber wireless fiber link for 20-Gb/s QPSK signal delivery at W-band with DML for E/O conversion in wireless fiber connection. <i>Optics Communications</i> , 2015 , 354, 231-235	2	3
60	SSB Single Carrier and Multicarrier in C-Band FSO Transmission With KK Receiver. <i>Journal of Lightwave Technology</i> , 2020 , 38, 5000-5007	4	3
59	A New Scheme to Generate Multi-Frequency Mm-Wave Signals Based on Cascaded Phase Modulator and I/Q Modulator. <i>IEEE Photonics Journal</i> , 2019 , 11, 1-8	1.8	3
58	High-Speed Signal Transmission at W-Band Over Dielectric-Coated Metallic Hollow Fiber. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2015 , 63, 1836-1842	4.1	3
57	To extend delivery distance of the optical MM-wave generated by DSB modulation and vestigial sideband filtering. <i>Microwave and Optical Technology Letters</i> , 2006 , 48, 1003-1004	1.2	3
56	Edge viewing photodetectors for strictly in-plane lightwave circuit integration and flexible optical into	erconne	ecps
56 55	Edge viewing photodetectors for strictly in-plane lightwave circuit integration and flexible optical into Detecting burst-mode optical label or payload generated by OCSS technique using conventional receivers. <i>IEEE Photonics Technology Letters</i> , 2005 , 17, 1567-1569	2.2	ects 3
	Detecting burst-mode optical label or payload generated by OCSS technique using conventional		
55	Detecting burst-mode optical label or payload generated by OCSS technique using conventional receivers. <i>IEEE Photonics Technology Letters</i> , 2005 , 17, 1567-1569 Performance characterization and optimization of high-speed ON-OFF optical-signal reflectors in a	2.2	3
55 54	Detecting burst-mode optical label or payload generated by OCSS technique using conventional receivers. <i>IEEE Photonics Technology Letters</i> , 2005 , 17, 1567-1569 Performance characterization and optimization of high-speed ON-OFF optical-signal reflectors in a folded-path time-delay buffer. <i>Journal of Lightwave Technology</i> , 2006 , 24, 365-379 Bidirectional DPSK transmission of 16 🖺 0-Gb/s DWDM channels over 80-km SMF-28 using	2.2	3
55 54 53	Detecting burst-mode optical label or payload generated by OCSS technique using conventional receivers. <i>IEEE Photonics Technology Letters</i> , 2005 , 17, 1567-1569 Performance characterization and optimization of high-speed ON-OFF optical-signal reflectors in a folded-path time-delay buffer. <i>Journal of Lightwave Technology</i> , 2006 , 24, 365-379 Bidirectional DPSK transmission of 16 🗈 0-Gb/s DWDM channels over 80-km SMF-28 using semiconductor optical amplifiers. <i>Microwave and Optical Technology Letters</i> , 2005 , 46, 525-527 Low Complexity Neural Network Equalization Based on Multi-Symbol Output Technique For 200+	2.2	3 3
55 54 53 52	Detecting burst-mode optical label or payload generated by OCSS technique using conventional receivers. <i>IEEE Photonics Technology Letters</i> , 2005 , 17, 1567-1569 Performance characterization and optimization of high-speed ON-OFF optical-signal reflectors in a folded-path time-delay buffer. <i>Journal of Lightwave Technology</i> , 2006 , 24, 365-379 Bidirectional DPSK transmission of 16 🗈 0-Gb/s DWDM channels over 80-km SMF-28 using semiconductor optical amplifiers. <i>Microwave and Optical Technology Letters</i> , 2005 , 46, 525-527 Low Complexity Neural Network Equalization Based on Multi-Symbol Output Technique For 200+Gbps IM/DD Short Reach Optical System. <i>Journal of Lightwave Technology</i> , 2022 , 1-1 The best modulation format for 100G short-reach and metro networks: DMT, PAM-4, CAP, or	2.2	3 3 3
55 54 53 52 51	Detecting burst-mode optical label or payload generated by OCSS technique using conventional receivers. <i>IEEE Photonics Technology Letters</i> , 2005 , 17, 1567-1569 Performance characterization and optimization of high-speed ON-OFF optical-signal reflectors in a folded-path time-delay buffer. <i>Journal of Lightwave Technology</i> , 2006 , 24, 365-379 Bidirectional DPSK transmission of 16 🖸 0-Gb/s DWDM channels over 80-km SMF-28 using semiconductor optical amplifiers. <i>Microwave and Optical Technology Letters</i> , 2005 , 46, 525-527 Low Complexity Neural Network Equalization Based on Multi-Symbol Output Technique For 200+Gbps IM/DD Short Reach Optical System. <i>Journal of Lightwave Technology</i> , 2022 , 1-1 The best modulation format for 100G short-reach and metro networks: DMT, PAM-4, CAP, or duobinary? 2018 ,	2.2 4 1.2	3 3 3 3

(2020-2021)

47	200 Gbit/s Photonics-Aided MMW PS-OFDM Signals Transmission at W-Band Enabled by Hybrid Time-Frequency Domain Equalization. <i>Journal of Lightwave Technology</i> , 2021 , 39, 3137-3144	4	3
46	Spectrally efficient single carrier 400G optical signal transmission. <i>Frontiers of Optoelectronics</i> , 2019 , 12, 15-23	2.8	3
45	A Joint Algorithm for Photonics-Aided Microwave-Communication System at K-Band. <i>IEEE Photonics Technology Letters</i> , 2018 , 30, 1807-1810	2.2	3
44	High Spectral Efficiency WDM Transmission Based on Hybrid Probabilistically and Geometrically Shaped 256QAM. <i>Journal of Lightwave Technology</i> , 2021 , 39, 5494-5501	4	3
43	Bi-Directional OFDM Truncated PS-4096QAM Signals Transmission in a Full-Duplex MMW-RoF System at E-Band. <i>Journal of Lightwave Technology</i> , 2021 , 1-1	4	3
42	Optical-wireless integration of W-band wireless and free-space optical links. <i>Microwave and Optical Technology Letters</i> , 2017 , 59, 561-563	1.2	2
41	Antenna misalignment effects in 100 Gbit/s D-band wireless transmissions. <i>Microwave and Optical Technology Letters</i> , 2017 , 59, 1431-1434	1.2	2
40	A novel architecture of satellite-ground communication system at W-band based on RF transparent demodulation technique. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 409-414	1.2	2
39	Experimental Investigation on Fiber-Wireless MIMO System With Different LO at W Band. <i>IEEE Photonics Journal</i> , 2015 , 7, 1-7	1.8	2
38	D-band vector signal generation based on OCS and SSB without an optical filter. <i>Optics Communications</i> , 2020 , 464, 125520	2	2
37	Alternate Multiwavelength Picosecond Pulse Generation by Use of an Unbalanced Mach@ehnder Interferometer in a Mode-locked Fiber Ring Laser. <i>IEEE Journal of Quantum Electronics</i> , 2007 , 43, 85-96	2	2
36	Label erasure using an imbalanced NOLM and its application in a 40-gb/s label switching optical network. <i>Journal of Lightwave Technology</i> , 2006 , 24, 271-276	4	2
35	A novel optical label swapping scheme for DPSK data transmissions using optical carrier suppression and separation technique without requiring a conventional wavelength converter 2005 ,		2
34	W-Band 16QAM-Modulated SSB Photonic Vector Mm-Wave Signal Generation by One Single I/Q Modulator 2017 ,		2
33	Simultaneous Generation of Wired and Wireless Signals Using a DP-MZM in a RoF System. <i>IEEE Photonics Technology Letters</i> , 2020 , 32, 905-908	2.2	2
32	200-Gbit/s PAM4 Generation by a Dual-Polarization Mach-Zehnder Modulator Without DAC. <i>IEEE Photonics Technology Letters</i> , 2020 , 32, 1223-1226	2.2	2
31	Demonstration of 4 🛘 00 Gbit/s PAM-4 Transmission Over 40 km in an IM/DD System Based on Narrow Band DMLs. <i>IEEE Photonics Journal</i> , 2020 , 12, 1-8	1.8	1
30	D-band signal generation without optical filter based on Carrier Suppressed Frequency Eightfold. <i>Optics Communications</i> , 2020 , 465, 125540	2	1

29	9.952-Gb/s On/Off keying signal transmission over 92-GHz radio-over-fiber system with 40-km single-mode fiber and 2-m air link. <i>Microwave and Optical Technology Letters</i> , 2013 , 55, 1014-1017	1.2	1
28	Optimal phase threshold for D-band vector millimeter-wave system with frequency sextupled. <i>Microwave and Optical Technology Letters</i> , 2017 , 59, 2627-2630	1.2	1
27	Large-capacity long-distance wireless mm-wave signal delivery at W-band 2015,		1
26	WDM Transmission of Single-Carrier 400G Based on Orthogonal OTDM 80-GBd PDM-8QAM. <i>IEEE Photonics Journal</i> , 2015 , 7, 1-6	1.8	1
25	10🛮00-Gb/s transmissions using optical carrier suppression and separation technique and RZ-DQPSK modulation for metro-ethernet transport system 2008 ,		1
24	8🗓0 Gbit/s WDM repeaterless transmission over 240km SMF using modified duobinary RZ signals 2006 ,		1
23	Numerical and experimental study of an alternate multiwavelength mode-locked fiber ring laser 2006 ,		1
22	Novel optical-wireless access network architecture for providing broadband wireless and wired services 2006 ,		1
21	Integrated High-Resolution Radar and Long-Distance Communication Based-on Photonic in Terahertz Band. <i>Journal of Lightwave Technology</i> , 2022 , 1-1	4	1
20	Complex-valued 2D-CNN Equalization for OFDM Signals in a Photonics-aided MMW Communication System at the D-band. <i>Journal of Lightwave Technology</i> , 2022 , 1-1	4	1
19	Demonstration of SOA-based IM/DD 1T (280Gbit/s圍) PS-PAM8 Transmission over 40km SSMF at O-band 2020 ,		1
18	Photonics-assisted joint high-speed communication and high-resolution radar detection system <i>Optics Letters</i> , 2021 , 46, 6103-6106	3	1
17	Mitigation of SOA-induced Nonlinearity with the aid of Deep Learning Neural Networks. <i>Journal of Lightwave Technology</i> , 2021 , 1-1	4	1
16	The Best Modulation Format for Symmetrical Single-wavelength 50-Gb/s PON at O-band: PAM, CAP or DMT? 2021 ,		1
15	Transmission of High-Frequency Terahertz Band Signal beyond 300 GHz over Metallic Hollow Core Fiber. <i>Journal of Lightwave Technology</i> , 2021 , 1-1	4	1
14	Polar Coded OFDM Signal Transmission at the W-Band in Millimeter-Wave System. <i>IEEE Photonics Journal</i> , 2019 , 11, 1-6	1.8	1
13	W-band simultaneous vector signal generation and radar detection based on photonic frequency quadrupling <i>Optics Letters</i> , 2022 , 47, 537-540	3	0
12	81-GHz W-band 60-Gbps 64-QAM wireless transmission based on a dual-GRU equalizer <i>Optics Express</i> , 2022 , 30, 2364-2377	3.3	O

LIST OF PUBLICATIONS

11	Broadband radio-over-fiber technologies for next-generation wireless systems 2020, 979-1038		О
10	Joint communication and radar sensing functions system based on photonics at the W-band <i>Optics Express</i> , 2022 , 30, 13404-13415	3.3	Ο
9	Carrierless Amplitude and Phase Modulation 2020 , 253-279		
8	Probabilistic Shaping 2020 , 201-221		
7	Kramers-Kronig Receiver in Direct Detection Systems 2020 , 523-542		
6	Comparison of DFT-S-orthogonal frequency division multiplexing and single-carrier in a radio-over-fiber system. <i>Optical Engineering</i> , 2017 , 56, 1	1.1	
5	Demonstration of 200 Gbit/s Single Dual Band DMT Transmission With a SE of 6.29 bit/s/Hz. <i>Journal of Lightwave Technology</i> , 2021 , 39, 2754-2761	4	
4	Application of Probabilistic Shaping Technology in Terahertz Communication 2021 , 155-173		
3	Basic Algorithms and Experimental Verification of Multi-carrier Terahertz Communication 2021 , 67-98		
2	QAM vector mm-wave signal generation based on optical orthogonal polarization SSB scheme by a single modulator. <i>Journal of Lightwave Technology</i> , 2021 , 1-1	4	
1	Frequency-Stable Photogenerated Vector Terahertz Signal Generation 2021, 131-154		