Jorge F. Gaspar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3402201/publications.pdf

Version: 2024-02-01

201674 265206 2,102 71 27 42 h-index citations g-index papers 71 71 71 2780 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Increased levels of chromosomal aberrations and DNA damage in a group of workers exposed to formaldehyde. Mutagenesis, 2015, 30, 463-473. | 2.6 | 53 |
| 2 | Induction of sister chromatid exchange by acrylamide and glycidamide in human lymphocytes: Role of polymorphisms in detoxification and DNA-repair genes in the genotoxicity of glycidamide. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2013, 752, 1-7. | 1.7 | 18 |
| 3 | Genotoxic effect of exposure to metal(loid)s. A molecular epidemiology survey of populations living and working in Panasqueira mine area, Portugal. Environment International, 2013, 60, 163-170. | 10.0 | 16 |
| 4 | The role of CCNH Val270Ala (rs2230641) and other nucleotide excision repair polymorphisms in individual susceptibility to well-differentiated thyroid cancer. Oncology Reports, 2013, 30, 2458-2466. | 2.6 | 14 |
| 5 | Mechanistic insights into the cytotoxicity and genotoxicity induced by glycidamide in human mammary cells. Mutagenesis, 2013, 28, 721-729. | 2.6 | 32 |
| 6 | Newneo-Clerodanes from Tinnea antiscorbutica Welv. Journal of the Brazilian Chemical Society, 2013, , . | 0.6 | 0 |
| 7 | SNPs/Pools: A methodology for the identification of relevant SNPs in breast cancer epidemiology. Oncology Reports, 2012, 27, 511-6. | 2.6 | 1 |
| 8 | Genotoxic Damage in Hospital Workers Exposed to Ionizing Radiation and Metabolic Gene Polymorphisms. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2012, 75, 934-946. | 2.3 | 18 |
| 9 | DNA Damage and Susceptibility Assessment in Industrial Workers Exposed to Styrene. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2012, 75, 735-746. | 2.3 | 19 |
| 10 | Genetic Polymorphisms in Detoxification and DNA Repair Genes and Susceptibility to Glycidamide-Induced DNA Damage. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2012, 75, 920-933. | 2.3 | 7 |
| 11 | Pneumocystis jirovecii multilocus genotyping in pooled DNA samples: a new approach for clinical and epidemiological studies. Clinical Microbiology and Infection, 2012, 18, E177-E184. | 6.0 | 20 |
| 12 | Genotoxic effects of occupational exposure to lead and influence of polymorphisms in genes involved in lead toxicokinetics and in DNA repair. Environment International, 2012, 43, 29-36. | 10.0 | 65 |
| 13 | Polymorphisms in base excision repair genes and thyroid cancer risk. Oncology Reports, 2012, 28, 1859-1868. | 2.6 | 31 |
| 14 | Three new labdanes isolated from Eragrostis viscosa. Journal of the Brazilian Chemical Society, 2012, 23, 1940-1950. | 0.6 | 4 |
| 15 | Preparation of Organometallic Ruthenium–Arene–Diaminotriazine Complexes as Binding Agents to DNA. Chemistry - an Asian Journal, 2012, 7, 788-801. | 3.3 | 36 |
| 16 | Development of pyridine-containing macrocyclic copper(II) complexes: potential role in the redox modulation of oxaliplatin toxicity in human breast cells. Free Radical Research, 2012, 46, 1157-1166. | 3.3 | 13 |
| 17 | ACMA (9-amino-6-chloro-2-methoxy acridine) forms three complexes in the presence of DNA. Physical Chemistry Chemical Physics, 2011, 13, 19534. | 2.8 | 16 |
| 18 | Genotoxic effects of doxorubicin in cultured human lymphocytes with different glutathione S-transferase genotypes. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2011, 724, 28-34. | 1.7 | 29 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Molluscicidal Activity of Compounds Isolated from Euphorbia conspicua N. E. Br. Journal of the Brazilian Chemical Society, 2011, 22, 1880-1887. | 0.6 | 7 |
| 20 | Clinical Relevance of Multiple Single-Nucleotide Polymorphisms in Pneumocystis jirovecii Pneumonia: Development of a Multiplex PCR-Single-Base-Extension Methodology. Journal of Clinical Microbiology, 2011, 49, 1810-1815. | 3.9 | 35 |
| 21 | A Data Mining Approach for the Detection of High-Risk Breast Cancer Groups. Advances in Intelligent and Soft Computing, 2010, , 43-51. | 0.2 | 27 |
| 22 | Breast cancer risk and common single nucleotide polymorphisms in homologous recombination DNA repair pathway genes XRCC2, XRCC3, NBS1 and RAD51. Cancer Epidemiology, 2010, 34, 85-92. | 1.9 | 86 |
| 23 | 8,15-Epoxylabdane and norlabdane diterpenoids from Eragrostis viscosa. Phytochemistry, 2010, 71, 798-803. | 2.9 | 7 |
| 24 | Biological assays and noncovalent interactions of pyridine-2-carbaldehyde thiosemicarbazonecopper(II) drugs with [poly(dA–dT)]2, [poly(dG–dC)]2, and calf thymus DNA. Journal of Biological Inorganic Chemistry, 2010, 15, 515-532. | 2.6 | 39 |
| 25 | Oxidative injury in V79 Chinese hamster cells: protective role of the superoxide dismutase mimetic MnTM-4-PyP. Cell Biology and Toxicology, 2010, 26, 91-101. | 5.3 | 25 |
| 26 | Population structure of Pneumocystis jirovecii isolated from immunodeficiency virus-positive patients. Infection, Genetics and Evolution, 2010, 10, 192-199. | 2.3 | 49 |
| 27 | Identification of relevant single-nucleotide polymorphisms in Pneumocystis jirovecii: relationship with clinical data. Clinical Microbiology and Infection, 2010, 16, 878-884. | 6.0 | 41 |
| 28 | Normal red blood cells partially decrease diepoxybutaneâ€induced chromosome breakage in cultured lymphocytes from Fanconi anaemia patients. Cell Proliferation, 2010, 43, 573-578. | 5.3 | 1 |
| 29 | Cytogenetic and DNA damage on workers exposed to styrene. Mutagenesis, 2010, 25, 617-621. | 2.6 | 21 |
| 30 | Protective role of <i>ortho </i> -substituted Mn(III) <i>N </i> -alkylpyridylporphyrins against the oxidative injury induced by <i>tert </i> -butylhydroperoxide. Free Radical Research, 2010, 44, 430-440. | 3.3 | 26 |
| 31 | The role of common variants of non-homologous end-joining repair genes XRCC4, LIG4 and Ku80 in thyroid cancer risk. Oncology Reports, 2010, 24, 1079-85. | 2.6 | 28 |
| 32 | Association of common variants in mismatch repair genes and breast cancer susceptibility: a multigene study. BMC Cancer, 2009, 9, 344. | 2.6 | 58 |
| 33 | Genetic characterization of the UCS and Kex1 loci of Pneumocystis jirovecii. European Journal of Clinical Microbiology and Infectious Diseases, 2009, 28, 175-178. | 2.9 | 16 |
| 34 | Genetic effects and biotoxicity monitoring of occupational styrene exposure. Clinica Chimica Acta, 2009, 399, 8-23. | 1.1 | 56 |
| 35 | Cytotoxicity and chromosomal aberrations induced by acrylamide in V79 cells: Role of glutathione modulators. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2009, 676, 87-92. | 1.7 | 20 |
| 36 | Association of Polymorphisms in Genes of the Homologous Recombination DNA Repair Pathway and Thyroid Cancer Risk. Thyroid, 2009, 19, 1067-1075. | 4.5 | 62 |

| # | Article | IF | CITATIONS |
|----|--|-----------------|--------------------|
| 37 | The role of GSTA2 polymorphisms and haplotypes in breast cancer susceptibility: A case-control study in the Portuguese population. Oncology Reports, 2009, 22, 593-8. | 2.6 | 24 |
| 38 | Genotoxic damage in pathology anatomy laboratory workers exposed to formaldehyde. Toxicology, 2008, 252, 40-48. | 4.2 | 109 |
| 39 | Styrene-oxide N-terminal valine haemoglobin adducts as biomarkers of occupational exposure to styrene. International Journal of Hygiene and Environmental Health, 2008, 211, 59-62. | 4.3 | 7 |
| 40 | Gold Nanoparticle Based Systems in Genetics. Current Pharmacogenomics and Personalized Medicine: the International Journal for Expert Reviews in Pharmacogenomics, 2007, 5, 39-47. | 0.3 | 10 |
| 41 | Macrocyclic copper(II) complexes: Superoxide scavenging activity, structural studies and cytotoxicity evaluation. Journal of Inorganic Biochemistry, 2007, 101, 849-858. | 3.5 | 60 |
| 42 | Menopausal age and XRCC1 gene polymorphisms: Role in breast cancer risk. Cancer Detection and Prevention, 2007, 31, 303-309. | 2.1 | 39 |
| 43 | Styrene-oxide N-terminal valine haemoglobin adducts in reinforced plastic workers: Possible influence of genetic polymorphism of drug-metabolising enzymes. Toxicology, 2007, 237, 58-64. | 4.2 | 13 |
| 44 | Cytogenetic and molecular biomonitoring of a Portuguese population exposed to pesticides. Mutagenesis, 2006, 21, 343-350. | 2.6 | 78 |
| 45 | Cytogenetic Damage Induced by Acrylamide and Glycidamide in Mammalian Cells: Correlation with Specific Glycidamide-DNA Adducts. Toxicological Sciences, 2006, 95, 383-390. | 3.1 | 66 |
| 46 | The role of foetal red blood cells in protecting cultured lymphocytes against diepoxybutane-induced chromosome breaks. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2006, 603, 41-47. | 1.7 | 4 |
| 47 | The role of ERCC2 polymorphisms in breast cancer risk. Cancer Genetics and Cytogenetics, 2006, 170, 86-88. | 1.0 | 4 |
| 48 | Breast cancer risk and polymorphisms in genes involved in metabolism of estrogens (CYP17,) Tj ETQq0 0 0 rgBT Ala/Ala in women that never breast fed. Oncology Reports, 2006, 16, 781-8. | Overlock 2.6 | 10 Tf 50 307 27 |
| 49 | Multiplex PCR–single-base extension genotyping of multiple glutathione S-transferase polymorphisms. Biotechnology and Applied Biochemistry, 2005, 41, 9. | 3.1 | 4 |
| 50 | Association of Polymorphisms in ERCC2 Gene with Non-Familial Thyroid Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2407-2412. | 2.5 | 34 |
| 51 | Detection of Pneumocystis jirovecii dihydropteroate synthase polymorphisms in patients with Pneumocystis pneumonia. Scandinavian Journal of Infectious Diseases, 2005, 37, 766-771. | 1.5 | 24 |
| 52 | Combined effects of glutathione S-transferase polymorphisms and thyroid cancer risk. Cancer Genetics and Cytogenetics, 2004, 151, 60-67. | 1.0 | 42 |
| 53 | GSTM1,GSTT1, andGSTP1 genotypes and the genotoxicity of hydroquinone in human lymphocytes. Environmental and Molecular Mutagenesis, 2004, 43, 258-264. | 2.2 | 32 |
| 54 | Occupational exposure to styrene: modulation of cytogenetic damage and levels of urinary metabolites of styrene by polymorphisms in genes CYP2E1, EPHX1, GSTM1, GSTT1 and GSTP1. Toxicology, 2004, 195, 231-242. | 4.2 | 62 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Stereochemical effects in the metabolic activation of nitrosopiperidines: correlations with genotoxicity. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2004, 558, 45-51. | 1.7 | 14 |
| 56 | Dihydropteroate Synthase (DHPS) Genotyping by PCR-RFLP Analysis of Pneumocystis jirovecii Repeated Isolates from HIV-Infected Patients: A Preliminary Study. Journal of Eukaryotic Microbiology, 2003, 50, 607-608. | 1.7 | 3 |
| 57 | Role of haemoglobin in the protection of cultured lymphocytes against diepoxybutane (DEB), assessed by in vitro induced chromosome breakage. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2003, 536, 61-67. | 1.7 | 12 |
| 58 | Induction of chromosomal aberrations by phenolic compounds: possible role of reactive oxygen species. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2003, 540, 29-42. | 1.7 | 27 |
| 59 | Mechanisms of induction of chromosomal aberrations by hydroquinone in V79 cells. Mutagenesis, 2003, 18, 491-496. | 2.6 | 24 |
| 60 | DNA Polymorphisms as Modulators of Genotoxicity and Cancer. Biological Chemistry, 2002, 383, 923-32. | 2.5 | 9 |
| 61 | Aromatic DNA adduct levels in coke oven workers: correlation with polymorphisms in genes GSTP1, GSTM1, GSTT1 and CYP1A1. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2002, 517, 147-155. | 1.7 | 49 |
| 62 | Genotoxicity of instant coffee and of some phenolic compounds present in coffee upon nitrosation. Teratogenesis, Carcinogenesis, and Mutagenesis, 2000, 20, 241-249. | 0.8 | 13 |
| 63 | Chemical features of flavonols affecting their genotoxicity. Potential implications in their use as therapeutical agents. Chemico-Biological Interactions, 2000, 124, 29-51. | 4.0 | 93 |
| 64 | Genotoxicity of instant coffee: possible involvement of phenolic compounds. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 1999, 442, 43-51. | 1.7 | 22 |
| 65 | Involvement of rat cytochrome 1A1 in the biotransformation of kaempferol to quercetin: relevance to the genotoxicity of kaempferol. Mutagenesis, 1997, 12, 383-390. | 2.6 | 57 |
| 66 | Metabolism of galangin by rat cytochromes P450: relevance to the genotoxicity of galangin. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 1997, 393, 247-257. | 1.7 | 40 |
| 67 | Mechanisms of myricetin mutagenicity in V79 cells: Involvement of radicalar species. Teratogenesis, Carcinogenesis, and Mutagenesis, 1996, 16, 253-268. | 0.8 | 14 |
| 68 | Structural requirements for mutagenicity of flavonoids upon nitrosation. A structure—activity study. Mutagenesis, 1995, 10, 325-328. | 2.6 | 20 |
| 69 | Genotoxicity of nitrosated red wine and of the nitrosatable phenolic compounds present in wine: Tyramine, quercetin and malvidine-3-glucoside. Food and Chemical Toxicology, 1993, 31, 989-994. | 3.6 | 14 |
| 70 | Oxygen species and the genotoxicity of quercetin. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1992, 265, 75-81. | 1.0 | 40 |
| 71 | Mutagenic activity in the wine-making process: correlations with rutin and quercetin levels. Mutagenesis, 1990, 5, 393-396. | 2.6 | 16 |