
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3403300/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Diploid hepatocytes drive physiological liver renewal in adult humans. Cell Systems, 2022, 13, 499-507.e12.	6.2	22
2	Hepatocyte pyroptosis and release of inflammasome particles induce stellate cell activation and liver fibrosis. Journal of Hepatology, 2021, 74, 156-167.	3.7	264
3	Influence of Genistein on Hepatic Lipid Metabolism in an In Vitro Model of Hepatic Steatosis. Molecules, 2021, 26, 1156.	3.8	12
4	In Vivo and In Vitro Characterization of Primary Human Liver Macrophages and Their Inflammatory State. Biomedicines, 2021, 9, 406.	3.2	1
5	Epigenomic and transcriptional profiling identifies impaired glyoxylate detoxification in NAFLD as a risk factor for hyperoxaluria. Cell Reports, 2021, 36, 109526.	6.4	22
6	Prolonged Lipid Accumulation in Cultured Primary Human Hepatocytes Rather Leads to ER Stress than Oxidative Stress. International Journal of Molecular Sciences, 2020, 21, 7097.	4.1	17
7	Identification of Interleukin1β as an Amplifier of Interferon alpha-induced Antiviral Responses. PLoS Pathogens, 2020, 16, e1008461.	4.7	5
8	HepaChip-MP – a twenty-four chamber microplate for a continuously perfused liver coculture model. Lab on A Chip, 2020, 20, 2911-2926.	6.0	12
9	Long-term simulation of lead concentrations in agricultural soils in relation to human adverse health effects. Archives of Toxicology, 2020, 94, 2319-2329.	4.2	6
10	Critical evaluation of human health risks due to hydraulic fracturing in natural gas and petroleum production. Archives of Toxicology, 2020, 94, 967-1016.	4.2	36
11	Disentangling molecular mechanisms regulating sensitization of interferon alpha signal transduction. Molecular Systems Biology, 2020, 16, e8955.	7.2	41
12	Prediction of human drug-induced liver injury (DILI) in relation to oral doses and blood concentrations. Archives of Toxicology, 2019, 93, 1609-1637.	4.2	86
13	Epigenetic Modifications of the Liver Tumor Cell Line HepG2 Increase Their Drug Metabolic Capacity. International Journal of Molecular Sciences, 2019, 20, 347.	4.1	23
14	<p>Metabolism of remimazolam in primary human hepatocytes during continuous long-term infusion in a 3-D bioreactor system</p> . Drug Design, Development and Therapy, 2019, Volume 13, 1033-1047.	4.3	30
15	Mutual Zonated Interactions of Wnt and Hh Signaling Are Orchestrating the Metabolism of the Adult Liver in Mice and Human. Cell Reports, 2019, 29, 4553-4567.e7.	6.4	15
16	Effect of glucose and insulin supplementation on the isolation of primary human hepatocytes. EXCLI Journal, 2019, 18, 1071-1091.	0.7	9
17	Resolving the Combinatorial Complexity of Smad Protein Complex Formation and Its Link to Gene Expression. Cell Systems, 2018, 6, 75-89.e11.	6.2	55
18	Epigenomic map of human liver reveals principles of zonated morphogenic and metabolic control. Nature Communications, 2018, 9, 4150.	12.8	65

#	Article	IF	CITATIONS
19	Microscale 3D Liver Bioreactor for In Vitro Hepatotoxicity Testing under Perfusion Conditions. Bioengineering, 2018, 5, 24.	3.5	17
20	Global Transcriptional Response of Human Liver Cells to Ethanol Stress of Different Strength Reveals Hormetic Behavior. Alcoholism: Clinical and Experimental Research, 2017, 41, 883-894.	2.4	4
21	Multilineage communication regulates human liver bud development from pluripotency. Nature, 2017, 546, 533-538.	27.8	458
22	The Cellâ€Surface Nâ€Clycome of Human Embryonic Stem Cells and Differentiated Hepatic Cells thereof. ChemBioChem, 2017, 18, 1234-1241.	2.6	9
23	Imatinib and spironolactone suppress hepcidin expression. Haematologica, 2017, 102, 1173-1184.	3.5	23
24	Hepatic differentiation of human iPSCs in different 3D models: A comparative study. International Journal of Molecular Medicine, 2017, 40, 1759-1771.	4.0	39
25	A unifying mathematical model of lipid droplet metabolism reveals key molecular players in the development of hepatic steatosis. FEBS Journal, 2017, 284, 3245-3261.	4.7	21
26	Model Based Targeting of IL-6-Induced Inflammatory Responses in Cultured Primary Hepatocytes to Improve Application of the JAK Inhibitor Ruxolitinib. Frontiers in Physiology, 2017, 8, 775.	2.8	19
27	Hemolysis after Oral Artemisinin Combination Therapy for Uncomplicated <i>Plasmodium falciparum</i> Malaria. Emerging Infectious Diseases, 2016, 22, 1381-1386.	4.3	39
28	In Vitro Model for Hepatotoxicity Studies Based on Primary Human Hepatocyte Cultivation in a Perfused 3D Bioreactor System. International Journal of Molecular Sciences, 2016, 17, 584.	4.1	19
29	Cell sources for <i>inÂvitro</i> human liver cell culture models. Experimental Biology and Medicine, 2016, 241, 1684-1698.	2.4	156
30	Hepatic Differentiation of Human Induced Pluripotent Stem Cells in a Perfused Three-Dimensional Multicompartment Bioreactor. BioResearch Open Access, 2016, 5, 235-248.	2.6	43
31	Protocol for Isolation of Primary Human Hepatocytes and Corresponding Major Populations of Non-parenchymal Liver Cells. Journal of Visualized Experiments, 2016, , e53069.	0.3	46
32	Gene network activity in cultivated primary hepatocytes is highly similar to diseased mammalian liver tissue. Archives of Toxicology, 2016, 90, 2513-2529.	4.2	100
33	Bile canaliculi formation and biliary transport in 3D sandwich-cultured hepatocytes in dependence of the extracellular matrix composition. Archives of Toxicology, 2016, 90, 2497-2511.	4.2	46
34	Primaryâ€like human hepatocytes genetically engineered to obtain proliferation competence display hepatic differentiation characteristics in monolayer and organotypical spheroid cultures. Cell Biology International, 2016, 40, 341-353.	3.0	24
35	Genomewide comparison of the inducible transcriptomes of nuclear receptors CAR, PXR and PPARα in primary human hepatocytes. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2016, 1859, 1218-1227.	1.9	67
36	Context-specific flow through the MEK/ERK module produces cell- and ligand-specific patterns of ERK single and double phosphorylation. Science Signaling, 2016, 9, ra13.	3.6	18

#	Article	IF	CITATIONS
37	Subtoxic Concentrations of Hepatotoxic Drugs Lead to Kupffer Cell Activation in a Human <i>In Vitro</i> Liver Model: An Approach to Study DILI. Mediators of Inflammation, 2015, 2015, 1-14.	3.0	29
38	3D Cultivation Techniques for Primary Human Hepatocytes. Microarrays (Basel, Switzerland), 2015, 4, 64-83.	1.4	46
39	Induction of active demethylation and 5hmC formation by 5-azacytidine is TET2 dependent and suggests new treatment strategies against hepatocellular carcinoma. Clinical Epigenetics, 2015, 7, 98.	4.1	55
40	High exposure to inorganic arsenic by food: the need for risk reduction. Archives of Toxicology, 2015, 89, 2219-2227.	4.2	65
41	Gene networks and transcription factor motifs defining the differentiation of stem cells into hepatocyte-like cells. Journal of Hepatology, 2015, 63, 934-942.	3.7	165
42	A Systematic Comparison of the Impact of Inflammatory Signaling on Absorption, Distribution, Metabolism, and Excretion Gene Expression and Activity in Primary Human Hepatocytes and HepaRG Cells. Drug Metabolism and Disposition, 2015, 43, 273-283.	3.3	80
43	Featured Article: Isolation, characterization, and cultivation of human hepatocytes and non-parenchymal liver cells. Experimental Biology and Medicine, 2015, 240, 645-656.	2.4	82
44	Resveratrol Differentially Regulates NAMPT and SIRT1 in Hepatocarcinoma Cells and Primary Human Hepatocytes. PLoS ONE, 2014, 9, e91045.	2.5	33
45	Toxicogenomics directory of chemically exposed human hepatocytes. Archives of Toxicology, 2014, 88, 2261-2287.	4.2	143
46	Manufactured nanomaterials: categorization and approaches to hazard assessment. Archives of Toxicology, 2014, 88, 2191-2211.	4.2	120
47	Involvement of sphingosine 1-phosphate in palmitate-induced insulin resistance of hepatocytes via the S1P2 receptor subtype. Diabetologia, 2014, 57, 373-382.	6.3	79
48	Unbiased RNAi screen for hepcidin regulators links hepcidin suppression to proliferative Ras/RAF and nutrient-dependent mTOR signaling. Blood, 2014, 123, 1574-1585.	1.4	62
49	Hepatic 3D cultures but not 2D cultures preserve specific transporter activity for acetaminophen-induced hepatotoxicity. Archives of Toxicology, 2013, 87, 1581-1593.	4.2	102
50	Recent advances in 2D and 3D in vitro systems using primary hepatocytes, alternative hepatocyte sources and non-parenchymal liver cells and their use in investigating mechanisms of hepatotoxicity, cell signaling and ADME. Archives of Toxicology, 2013, 87, 1315-1530.	4.2	1,089
51	Human parenchymal and non-parenchymal liver cell isolation, culture and characterization. Hepatology International, 2013, 7, 951-958.	4.2	28
52	Real-time in situ viability assessment in a 3D bioreactor with liver cells using resazurin assay. Cytotechnology, 2013, 65, 297-305.	1.6	14
53	Direct Transcriptional Regulation of Human Hepatic Cytochrome P450 3A4 (CYP3A4) by Peroxisome Proliferator–Activated Receptor Alpha (PPAR <i>α</i>). Molecular Pharmacology, 2013, 83, 709-718.	2.3	88
54	Decrease of Global Methylation Improves Significantly Hepatic Differentiation of Ad-MSCs: Possible Future Application for Urea Detoxification. Cell Transplantation, 2013, 22, 119-131.	2.5	32

#	Article	IF	CITATIONS
55	The right choice of antihypertensives protects primary human hepatocytes from ethanol- and recombinant human TGF-β1-induced cellular damage. Hepatic Medicine: Evidence and Research, 2013, 5, 31.	2.5	2
56	Combination of LC-MS ² and GC-MS as a Tool to Differentiate Oxidative Metabolites of Zearalenone with Different Chemical Structures. International Journal of Spectroscopy, 2012, 2012, 1-10.	1.6	6
57	In vitromammalian metabolism of the mitosis inhibitor zoxamide and the relationship to itsin vitrotoxicity. Xenobiotica, 2010, 40, 72-82.	1.1	3
58	Aromatic hydroxylation is a major metabolic pathway of the mycotoxin zearalenone in vitro. Molecular Nutrition and Food Research, 2009, 53, 1123-1133.	3.3	54