Mike Bowie

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3403445/publications.pdf

Version: 2024-02-01

687363 677142 29 602 13 22 h-index citations g-index papers 29 29 29 663 docs citations citing authors all docs times ranked

#	Article	IF	Citations
1	Field boundaries as barriers to movement of hover flies (Diptera: Syrphidae) in cultivated land. Oecologia, 2003, 134, 605-611.	2.0	152
2	Agronomy and phenology of "companion plants―of potential for enhancement of insect biological control. New Zealand Journal of Crop and Horticultural Science, 1995, 23, 423-427.	1.3	52
3	Phenology and Ecology of Hoverflies (Diptera: Syrphidae) in New Zealand. Environmental Entomology, 1995, 24, 595-600.	1.4	51
4	Effects of distance from field edge on aphidophagous insects in a wheat crop and observations on trap design and placement. International Journal of Pest Management, 1999, 45, 69-73.	1.8	48
5	The phenology and pollen feeding of three hover fly (Diptera: Syrphidae) species in Canterbury, New Zealand. New Zealand Journal of Zoology, 1999, 26, 105-115.	1.1	40
6	Direct Toxicity and Repellent Activity of Pyrethroids Against Tetranychus urticae (Acari:) Tj ETQq0 0 0 rgBT /Overlo	ock 10 Tf !	50 ₃ 542 Td (T€
7	A practical technique for non-destructive monitoring of soil surface invertebrates for ecological restoration programmes. Ecological Management and Restoration, 2004, 5, 34-42.	1.5	24
8	Pollen grains as markers to track the movements of generalist predatory insects in agroecosystems. International Journal of Pest Management, 2004, 50, 165-171.	1.8	23
9	An appraisal of simple tree-mounted shelters for non-lethal monitoring of weta (Orthoptera:) Tj ETQq1 1 0.78431 Conservation, 2006, 10, 261-268.	4 rgBT /O	verlock 10 Tf 21
10	Effect of boundary type and season on predatory arthropods associated with field margins on New Zealand farmland. New Zealand Journal of Zoology, 2014, 41, 268-284.	1.1	18
11	Punakaiki Coastal Restoration Project: A case study for a consultative and multidisciplinary approach in selecting indicators of restoration success for a sand mining closure site, West Coast, New Zealand. Catena, 2016, 136, 91-103.	5.0	18
12	Parasites and Predators., 1994,, 33-63.		18
13	Response of endemic and exotic earthworm communities to ecological restoration. Restoration Ecology, 2016, 24, 717-721.	2.9	17
14	Sublethal effects of esfenvalerate residues on pyrethroid resistant Typhlodromus pyri (Acari:) Tj ETQq0 0 0 rgBT /0 Experimental and Applied Acarology, 2001, 25, 311-319.	Overlock 1 1.6	.0 Tf 50 227 ⁻ 14
15	Persistence of biodiversity in a dryland remnant within an intensified dairy farm landscape. , 2016, 40, 121-130.		14
16	Title is missing!. Experimental and Applied Acarology, 1999, 23, 1-9.	1.6	10
17	THE USE OF TREE-MOUNTED ARTIFICIAL SHELTERS TO INVESTIGATE ARBOREAL SPIDER COMMUNITIES IN NEW ZEALAND NATURE RESERVES. Journal of Arachnology, 2007, 35, 129-136.	0.5	10
18	Adult and larval hoverfly communities and their parasitoid fauna in wheat in New South Wales, Australia. New Zealand Entomologist, 2001, 24, 3-6.	0.3	8

#	Article	IF	Citations
19	Can native plantings encourage native and beneficial invertebrates on Canterbury dairy farms?. New Zealand Entomologist, 2019, 42, 67-78.	0.3	7
20	Insect flower visitors of planted native species within the arable landscape on the Canterbury Plains, New Zealand. New Zealand Plant Protection, 0, 71, 198-206.	0.3	4
21	Sleeping with the â€~enemy': hybridization of an endangered tree weta. Conservation Genetics, 2017, 18, 1377-1387.	1.5	3
22	A survey of ground beetles (Coleoptera: Carabidae) in Ahuriri Scenic Reserve, Banks Peninsula, and comparisons with a previous survey performed 30 years earlier. New Zealand Journal of Zoology, 2019, 46, 285-300.	1.1	3
23	Identification of potential invertebrate bioindicators of restoration trajectory at a quarry site in Hunua, Auckland, New Zealand. New Zealand Journal of Ecology, 2018, 43, .	1.1	3
24	Where does the New Zealand praying mantis,Orthodera novaezealandiae(Colenso) (Mantodea:) Tj ETQq0 0 0 rg	BT /Qverlo	ock ₂ 10 Tf 50 5
25	Molecular identification and distribution of native and exotic earthworms in New Zealand human-modified soils. , 2017, 41, .		2
26	The ecological importance of moss ground cover in dry shrubland restoration within an irrigated agricultural landscape matrix. Ecology and Evolution, 2022, 12, e8843.	1.9	2
27	Vivid molecular divergence over volcanic remnants: the phylogeography of Megadromus guerinii on Banks Peninsula, New Zealand. New Zealand Journal of Zoology, 2016, 43, 246-257.	1.1	1
28	Tree guards and weed mats in a dry shrubland restoration in New Zealand. Ecological Management and Restoration, 2018, 19, 259-263.	1.5	1
29	Mouse management on Ōtamahua/Quail Island—lessons learned. New Zealand Journal of Zoology, 2018, 45, 267-285.	1.1	O