

# Masanori Tachikawa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/340497/publications.pdf>

Version: 2024-02-01

81  
papers

3,286  
citations

136950

32  
h-index

155660

55  
g-index

81  
all docs

81  
docs citations

81  
times ranked

3523  
citing authors

#	ARTICLE	IF	CITATIONS
1	SLC6A and SLC16A family of transporters: Contribution to transport of creatine and creatine precursors in creatine biosynthesis and distribution. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2022, 1864, 183840.	2.6	8
2	Transport Characteristics of Placenta-Derived Extracellular Vesicles and Their Relevance to Placenta-to-Maternal Tissue Communication. <i>Chemical and Pharmaceutical Bulletin</i> , 2022, 70, 324-329.	1.3	2
3	Blood-Arachnoid Barrier as a Dynamic Physiological and Pharmacological Interface Between Cerebrospinal Fluid and Blood. <i>AAPS Advances in the Pharmaceutical Sciences Series</i> , 2022, , 93-121.	0.6	2
4	Processing mechanism of guanidinoacetate in choroid plexus epithelial cells: conversion of guanidinoacetate to creatine via guanidinoacetate N-methyltransferase and monocarboxylate transporter 12-mediated creatine release into the CSF. <i>Fluids and Barriers of the CNS</i> , 2022, 19, .	5.0	1
5	Contribution of monocarboxylate transporter 12 to blood supply of creatine on the sinusoidal membrane of the hepatocytes. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 321, G113-G122.	3.4	8
6	Developmental changes in transporter and receptor protein expression levels at the rat blood-brain barrier based on quantitative targeted absolute proteomics. <i>Drug Metabolism and Pharmacokinetics</i> , 2020, 35, 117-123.	2.2	20
7	Targeted Proteomics-Based Quantitative Protein Atlas of Pannexin and Connexin Subtypes in Mouse and Human Tissues and Cancer Cell Lines. <i>Journal of Pharmaceutical Sciences</i> , 2020, 109, 1161-1168.	3.3	5
8	Distinct Transport Properties of Human Pannexin 1 and Connexin 32 Hemichannels. <i>Journal of Pharmaceutical Sciences</i> , 2020, 109, 1395-1402.	3.3	1
9	Polarized hemichannel opening of pannexin 1/connexin 43 contributes to dysregulation of transport function in blood-brain barrier endothelial cells. <i>Neurochemistry International</i> , 2020, 132, 104600.	3.8	13
10	Abundant Expression of OCT2, MATE1, OAT1, OAT3, PEPT2, BCRP, MDR1, and xCT Transporters in Blood-Arachnoid Barrier of Pig and Polarized Localizations at CSF- and Blood-Facing Plasma Membranes. <i>Drug Metabolism and Disposition</i> , 2020, 48, 135-145.	3.3	36
11	Monocarboxylate transporter 12 as a guanidinoacetate efflux transporter in renal proximal tubular epithelial cells. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020, 1862, 183434.	2.6	10
12	Continuous release of O <sub>2</sub> <sup>•-</sup> /ONOO <sup>-</sup> in plasma <sup>•-</sup> exposed HEPES <sup>•-</sup> buffered saline promotes TRP channel <sup>•-</sup> mediated uptake of a large cation. <i>Plasma Processes and Polymers</i> , 2020, 17, 1900257.	3.0	6
13	Determination of Intrinsic Creatine Transporter (Slc6a8) Activity and Creatine Transport Function of Leukocytes in Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2020, 43, 474-479.	1.4	3
14	Selective Protein Expression Changes of Leukocyte-Migration-Associated Cluster of Differentiation Antigens at the Blood <sup>•-</sup> Brain Barrier in a Lipopolysaccharide-Induced Systemic Inflammation Mouse Model without Alteration of Transporters, Receptors or Tight Junction-Related Protein. <i>Biological and Pharmaceutical Bulletin</i> , 2019, 42, 944-953.	1.4	9
15	Organic anion-transporting polypeptide 1a4 <sup>•-</sup> mediated heterogeneous distribution of sulforhodamine-101 in rat hepatic lobules. <i>Drug Metabolism and Pharmacokinetics</i> , 2019, 34, 239-246.	2.2	6
16	Increased Expression of Renal Drug Transporters in a Mouse Model of Familial Alzheimer's Disease. <i>Journal of Pharmaceutical Sciences</i> , 2019, 108, 2484-2489.	3.3	13
17	Organic Anion-Transporting Polypeptide 1a4 (Oatp1a4/Slco1a4) at the Blood <sup>•-</sup> Arachnoid Barrier is the Major Pathway of Sulforhodamine-101 Clearance from Cerebrospinal Fluid of Rats. <i>Molecular Pharmaceutics</i> , 2019, 16, 2021-2027.	4.6	18
18	Identification of Blood <sup>•-</sup> Brain Barrier-Permeable Proteins Derived from a Peripheral Organ: In Vivo and in Vitro Evidence of Blood-to-Brain Transport of Creatine Kinase. <i>Molecular Pharmaceutics</i> , 2019, 16, 247-257.	4.6	3

#	ARTICLE	IF	CITATIONS
19	Cluster of Differentiation 46 Is the Major Receptor in Human Bloodâ€“Brain Barrier Endothelial Cells for Uptake of Exosomes Derived from Brain-Metastatic Melanoma Cells (SK-Mel-28). <i>Molecular Pharmaceutics</i> , 2019, 16, 292-304.	4.6	50
20	Liver Zonation Index of Drug Transporter and Metabolizing Enzyme Protein Expressions in Mouse Liver Acinus. <i>Drug Metabolism and Disposition</i> , 2018, 46, 610-618.	3.3	22
21	Drug Clearance from Cerebrospinal Fluid Mediated by Organic Anion Transporters 1 (Slc22a6) and 3 (Slc22a8) at Arachnoid Membrane of Rats. <i>Molecular Pharmaceutics</i> , 2018, 15, 911-922.	4.6	29
22	Expression and function of connexin 43 protein in mouse and human retinal pigment epithelial cells as hemichannels and gap junction proteins. <i>Experimental Eye Research</i> , 2018, 168, 128-137.	2.6	17
23	Developmental changes of l-arginine transport at the blood-brain barrier in rats. <i>Microvascular Research</i> , 2018, 117, 16-21.	2.5	19
24	ATP-Binding Cassette Transporter A Subfamily 8 Is a Sinusoidal Efflux Transporter for Cholesterol and Taurocholate in Mouse and Human Liver. <i>Molecular Pharmaceutics</i> , 2018, 15, 343-355.	4.6	23
25	Assembly of Taurine Transporter (Slc6a6) with Na <sup>+</sup> /H <sup>+</sup> Exchanger Regulatory Factor 1 (Slc9a3r1) Improves GABA Transport Activity by Increasing the Maximum Transport Velocity. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 338-341.	1.4	3
26	Gene expression of A6-like subgroup of ATP-binding cassette transporters in mouse brain parenchyma and microvessels. <i>Anatomical Science International</i> , 2018, 93, 456-463.	1.0	6
27	Astrocytic $\beta$ -aminobutyric acid (GABA) transporters mediate guanidinoacetate transport in rat brain. <i>Neurochemistry International</i> , 2018, 113, 1-7.	3.8	9
28	Cell-Type-Specific Spatiotemporal Expression of Creatine Biosynthetic Enzyme S-adenosylmethionine:guanidinoacetate N-methyltransferase in Developing Mouse Brain. <i>Neurochemical Research</i> , 2018, 43, 500-510.	3.3	7
29	High Expression of UGT1A1/1A6 in Monkey Small Intestine: Comparison of Protein Expression Levels of Cytochromes P450, UDP-Glucuronosyltransferases, and Transporters in Small Intestine of Cynomolgus Monkey and Human. <i>Molecular Pharmaceutics</i> , 2018, 15, 127-140.	4.6	32
30	Altered Expression of Small Intestinal Drug Transporters and Hepatic Metabolic Enzymes in a Mouse Model of Familial Alzheimerâ€™s Disease. <i>Molecular Pharmaceutics</i> , 2018, 15, 4073-4083.	4.6	23
31	Identification of blood biomarkers in glioblastoma by SWATH mass spectrometry and quantitative targeted absolute proteomics. <i>PLoS ONE</i> , 2018, 13, e0193799.	2.5	87
32	LCâ€“MS/MS Based Quantitation of ABC and SLC Transporter Proteins in Plasma Membranes of Cultured Primary Human Retinal Pigment Epithelium Cells and Immortalized ARPE19 Cell Line. <i>Molecular Pharmaceutics</i> , 2017, 14, 605-613.	4.6	45
33	All-trans retinoic acid enhances gemcitabine cytotoxicity in human pancreatic cancer cell line AsPC-1 by up-regulating protein expression of deoxycytidine kinase. <i>European Journal of Pharmaceutical Sciences</i> , 2017, 103, 116-121.	4.0	13
34	Application of Quantitative Targeted Absolute Proteomics to Profile Protein Expression Changes of Hepatic Transporters and Metabolizing Enzymes During Cholic Acid-Promoted Liver Regeneration. <i>Journal of Pharmaceutical Sciences</i> , 2017, 106, 2499-2508.	3.3	7
35	Inner Bloodâ€“Retinal Barrier Dominantly Expresses Breast Cancer Resistance Protein: Comparative Quantitative Targeted Absolute Proteomics Study of CNS Barriers in Pig. <i>Molecular Pharmaceutics</i> , 2017, 14, 3729-3738.	4.6	26
36	Correlation of Organic Cation/Carnitine Transporter 1 and Multidrug Resistance-Associated Protein 1 Transport Activities With Protein Expression Levels in Primary Cultured Human Tracheal, Bronchial, and Alveolar Epithelial Cells. <i>Journal of Pharmaceutical Sciences</i> , 2016, 105, 876-883.	3.3	17

#	ARTICLE	IF	CITATIONS
37	Quantitative Atlas of Cytochrome P450, UDP-Glucuronosyltransferase, and Transporter Proteins in Jejunum of Morbidly Obese Subjects. <i>Molecular Pharmaceutics</i> , 2016, 13, 2631-2640.	4.6	69
38	Global and Targeted Proteomics of Prostate Cancer Cell Secretome: Combination of 2-Dimensional Image-Converted Analysis of Liquid Chromatography and Mass Spectrometry and In Silico Selection Selected Reaction Monitoring Analysis. <i>Journal of Pharmaceutical Sciences</i> , 2016, 105, 3440-3452.	3.3	10
39	Quantitative Targeted Absolute Proteomics of Transporters and Pharmacoproteomics-Based Reconstruction of P-Glycoprotein Function in Mouse Small Intestine. <i>Molecular Pharmaceutics</i> , 2016, 13, 2443-2456.	4.6	17
40	Oral Morphine Pharmacokinetic in Obesity: The Role of P-Glycoprotein, MRP2, MRP3, UGT2B7, and CYP3A4 Jejunal Contents and Obesity-Associated Biomarkers. <i>Molecular Pharmaceutics</i> , 2016, 13, 766-773.	4.6	22
41	Quantitative targeted absolute proteomics of rat bloodâ€“cerebrospinal fluid barrier transporters: comparison with a human specimen. <i>Journal of Neurochemistry</i> , 2015, 134, 1104-1115.	3.9	86
42	Contribution of Pannexin 1 and Connexin 43 Hemichannels to Extracellular Calciumâ€“Dependent Transport Dynamics in Human Blood-Brain Barrier Endothelial Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015, 353, 192-200.	2.5	39
43	Amino Acid Residues Involved in the Substrate Specificity of TauT/SLC6A6 for Taurine and $\hat{3}$ -Aminobutyric Acid. <i>Biological and Pharmaceutical Bulletin</i> , 2014, 37, 817-825.	1.4	10
44	A study protocol for quantitative targeted absolute proteomics (QTAP) by LC-MS/MS: application for inter-strain differences in protein expression levels of transporters, receptors, claudin-5, and marker proteins at the bloodâ€“brain barrier in ddY, FVB, and C57BL/6J mice. <i>Fluids and Barriers of the CNS</i> , 2013, 10, 21.	5.0	185
45	Localization of organic anion transporting polypeptide (Oatp) 1a4 and Oatp1c1 at the rat blood-retinal barrier. <i>Fluids and Barriers of the CNS</i> , 2013, 10, 29.	5.0	32
46	Quantitative Targeted Absolute Proteomic Analysis of Transporters, Receptors and Junction Proteins for Validation of Human Cerebral Microvascular Endothelial Cell Line hCMEC/D3 as a Human Bloodâ€“Brain Barrier Model. <i>Molecular Pharmaceutics</i> , 2013, 10, 289-296.	4.6	190
47	Quantitative Targeted Absolute Proteomics-Based Large-Scale Quantification of Proline-Hydroxylated $\hat{1}$ -Fibrinogen in Plasma for Pancreatic Cancer Diagnosis. <i>Journal of Proteome Research</i> , 2013, 12, 753-762.	3.7	31
48	Quantitative Atlas of Bloodâ€“Brain Barrier Transporters, Receptors, and Tight Junction Proteins in Rats and Common Marmoset. <i>Journal of Pharmaceutical Sciences</i> , 2013, 102, 3343-3355.	3.3	198
49	The Inner Blood-Retinal Barrier. <i>Advances in Experimental Medicine and Biology</i> , 2013, , 85-104.	1.6	55
50	Involvement of $\hat{3}$ -aminobutyric acid transporter 2 in the hepatic uptake of taurine in rats. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, G291-G297.	3.4	16
51	A Clearance System for Prostaglandin D <sub>2</sub> , a Sleep-Promoting Factor, in Cerebrospinal Fluid: Role of the Blood-Cerebrospinal Barrier Transporters. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 343, 608-616.	2.5	30
52	Role of the bloodâ€“cerebrospinal fluid barrier transporter as a cerebral clearance system for prostaglandin E <sub>2</sub> produced in the brain. <i>Journal of Neurochemistry</i> , 2012, 123, 750-760.	3.9	38
53	$\hat{3}$ -Aminobutyric Acid Transporter 2 Mediates the Hepatic Uptake of Guanidinoacetate, the Creatine Biosynthetic Precursor, in Rats. <i>PLoS ONE</i> , 2012, 7, e32557.	2.5	29
54	Transport characteristics of guanidino compounds at the blood-brain barrier and blood-cerebrospinal fluid barrier: relevance to neural disorders. <i>Fluids and Barriers of the CNS</i> , 2011, 8, 13.	5.0	71

#	ARTICLE	IF	CITATIONS
55	Retinal transfer of nicotinate by H <sup>+</sup> -monocarboxylate transporter at the inner blood-retinal barrier. <i>Microvascular Research</i> , 2011, 82, 385-390.	2.5	16
56	Transport systems of serine at the brain barriers and in brain parenchymal cells. <i>Journal of Neurochemistry</i> , 2011, 118, 304-313.	3.9	20
57	Roles of organic anion/cation transporters at the blood-brain and blood-cerebrospinal fluid barriers involving uremic toxins. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 478-485.	1.6	72
58	Inner Blood-retinal Barrier Mediates L-Isomer-Predominant Transport of Serine. <i>Journal of Pharmaceutical Sciences</i> , 2011, 100, 3892-3903.	3.3	11
59	Lipophilicity and Transporter Influence on Blood-Retinal Barrier Permeability: A Comparison with Blood-Brain Barrier Permeability. <i>Pharmaceutical Research</i> , 2010, 27, 2715-2724.	3.5	59
60	Involvement of OCTN2 in the Transport of Acetyl-L-Carnitine across the Inner Blood-retinal Barrier. , 2010, 51, 430.		51
61	Glycine and L-arginine transport in cultured Müller glial cells (TR-MUL). <i>Neurochemistry International</i> , 2010, 57, 262-268.	3.8	11
62	Blood-to-retina transport of biotin via Na <sup>+</sup> -dependent multivitamin transporter (SMVT) at the inner blood-retinal barrier. <i>Experimental Eye Research</i> , 2010, 91, 387-392.	2.6	37
63	Inner Blood-Retinal Barrier Transporters: Role of Retinal Drug Delivery. <i>Pharmaceutical Research</i> , 2009, 26, 2055-2065.	3.5	89
64	The blood-brain barrier transport and cerebral distribution of guanidinoacetate in rats: involvement of creatine and taurine transporters. <i>Journal of Neurochemistry</i> , 2009, 111, 499-509.	3.9	44
65	Cationic amino acid transporter 1-mediated L-arginine transport at the inner blood-retinal barrier. <i>Journal of Neurochemistry</i> , 2009, 111, 716-725.	3.9	42
66	Lysophospholipids enhance taurine release from rat retinal vascular endothelial cells under hypoosmotic stress. <i>Microvascular Research</i> , 2009, 78, 332-337.	2.5	7
67	Characteristics of glycine transport across the inner blood-retinal barrier. <i>Neurochemistry International</i> , 2009, 55, 789-795.	3.8	23
68	The blood-cerebrospinal fluid barrier is a major pathway of cerebral creatinine clearance: involvement of transporter-mediated process. <i>Journal of Neurochemistry</i> , 2008, 107, 432-442.	3.9	33
69	Expression and possible role of creatine transporter in the brain and at the blood-cerebrospinal fluid barrier as a transporting protein of guanidinoacetate, an endogenous convulsant. <i>Journal of Neurochemistry</i> , 2008, 107, 768-778.	3.9	49
70	Gene expression profiles of ATP-binding cassette transporter A and C subfamilies in mouse retinal vascular endothelial cells. <i>Microvascular Research</i> , 2008, 75, 68-72.	2.5	39
71	Function of taurine transporter (Slc6a6/TauT) as a GABA transporting protein and its relevance to GABA transport in rat retinal capillary endothelial cells. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2008, 1778, 2138-2142.	2.6	69
72	A Novel Relationship Between Creatine Transport at the Blood-Brain and Blood-Retinal Barriers, Creatine Biosynthesis, And its Use for Brain and Retinal Energy Homeostasis. , 2007, 46, 83-98.		35

#	ARTICLE	IF	CITATIONS
73	Functional involvement of scavenger receptor class B, type I, in the uptake of alpha-tocopherol using cultured rat retinal capillary endothelial cells. <i>Molecular Vision</i> , 2007, 13, 2041-7.	1.1	28
74	ATP-Binding Cassette Transporter G2 Mediates the Efflux of Phototoxins on the Luminal Membrane of Retinal Capillary Endothelial Cells. <i>Pharmaceutical Research</i> , 2006, 23, 1235-1242.	3.5	69
75	Distinct spatio-temporal expression of ABCA and ABCG transporters in the developing and adult mouse brain. <i>Journal of Neurochemistry</i> , 2005, 95, 294-304.	3.9	121
76	Evidence for creatine biosynthesis in Müller glia. <i>Glia</i> , 2005, 52, 47-52.	4.9	43
77	Brain Insulin Impairs Amyloid- $\beta$ (1-40) Clearance from the Brain. <i>Journal of Neuroscience</i> , 2004, 24, 9632-9637.	3.6	90
78	Distinct cellular expressions of creatine synthetic enzyme GAMT and creatine kinases uCK $\alpha$ and CK $\beta$ suggest a novel neuron-glial relationship for brain energy homeostasis. <i>European Journal of Neuroscience</i> , 2004, 20, 144-160.	2.6	149
79	Blood-retina transport of creatine via creatine transporter (CRT) at the rat inner blood-retinal barrier. <i>Journal of Neurochemistry</i> , 2004, 89, 1454-1461.	3.9	60
80	Functional expression of rat ABCG2 on the luminal side of brain capillaries and its enhancement by astrocyte-derived soluble factor(s). <i>Journal of Neurochemistry</i> , 2004, 90, 526-536.	3.9	131
81	The Blood-Brain Barrier Creatine Transporter is a Major Pathway for Supplying Creatine to the Brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002, 22, 1327-1335.	4.3	161