

Hans-Helmut Koenig

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/340558/publications.pdf>

Version: 2024-02-01

626
papers

20,830
citations

17405

63
h-index

27345

106
g-index

732
all docs

732
docs citations

732
times ranked

22771
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction of institutionalization in the elderly. A systematic review. <i>Age and Ageing</i> , 2010, 39, 31-38.	0.7	690
2	Age- and gender-specific prevalence of depression in latest-life â€“ Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2012, 136, 212-221.	2.0	613
3	Review: Health Care Utilization and Costs of Elderly Persons With Multiple Chronic Conditions. <i>Medical Care Research and Review</i> , 2011, 68, 387-420.	1.0	572
4	Cost of falls in old age: a systematic review. <i>Osteoporosis International</i> , 2010, 21, 891-902.	1.3	413
5	Cost-of-illness studies of depression. <i>Journal of Affective Disorders</i> , 2007, 98, 29-43.	2.0	296
6	Obesity and discrimination â€“ a systematic review and meta-analysis of observational studies. <i>Obesity Reviews</i> , 2016, 17, 43-55.	3.1	251
7	Prediction of Institutionalisation in Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 26, 65-78.	0.7	249
8	The influence of age, gender and socio-economic status on multimorbidity patterns in primary care. first results from the multicare cohort study. <i>BMC Health Services Research</i> , 2012, 12, 89.	0.9	242
9	Economic costs of overweight and obesity. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2013, 27, 105-115.	2.2	214
10	Social relations and depression in late lifeâ€”A systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 1-21.	1.3	203
11	Comparison of Population Health Status in Six European Countries. <i>Medical Care</i> , 2009, 47, 255-261.	1.1	191
12	Population norms for the EQ-5D-3L: a cross-country analysis of population surveys for 20 countries. <i>European Journal of Health Economics</i> , 2019, 20, 205-216.	1.4	189
13	Risk of dementia in elderly patients with the use of proton pump inhibitors. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 419-428.	1.8	184
14	Associations of frailty with health care costs â€“ results of the ESTHER cohort study. <i>BMC Health Services Research</i> , 2016, 16, 128.	0.9	181
15	Epidemiology of Falls in Residential Aged Care: Analysis of More Than 70,000 Falls From Residents of Bavarian Nursing Homes. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 187.e1-187.e6.	1.2	165
16	F-18 NaF PET for Detection of Bone Metastases in Lung Cancer: Accuracy, Cost-Effectiveness, and Impact on Patient Management. <i>Journal of Bone and Mineral Research</i> , 2003, 18, 2206-2214.	3.1	155
17	Economics of Medically Unexplained Symptoms: A Systematic Review of the Literature. <i>Psychotherapy and Psychosomatics</i> , 2012, 81, 265-275.	4.0	154
18	Frailty and healthcare costsâ€”longitudinal results of a prospective cohort study. <i>Age and Ageing</i> , 2018, 47, 233-241.	0.7	145

#	ARTICLE	IF	CITATIONS
19	Cost-of-illness studies and cost-effectiveness analyses in anxiety disorders: A systematic review. <i>Journal of Affective Disorders</i> , 2009, 114, 14-31.	2.0	143
20	Cost-of-illness studies and cost-effectiveness analyses in eating disorders: A systematic review. <i>International Journal of Eating Disorders</i> , 2012, 45, 476-491.	2.1	141
21	Self-rated health in multimorbid older general practice patients: a cross-sectional study in Germany. <i>BMC Family Practice</i> , 2014, 15, 1.	2.9	139
22	Longitudinal Predictors of Institutionalization in Old Age. <i>PLoS ONE</i> , 2015, 10, e0144203.	1.1	128
23	The stigma of obesity in the general public and its implications for public health - a systematic review. <i>BMC Public Health</i> , 2011, 11, 661.	1.2	124
24	Mortality, morbidity and costs attributable to smoking in Germany: update and a 10-year comparison. <i>Tobacco Control</i> , 2006, 15, 464-471.	1.8	121
25	Cost-of-illness studies of dementia: a systematic review focusing on stage dependency of costs. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 243-259.	2.2	121
26	Relative Impact of Multimorbid Chronic Conditions on Health-Related Quality of Life – Results from the MultiCare Cohort Study. <i>PLoS ONE</i> , 2013, 8, e66742.	1.1	120
27	Costs of Inflammatory Bowel Disease in Germany. <i>Pharmacoeconomics</i> , 2006, 24, 797-814.	1.7	110
28	Cognitive performance before and after the onset of subjective cognitive decline in old age. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015, 1, 194-205.	1.2	110
29	Net costs of dementia by disease stage. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 384-395.	2.2	109
30	Quality of life several years after myocardial infarction: comparing the MONICA/KORA registry to the general population. <i>European Heart Journal</i> , 2008, 30, 436-443.	1.0	107
31	Validation of the EuroQol questionnaire in patients with inflammatory bowel disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2002, 14, 1205-1215.	0.8	104
32	School-based prevention programs for depression and anxiety in adolescence: a systematic review. <i>Health Promotion International</i> , 2014, 29, 427-441.	0.9	101
33	Health status of the advanced elderly in six european countries: results from a representative survey using EQ-5D and SF-12. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 143.	1.0	98
34	Health-related quality of life measured with the EQ-5D-5L: estimation of normative index values based on a representative German population sample and value set. <i>European Journal of Health Economics</i> , 2019, 20, 933-944.	1.4	94
35	The impact of ageing on hospital care and long-term care – the example of Germany. <i>Health Policy</i> , 2004, 67, 57-74.	1.4	91
36	Age of major depression onset, depressive symptoms, and risk for subsequent dementia: results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>Psychological Medicine</i> , 2013, 43, 1597-1610.	2.7	91

#	ARTICLE	IF	CITATIONS
37	Health burden and costs of obesity and overweight in Germany. <i>European Journal of Health Economics</i> , 2011, 12, 345-352.	1.4	90
38	Health Service Utilization and Costs of Depressive Symptoms in Late Life - A Systematic Review. <i>Current Pharmaceutical Design</i> , 2012, 18, 5936-5957.	0.9	89
39	Impact of Depression on Health Care Utilization and Costs among Multimorbid Patients – Results from the MultiCare Cohort Study. <i>PLoS ONE</i> , 2014, 9, e91973.	1.1	88
40	Validity and responsiveness of the EQ-5D in assessing and valuing health status in patients with anxiety disorders. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 47.	1.0	86
41	Social Isolation and Loneliness of Older Adults in Times of the COVID-19 Pandemic: Can Use of Online Social Media Sites and Video Chats Assist in Mitigating Social Isolation and Loneliness?. <i>Gerontology</i> , 2021, 67, 121-124.	1.4	86
42	Rationale and Design of the Hamburg City Health Study. <i>European Journal of Epidemiology</i> , 2020, 35, 169-181.	2.5	85
43	The long-term cost-effectiveness of obesity prevention interventions: systematic literature review. <i>Obesity Reviews</i> , 2012, 13, 537-553.	3.1	84
44	Validity, reliability, and responsiveness of the EQ-5D in inflammatory bowel disease in Germany. <i>Inflammatory Bowel Diseases</i> , 2010, 16, 42-51.	0.9	83
45	Direct costs associated with depression in old age in Germany. <i>Journal of Affective Disorders</i> , 2008, 105, 195-204.	2.0	82
46	Mild Cognitive Impairment: Incidence and Risk Factors: Results of the Leipzig Longitudinal Study of the Aged. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 1903-1910.	1.3	82
47	The health and economic consequences of osteopenia- and osteoporosis-attributable hip fractures in Germany: estimation for 2002 and projection until 2050. <i>Osteoporosis International</i> , 2009, 20, 1117-1129.	1.3	81
48	Obese Children, Adults and Senior Citizens in the Eyes of the General Public: Results of a Representative Study on Stigma and Causation of Obesity. <i>PLoS ONE</i> , 2012, 7, e46924.	1.1	80
49	Comparison of Different Valuation Methods for Population Health Status Measured by the EQ-5D in Three European Countries. <i>Value in Health</i> , 2009, 12, 750-758.	0.1	78
50	The health burden and costs of incident fractures attributable to osteoporosis from 2010 to 2050 in Germany—a demographic simulation model. <i>Osteoporosis International</i> , 2013, 24, 835-847.	1.3	78
51	Is the Clock Drawing Test a screening tool for the diagnosis of mild cognitive impairment? A systematic review. <i>International Psychogeriatrics</i> , 2010, 22, 56-63.	0.6	75
52	Agreement between self-reported and general practitioner-reported chronic conditions among multimorbid patients in primary care - results of the MultiCare Cohort Study. <i>BMC Family Practice</i> , 2014, 15, 39.	2.9	74
53	Burnout among young physicians and its association with physicians' wishes to leave: results of a survey in Saxony, Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2016, 11, 2.	0.9	73
54	Predictors of nursing home admission of individuals without a dementia diagnosis before admission - results from the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>BMC Health Services Research</i> , 2010, 10, 186.	0.9	72

#	ARTICLE	IF	CITATIONS
55	Stated preferences for long-term care: a literature review. <i>Ageing and Society</i> , 2019, 39, 1873-1913.	1.2	72
56	Apolipoprotein E epsilon 4 genotype and a physically active lifestyle in late life: analysis of gene-environment interaction for the risk of dementia and Alzheimer's disease dementia. <i>Psychological Medicine</i> , 2014, 44, 1319-1329.	2.7	71
57	Validity of the EQ-5D in assessing and valuing health status in patients with schizophrenic, schizotypal or delusional disorders. <i>European Psychiatry</i> , 2007, 22, 177-187.	0.1	70
58	Differential Risk of Incident Alzheimer's Disease Dementia in Stable Versus Unstable Patterns of Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 1135-1146.	1.2	70
59	The link between falls, social isolation and loneliness: A systematic review. <i>Archives of Gerontology and Geriatrics</i> , 2020, 88, 104020.	1.4	70
60	Association of costs with somatic symptom severity in patients with medically unexplained symptoms. <i>Journal of Psychosomatic Research</i> , 2013, 75, 370-375.	1.2	68
61	Predictors of frailty in old age—results of a longitudinal study. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 952-957.	1.5	66
62	Health care costs in the elderly in Germany: an analysis applying Andersen's behavioral model of health care utilization. <i>BMC Health Services Research</i> , 2014, 14, 71.	0.9	65
63	Association between multimorbidity patterns and chronic pain in elderly primary care patients: a cross-sectional observational study. <i>BMC Family Practice</i> , 2016, 17, 68.	2.9	65
64	The German MultiCare-study: Patterns of multimorbidity in primary health care — protocol of a prospective cohort study. <i>BMC Health Services Research</i> , 2009, 9, 145.	0.9	64
65	Rationale and content of psychenet: the Hamburg Network for Mental Health. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 57-63.	1.8	64
66	Anxiety, Depression and Quality of Life—A Systematic Review of Evidence from Longitudinal Observational Studies. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12022.	1.2	64
67	Does GP training in depression care affect patient outcome? - A systematic review and meta-analysis. <i>BMC Health Services Research</i> , 2012, 12, 10.	0.9	63
68	Prognosis of Mild Cognitive Impairment in General Practice: Results of the German AgeCoDe Study. <i>Annals of Family Medicine</i> , 2014, 12, 158-165.	0.9	63
69	Gender differences in the effect of social support on health-related quality of life: results of a population-based prospective cohort study in old age in Germany. <i>Quality of Life Research</i> , 2016, 25, 1159-1168.	1.5	61
70	Longitudinal Predictors of Functional Impairment in Older Adults in Europe — Evidence from the Survey of Health, Ageing and Retirement in Europe. <i>PLoS ONE</i> , 2016, 11, e0146967.	1.1	60
71	Determinants of health-related quality of life in older primary care patients: results of the longitudinal observational AgeCoDe Study. <i>British Journal of General Practice</i> , 2015, 65, e716-e723.	0.7	59
72	Health burden and costs of obesity and overweight in Germany: an update. <i>European Journal of Health Economics</i> , 2015, 16, 957-967.	1.4	59

#	ARTICLE	IF	CITATIONS
73	The Social Phobia Psychotherapy Research Network. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 35-41.	4.0	58
74	Predictors of Serious Consequences of Falls in Residential Aged Care: Analysis of More Than 70,000 Falls From Residents of Bavarian Nursing Homes. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 559-563.	1.2	58
75	Prospective Associations between Single Foods, Alzheimer's Dementia and Memory Decline in the Elderly. <i>Nutrients</i> , 2018, 10, 852.	1.7	57
76	Impact of impairment in instrumental activities of daily living and mild cognitive impairment on time to incident dementia: results of the Leipzig Longitudinal Study of the Aged. <i>Psychological Medicine</i> , 2011, 41, 1087-1097.	2.7	56
77	Co-morbid mental health conditions in cancer patients at working age – prevalence, risk profiles, and care uptake. <i>Psycho-Oncology</i> , 2013, 22, 2291-2297.	1.0	55
78	The Role of Monetary and Nonmonetary Incentives on the Choice of Practice Establishment: A Stated Preference Study of Young Physicians in Germany. <i>Health Services Research</i> , 2010, 45, 212-229.	1.0	54
79	Multimorbidity, Loneliness, and Social Isolation. A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8688.	1.2	54
80	The Assessment of Changes in Cognitive Functioning: Reliable Change Indices for Neuropsychological Instruments in the Elderly – A Systematic Review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 29, 275-286.	0.7	53
81	Computerized cognitive behavior therapy for patients with mild to moderately severe depression in primary care: A pragmatic cluster randomized controlled trial (@ktiv). <i>Journal of Affective Disorders</i> , 2018, 238, 317-326.	2.0	53
82	Mild cognitive impairment and quality of life in the oldest old: a closer look. <i>Quality of Life Research</i> , 2020, 29, 1675-1683.	1.5	53
83	Direct and Indirect Costs Attributable to Alcohol Consumption in Germany. <i>Pharmacoeconomics</i> , 2007, 25, 605-618.	1.7	52
84	Prediction of Incident Dementia: Impact of Impairment in Instrumental Activities of Daily Living and Mild Cognitive Impairment – Results From the German Study on Ageing, Cognition, and Dementia in Primary Care Patients. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 943-954.	0.6	52
85	Elevated HbA1c is Associated with Increased Risk of Incident Dementia in Primary Care Patients. <i>Journal of Alzheimer's Disease</i> , 2015, 44, 1203-1212.	1.2	52
86	Informal Caregiving and Subjective Well-Being: Evidence of a Population-Based Longitudinal Study of Older Adults in Germany. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 300-305.	1.2	52
87	Cost effectiveness of treatment for amblyopia: an analysis based on a probabilistic Markov model. <i>British Journal of Ophthalmology</i> , 2004, 88, 606-612.	2.1	51
88	Gender differences in predictors of nursing home placement in the elderly: a systematic review. <i>International Psychogeriatrics</i> , 2009, 21, 1015-1025.	0.6	51
89	Medical Students' Attitudes towards Overweight and Obesity. <i>PLoS ONE</i> , 2012, 7, e48113.	1.1	51
90	Prevalence and risk factors of depressive symptoms in latest life – results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 286-295.	1.3	51

#	ARTICLE	IF	CITATIONS
91	Predictors of Costs in Dementia in a Longitudinal Perspective. PLoS ONE, 2013, 8, e70018.	1.1	51
92	Cost-Effectiveness of Collaborative Care for the Treatment of Depressive Disorders in Primary Care: A Systematic Review. PLoS ONE, 2015, 10, e0123078.	1.1	51
93	Prevalence and determinants of probable depression and anxiety during the COVID-19 pandemic in seven countries: Longitudinal evidence from the European COvid Survey (ECOS). Journal of Affective Disorders, 2022, 299, 517-524.	2.0	51
94	The responsiveness of EQ-5D utility scores in patients with depression: A comparison with instruments measuring quality of life, psychopathology and social functioning. Journal of Affective Disorders, 2008, 105, 81-91.	2.0	50
95	Assessing cognitive changes in the elderly: Reliable Change Indices for the Mini-Mental State Examination. Acta Psychiatrica Scandinavica, 2012, 126, 208-218.	2.2	50
96	Internet Use in Old Age: Results of a German Population-Representative Survey. Journal of Medical Internet Research, 2020, 22, e15543.	2.1	50
97	Age-related predictors of institutionalization: results of the German study on ageing, cognition and dementia in primary care patients (AgeCoDe). Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 263-270.	1.6	49
98	The assessment of met and unmet care needs in the oldest old with and without depression using the Camberwell Assessment of Need for the Elderly (CANE): Results of the AgeMooDe study. Journal of Affective Disorders, 2016, 193, 309-317.	2.0	49
99	The role of personality in health care use: Results of a population-based longitudinal study in Germany. PLoS ONE, 2017, 12, e0181716.	1.1	49
100	The role of optimism, self-esteem, and self-efficacy in moderating the relation between health comparisons and subjective well-being: Results of a nationally representative longitudinal study among older adults. British Journal of Health Psychology, 2019, 24, 547-570.	1.9	49
101	Natural course of depressive symptoms in late life. An 8-year population-based prospective study. Journal of Affective Disorders, 2012, 142, 166-171.	2.0	48
102	Attitudes of Health Care Professionals towards Female Obese Patients. Obesity Facts, 2013, 6, 512-522.	1.6	48
103	Effectiveness of Telephone-Based Health Coaching for Patients with Chronic Conditions: A Randomised Controlled Trial. PLoS ONE, 2016, 11, e0161269.	1.1	48
104	Health Service Use, Costs, and Adverse Events Associated with Potentially Inappropriate Medication in Old Age in Germany: Retrospective Matched Cohort Study. Drugs and Aging, 2017, 34, 289-301.	1.3	48
105	The association of falls with loneliness and social exclusion: evidence from the DEAS German Ageing Survey. BMC Geriatrics, 2017, 17, 204.	1.1	48
106	The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. Health and Quality of Life Outcomes, 2017, 15, 140.	1.0	48
107	Guideline-based stepped and collaborative care for patients with depression in a cluster-randomised trial. Scientific Reports, 2018, 8, 9389.	1.6	48
108	Syrian refugees in Germany: Perspectives on mental health and coping strategies. Journal of Psychosomatic Research, 2020, 129, 109906.	1.2	48

#	ARTICLE	IF	CITATIONS
109	Determinants of direct and indirect costs in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2015, 48, 139-146.	2.1	47
110	Differential effects of enriched environment at work on cognitive decline in old age. <i>Neurology</i> , 2015, 84, 2169-2176.	1.5	47
111	The EQ-5D in alcohol dependent patients: Relationships among health-related quality of life, psychopathology and social functioning. <i>Drug and Alcohol Dependence</i> , 2007, 86, 253-264.	1.6	46
112	Service Utilization and Health-Care Costs in the Advanced Elderly. <i>Value in Health</i> , 2008, 11, 611-620.	0.1	46
113	Longitudinal predictors of informal and formal caregiving time in community-dwelling dementia patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 607-616.	1.6	46
114	The association between use of online social networks sites and perceived social isolation among individuals in the second half of life: results based on a nationally representative sample in Germany. <i>BMC Public Health</i> , 2019, 19, 40.	1.2	46
115	Out-of-pocket-payments and the financial burden of 502 cancer patients of working age in Germany: results from a longitudinal study. <i>Supportive Care in Cancer</i> , 2019, 27, 2221-2228.	1.0	46
116	The costs of social anxiety disorder: The role of symptom severity and comorbidities. <i>Journal of Affective Disorders</i> , 2014, 165, 87-94.	2.0	45
117	Attitudes of the German General Population toward Early Diagnosis of Dementia – Results of a Representative Telephone Survey. <i>PLoS ONE</i> , 2012, 7, e50792.	1.1	44
118	Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 137-149.	1.6	44
119	The Association Between Orthogeriatric Co-Management and Mortality Following Hip Fracture. <i>Deutsches Arzteblatt International</i> , 2020, 117, 53-59.	0.6	44
120	Cost of outpatient care in patients with inflammatory bowel disease in a German University Hospital. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004, 19, 192-199.	1.4	42
121	Which factors affect health care use among older Germans? Results of the German ageing survey. <i>BMC Health Services Research</i> , 2017, 17, 30.	0.9	42
122	A systematic review of the association of anxiety with health care utilization and costs in people aged 65 years and older. <i>Journal of Affective Disorders</i> , 2018, 232, 163-176.	2.0	42
123	Which factors contribute to loneliness among older Europeans? Findings from the Survey of Health, Ageing and Retirement in Europe. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104080.	1.4	42
124	Femoral fracture rates in people with and without disability. <i>Age and Ageing</i> , 2012, 41, 653-658.	0.7	41
125	Influence of social support on cognitive change and mortality in old age: results from the prospective multicentre cohort study AgeCoDe. <i>BMC Geriatrics</i> , 2012, 12, 9.	1.1	41
126	The role of spousal loss in the development of depressive symptoms in the elderly – Implications for diagnostic systems. <i>Journal of Affective Disorders</i> , 2014, 161, 97-103.	2.0	41

#	ARTICLE	IF	CITATIONS
127	Prevalence and determinants of overweight and obesity in old age in Germany. <i>BMC Geriatrics</i> , 2015, 15, 83.	1.1	41
128	Factors associated with preferences for long-term care settings in old age: evidence from a population-based survey in Germany. <i>BMC Health Services Research</i> , 2017, 17, 156.	0.9	41
129	Is function in instrumental activities of daily living a useful feature in predicting Alzheimer's disease dementia in subjective cognitive decline?. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 193-203.	1.3	41
130	Psychosocial consequences of transitioning into informal caregiving in male and female caregivers: Findings from a population-based panel study. <i>Social Science and Medicine</i> , 2020, 264, 113281.	1.8	41
131	A Self-Help App for Syrian Refugees With Posttraumatic Stress (Sanadak): Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e24807.	1.8	41
132	Clock Drawing Test – screening utility for mild cognitive impairment according to different scoring systems: results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>International Psychogeriatrics</i> , 2011, 23, 1592-1601.	0.6	40
133	Effects of multiple chronic conditions on health care costs: an analysis based on an advanced tree-based regression model. <i>BMC Health Services Research</i> , 2013, 13, 219.	0.9	40
134	Risk of Nursing Home Admission After Femoral Fracture Compared With Stroke, Myocardial Infarction, and Pneumonia. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 715.e7-715.e12.	1.2	40
135	Excess health care costs of late-life depression – Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 199, 139-147.	2.0	40
136	Predictors of Institutionalisation in Incident Dementia – Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe Study). <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 33, 282-288.	0.7	39
137	Cost-effectiveness of a primary care model for anxiety disorders. <i>British Journal of Psychiatry</i> , 2009, 195, 308-317.	1.7	38
138	Frequent attenders in late life in primary care: a systematic review of European studies. <i>BMC Family Practice</i> , 2017, 18, 104.	2.9	37
139	Enriched Environment at Work and the Incidence of Dementia: Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>PLoS ONE</i> , 2013, 8, e70906.	1.1	36
140	Economic evaluation of cognitive behavioral therapy and Internet-based guided self-help for binge-eating disorder. <i>International Journal of Eating Disorders</i> , 2018, 51, 155-164.	2.1	36
141	HELP@APP: development and evaluation of a self-help app for traumatized Syrian refugees in Germany – a study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2019, 19, 131.	1.1	36
142	Economic evaluations and cost analyses in posttraumatic stress disorder: a systematic review. <i>Häufige Utbildning</i> , 2020, 11, 1753940.	1.4	36
143	Test characteristics of orthoptic screening examination in 3 year old kindergarten children. <i>British Journal of Ophthalmology</i> , 2003, 87, 909-916.	2.1	35
144	Validity and responsiveness of the EQ-5D in assessing and valuing health status in patients with somatoform disorders. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 3.	1.0	35

#	ARTICLE	IF	CITATIONS
145	Expected lifetime numbers and costs of fractures in postmenopausal women with and without osteoporosis in Germany: a discrete event simulation model. <i>BMC Health Services Research</i> , 2014, 14, 284.	0.9	35
146	The Costs of Dementia From the Societal Perspective: Is Care Provided in the Community Really Cheaper than Nursing Home Care?. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 117-126.	1.2	35
147	Risk of osteoporotic fractures following stroke in older persons. <i>Osteoporosis International</i> , 2015, 26, 1341-1349.	1.3	35
148	Subjective cognitive decline is longitudinally associated with lower health-related quality of life. <i>International Psychogeriatrics</i> , 2017, 29, 1939-1950.	0.6	35
149	Risk Factors for Postoperative Pain Intensity in Patients Undergoing Lumbar Disc Surgery: A Systematic Review. <i>PLoS ONE</i> , 2017, 12, e0170303.	1.1	35
150	Advertising bans as a means of tobacco control policy: a systematic literature review of time-series analyses. <i>International Journal of Public Health</i> , 2007, 52, 295-307.	2.7	34
151	Fractures after nursing home admission: incidence and potential consequences. <i>Osteoporosis International</i> , 2009, 20, 1775-1783.	1.3	34
152	Excess mortality after pelvic fractures in institutionalized older people. <i>Osteoporosis International</i> , 2010, 21, 1835-1839.	1.3	34
153	Telephone-based health coaching for chronically ill patients: study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 337.	0.7	34
154	Treatment preferences for depression in the elderly. <i>International Psychogeriatrics</i> , 2017, 29, 389-398.	0.6	34
155	AgeWell.de " study protocol of a pragmatic multi-center cluster-randomized controlled prevention trial against cognitive decline in older primary care patients. <i>BMC Geriatrics</i> , 2019, 19, 203.	1.1	34
156	The association of multimorbidity, loneliness, social exclusion and network size: findings from the population-based German Ageing Survey. <i>BMC Public Health</i> , 2019, 19, 1383.	1.2	34
157	Direct costs associated with mild cognitive impairment in primary care. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 963-971.	1.3	33
158	Time until Institutionalization in Incident Dementia Cases – Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>Neuroepidemiology</i> , 2008, 31, 100-108.	1.1	33
159	Direct costs associated with depressive symptoms in late life: a 4.5-year prospective study. <i>International Psychogeriatrics</i> , 2013, 25, 292-302.	0.6	33
160	Risk for Femoral Fractures in Parkinson's Disease Patients with and without Severe Functional Impairment. <i>PLoS ONE</i> , 2014, 9, e97073.	1.1	33
161	Depressive mood mediates the influence of social support on health-related quality of life in elderly, multimorbid patients. <i>BMC Family Practice</i> , 2014, 15, 62.	2.9	33
162	Cost-Utility Analyses of Cognitive-Behavioural Therapy of Depression: A Systematic Review. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 6-21.	4.0	33

#	ARTICLE	IF	CITATIONS
163	Effect of Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Population-Based Prospective Cohort Study in Germany. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2311-2316.	1.3	33
164	Impact of coronary heart disease on cognitive decline in Alzheimer's disease: a prospective longitudinal cohort study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e111-e117.	0.7	33
165	Which types of mental work demands may be associated with reduced risk of dementia?. <i>Alzheimer's and Dementia</i> , 2017, 13, 431-440.	0.4	33
166	Inequalities in out-of-pocket payments for health care services among elderly Germans – results of a population-based cross-sectional study. <i>International Journal for Equity in Health</i> , 2014, 13, 3.	1.5	32
167	Meaning in life and health care use: findings from a nationally representative study of older adults in Germany. <i>BMC Geriatrics</i> , 2019, 19, 368.	1.1	32
168	Reduction of Femoral Fractures in Long-Term Care Facilities: The Bavarian Fracture Prevention Study. <i>PLoS ONE</i> , 2011, 6, e24311.	1.1	32
169	Malperformance in Verbal Fluency and Delayed Recall as Cognitive Risk Factors for Impairment in Instrumental Activities of Daily Living. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 81-88.	0.7	31
170	Significance and Costs of Complex Biopsychosocial Health Care Needs in Elderly People. <i>Psychosomatic Medicine</i> , 2014, 76, 497-502.	1.3	31
171	Developmentally adapted cognitive processing therapy for adolescents and young adults with PTSD symptoms after physical and sexual abuse: study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 195.	0.7	31
172	Medication Underuse in Aging Outpatients with Cardiovascular Disease: Prevalence, Determinants, and Outcomes in a Prospective Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0136339.	1.1	31
173	Job satisfaction of foreign-national physicians working in patient care: a cross-sectional study in Saxony, Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2016, 11, 41.	0.9	31
174	Attitudes Towards Bariatric Surgery in the General Public. <i>Obesity Surgery</i> , 2013, 23, 338-345.	1.1	30
175	Effectiveness and cost-effectiveness of a guideline-based stepped care model for patients with depression: study protocol of a cluster-randomized controlled trial in routine care. <i>BMC Psychiatry</i> , 2014, 14, 230.	1.1	30
176	Stigma and Knowledge as Determinants of Recommendation and Referral Behavior of General Practitioners and Internists. <i>Obesity Surgery</i> , 2016, 26, 2393-2401.	1.1	30
177	Disentangling the complex relation of disability and depressive symptoms in old age – findings of a multicenter prospective cohort study in Germany. <i>International Psychogeriatrics</i> , 2017, 29, 885-895.	0.6	30
178	Consequences of different types of informal caregiving for mental, self-rated, and physical health: longitudinal findings from the German Ageing Survey. <i>Quality of Life Research</i> , 2018, 27, 2667-2679.	1.5	30
179	What Is Successful Aging? A Psychometric Validation Study of Different Construct Definitions. <i>Gerontologist</i> , The, 2019, 59, 738-748.	2.3	30
180	Informal Caregiving, Loneliness and Social Isolation: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12101.	1.2	30

#	ARTICLE	IF	CITATIONS
181	The Assessment of Changes in Cognitive Functioning: Age-, Education-, and Gender-Specific Reliable Change Indices for Older Adults Tested on the CERAD-NP Battery: Results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 84-97.	0.6	29
182	Effectiveness of preventive home visits in reducing the risk of falls in old age: a randomized controlled trial. <i>Clinical Interventions in Aging</i> , 2013, 8, 697.	1.3	29
183	A Systematic Review of Economic Evaluations of Treatments for Borderline Personality Disorder. <i>PLoS ONE</i> , 2014, 9, e107748.	1.1	29
184	A hierarchy of predictors for dementia-free survival in old age: results of the AgeCoDe study. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 63-72.	2.2	29
185	Sick Leave Days and Costs Associated With Overweight and Obesity in Germany. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 20-27.	0.9	29
186	Excess costs of social anxiety disorder in Germany. <i>Journal of Affective Disorders</i> , 2017, 213, 23-29.	2.0	29
187	Investigating the Additive Interaction of QT-Prolonging Drugs in Older People Using Claims Data. <i>Drug Safety</i> , 2017, 40, 133-144.	1.4	29
188	The link between sexual satisfaction and subjective well-being: a longitudinal perspective based on the German Ageing Survey. <i>Quality of Life Research</i> , 2019, 28, 3025-3035.	1.5	29
189	How do cat owners, dog owners and individuals without pets differ in terms of psychosocial outcomes among individuals in old age without a partner?. <i>Ageing and Mental Health</i> , 2020, 24, 1613-1619.	1.5	29
190	Non-cycloplegic screening for amblyopia via refractive findings with the Nikon Retinomax hand held autorefractor in 3 year old kindergarten children. <i>British Journal of Ophthalmology</i> , 2001, 85, 1179-1182.	2.1	28
191	Accuracy of self-reports of mental health care utilization and calculated costs compared to hospital records. <i>Psychiatry Research</i> , 2011, 185, 261-268.	1.7	28
192	Subjective Cognitive Decline May Be a Stronger Predictor of Incident Dementia in Women than in Men. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1469-1478.	1.2	28
193	Somatic and psychosocial determinants of symptom severity and quality of life in male and female patients with chronic pelvic pain syndrome. <i>Journal of Psychosomatic Research</i> , 2019, 120, 1-7.	1.2	28
194	Unmet health care needs in old age and their association with depression – results of a population-representative survey. <i>Journal of Affective Disorders</i> , 2019, 245, 998-1006.	2.0	28
195	Cost-Utility Analysis of Orthoptic Screening in Kindergarten: A Markov Model Based on Data From Germany. <i>Pediatrics</i> , 2004, 113, e95-e108.	1.0	27
196	Healthcare costs associated with recognized and unrecognized depression in old age. <i>International Psychogeriatrics</i> , 2008, 20, 1219.	0.6	27
197	Direct medical mental health care costs of schizophrenia in France, Germany and the United Kingdom – Findings from the European Schizophrenia Cohort (EuroSC). <i>European Psychiatry</i> , 2009, 24, 216-224.	0.1	27
198	Depression screening with patient-targeted feedback in cardiology: DEPSCREEN-INFO randomised clinical trial. <i>British Journal of Psychiatry</i> , 2017, 210, 132-139.	1.7	27

#	ARTICLE	IF	CITATIONS
199	Factors Associated with Dental Service Use Based on the Andersen Model: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2491.	1.2	27
200	Public Attitudes towards Prevention of Obesity. <i>PLoS ONE</i> , 2012, 7, e39325.	1.1	27
201	Economic Evaluation of Different Methods of Screening for Amblyopia in Kindergarten. <i>Pediatrics</i> , 2002, 109, e59-e59.	1.0	26
202	Is the Clock Drawing Test Appropriate for Screening for Mild Cognitive Impairment? â€œ Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 365-372.	0.7	26
203	Cognitive behavioural therapy versus supportive therapy for persistent positive symptoms in psychotic disorders: The POSITIVE Study, a multicenter, prospective, single-blind, randomised controlled clinical trial. <i>Trials</i> , 2010, 11, 123.	0.7	26
204	Service Use and Costs of Incident Femoral Fractures in Nursing Home Residents in Germany: The Bavarian Fall and Fracture Prevention Project (BF2P2). <i>Journal of the American Medical Directors Association</i> , 2011, 12, 459-466.	1.2	26
205	The course of depression and anxiety in patients undergoing disc surgery: A longitudinal observational study. <i>Journal of Psychosomatic Research</i> , 2012, 72, 185-194.	1.2	26
206	Correlates of health related quality of life in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2016, 49, 630-634.	2.1	26
207	A qualitative study on older primary care patientsâ€™ perspectives on depression and its treatments - potential barriers to and opportunities for managing depression. <i>BMC Family Practice</i> , 2018, 19, 2.	2.9	26
208	The impact of different types of informal caregiving on cognitive functioning of older caregivers: Evidence from a longitudinal, population-based study in Germany. <i>Social Science and Medicine</i> , 2018, 214, 12-19.	1.8	26
209	Collaborative treatment of late-life depression in primary care (GermanIMPACT): study protocol of a cluster-randomized controlled trial. <i>Trials</i> , 2014, 15, 351.	0.7	25
210	Assessing met and unmet needs in the oldest-old and psychometric properties of the German version of the Camberwell Assessment of Need for the Elderly (CANE) â€œ a pilot study. <i>International Psychogeriatrics</i> , 2014, 26, 285-295.	0.6	25
211	Mortality in incident dementia â€œ results from the German Study on Aging, Cognition, and Dementia in Primary Care Patients. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 257-269.	2.2	25
212	Social inequalities in patient-reported outcomes among older multimorbid patients â€œ results of the MultiCare cohort study. <i>International Journal for Equity in Health</i> , 2015, 14, 17.	1.5	25
213	Effectiveness of a Stepped, Collaborative, and Coordinated Health Care Network for Somatoform Disorders (Sofu-Net): A Controlled Cluster Cohort Study. <i>Psychosomatic Medicine</i> , 2017, 79, 1016-1024.	1.3	25
214	Association of general psychological factors with frequent attendance in primary care: a population-based cross-sectional observational study. <i>BMC Family Practice</i> , 2017, 18, 48.	2.9	25
215	Perceptions of Health Care Use in Germany during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9351.	1.2	25
216	Changes in Social Network Size Are Associated With Cognitive Changes in the Oldest-Old. <i>Frontiers in Psychiatry</i> , 2020, 11, 330.	1.3	25

#	ARTICLE	IF	CITATIONS
217	Osteoporotic hip fracture prediction from risk factors available in administrative claims data – A machine learning approach. <i>PLoS ONE</i> , 2020, 15, e0232969.	1.1	25
218	Postponed Dental Visits during the COVID-19 Pandemic and their Correlates. Evidence from the Nationally Representative COVID-19 Snapshot Monitoring in Germany (COSMO). <i>Healthcare (Switzerland)</i> , 2021, 9, 50.	1.0	25
219	The Association Between Obesity and Social Isolation as Well as Loneliness in the Adult Population: A Systematic Review. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021, Volume 14, 2765-2773.	1.1	25
220	Perception of overweight and obesity from different angles: A qualitative study. <i>Scandinavian Journal of Public Health</i> , 2012, 40, 271-277.	1.2	24
221	Economic evaluation of vitamin D and calcium food fortification for fracture prevention in Germany. <i>Public Health Nutrition</i> , 2017, 20, 1874-1883.	1.1	24
222	The Longitudinal Association between Psychological Factors and Health Care Use. <i>Health Services Research</i> , 2018, 53, 1065-1091.	1.0	24
223	Comparison of a group-delivered and individually delivered lifestyle-integrated functional exercise (LIFE) program in older persons: a randomized noninferiority trial. <i>BMC Geriatrics</i> , 2018, 18, 267.	1.1	24
224	Cost-effectiveness analyses and cost analyses in castration-resistant prostate cancer: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0208063.	1.1	24
225	Loss experiences in old age and their impact on the social network and depression – results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>Journal of Affective Disorders</i> , 2018, 241, 94-102.	2.0	24
226	Physician emigration from Germany: insights from a survey in Saxony, Germany. <i>BMC Health Services Research</i> , 2018, 18, 341.	0.9	24
227	Predictors of psychological distress in Syrian refugees with posttraumatic stress in Germany. <i>PLoS ONE</i> , 2021, 16, e0254406.	1.1	24
228	The Effect of Intra- and Intergenerational Caregiving on Subjective Well-Being – Evidence of a Population Based Longitudinal Study among Older Adults in Germany. <i>PLoS ONE</i> , 2016, 11, e0148916.	1.1	23
229	Late-Life Depressive Symptoms and Lifetime History of Major Depression: Cognitive Deficits are Largely Due to Incipient Dementia rather than Depression. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 185-199.	1.2	23
230	How does social support affect functional impairment in late life? Findings of a multicenter prospective cohort study in Germany. <i>Age and Ageing</i> , 2017, 46, 813-820.	0.7	23
231	Preferences for home- and community-based long-term care services in Germany: a discrete choice experiment. <i>European Journal of Health Economics</i> , 2018, 19, 1213-1223.	1.4	23
232	Are older men more vulnerable to depression than women after losing their spouse? Evidence from three German old-age cohorts (AgeDifferent.de platform). <i>Journal of Affective Disorders</i> , 2019, 256, 650-657.	2.0	23
233	Prevalence and Correlates of Individuals Screening Positive for Depression and Anxiety on the PHQ-4 in the German General Population: Findings from the Nationally Representative German Socio-Economic Panel (GSOEP). <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7865.	1.2	23
234	Income-, education- and gender-related inequalities in out-of-pocket health-care payments for 65+ patients - a systematic review. <i>International Journal for Equity in Health</i> , 2010, 9, 20.	1.5	22

#	ARTICLE	IF	CITATIONS
235	Cost-effectiveness of a multifactorial fall prevention program in nursing homes. <i>Osteoporosis International</i> , 2013, 24, 1215-1223.	1.3	22
236	Cost-effectiveness of depression case management in small practices. <i>British Journal of Psychiatry</i> , 2013, 202, 441-446.	1.7	22
237	Early retirement in cancer patients with or without comorbid mental health conditions: A prospective cohort study. <i>Cancer</i> , 2014, 120, 2199-2206.	2.0	22
238	Health service use and costs associated with excess weight in older adults in Germany. <i>Age and Ageing</i> , 2015, 44, 616-623.	0.7	22
239	Cost-utility analysis of a preventive home visit program for older adults in Germany. <i>BMC Health Services Research</i> , 2015, 15, 141.	0.9	22
240	The "no problems" problem: an empirical analysis of ceiling effects on the EQ-5D 5L. <i>Quality of Life Research</i> , 2017, 26, 2079-2084.	1.5	22
241	The Impact of Depressive Symptoms on Healthcare Costs in Late Life: Longitudinal Findings From the AgeMooDe Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 131-141.	0.6	22
242	Potentially inappropriate medication: Association between the use of antidepressant drugs and the subsequent risk for dementia. <i>Journal of Affective Disorders</i> , 2018, 226, 28-35.	2.0	22
243	Prevalence of Anxiety Symptoms and Their Association With Loss Experience in a Large Cohort Sample of the Oldest-Old. Results of the AgeCoDe/AgeQualiDe Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 285.	1.3	22
244	Factors associated with postponed health checkups during the COVID-19 pandemic in Germany. <i>Public Health</i> , 2021, 194, 36-41.	1.4	22
245	A prospective study of health care resource utilisation and selected costs of schizophrenia in France. <i>BMC Health Services Research</i> , 2012, 12, 269-76.	0.9	21
246	Short-term cost-effectiveness of psychodynamic therapy and cognitive-behavioral therapy in social anxiety disorder: Results from the SOPHO-NET trial. <i>Journal of Affective Disorders</i> , 2015, 180, 21-28.	2.0	21
247	Cost-effectiveness of focal psychodynamic therapy and enhanced cognitive-behavioural therapy in out-patients with anorexia nervosa. <i>Psychological Medicine</i> , 2016, 46, 3291-3301.	2.7	21
248	Psychological correlates of fear of falling: Findings from the German Aging Survey. <i>Geriatrics and Gerontology International</i> , 2018, 18, 396-406.	0.7	21
249	The role of optimism in the relationship between job stress and depressive symptoms. Longitudinal findings from the German Ageing Survey. <i>Journal of Affective Disorders</i> , 2018, 241, 249-255.	2.0	21
250	Income, Self-Rated Health, and Morbidity. A Systematic Review of Longitudinal Studies.. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2884.	1.2	21
251	Impact of informal caregiving on loneliness and satisfaction with leisure-time activities. Findings of a population-based longitudinal study in germany. <i>Ageing and Mental Health</i> , 2019, 23, 1539-1545.	1.5	21
252	Measuring Negative Attitudes towards Overweight and Obesity in the German Population "Psychometric Properties and Reference Values for the German Short Version of the Fat Phobia Scale (FPS). <i>PLoS ONE</i> , 2014, 9, e114641.	1.1	21

#	ARTICLE	IF	CITATIONS
253	Responsiveness of EQ-5D utility indices in alcohol-dependent patients. <i>Drug and Alcohol Dependence</i> , 2008, 92, 291-295.	1.6	20
254	Utility Assessment in Patients with Mental Disorders. <i>Pharmacoeconomics</i> , 2009, 27, 405-419.	1.7	20
255	Complex coevolution of depression and health-related quality of life in old age. <i>Quality of Life Research</i> , 2015, 24, 2713-2722.	1.5	20
256	Incident Subjective Cognitive Decline Does Not Predict Mortality in the Elderly – Results from the Longitudinal German Study on Ageing, Cognition, and Dementia (AgeCoDe). <i>PLoS ONE</i> , 2016, 11, e0147050.	1.1	20
257	Fracture risk in people with developmental disabilities: results of a large claims data analysis. <i>Osteoporosis International</i> , 2017, 28, 369-375.	1.3	20
258	Psychological determinants of influenza vaccination. <i>BMC Geriatrics</i> , 2017, 17, 194.	1.1	20
259	The impact of potentially inappropriate medication on the development of health care costs and its moderation by the number of prescribed substances. Results of a retrospective matched cohort study. <i>PLoS ONE</i> , 2018, 13, e0198004.	1.1	20
260	Association between anxiety, depression and quality of life: study protocol for a systematic review of evidence from longitudinal studies. <i>BMJ Open</i> , 2019, 9, e027218.	0.8	20
261	Association between caring for grandchildren and feelings of loneliness, social isolation and social network size: a cross-sectional study of community dwelling adults in Germany. <i>BMJ Open</i> , 2019, 9, e029605.	0.8	20
262	Lifestyle-integrated functional exercise to prevent falls and promote physical activity: Results from the LiFE-is-LiFE randomized non-inferiority trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 115.	2.0	20
263	Prevalence and correlates of loneliness, perceived and objective social isolation during the COVID-19 pandemic. Evidence from a representative survey in Germany. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1969-1978.	1.6	20
264	The Impact of Psychiatric Comorbidity on the Return to Work in Patients Undergoing Herniated Disc Surgery. <i>Journal of Occupational Rehabilitation</i> , 2011, 21, 54-65.	1.2	19
265	Reliability, validity and responsiveness of the EQ-5D in assessing and valuing health status in patients with social phobia. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 215.	1.0	19
266	Obesity and Associated Lifestyle in a Large Sample of Multi-Morbid German Primary Care Attendees. <i>PLoS ONE</i> , 2014, 9, e102587.	1.1	19
267	Associations between Dementia Outcomes and Depressive Symptoms, Leisure Activities, and Social Support. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2014, 4, 481-493.	0.6	19
268	The German version of the Camberwell Assessment of Need for the Elderly (CANE): evaluation of content validity and adaptation to the German-speaking context. <i>International Psychogeriatrics</i> , 2015, 27, 1919-1926.	0.6	19
269	Longitudinal evaluation of medication underuse in older outpatients and its association with quality of life. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 877-885.	0.8	19
270	Unmet Care Needs in the Oldest Old Primary Care Patients with Cognitive Disorders: Results of the AgeCoDe and AgeQualiDe Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017, 44, 71-83.	0.7	19

#	ARTICLE	IF	CITATIONS
271	Advance directives and power of attorney for health care in the oldest-old – results of the AgeQualiDe study. <i>BMC Geriatrics</i> , 2017, 17, 85.	1.1	19
272	The association between informal caregiving and behavioral risk factors: a cross-sectional study. <i>International Journal of Public Health</i> , 2020, 65, 911-921.	1.0	19
273	Sexual satisfaction of middle-aged and older adults: longitudinal findings from a nationally representative sample. <i>Age and Ageing</i> , 2021, 50, 559-564.	0.7	19
274	Cost measurement of mental disorders in Germany. <i>Journal of Mental Health Policy and Economics</i> , 2014, 17, 3-8.	0.6	19
275	Pet ownership, loneliness, and social isolation: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1935-1957.	1.6	19
276	Depression, non-fatal stroke and all-cause mortality in old age: A prospective cohort study of primary care patients. <i>Journal of Affective Disorders</i> , 2013, 150, 63-69.	2.0	18
277	Negative Health Comparisons Decrease Affective and Cognitive Well-Being in Older Adults. Evidence from a Population-Based Longitudinal Study in Germany. <i>Frontiers in Psychology</i> , 2016, 7, 999.	1.1	18
278	Factors affecting functional impairment among elderly Germans – Results of a longitudinal study. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 299-306.	1.5	18
279	Comparison of FORTA, PRISCUS and EU(7)-PIM lists on identifying potentially inappropriate medication and its impact on cognitive function in multimorbid elderly German people in primary care: a multicentre observational study. <i>BMJ Open</i> , 2021, 11, e050344.	0.8	18
280	Mitomycin C and Vinorelbine for second-line chemotherapy in NSCLC – a phase II trial. <i>British Journal of Cancer</i> , 2007, 96, 1052-1056.	2.9	17
281	The osteoporotic fracture prevention program in rural areas (OFRA): a protocol for a cluster-randomized health care fund driven intervention in a routine health care setting. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 458.	0.8	17
282	The relation between personality, informal caregiving, life satisfaction and health-related quality of life: evidence of a longitudinal study. <i>Quality of Life Research</i> , 2018, 27, 1249-1256.	1.5	17
283	The longitudinal association of multimorbidity on loneliness and network size: Findings from a population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1490-1497.	1.3	17
284	Women Outperform Men in Verbal Episodic Memory Even in Oldest-Old Age: 13-Year Longitudinal Results of the AgeCoDe/AgeQualiDe Study. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 857-869.	1.2	17
285	Obesity and loneliness. Findings from a longitudinal population-based study in the second half of life in Germany. <i>Psychogeriatrics</i> , 2019, 19, 135-140.	0.6	17
286	Oral health-related quality of life, probable depression and probable anxiety: evidence from a representative survey in Germany. <i>BMC Oral Health</i> , 2022, 22, 9.	0.8	17
287	The Performance of a Value Set for the EQ-5D Based on Experienced Health States in Patients with Inflammatory Bowel Disease. <i>Value in Health</i> , 2012, 15, 151-157.	0.1	16
288	The Estimation of Utility Weights in Cost-Utility Analysis for Mental Disorders: A Systematic Review. <i>Pharmacoeconomics</i> , 2013, 31, 1131-1154.	1.7	16

#	ARTICLE	IF	CITATIONS
289	Implementation of chronic illness care in German primary care practices – how do multimorbid older patients view routine care? A cross-sectional study using multilevel hierarchical modeling. BMC Health Services Research, 2014, 14, 336.	0.9	16
290	Health care utilisation and costs in the general population in Germany. Health Policy, 2016, 120, 159-169.	1.4	16
291	The role of general psychosocial factors for the use of cancer screening – Findings of a population-based observational study among older adults in Germany. Cancer Medicine, 2017, 6, 3025-3039.	1.3	16
292	Correlates of alcohol consumption among Germans in the second half of life. Results of a population-based observational study. BMC Geriatrics, 2017, 17, 207.	1.1	16
293	Effectiveness and cost-effectiveness of telephone-based cognitive-behavioural therapy in primary care: study protocol of TIDe – telephone intervention for depression. BMC Psychiatry, 2017, 17, 263.	1.1	16
294	Development of a risk assessment tool for osteoporotic fracture prevention: A claims data approach. Bone, 2018, 110, 170-176.	1.4	16
295	The association between obesity and social exclusion in middle-aged and older adults: findings from a nationally representative study in Germany. BMC Geriatrics, 2018, 18, 258.	1.1	16
296	Social Network Types in Old Age and Incident Dementia. Journal of Geriatric Psychiatry and Neurology, 2018, 31, 163-170.	1.2	16
297	Dementia care – giving from a family network perspective in Germany: A typology. Health and Social Care in the Community, 2022, 30, 579-591.	0.7	16
298	Loneliness among Homeless Individuals during the First Wave of the COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2021, 18, 3035.	1.2	16
299	The Role of Social Isolation and the Development of Depression. A Comparison of the Widowed and Married Oldest Old in Germany. International Journal of Environmental Research and Public Health, 2021, 18, 6986.	1.2	16
300	Do Loneliness and Perceived Social Isolation Reduce Expected Longevity and Increase the Frequency of Dealing with Death and Dying? Longitudinal Findings based on a Nationally Representative Sample. Journal of the American Medical Directors Association, 2021, 22, 1720-1725.e5.	1.2	16
301	The Health and Economic Consequences of Moderate Alcohol Consumption in Germany 2002. Value in Health, 2009, 12, 253-261.	0.1	15
302	Does the Clock Drawing Test Predict Dementia Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). Dementia and Geriatric Cognitive Disorders, 2011, 31, 89-97.	0.7	15
303	Effect of Cardiovascular and Metabolic Disease on Cognitive Test Performance and Cognitive Change in Older Adults. Journal of the American Geriatrics Society, 2012, 60, 1286-1291.	1.3	15
304	The impact of preventive measures on the burden of femoral fractures – a modelling approach to estimating the impact of fall prevention exercises and oral bisphosphonate treatment for the years 2014 and 2025. BMC Geriatrics, 2016, 16, 75.	1.1	15
305	Somatoform disorder in primary care: the influence of comorbidity with anxiety and depression on health care utilization. Journal of Evaluation in Clinical Practice, 2018, 24, 892-900.	0.9	15
306	Obesity and sickness absence: results from a longitudinal nationally representative sample from Germany. BMJ Open, 2018, 8, e019839.	0.8	15

#	ARTICLE	IF	CITATIONS
307	Perceived social isolation and cognitive functioning. Longitudinal findings based on the German Ageing Survey. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 276-281.	1.3	15
308	Dual sensory impairment and psychosocial factors. Findings based on a nationally representative sample. <i>Archives of Gerontology and Geriatrics</i> , 2020, 91, 104234.	1.4	15
309	Health-Related Quality of Life and Costs of Posttraumatic Stress Disorder in Adolescents and Young Adults in Germany. <i>Frontiers in Psychiatry</i> , 2020, 11, 697.	1.3	15
310	Study protocol for a randomised controlled trial evaluating an evidence-based, stepped and coordinated care service model for mental disorders (RECOVER). <i>BMJ Open</i> , 2020, 10, e036021.	0.8	15
311	Fear of Dementia in the General Population: Findings from the German Socio-Economic Panel (GSOEP). <i>Journal of Alzheimer's Disease</i> , 2020, 75, 1135-1140.	1.2	15
312	Does the beginning and the end of income poverty affect psychosocial factors among middle-aged and older adults? Findings based on nationally representative longitudinal data. <i>Aging and Mental Health</i> , 2021, 25, 906-912.	1.5	15
313	Recruitment and Baseline Characteristics of Participants in the AgeWell.de Study – A Pragmatic Cluster-Randomized Controlled Lifestyle Trial against Cognitive Decline. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 408.	1.2	15
314	Social Support and Functional Decline in the Oldest Old. <i>Gerontology</i> , 2022, 68, 200-208.	1.4	15
315	Health-related quality of life of refugees: a systematic review of studies using the WHOQOL-Bref instrument in general and clinical refugee populations in the community setting. <i>Conflict and Health</i> , 2021, 15, 44.	1.0	15
316	Frequency of contact with friends and relatives via internet and psychosocial factors in middle-aged and older adults during the COVID-19 pandemic. Findings from the German Ageing Survey. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	1.3	15
317	Gender Differences in Mental Health, Quality of Life, and Caregiver Burden among Informal Caregivers during the Second Wave of the COVID-19 Pandemic in Germany: A Representative, Population-Based Study. <i>Gerontology</i> , 2023, 69, 149-162.	1.4	15
318	Evaluation of a practice team-supported exposure training for patients with panic disorder with or without agoraphobia in primary care - study protocol of a cluster randomised controlled superiority trial. <i>Trials</i> , 2014, 15, 112.	0.7	14
319	Comparative evaluation of methods approximating drug prescription durations in claims data: modeling, simulation, and application to real data. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1434-1442.	0.9	14
320	Willingness to pay for health insurance among the elderly population in Germany. <i>European Journal of Health Economics</i> , 2016, 17, 149-158.	1.4	14
321	Analysis of Health Care Costs in Elderly Patients with Multiple Chronic Conditions Using a Finite Mixture of Generalized Linear Models. <i>Health Economics (United Kingdom)</i> , 2017, 26, 582-599.	0.8	14
322	Diagnosis of somatoform disorders in primary care: diagnostic agreement, predictors, and comparisons with depression and anxiety. <i>BMC Psychiatry</i> , 2018, 18, 361.	1.1	14
323	Impact of Incident Parkinson's Disease on Satisfaction With Life. <i>Frontiers in Neurology</i> , 2018, 9, 589.	1.1	14
324	Prevalence of pain and its associated factors among the oldest-olds in different care settings – results of the AgeQualiDe study. <i>BMC Family Practice</i> , 2018, 19, 85.	2.9	14

#	ARTICLE	IF	CITATIONS
325	Correlates of hospitalization among the oldest old: results of the AgeCoDe/AGEQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1295-1301.	1.4	14
326	Prediction of dementia of Alzheimer type by different types of subjective cognitive decline. <i>Alzheimer's and Dementia</i> , 2020, 16, 1745-1749.	0.4	14
327	Beyond symptoms: why do patients see the doctor?. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101088.	0.9	14
328	Long-term cost-effectiveness of cognitive behavioral therapy versus psychodynamic therapy in social anxiety disorder. <i>Depression and Anxiety</i> , 2016, 33, 1114-1122.	2.0	13
329	Does visual impairment affect social ties in late life? Findings of a multicenter prospective cohort study in Germany. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 692-698.	1.5	13
330	Impact of falls on depressive symptoms among the oldest old: Results from the AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1383-1388.	1.3	13
331	Five A's counseling in weight management of obese patients in primary care: a cluster-randomized controlled trial (INTERACT). <i>BMC Family Practice</i> , 2018, 19, 97.	2.9	13
332	Exploring the identification, validation, and categorization of costs and benefits of education in mental health: The PECUNIA project. <i>International Journal of Technology Assessment in Health Care</i> , 2020, 36, 325-331.	0.2	13
333	Correlates of institutionalization among the oldest old—Evidence from the multicenter AgeCoDe/AGEQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1095-1102.	1.3	13
334	Determinants of Postponed Cancer Screening During the COVID-19 Pandemic: Evidence from the Nationally Representative COVID-19 Snapshot Monitoring in Germany (COSMO). <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 3003-3011.	1.2	13
335	Prevalence and correlates of coronavirus anxiety in Germany: Results of a nationally representative survey. <i>Death Studies</i> , 2023, 47, 287-295.	1.8	13
336	Effects of psychiatric comorbidity on costs in patients undergoing disc surgery: a cross-sectional study. <i>Spine Journal</i> , 2011, 11, 601-609.	0.6	12
337	Cost-effectiveness of fall prevention programs based on home visits for seniors aged over 65 years: a systematic review. <i>International Psychogeriatrics</i> , 2011, 23, 711-723.	0.6	12
338	Psychiatric comorbidity as predictor of costs in back pain patients undergoing disc surgery: a longitudinal observational study. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 165.	0.8	12
339	A comparison of GP and GDS diagnosis of depression in late life among multimorbid patients—Results of the MultiCare study. <i>Journal of Affective Disorders</i> , 2014, 168, 276-283.	2.0	12
340	Locus of control and frequency of physician visits: Results of a population-based longitudinal study in Germany. <i>British Journal of Health Psychology</i> , 2017, 22, 414-428.	1.9	12
341	The role of self-efficacy, self-esteem and optimism for using routine health check-ups in a population-based sample. A longitudinal perspective. <i>Preventive Medicine</i> , 2017, 105, 47-51.	1.6	12
342	Which factors lead to frequent attendance in the outpatient sector among individuals in the second half of life? Evidence from a population-based longitudinal study in Germany. <i>BMC Health Services Research</i> , 2018, 18, 673.	0.9	12

#	ARTICLE	IF	CITATIONS
343	Falls Are Associated With Decreased Autonomy, and Self-Efficacy Moderates This Relation: Results From a National Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 447.	1.3	12
344	Osteoporosis, Fear of Falling, and Restrictions in Daily Living: Evidence From a Nationally Representative Sample of Community-Dwelling Older Adults. <i>Frontiers in Endocrinology</i> , 2019, 10, 646.	1.5	12
345	Determinants of Frequent Attendance of Outpatient Physicians: A Longitudinal Analysis Using the German Socio-Economic Panel (GSOEP). <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1553.	1.2	12
346	Patient Characteristics as Indicator for Care Dependence after Hip Fracture: A Retrospective Cohort Study Using Health Insurance Claims Data From Germany. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 451-455.e3.	1.2	12
347	Differences in Self-Esteem Between Cat Owners, Dog Owners, and Individuals Without Pets. <i>Frontiers in Veterinary Science</i> , 2020, 7, 552.	0.9	12
348	Personality, Healthcare Use and Costs—A Systematic Review. <i>Healthcare (Switzerland)</i> , 2020, 8, 329.	1.0	12
349	Prevalence and factors associated with obesity among the oldest old. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104069.	1.4	12
350	Dual sensory impairment and healthcare use: Findings from a nationally representative sample. <i>Geriatrics and Gerontology International</i> , 2020, 20, 602-606.	0.7	12
351	The Excess Costs of Dementia: A Systematic Review and Meta-Analysis. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 333-354.	1.2	12
352	The association of childhood maltreatment, somatization and health-related quality of life in adult age: Results from a population-based cohort study. <i>Child Abuse and Neglect</i> , 2021, 120, 105226.	1.3	12
353	Panic Disorder in Primary Care: The Effects of a Team-Based Intervention. <i>Deutsches A&#x0308;rztblatt International</i> , 2019, 116, 159-166.	0.6	12
354	Cost Effectiveness of Ibandronate for the Prevention of Fractures in Inflammatory Bowel Disease-Related Osteoporosis. <i>Pharmacoeconomics</i> , 2008, 26, 311-328.	1.7	11
355	The Assessment of Changes in Cognitive Functioning in the Elderly: Age- and Education-Specific Reliable Change Indices for the SIDAM. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 33, 73-83.	0.7	11
356	Self-efficacy in multimorbid elderly patients with osteoarthritis in primary care—influence on pain-related disability. <i>Clinical Rheumatology</i> , 2015, 34, 1761-1767.	1.0	11
357	The Risk of Hospital Admission Due to Traumatic Brain Injury Is Increased in Older Persons With Severe Functional Limitations. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 609-612.	1.2	11
358	Mortality in Incident Cognitive Impairment: Results of the Prospective AgeCoDe Study. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 738-746.	1.3	11
359	Long-Term Effectiveness of a Multifactorial Fall and Fracture Prevention Program in Bavarian Nursing Homes: An Analysis Based on Health Insurance Claims Data. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 552.e7-552.e17.	1.2	11
360	Personality Traits and Obesity. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2675.	1.2	11

#	ARTICLE	IF	CITATIONS
361	The allocation of resources in the care for patients with panic disorder in Germany: an excess cost analysis informing policy and science. <i>Cost Effectiveness and Resource Allocation</i> , 2019, 17, 9.	0.6	11
362	Prevalence and determinants of driving habits in the oldest old: Results of the multicenter prospective AgeCoDe-AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2019, 82, 245-250.	1.4	11
363	Study protocol for the COMET study: a cluster-randomised, prospective, parallel-group, superiority trial to compare the effectiveness of a collaborative and stepped care model versus treatment as usual in patients with mental disorders in primary care. <i>BMJ Open</i> , 2019, 9, e032408.	0.8	11
364	Mediating factors on the association between fear of falling and health-related quality of life in community-dwelling German older people: a cross-sectional study. <i>BMC Geriatrics</i> , 2020, 20, 401.	1.1	11
365	Health-Related Quality of Life of Asylum Seekers and Refugees in Germany: a Cross-Sectional Study with Data from the German Socio-Economic Panel. <i>Applied Research in Quality of Life</i> , 2020, , 1.	1.4	11
366	What are the social consequences of beginning or ceasing to care for grandchildren? Evidence from an asymmetric fixed effects analysis of community dwelling adults in Germany. <i>Aging and Mental Health</i> , 2021, 25, 969-975.	1.5	11
367	Traumatized Syrian Refugees with Ambiguous Loss: Predictors of Mental Distress. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3865.	1.2	11
368	Informal caregiving during the COVID-19 pandemic: findings from a representative, population-based study during the second wave of the pandemic in Germany. <i>Aging and Mental Health</i> , 2022, 26, 2062-2070.	1.5	11
369	Economic evaluation of orthoptic screening: results of a field study in 121 German kindergartens. <i>Investigative Ophthalmology and Visual Science</i> , 2002, 43, 3209-15.	3.3	11
370	Prognostic significance of soluble interleukin-2 receptor- β in adenocarcinoma of the pancreas. <i>Cancer Letters</i> , 1998, 134, 193-199.	3.2	10
371	Availability and use of hip protectors in residents of nursing homes. <i>Osteoporosis International</i> , 2011, 22, 1593-1598.	1.3	10
372	Placement matching of alcohol-dependent patients based on a standardized intake assessment: rationale and design of a randomized controlled trial. <i>BMC Psychiatry</i> , 2014, 14, 286.	1.1	10
373	Unmet care needs of the oldest old with late-life depression: A comparison of patient, caring relative and general practitioner perceptions – Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 205, 182-189.	2.0	10
374	The role of flexible goal adjustment in the effect of informal caregiving on depressive symptoms: Evidence of a large population-based longitudinal study in Germany from 2002 to 2011. <i>Quality of Life Research</i> , 2017, 26, 419-427.	1.5	10
375	Long-term evaluation of the implementation of a large fall and fracture prevention program in long-term care facilities. <i>BMC Geriatrics</i> , 2018, 18, 233.	1.1	10
376	Do Individuals in Old Age Prepare for the Risk of Long-Term Care? Results of A Population-Based Survey in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2189.	1.2	10
377	Cost-effectiveness analysis of collaborative treatment of late-life depression in primary care (GermanIMPACT). <i>European Psychiatry</i> , 2019, 57, 10-18.	0.1	10
378	Feeling too old? Consequences for subjective well-being. Longitudinal findings from the German Ageing Survey. <i>Archives of Gerontology and Geriatrics</i> , 2020, 90, 104127.	1.4	10

#	ARTICLE	IF	CITATIONS
379	Depression screening using patient-targeted feedback in general practices: study protocol of the German multicentre GET.FEEDBACK.GP randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e035973.	0.8	10
380	Asymmetric effects of obesity on loneliness among older Germans. Longitudinal findings from the Survey of Health, Ageing and Retirement in Europe. <i>Aging and Mental Health</i> , 2021, 25, 2293-2297.	1.5	10
381	Frequent attendance in primary care in the oldest old: evidence from the AgeCoDe-AgeQualiDe study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2629-2638.	1.4	10
382	Reliability, Validity and Responsiveness of the EQ-5D-5L in Assessing and Valuing Health Status in Adolescents and Young Adults with Posttraumatic Stress Disorder: a Randomized Controlled Trial. <i>Psychiatric Quarterly</i> , 2021, 92, 459-471.	1.1	10
383	Dementia care-giving and employment: a mixed-studies review on a presumed conflict. <i>Ageing and Society</i> , 2021, 41, 1094-1125.	1.2	10
384	Determinants of Frequent Attendance in Primary Care. A Systematic Review of Longitudinal Studies. <i>Frontiers in Medicine</i> , 2021, 8, 595674.	1.2	10
385	Do lonely and socially isolated individuals think they die earlier? The link between loneliness, social isolation and expectations of longevity based on a nationally representative sample. <i>Psychogeriatrics</i> , 2021, 21, 571-576.	0.6	10
386	Mental Health Self-Stigma of Syrian Refugees With Posttraumatic Stress Symptoms: Investigating Sociodemographic and Psychopathological Correlates. <i>Frontiers in Psychiatry</i> , 2021, 12, 642618.	1.3	10
387	Coordinated Treatment of Depression in Elderly People in Primary Care. <i>Deutsches A&#x0308;rztblatt International</i> , 2018, 115, 741-747.	0.6	10
388	Affective, anxiety, and substance-related disorders in patients undergoing herniated disc surgery. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1181-1190.	1.6	9
389	Is the Short Form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? Results of the German study on ageing, cognition, and dementia in primary care patients (AgeCoDe).. <i>Psychological Assessment</i> , 2015, 27, 895-904.	1.2	9
390	The responsiveness of the EQ-5D and time trade-off scores in schizophrenia, affective disorders, and alcohol addiction. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 114.	1.0	9
391	A Longitudinal Investigation of Willingness to Pay for Health Insurance in Germany. <i>Health Services Research</i> , 2017, 52, 1099-1117.	1.0	9
392	Collaborative mental health care program versus a general practitioner program and usual care for treatment of patients with mental or neurological disorders in Germany: protocol of a multiperspective evaluation study. <i>BMC Psychiatry</i> , 2018, 18, 347.	1.1	9
393	Longitudinal Analysis of Outpatient Physician Visits in the Oldest Old: Results of the AgeQualiDe Prospective Cohort Study. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 689-694.	1.5	9
394	Are changes in body-mass-index associated with changes in depressive symptoms? Findings of a population-based longitudinal study among older Germans. <i>BMC Psychiatry</i> , 2018, 18, 182.	1.1	9
395	Health behaviour, social support, socio-economic status and the 5-year progression of multimorbidity: Results from the MultiCare Cohort Study. <i>Journal of Comorbidity</i> , 2019, 9, 2235042X1988356.	3.9	9
396	Caring for the elderly: A person-centered segmentation approach for exploring the association between health care needs, mental health care use, and costs in Germany. <i>PLoS ONE</i> , 2019, 14, e0226510.	1.1	9

#	ARTICLE	IF	CITATIONS
397	Association of generalized anxiety symptoms and panic with health care costs in older age—Results from the ESTHER cohort study. <i>Journal of Affective Disorders</i> , 2019, 245, 978-986.	2.0	9
398	Determinants of incident dementia in different old age groups: results of the prospective AgeCoDe/AgeQualiDe study. <i>International Psychogeriatrics</i> , 2020, 32, 645-659.	0.6	9
399	Effects of strategies to improve general practitioner-nurse collaboration and communication in regard to hospital admissions of nursing home residents (interprof ACT): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2020, 21, 913.	0.7	9
400	EQ-5D-3L health status and health state utilities of the oldest-old (85+%) in Germany: results from the AgeCoDe-AgeQualiDe study. <i>Quality of Life Research</i> , 2020, 29, 3223-3232.	1.5	9
401	Associations and correlates of general versus specific successful ageing components. <i>European Journal of Ageing</i> , 2021, 18, 549-563.	1.2	9
402	What are the psychosocial consequences when fear of falling starts or ends? Evidence from an asymmetric fixed effects analysis based on longitudinal data from the general population. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 1028-1035.	1.3	9
403	Flexible goal adjustment moderates the link between self-rated health and subjective well-being. Findings from the general population. <i>Ageing and Mental Health</i> , 2021, 25, 1345-1350.	1.5	9
404	Which Factors Contribute to Frailty among the Oldest Old? Results of the Multicentre Prospective AgeCoDe and AgeQualiDe Study. <i>Gerontology</i> , 2020, 66, 460-466.	1.4	9
405	Association of vision problems with psychosocial factors among middle-aged and older individuals: findings from a nationally representative study. <i>Ageing and Mental Health</i> , 2021, 25, 946-953.	1.5	9
406	Depression Partially Mediates the Association of Adverse Childhood Experiences with Pain Intensity in Patients with Chronic Pelvic Pain Syndrome: Results from a Cross-Sectional Patient Survey. <i>Pain Medicine</i> , 2021, 22, 1174-1184.	0.9	9
407	Planning to move into a nursing home in old age: does sexual orientation matter?. <i>Age and Ageing</i> , 2021, 50, 974-979.	0.7	9
408	The Excess Costs of Depression and the Influence of Sociodemographic and Socioeconomic Factors: Results from the German Health Interview and Examination Survey for Adults (DEGS). <i>Pharmacoeconomics</i> , 2021, 39, 667-680.	1.7	9
409	Using a brief web-based 5A intervention to improve weight management in primary care: results of a cluster-randomized controlled trial. <i>BMC Family Practice</i> , 2021, 22, 61.	2.9	9
410	Determinants of Healthcare Use Based on the Andersen Model: A Systematic Review of Longitudinal Studies. <i>Healthcare (Switzerland)</i> , 2021, 9, 1354.	1.0	9
411	The Prevalence and Correlates of Probable Major Depressive Disorder and Probable Generalized Anxiety Disorder during the COVID-19 Pandemic. Results of a Nationally Representative Survey in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12302.	1.2	9
412	Level and correlates of empathy and altruism during the Covid-19 pandemic. Evidence from a representative survey in Germany. <i>PLoS ONE</i> , 2022, 17, e0265544.	1.1	9
413	Cost Effectiveness of Adding Folinic Acid to Fluorouracil Plus Levamisole as Adjuvant Chemotherapy in Patients with Colon Cancer in Germany. <i>Pharmacoeconomics</i> , 2003, 21, 709-719.	1.7	8
414	Recurrent costs of HIV/AIDS-related health services in Rwanda: implications for financing. <i>Tropical Medicine and International Health</i> , 2008, 13, 1245-1256.	1.0	8

#	ARTICLE	IF	CITATIONS
415	Measuring use of services for mental health problems in epidemiological surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, 182-191.	1.1	8
416	Falls and subjective well-being. Results of the population-based German Ageing Survey. <i>Archives of Gerontology and Geriatrics</i> , 2017, 72, 181-186.	1.4	8
417	Association of informal caregiving with body mass index and frequency of sporting activities: evidence of a population-based study in Germany. <i>BMC Public Health</i> , 2017, 17, 755.	1.2	8
418	Effect of a combined brief narrative exposure therapy with case management versus treatment as usual in primary care for patients with traumatic stress sequelae following intensive care medicine: study protocol for a multicenter randomized controlled trial (PICTURE). <i>Trials</i> , 2018, 19, 480.	0.7	8
419	Prediction of Drug-Related Risks Using Clinical Context Information in Longitudinal Claims Data. <i>Value in Health</i> , 2018, 21, 1390-1398.	0.1	8
420	Cost Comparison of Surgical Clipping and Endovascular Coiling of Unruptured Intracranial Aneurysms: A Systematic Review. <i>World Neurosurgery</i> , 2019, 125, 461-468.	0.7	8
421	The association between voluntary work and health care use among older adults in Germany. <i>BMC Health Services Research</i> , 2019, 19, 39.	0.9	8
422	Needs and health care costs in old age: a longitudinal perspective: results from the AgeMooDe study. <i>Ageing and Mental Health</i> , 2020, 24, 1763-1768.	1.5	8
423	Religious Attendance and Cancer Screening Behavior. <i>Frontiers in Oncology</i> , 2020, 10, 583925.	1.3	8
424	Internet-Based Cognitive Behavior Therapy Only for the Young? A Secondary Analysis of a Randomized Controlled Trial of Depression Treatment. <i>Frontiers in Psychiatry</i> , 2020, 11, 735.	1.3	8
425	Impact of morbidity on care need increase and mortality in nursing homes: a retrospective longitudinal study using administrative claims data. <i>BMC Geriatrics</i> , 2020, 20, 439.	1.1	8
426	Unmet care needs in the oldest old with social loss experiences: results of a representative survey. <i>BMC Geriatrics</i> , 2020, 20, 416.	1.1	8
427	Do self-reported hearing and visual impairments predict longitudinal dementia in older adults?. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 1519-1528.	1.3	8
428	The empty nest, depressive symptoms and loneliness of older parents: Prospective findings from the German Ageing Survey. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104425.	1.4	8
429	Relationship between personality factors and frailty. A systematic review. <i>Archives of Gerontology and Geriatrics</i> , 2021, 97, 104508.	1.4	8
430	The Course of Pain Intensity in Patients Undergoing Herniated Disc Surgery: A 5-Year Longitudinal Observational Study. <i>PLoS ONE</i> , 2016, 11, e0156647.	1.1	8
431	Personality and the use of cancer screenings. A systematic review. <i>PLoS ONE</i> , 2020, 15, e0244655.	1.1	8
432	Determinants of psychosocial factors among the oldest old – Evidence from the representative survey on quality of life and subjective well-being of the very old in North-Rhine-Westphalia (NRW80+) –. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37.	1.3	8

#	ARTICLE	IF	CITATIONS
433	Driving status and health-related quality of life among the oldest old: a population-based examination using data from the AgeCoDeâ€“AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 3109-3115.	1.4	8
434	Cost-utility of a specific collaborative group intervention for patients with functional somatic syndromes. <i>Journal of Psychosomatic Research</i> , 2016, 90, 43-50.	1.2	7
435	Understanding Mortality of Femoral Fractures Following Low-Impact Trauma in Persons With and Without Care Need. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 221-226.	1.2	7
436	Depression screening with patient-targeted feedback in cardiology: The cost-effectiveness of DEPSCREEN-INFO. <i>PLoS ONE</i> , 2017, 12, e0181021.	1.1	7
437	Who should take care of me? Preferences of old age individuals for characteristics of professional long-term caregivers: an observational cross-sectional study. <i>BMC Research Notes</i> , 2017, 10, 382.	0.6	7
438	Costs of informal nursing care for patients with neurologic disorders. <i>Neurology</i> , 2018, 90, 28-34.	1.5	7
439	Cross-cultural validation of the German version of the Four-Dimensional Symptom Questionnaire (4DSQ) in multimorbid elderly people. <i>Quality of Life Research</i> , 2018, 27, 2691-2697.	1.5	7
440	Life satisfaction of informal care recipients: Findings from the German Ageing Survey. <i>British Journal of Health Psychology</i> , 2019, 24, 859-875.	1.9	7
441	Determinants of Postponed Dental Visits Due to Costs: Evidence from the Survey of Health, Ageing, and Retirement in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3344.	1.2	7
442	Determinants of health-care costs in the oldest-old in Germany. <i>Journal of the Economics of Ageing</i> , 2019, 14, 100200.	0.6	7
443	Determinants of Willingness to Pay for Health Insurance in Germanyâ€“Results of the Population-Based Health Study of the Leipzig Research Centre for Civilization Diseases (LIFE-Adult-Study). <i>Frontiers in Public Health</i> , 2020, 8, 456.	1.3	7
444	Cost-effectiveness of guideline-based stepped and collaborative care versus treatment as usual for patients with depression â€“ a cluster-randomized trial. <i>BMC Psychiatry</i> , 2020, 20, 427.	1.1	7
445	How does beginning or ceasing of informal caregiving of individuals in poor health influence sleep quality? Findings from a nationally representative longitudinal study. <i>Aging and Mental Health</i> , 2020, , 1-6.	1.5	7
446	Recruitment and Baseline Characteristics of Participants in the â€œSanadakâ€•Trial: A Self-Help App for Syrian Refugees with Post-traumatic Stress. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7578.	1.2	7
447	The onset of falls reduces perceived autonomy among middle aged and older adults. Results from a longitudinal nationally representative sample. <i>Archives of Gerontology and Geriatrics</i> , 2020, 90, 104115.	1.4	7
448	Telephone health coaching with exercise monitoring using wearable activity trackers (TeGeCoach) for improving walking impairment in peripheral artery disease: study protocol for a randomised controlled trial and economic evaluation. <i>BMJ Open</i> , 2020, 10, e032146.	0.8	7
449	Self-perceptions of ageing, GP visits and frequent attendance. Longitudinal findings from the German Ageing Survey. <i>Aging and Mental Health</i> , 2020, 25, 1-6.	1.5	7
450	Regional variation of care dependency after hip fracture in Germany: A retrospective cohort study using health insurance claims data. <i>PLoS ONE</i> , 2020, 15, e0230648.	1.1	7

#	ARTICLE	IF	CITATIONS
451	Sex-Specific Associations Between Depressive Symptoms and Risk for Subsequent Dementia. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 151-161.	1.2	7
452	Help-seeking for psychological distress and its association with anxiety in the oldest old – results from the AgeQualiDe cohort study. <i>Aging and Mental Health</i> , 2021, 25, 923-929.	1.5	7
453	Anticholinergic drug burden according to the anticholinergic drug scale and the German anticholinergic burden and their impact on cognitive function in multimorbid elderly German people: a multicentre observational study. <i>BMJ Open</i> , 2021, 11, e044230.	0.8	7
454	Health Care Services Utilization and Health-Related Quality of Life of Syrian Refugees with Post-Traumatic Stress Symptoms in Germany (the Sanadak Trial). <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3408.	1.2	7
455	Prevalence and Factors Associated with Fear of COVID-19 Among Homeless Individuals During the COVID-19 Pandemic: Evidence from the Hamburg Survey of Homeless Individuals. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 2689-2695.	1.2	7
456	Cost-Effectiveness of a Group vs Individually Delivered Exercise Program in Community-Dwelling Persons Aged ≥70 Years. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 736-742.e6.	1.2	7
457	Incidence of Anxiety in Latest Life and Risk Factors. Results of the AgeCoDe/AgeQualiDe Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12786.	1.2	7
458	The Association between Oral Health-Related Quality of Life, Loneliness, Perceived and Objective Social Isolation – Results of a Nationally Representative Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12886.	1.2	7
459	Cost effectiveness of the determination of autoantibodies against cyclic citrullinated peptide in the early diagnosis of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 1399-1405.	0.5	6
460	The impact of depressive symptoms on utilization of home care by the elderly: Longitudinal results from the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 204, 247-254.	2.0	6
461	Excess costs from functional somatic syndromes in Germany – An analysis using entropy balancing. <i>Journal of Psychosomatic Research</i> , 2017, 97, 52-57.	1.2	6
462	The Curvilinear Effect of BMI on Functional Health - Evidence of the Long-Running German Ageing Survey. <i>Obesity Facts</i> , 2017, 10, 252-260.	1.6	6
463	Psychosocial correlates of unintentional weight loss in the second half of life in the German general population. <i>PLoS ONE</i> , 2017, 12, e0185749.	1.1	6
464	Self-efficacy moderates the relationship between health comparisons and social exclusion: results of the German ageing survey. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 252.	1.0	6
465	Unmet needs in the depressed primary care elderly and their relation to severity of depression: results from the AgeMooDe study. <i>Aging and Mental Health</i> , 2018, 22, 1038-1045.	1.5	6
466	The use of routine health check-ups and psychological factors – a neglected link. Evidence from a population-based study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018, 26, 137-144.	0.8	6
467	Excess costs of alcohol-dependent patients in German psychiatric care compared with matched non-alcohol-dependent individuals from the general population: a secondary analysis of two datasets. <i>BMJ Open</i> , 2018, 8, e020563.	0.8	6
468	Informal caregiving and personality: Results of a population-based longitudinal study in Germany. <i>PLoS ONE</i> , 2018, 13, e0203586.	1.1	6

#	ARTICLE	IF	CITATIONS
469	Late-Life Depressive Symptoms Are Associated With Functional Impairment Cross-sectionally and Over Time: Results of the AgeMooDe Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020, 75, 811-820.	2.4	6
470	Determinants of Dental Service Use Based on the Andersen Model: A Study Protocol for a Systematic Review. <i>Healthcare (Switzerland)</i> , 2020, 8, 333.	1.0	6
471	The moderating role of flexible goal adjustment in the link between pain and depressive symptoms: findings based on a nationally representative sample of older adults. <i>Psychogeriatrics</i> , 2020, 20, 602-607.	0.6	6
472	Patient-Centered Placement Matching of Alcohol-Dependent Patients Based on a Standardized Intake Assessment: Primary Outcomes of an Exploratory Randomized Controlled Trial. <i>European Addiction Research</i> , 2020, 26, 109-121.	1.3	6
473	Cultural Differences in the Intended Use of Long-Term Care Services in the United States: The Role of Family Ties. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2022, 77, 201-211.	2.4	6
474	Informal caregiving for adults, loneliness and social isolation: a study protocol for a systematic review. <i>BMJ Open</i> , 2021, 11, e044902.	0.8	6
475	Do Informal Caregivers Expect to Die Earlier? A Longitudinal Study with a Population-Based Sample on Subjective Life Expectancy of Informal Caregivers. <i>Gerontology</i> , 2021, 67, 467-481.	1.4	6
476	Factors Leading to Institutionalization among the Oldest Old: Longitudinal Findings from the AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2022, 68, 894-902.	1.4	6
477	Physical Activity Determinants in Older German Adults at Increased Dementia Risk with Multimorbidity: Baseline Results of the AgeWell.de Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3164.	1.2	6
478	Social support and health-related quality of life among the oldest old – longitudinal evidence from the multicenter prospective AgeCoDe-AgeQualiDe study. <i>Quality of Life Research</i> , 2021, , 1.	1.5	6
479	Sexual Orientation and Psychosocial Factors in Terms of Loneliness and Subjective Well-Being in Later Life. <i>Gerontologist</i> , The, 2023, 63, 338-349.	2.3	6
480	Decision makers' and scientists' opinion about contingent valuation and choice experiments for measuring willingness to pay in health care: Results from a survey in Germany. <i>International Journal of Technology Assessment in Health Care</i> , 2006, 22, 351-361.	0.2	5
481	Inpatient or Outpatient Rehabilitation after Herniated Disc Surgery? – Setting-Specific Preferences, Participation and Outcome of Rehabilitation. <i>PLoS ONE</i> , 2014, 9, e89200.	1.1	5
482	Seeking the balance between caregiving in dementia, family and employment: study protocol for a mixed methods study in Northern Germany. <i>BMJ Open</i> , 2018, 8, e019444.	0.8	5
483	Cost-utility of collaborative nurse-led self-management support for primary care patients with anxiety, depressive or somatic symptoms: A cluster-randomized controlled trial (the SMADS trial). <i>International Journal of Nursing Studies</i> , 2018, 80, 67-75.	2.5	5
484	Categorical and dimensional perspectives on depression in elderly primary care patients – Results of the AgeMooDe study. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, .	1.1	5
485	Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe and AgeQualiDe study. <i>Geriatrics and Gerontology International</i> , 2019, 19, 705-710.	0.7	5
486	Are perceived bad working conditions and perceived workplace bullying associated with doctor visits? Results of the nationally representative German General Social Survey. <i>BMC Health Services Research</i> , 2019, 19, 697.	0.9	5

#	ARTICLE	IF	CITATIONS
487	Self-Rated Health and Social Exclusion: Does Gardening Moderate This Relation? Evidence from the German Ageing Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1834.	1.2	5
488	The value of the GP's clinical judgement in predicting dementia: a multicentre prospective cohort study among patients in general practice. <i>British Journal of General Practice</i> , 2019, 69, e786-e793.	0.7	5
489	eHealth-supported case management for patients with panic disorder or depression in primary care: Study protocol for a cRCT (PREMA). <i>Trials</i> , 2019, 20, 662.	0.7	5
490	Does Loneliness Predict Subsequent Use of Flu Vaccination? Findings from a Nationally Representative Study of Older Adults in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4978.	1.2	5
491	Predictors of Seeking Psychotherapy in Primary Care Patients with High Somatic Symptom Burden. <i>Behavioral Medicine</i> , 2019, 45, 231-239.	1.0	5
492	Depression treatment in Germany – using claims data to compare a collaborative mental health care program to the general practitioner program and usual care in terms of guideline adherence and need-oriented access to psychotherapy. <i>BMC Psychiatry</i> , 2020, 20, 591.	1.1	5
493	Association between Subjective Well-Being and Frequent Dental Visits in the German Ageing Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3207.	1.2	5
494	Personality Factors and Sick Leave Days. Evidence from a Nationally Representative Longitudinal Study in Germany.. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1089.	1.2	5
495	Do postponed dental visits for financial reasons reduce quality of life? Evidence from the Survey of Health, Ageing and Retirement in Europe. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 437-442.	1.4	5
496	Determinants of health care use among homeless individuals: evidence from the Hamburg survey of homeless individuals. <i>BMC Health Services Research</i> , 2021, 21, 317.	0.9	5
497	Are informal family caregivers stigmatized differently based on their gender or employment status?: a German study on public stigma towards informal long-term caregivers of older individuals. <i>BMC Public Health</i> , 2021, 21, 1868.	1.2	5
498	The longitudinal association of symptom-related and psychological factors with health-related quality of life in patients with chronic pelvic pain syndrome. <i>Journal of Psychosomatic Research</i> , 2022, 153, 110707.	1.2	5
499	Mental health care and out-of-pocket expenditures in Europe: results from the ESEMeD project. <i>Journal of Mental Health Policy and Economics</i> , 2011, 14, 95-105.	0.6	5
500	Gender Specifics of Healthy Ageing in Older Age as Seen by Women and Men (70+): A Focus Group Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3137.	1.2	5
501	The Big Five personality traits and regularity of lifetime dental visit attendance: evidence of the Survey of Health, Ageing, and Retirement in Europe (SHARE). <i>Aging Clinical and Experimental Research</i> , 2022, 34, 1439-1445.	1.4	5
502	Are self-managed online interventions for depression effective in improving behavioral activation? A secondary analysis of a cluster-randomized controlled trial. <i>Journal of Affective Disorders</i> , 2022, 308, 413-420.	2.0	5
503	Femoral fracture rates after discharge from the hospital to the community. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 821-827.	3.1	4
504	Evaluating a collaborative smoking cessation intervention in primary care (ENTER): study protocol for a cluster-randomized controlled trial. <i>Trials</i> , 2015, 16, 447.	0.7	4

#	ARTICLE	IF	CITATIONS
505	Effect of Health Comparisons on Functional Health and Depressive Symptoms - Results of a Population-Based Longitudinal Study of Older Adults in Germany. PLoS ONE, 2016, 11, e0156235.	1.1	4
506	The longitudinal association between informal caregiving and body mass index in the second half of life: findings of the German Ageing Survey. Public Health, 2017, 151, 81-86.	1.4	4
507	Not Getting What You Want? The Impact of Income Comparisons on Subjective Well-Being—Findings of a Population-Based Longitudinal Study in Germany. International Journal of Environmental Research and Public Health, 2019, 16, 2655.	1.2	4
508	Psychometric properties of the Patient Assessment of Chronic Illness Care measure (PACIC-5A) among patients with obesity. BMC Health Services Research, 2019, 19, 61.	0.9	4
509	Symptom trajectories in patients with panic disorder in a primary care intervention: Results from a randomized controlled trial (PARADISE). Scientific Reports, 2019, 9, 7170.	1.6	4
510	Association of anxiety symptoms with health care use and costs in people aged 85 and over. International Journal of Geriatric Psychiatry, 2019, 34, 765-776.	1.3	4
511	Cost-effectiveness of Practice Team-Supported Exposure Training for Panic Disorder and Agoraphobia in Primary Care: a Cluster-Randomized Trial. Journal of General Internal Medicine, 2020, 35, 1120-1126.	1.3	4
512	Depressive Symptoms and Frailty Among the Oldest Old: Evidence From a Multicenter Prospective Study. Journal of the American Medical Directors Association, 2021, 22, 577-582.e2.	1.2	4
513	Effects of APOE ε4 allele and mental work demands on cognitive decline in old age: Results from the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). International Journal of Geriatric Psychiatry, 2021, 36, 152-162.	1.3	4
514	Postponed Dental Appointments Due to Costs Are Associated with Increased Loneliness—Evidence from the Survey of Health, Ageing and Retirement in Europe. International Journal of Environmental Research and Public Health, 2021, 18, 336.	1.2	4
515	Predictors of change in depressive symptoms in older and multimorbid patients: a longitudinal analysis of the multicare cohort. Aging and Mental Health, 2022, 26, 818-827.	1.5	4
516	Health-Related Quality of Life of Persons with Direct, Indirect and No Migration Background in Germany: A Cross-Sectional Study Based on the German Socio-Economic Panel (SOEP). International Journal of Environmental Research and Public Health, 2021, 18, 3665.	1.2	4
517	Association of Alcohol and Tobacco Consumption with Depression Severity in the Oldest Old. Results from the Age Different Old Age Cohort Platform. International Journal of Environmental Research and Public Health, 2021, 18, 7959.	1.2	4
518	Does obesity lead to loneliness and perceived social isolation in the second half of life? Findings from a nationally representative study in Germany. Geriatrics and Gerontology International, 2021, 21, 836-841.	0.7	4
519	The efficacy of automated feedback after internet-based depression screening: Study protocol of the German, three-armed, randomised controlled trial DISCOVER. Internet Interventions, 2021, 25, 100435.	1.4	4
520	Health Care Services Utilization of Persons with Direct, Indirect and without Migration Background in Germany: A Longitudinal Study Based on the German Socio-Economic Panel (SOEP). International Journal of Environmental Research and Public Health, 2021, 18, 11640.	1.2	4
521	The onset of falls and its effects on perceived social exclusion and loneliness. Evidence from a nationally representative longitudinal study. Archives of Gerontology and Geriatrics, 2022, 100, 104622.	1.4	4
522	Effect of an osteoporotic fracture prevention program on fracture incidence in routine care: a cluster-randomized trial. BMC Medicine, 2022, 20, 49.	2.3	4

#	ARTICLE	IF	CITATIONS
523	The role of migration status in the link between ADL/IADL and informal as well as formal care in Germany: Findings of the Survey of Health, Aging and Retirement in Europe. Archives of Gerontology and Geriatrics, 2022, 101, 104669.	1.4	4
524	Äœbergewicht und Adipositas als Public Health-Problem. Public Health Forum, 2016, 24, 135-138.	0.1	3
525	Does informal caregiving affect self-esteem? Results from a population-based study of individuals aged 40 and over in Germany from 2002 to 2014. Scandinavian Journal of Caring Sciences, 2018, 32, 1047-1055.	1.0	3
526	Correlates of preferences for autonomy in long-term care: results of a population-based survey among older individuals in Germany. Patient Preference and Adherence, 2018, Volume 12, 71-78.	0.8	3
527	Psychometric Properties of the EQ-5D for the Assessment of Health-Related Quality of Life in the Population of Middle-Old and Oldest-Old Persons: Study Protocol for a Systematic Review. Frontiers in Public Health, 2020, 8, 578073.	1.3	3
528	Extending understanding of grandchild care on feelings of loneliness and isolation in later life. Zeitschrift Fur Gerontologie Und Geriatrie, 2021, 54, 513-516.	0.8	3
529	The Association of Post-Materialism with Health Care Use. Findings of a General Population Survey in Germany. International Journal of Environmental Research and Public Health, 2020, 17, 8869.	1.2	3
530	Determinants of Perceived Own Risk for Developing Dementia and the Perception That Memory Deterioration Is Preventable. Findings From the General Adult Population in Germany. Frontiers in Medicine, 2020, 7, 203.	1.2	3
531	How does the integration of collaborative care elements in a gatekeeping system affect the costs for mental health care in Germany?. European Journal of Health Economics, 2020, 21, 751-761.	1.4	3
532	How does the onset of incontinence affect satisfaction with life among older women and men? Findings from a nationally representative longitudinal study (German Ageing Survey). Health and Quality of Life Outcomes, 2020, 18, 16.	1.0	3
533	Spousal care and its effect on partnership characteristics – a longitudinal analysis of spousal caregiving and care receipt in Germany. Scandinavian Journal of Caring Sciences, 2021, , .	1.0	3
534	Frailty and Autonomy among the Oldest Old: Evidence from the Multicenter Prospective AgeCoDe-AgeQualiDe Study. Gerontology, 2021, 67, 591-598.	1.4	3
535	Excess costs of type 2 diabetes and their sociodemographic and clinical determinants: a cross-sectional study using data from the German Health Interview and Examination Survey for Adults (DEGS1). BMJ Open, 2021, 11, e043944.	0.8	3
536	Determinants of healthcare use based on the Andersen model: a study protocol for a systematic review of longitudinal studies. BMJ Open, 2021, 11, e044435.	0.8	3
537	Excess costs of dementia in old age (85+) in Germany: Results from the AgeCoDe-AgeQualiDe study. Journal of the Economics of Ageing, 2021, 20, 100346.	0.6	3
538	Stepped, Collaborative, Coordinated Care for Somatic Symptom and Related Disorders (Sofu-Net). Zeitschrift Fur Psychologie / Journal of Psychology, 2020, 228, 119-129.	0.7	3
539	Attitudes towards the economic costs associated with measures against the spread of COVID-19: Population perceptions from repeated cross-sectional data of the nationally representative COVID-19 Snapshot Monitoring in Germany (COSMO). PLoS ONE, 2021, 16, e0259451.	1.1	3
540	Religious Denomination, Religiosity, Religious Attendance, and Cancer Prevention. A Systematic Review. Risk Management and Healthcare Policy, 2022, Volume 15, 45-58.	1.2	3

#	ARTICLE	IF	CITATIONS
541	Mapping the Beck Depression Inventory to the EQ-5D-3L in Patients with Depressive Disorders. <i>Journal of Mental Health Policy and Economics</i> , 2016, 19, 79-89.	0.6	3
542	A multifactorial interdisciplinary intervention to prevent functional and mobility decline for more participation in (pre-)frail community-dwelling older adults (PromeTheus): study protocol for a multicenter randomized controlled trial. <i>BMC Geriatrics</i> , 2022, 22, 124.	1.1	3
543	Factors Contributing to Persistent Frequent Attendance in Primary Care Among the Oldest Old: Longitudinal Evidence From the AgeCoDe-AgeQualiDe Study. <i>Frontiers in Medicine</i> , 2022, 9, 815419.	1.2	3
544	Outcomes and costs of ureteroscopy, extracorporeal shockwave lithotripsy, and percutaneous nephrolithotomy for the treatment of urolithiasis: an analysis based on health insurance claims data in Germany. <i>World Journal of Urology</i> , 2022, 40, 781-788.	1.2	3
545	Prevalence of Pre frailty and Frailty Among Older Adults in Germany: A Systematic Review, Meta-Analysis and Meta-Regression. <i>Frontiers in Medicine</i> , 2022, 9, 870714.	1.2	3
546	Psychometric evaluation of the German version of the Recovering Quality of Life (ReQoL) measures in patients with affective disorders. <i>European Journal of Health Economics</i> , 0, , .	1.4	3
547	Political Party Affinity and Fear of Conventional and Nuclear War in Germany. <i>Psychiatry International</i> , 2022, 3, 212-220.	0.5	3
548	Mild Depressive Symptoms Predict Mortality from Heart Failure in Elderly Men but Not Women. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2408-2410.	1.3	2
549	Leadership position and physician visits – results of a nationally representative longitudinal study in Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2018, 13, 33.	0.9	2
550	How Politico-Economic Systems Shape Individuals' Value of Elderly Care: Evidence From the German Reunification. <i>Gerontologist</i> , The, 2019, 60, 350-358.	2.3	2
551	<p>Lifestyle Aspects As A Predictor Of Pain Among Oldest-Old Primary Care Patients – A Longitudinal Cohort Study</p>. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1881-1888.	1.3	2
552	The impact of receiving informal care on self-esteem and its moderation by social class. <i>Aging and Mental Health</i> , 2020, 24, 1736-1745.	1.5	2
553	Personality, Health Care Use, and Costs: A Study Protocol for a Systematic Review. <i>Healthcare (Switzerland)</i> , 2020, 8, 263.	1.0	2
554	Long-Term Care Preferences and Sexual Orientation: Protocol for a Systematic Review. <i>Healthcare (Switzerland)</i> , 2020, 8, 572.	1.0	2
555	Uptake of an exercise class and use of bone density measurement after advice by the health insurance fund: results from the osteoporotic fracture prevention program in rural areas (OFRA). <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1255-1262.	1.4	2
556	Determinants of Frequent Attendance in Primary Care. Study Protocol for a Systematic Review of Longitudinal Studies. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3710.	1.2	2
557	Determinants of dental treatment avoidance: findings from a nationally representative study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1337-1343.	1.4	2
558	German tariffs for the ICECAP-Supportive Care Measure (ICECAP-SCM) for use in economic evaluations at the end of life. <i>European Journal of Health Economics</i> , 2021, 22, 365-380.	1.4	2

#	ARTICLE	IF	CITATIONS
559	Health-economic evaluation of collaborative orthogeriatric care for patients with a hip fracture in Germany: a retrospective cohort study using health and long-term care insurance claims data. <i>European Journal of Health Economics</i> , 2021, 22, 873-885.	1.4	2
560	Cost-Effectiveness of Magnetic Resonance Imaging-Guided Thrombolysis for Patients With Stroke With Unknown Time of Onset. <i>Value in Health</i> , 2021, 24, 1620-1627.	0.1	2
561	Health-related quality of life and ego integrity among the oldest old " Evidence from the multicenter AgeCoDe-AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104408.	1.4	2
562	Personality and functional impairment. Evidence from the Survey of Health, Ageing and Retirement in Europe. <i>Psychogeriatrics</i> , 2021, 21, 861-868.	0.6	2
563	Willingness to bear economic costs of measures against SARS-CoV-2 in Germany. <i>BMC Public Health</i> , 2021, 21, 1698.	1.2	2
564	Prevalence and determinants of depression and anxiety measured by the PHQ-4 among homeless individuals during the COVID-19 pandemic. Evidence from the Hamburg survey of homeless individuals. <i>Psychiatry Research</i> , 2022, 308, 114350.	1.7	2
565	Cost-effectiveness of orthoptic screening in kindergarten: a decision-analytic model. <i>Strabismus</i> , 2000, 8, 79-90.	0.4	2
566	Willingness to pay for SARS-CoV-2 rapid antigen tests during the COVID-19 pandemic: evidence from the general adult population. <i>Public Health</i> , 2022, 207, 19-23.	1.4	2
567	Prevalence and correlates of obesity among the oldest old. A systematic review, meta-analysis and meta-regression. <i>Geriatrics and Gerontology International</i> , 2022, 22, 373-383.	0.7	2
568	Incidence and risk factors of depressive symptoms in the highest age groups and competing mortality risk. Evidence from the AgeCoDe-AgeQualiDe prospective cohort study. <i>Journal of Affective Disorders</i> , 2022, 308, 494-501.	2.0	2
569	Determinants of Outpatient Physician Visits in the General Adult German Population during Later Stages of the COVID-19 Pandemic. <i>Healthcare (Switzerland)</i> , 2022, 10, 1025.	1.0	2
570	Association between purpose in life and healthcare use among women and men in Germany: cross-sectional analysis of the nationally representative German Socio-Economic Panel (GSOEP) study. <i>BMJ Open</i> , 2022, 12, e061525.	0.8	2
571	Managed Competition und Managed Care. <i>Public Health Forum</i> , 1997, 5, 12-12.	0.1	1
572	P1-221 Epidemiology of depression in old age: results of the Leipzig longitudinal study of the aged (LEILA 75+). <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A127-A127.	2.0	1
573	Cost-Utility Analysis of Preventive Home Visits in Older Adults. <i>Value in Health</i> , 2014, 17, A511.	0.1	1
574	Choosing the right rehabilitation setting after herniated disc surgery: Motives, motivations and expectations from the patients' perspective. <i>PLoS ONE</i> , 2017, 12, e0183698.	1.1	1
575	Longitudinal association between panic disorder and health care costs in older adults. <i>Depression and Anxiety</i> , 2019, 36, 1135-1142.	2.0	1
576	Impact of stroke on affective well-being: findings from a large longitudinal nationally representative study. <i>Aging and Mental Health</i> , 2020, 24, 2006-2013.	1.5	1

#	ARTICLE	IF	CITATIONS
577	Prevalence Of, and Factors Associated with, Obesity among the Oldest Old. A Study Protocol for a Systematic Review. <i>Healthcare (Switzerland)</i> , 2020, 8, 319.	1.0	1
578	Reductions in cognitive functioning are associated with decreases in satisfaction with aging. Longitudinal findings based on a nationally representative sample. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104072.	1.4	1
579	Non-random relations in drug use expressed as patterns comprising prescription and over-the-counter drugs in multimorbid elderly patients in primary care: Data of the exploratory analysis of the multicentre, observational cohort study MultiCare. <i>European Journal of General Practice</i> , 2021, 27, 119-129.	0.9	1
580	GPs' awareness of car driving among oldest patients: exploratory results from a primary care cohort. <i>BJGP Open</i> , 2021, 5, BJGPO.2020.0145.	0.9	1
581	Disorientation in Time and Place in Old Age: Longitudinal Evidence from Three Old Age Cohorts in Germany (AgeDifferent.de Platform). <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1589-1599.	1.2	1
582	A longitudinal perspective on inter vivos transfers between children and their parents in need of long-term care. <i>Journal of the Economics of Ageing</i> , 2021, 19, 100324.	0.6	1
583	Do oldest old individuals perceive receipt of informal care as a restriction or support of their autonomy?. <i>Aging and Mental Health</i> , 2022, 26, 1862-1873.	1.5	1
584	Personality and Falls: Findings Based on the Survey of Health, Aging, and Retirement in Europe. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 2605-2607.	1.2	1
585	Association between onset and disappearance of pain and changes in physical activity among older adults – longitudinal evidence from the German Ageing Survey. <i>Psychogeriatrics</i> , 2021, , .	0.6	1
586	Frequency and correlates of use of applications for monitoring and increasing health and well-being in middle-aged and older adults. Findings from the German Ageing Survey. <i>Archives of Gerontology and Geriatrics</i> , 2022, 98, 104571.	1.4	1
587	Regular childhood dental visits, health-related factors and quality of life in later life. <i>Archives of Gerontology and Geriatrics</i> , 2022, 99, 104585.	1.4	1
588	Reference Values and Correlates of Grip Strength in the Oldest Old: Evidence From the Representative NRW80+ (Germany). <i>Journal of the American Medical Directors Association</i> , 2022, 23, 898-899.	1.2	1
589	The Relationship between Income and Morbidity – Longitudinal Findings from the German Ageing Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12365.	1.2	1
590	Use of and Satisfaction with Telemedicine Services during the Pandemic: Findings from the COVID-19 Snapshot Monitoring in Germany (COSMO). <i>Healthcare (Switzerland)</i> , 2022, 10, 92.	1.0	1
591	Interdisciplinary, internet-based trans health care (i ² TransHealth): study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e045980.	0.8	1
592	Cost-effectiveness Analysis of a Stepped, Collaborative and Coordinated Health Care Network for Patients with Somatoform Disorders (Sofu-Net). <i>Journal of Mental Health Policy and Economics</i> , 2018, 21, 59-69.	0.6	1
593	Religion and cancer prevention: study protocol for a systematic review. <i>BMJ Open</i> , 2021, 11, e046126.	0.8	1
594	Association of mental demands in the workplace with cognitive function in older adults at increased risk for dementia. <i>BMC Geriatrics</i> , 2021, 21, 688.	1.1	1

#	ARTICLE	IF	CITATIONS
595	Associations between starting and stopping volunteering and physical activity among older adults - longitudinal evidence from the German Ageing Survey. BMC Public Health, 2022, 22, 578.	1.2	1
596	Excess costs of mental disorders by level of severity. Social Psychiatry and Psychiatric Epidemiology, 0, , .	1.6	1
597	Social Isolation and Incident Dementia in the Oldest-Oldâ€”A Competing Risk Analysis. Frontiers in Psychiatry, 0, 13, .	1.3	1
598	The association between the number of life births and certain frailty dimensions. Archives of Gerontology and Geriatrics, 2022, , 104759.	1.4	1
599	PGI33 Predictors of Direct Medical Costs of Crohn'S Disease and Ulcerative Colitis. Value in Health, 2011, 14, A397-A398.	0.1	0
600	P1-222 Predictors of institutionalisation in individuals with and without dementia: results from the Leipzig longitudinal study of the aged (LEILA75+). Journal of Epidemiology and Community Health, 2011, 65, A128-A128.	2.0	0
601	P1-223 Mild cognitive impairment: incidence and risk factors: results of the Leipzig longitudinal study of the aged (LEILA75+). Journal of Epidemiology and Community Health, 2011, 65, A128-A128.	2.0	0
602	P1-224 Impact of impairment in instrumental activities of daily living and mild cognitive impairment on time to incident dementia: results of the Leipzig longitudinal study of the aged (LEILA75+). Journal of Epidemiology and Community Health, 2011, 65, A128-A128.	2.0	0
603	PrimÃrprÃvention von sturzbedingten HÃ¼ftfrakturen bei Bewohnern von Pflegeheimen in Bayern. Public Health Forum, 2012, 20, 34-36.	0.1	0
604	Excess Costs of Panic Disorder with or without Agoraphobia in Germany - The Application of Entropy Balancing to Multiple Imputed Datasets. Value in Health, 2016, 19, A523-A524.	0.1	0
605	[P3â€”488]: THE IMPACT OF CARING FOR A RELATIVE WITH DEMENTIA ON INFORMAL CAREGIVERSâ€™ EMPLOYMENT: A SYSTEMATIC, MIXED STUDIES REVIEW. Alzheimer's and Dementia, 2017, 13, P1162.	0.4	0
606	The Impact of Informal Caregiving on the Cognitive Function of Older Caregivers: Evidence From A Longitudinal, Population-Based Study. American Journal of Geriatric Psychiatry, 2018, 26, S151-S152.	0.6	0
607	The Association Between Self-Regulation and Daily Sports Activities in a Nationally Representative Sample of Older Adults. Findings From the German Ageing Survey. Frontiers in Physiology, 2018, 9, 1763.	1.3	0
608	11 .Versorgung. , 2018, , 565-590.		0
609	HOW POLITICO-ECONOMIC SYSTEMS CAN SHAPE THE ATTITUDE TOWARD ELDERLY CARE: LESSONS FROM THE GERMAN REUNIFICATION. Innovation in Aging, 2019, 3, S675-S676.	0.0	0
610	Risk for disorientation: Longitudinal evidence from three oldâ€”age cohorts in Germany (AgeDifferent.de). Alzheimer's and Dementia, 2020, 16, e039676.	0.4	0
611	AgeWell.de (Germany). Alzheimer's and Dementia, 2020, 16, e046950.	0.4	0
612	The importance of familiarity with caregiving for public caregiver stigma: Evidence from a cross-sectional study in Germany. Archives of Gerontology and Geriatrics, 2021, 93, 104301.	1.4	0

#	ARTICLE	IF	CITATIONS
613	The Onset of Falls Reduces Subjective Well-Being. Findings of a Nationally Representative Longitudinal Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 599905.	1.3	0
614	Balancing care demands and personal needs: A typology on the reconciliation of informal dementia care with personal life based on narrative interviews. <i>Dementia</i> , 2021, 20, 147130122110083.	1.0	0
615	The moderating effects of social support and depressive symptoms on pain among elderly multimorbid patientsâ€™ data from the multicentre, prospective, observational cohort study MultiCare. <i>Aging and Mental Health</i> , 2021, , 1-7.	1.5	0
616	Needs and Healthcare Costs in Old Age. , 2021, , 91-96.		0
617	1428Factors leading to institutionalization among the oldest old. Longitudinal findings from the AgeCoDe-AgeQualiDe study. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
618	Epidemiologische und gesundheitsÃ¶konomische Aspekte. , 0, , 2-9.		0
619	10. dggÃ¶ Jahrestagung â€œ Ahoi in Hamburg. <i>Gesundheitsökonomie Und Qualitätsmanagement</i> , 2017, 22, 184-184.	0.0	0
620	Trauma-focused psychodynamic therapy and STAIR Narrative Therapy of post-traumatic stress disorder related to childhood maltreatment: trial protocol of a multicentre randomised controlled trial assessing psychological, neurobiological and health economic outcomes (ENHANCE). <i>BMJ Open</i> , 2020, 10, e040123.	0.8	0
621	Economic evaluations of musculoskeletal physiotherapy: protocol of a systematic review. <i>BMJ Open</i> , 2022, 12, e058143.	0.8	0
622	Does grandchild care affect ageing satisfaction? Findings based on a nationally representative longitudinal study. <i>PLoS ONE</i> , 2022, 17, e0265600.	1.1	0
623	Frequency and Correlates of Online Consultations With Doctors or Therapists in Middle-Aged and Older Adults: Nationally Representative Cross-sectional Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e29781.	2.1	0
624	Objective Job Demands of Oneself and Oneâ€™s Partner, and Depressive Symptoms. Evidence from a Nationally Representative Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12688.	1.2	0
625	Health-Related Quality of Life of Individuals Living In Households with Depression: Evidence from the German Socio-Economic Panel (SOEP). <i>Applied Research in Quality of Life</i> , 0, , 1.	1.4	0
626	Health-related quality of life of individuals sharing a household with persons with dementia. <i>Quality of Life Research</i> , 2021, , 1.	1.5	0