

Hans-Helmut Koenig

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/340558/hans-helmut-koenig-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

600
papers

13,841
citations

55
h-index

90
g-index

732
ext. papers

17,744
ext. citations

3.6
avg, IF

6.91
L-index

#	Paper	IF	Citations
600	Religious Denomination, Religiosity, Religious Attendance, and Cancer Prevention. A Systematic Review.. <i>Risk Management and Healthcare Policy</i> , 2022 , 15, 45-58	2.8	0
599	Oral health-related quality of life, probable depression and probable anxiety: evidence from a representative survey in Germany.. <i>BMC Oral Health</i> , 2022 , 22, 9	3.7	2
598	Interdisciplinary, internet-based trans health care (iTransHealth): study protocol for a randomised controlled trial.. <i>BMJ Open</i> , 2022 , 12, e045980	3	0
597	The onset of falls and its effects on perceived social exclusion and loneliness. Evidence from a nationally representative longitudinal study.. <i>Archives of Gerontology and Geriatrics</i> , 2022 , 100, 104622	4	0
596	Effect of an osteoporotic fracture prevention program on fracture incidence in routine care: a cluster-randomized trial.. <i>BMC Medicine</i> , 2022 , 20, 49	11.4	0
595	Frequency and correlates of use of applications for monitoring and increasing health and well-being in middle-aged and older adults. Findings from the German Ageing Survey. <i>Archives of Gerontology and Geriatrics</i> , 2022 , 98, 104571	4	0
594	A multifactorial interdisciplinary intervention to prevent functional and mobility decline for more participation in (pre-)frail community-dwelling older adults (PromeTheus): study protocol for a multicenter randomized controlled trial.. <i>BMC Geriatrics</i> , 2022 , 22, 124	4.1	0
593	Economic evaluations of musculoskeletal physiotherapy: protocol of a systematic review.. <i>BMJ Open</i> , 2022 , 12, e058143	3	
592	Level and correlates of empathy and altruism during the Covid-19 pandemic. Evidence from a representative survey in Germany.. <i>PLoS ONE</i> , 2022 , 17, e0265544	3.7	2
591	Factors Contributing to Persistent Frequent Attendance in Primary Care Among the Oldest Old: Longitudinal Evidence From the AgeCoDe-AgeQualiDe Study.. <i>Frontiers in Medicine</i> , 2022 , 9, 815419	4.9	
590	Willingness to pay for SARS-CoV-2 rapid antigen tests during the COVID-19 pandemic: evidence from the general adult population.. <i>Public Health</i> , 2022 , 207, 19-23	4	0
589	Does grandchild care affect ageing satisfaction? Findings based on a nationally representative longitudinal study.. <i>PLoS ONE</i> , 2022 , 17, e0265600	3.7	
588	Gender Differences in Mental Health, Quality of Life, and Caregiver Burden among Informal Caregivers during the Second Wave of the COVID-19 Pandemic in Germany: A Representative, Population-Based Study.. <i>Gerontology</i> , 2022 , 1-14	5.5	0
587	Frequency and Correlates of Online Consultations With Doctors or Therapists in Middle-Aged and Older Adults: Nationally Representative Cross-sectional Study.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e29781	7.6	
586	The role of migration status in the link between ADL/IADL and informal as well as formal care in Germany: Findings of the Survey of Health, Aging and Retirement in Europe.. <i>Archives of Gerontology and Geriatrics</i> , 2022 , 101, 104669	4	0
585	Associations between starting and stopping volunteering and physical activity among older adults - longitudinal evidence from the German Ageing Survey.. <i>BMC Public Health</i> , 2022 , 22, 578	4.1	
584	Are self-managed online interventions for depression effective in improving behavioral activation? A secondary analysis of a cluster-randomized controlled trial.. <i>Journal of Affective Disorders</i> , 2022 , 308, 413-420	6.6	2

583	Prevalence and correlates of coronavirus anxiety in Germany: Results of a nationally representative survey.. <i>Death Studies</i> , 2022 , 1-9	3.9	2
582	Prevalence of Prefrailty and Frailty Among Older Adults in Germany: A Systematic Review, Meta-Analysis and Meta-Regression.. <i>Frontiers in Medicine</i> , 2022 , 9, 870714	4.9	
581	Prevalence and correlates of loneliness, perceived and objective social isolation during the COVID-19 pandemic. Evidence from a representative survey in Germany.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	2
580	Determinants of Outpatient Physician Visits in the General Adult German Population during Later Stages of the COVID-19 Pandemic. <i>Healthcare (Switzerland)</i> , 2022 , 10, 1025	3.4	
579	Associations and correlates of general versus specific successful ageing components. <i>European Journal of Ageing</i> , 2021 , 18, 549-563	3.6	3
578	Flexible goal adjustment moderates the link between self-rated health and subjective well-being. Findings from the general population. <i>Ageing and Mental Health</i> , 2021 , 25, 1345-1350	3.5	4
577	Self-perceptions of ageing, GP visits and frequent attendance. Longitudinal findings from the German Ageing Survey. <i>Ageing and Mental Health</i> , 2021 , 25, 1493-1498	3.5	6
576	Attitudes towards the economic costs associated with measures against the spread of COVID-19: Population perceptions from repeated cross-sectional data of the nationally representative COVID-19 Snapshot Monitoring in Germany (COSMO). <i>PLoS ONE</i> , 2021 , 16, e0259451	3.7	0
575	Regular childhood dental visits, health-related factors and quality of life in later life. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 99, 104585	4	
574	Informal Caregiving, Loneliness and Social Isolation: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	6
573	Anxiety, Depression and Quality of Life-A Systematic Review of Evidence from Longitudinal Observational Studies. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
572	The Prevalence and Correlates of Probable Major Depressive Disorder and Probable Generalized Anxiety Disorder during the COVID-19 Pandemic. Results of a Nationally Representative Survey in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
571	Factors Leading to Institutionalization among the Oldest Old: Longitudinal Findings from the AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2021 , 1-9	5.5	0
570	Reference Values and Correlates of Grip Strength in the Oldest Old: Evidence From the Representative NRW80+ (Germany). <i>Journal of the American Medical Directors Association</i> , 2021 ,	5.9	
569	Prevalence and determinants of probable depression and anxiety during the COVID-19 pandemic in seven countries: Longitudinal evidence from the European Covid Survey (ECOS).. <i>Journal of Affective Disorders</i> , 2021 , 299, 517-517	6.6	12
568	Prevalence and determinants of depression and anxiety measured by the PHQ-4 among homeless individuals during the COVID-19 pandemic. Evidence from the Hamburg survey of homeless individuals.. <i>Psychiatry Research</i> , 2021 , 308, 114350	9.9	0
567	The longitudinal association of symptom-related and psychological factors with health-related quality of life in patients with chronic pelvic pain syndrome.. <i>Journal of Psychosomatic Research</i> , 2021 , 153, 110707	4.1	0
566	Informal caregiving during the COVID-19 pandemic: findings from a representative, population-based study during the second wave of the pandemic in Germany. <i>Ageing and Mental Health</i> , 2021 , 1-9	3.5	0

565	Are informal family caregivers stigmatized differently based on their gender or employment status?: a German study on public stigma towards informal long-term caregivers of older individuals. <i>BMC Public Health</i> , 2021 , 21, 1868	4.1	0
564	Cost-Effectiveness of a Group vs Individually Delivered Exercise Program in Community-Dwelling Persons Aged ≥70 Years. <i>Journal of the American Medical Directors Association</i> , 2021 ,	5.9	3
563	Association between onset and disappearance of pain and changes in physical activity among older adults - longitudinal evidence from the German Ageing Survey. <i>Psychogeriatrics</i> , 2021 ,	1.8	1
562	Driving status and health-related quality of life among the oldest old: a population-based examination using data from the AgeCoDe-AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 3109-3115	4.8	1
561	Asymmetric effects of obesity on loneliness among older Germans. Longitudinal findings from the Survey of Health, Ageing and Retirement in Europe. <i>Aging and Mental Health</i> , 2021 , 25, 2293-2297	3.5	3
560	Extending understanding of grandchild care on feelings of loneliness and isolation in later life : A literature review. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2021 , 54, 513-516	2.7	0
559	Factors Associated with Dental Service Use Based on the Andersen Model: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	5
558	Do self-reported hearing and visual impairments predict longitudinal dementia in older adults?. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 1519-1528	5.6	2
557	Anticholinergic drug burden according to the anticholinergic drug scale and the German anticholinergic burden and their impact on cognitive function in multimorbid elderly German people: a multicentre observational study. <i>BMJ Open</i> , 2021 , 11, e044230	3	1
556	Predictors of change in depressive symptoms in older and multimorbid patients: a longitudinal analysis of the multicare cohort. <i>Aging and Mental Health</i> , 2021 , 1-10	3.5	
555	The Onset of Falls Reduces Subjective Well-Being. Findings of a Nationally Representative Longitudinal Study. <i>Frontiers in Psychiatry</i> , 2021 , 12, 599905	5	
554	Traumatized Syrian Refugees with Ambiguous Loss: Predictors of Mental Distress. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
553	Determinants of health care use among homeless individuals: evidence from the Hamburg survey of homeless individuals. <i>BMC Health Services Research</i> , 2021 , 21, 317	2.9	4
552	Excess costs of type 2 diabetes and their sociodemographic and clinical determinants: a cross-sectional study using data from the German Health Interview and Examination Survey for Adults (DEGS1). <i>BMJ Open</i> , 2021 , 11, e043944	3	0
551	Health-economic evaluation of collaborative orthogeriatric care for patients with a hip fracture in Germany: a retrospective cohort study using health and long-term care insurance claims data. <i>European Journal of Health Economics</i> , 2021 , 22, 873-885	3.6	1
550	Balancing care demands and personal needs: A typology on the reconciliation of informal dementia care with personal life based on narrative interviews. <i>Dementia</i> , 2021 , 20, 2689-2707	3	
549	Using a brief web-based 5A intervention to improve weight management in primary care: results of a cluster-randomized controlled trial. <i>BMC Family Practice</i> , 2021 , 22, 61	2.6	3
548	Correlates of institutionalization among the oldest old-Evidence from the multicenter AgeCoDe-AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 1095-1102	3.9	5

547	Social Support and Functional Decline in the Oldest Old. <i>Gerontology</i> , 2021 , 1-9	5.5	3
546	Informal caregiving for adults, loneliness and social isolation: a study protocol for a systematic review. <i>BMJ Open</i> , 2021 , 11, e044902	3	1
545	Do lonely and socially isolated individuals think they die earlier? The link between loneliness, social isolation and expectations of longevity based on a nationally representative sample. <i>Psychogeriatrics</i> , 2021 , 21, 571-576	1.8	3
544	Factors associated with postponed health checkups during the COVID-19 pandemic in Germany. <i>Public Health</i> , 2021 , 194, 36-41	4	2
543	The moderating effects of social support and depressive symptoms on pain among elderly multimorbid patients-data from the multicentre, prospective, observational cohort study MultiCare. <i>Ageing and Mental Health</i> , 2021 , 1-7	3.5	
542	Determinants of healthcare use based on the Andersen model: a study protocol for a systematic review of longitudinal studies. <i>BMJ Open</i> , 2021 , 11, e044435	3	0
541	Needs and Healthcare Costs in Old Age 2021 , 91-96		
540	Health-related quality of life of refugees: a systematic review of studies using the WHOQOL-Bref instrument in general and clinical refugee populations in the community setting. <i>Conflict and Health</i> , 2021 , 15, 44	4	0
539	The Association Between Obesity and Social Isolation as Well as Loneliness in the Adult Population: A Systematic Review. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021 , 14, 2765-2773	2.4	4
538	A longitudinal perspective on inter vivos transfers between children and their parents in need of long-term care. <i>Journal of the Economics of Ageing</i> , 2021 , 19, 100324	1.5	1
537	Prevalence and Factors Associated with Fear of COVID-19 Among Homeless Individuals During the COVID-19 Pandemic: Evidence from the Hamburg Survey of Homeless Individuals. <i>Risk Management and Healthcare Policy</i> , 2021 , 14, 2689-2695	2.8	3
536	The Role of Social Isolation and the Development of Depression. A Comparison of the Widowed and Married Oldest Old in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
535	The empty nest, depressive symptoms and loneliness of older parents: Prospective findings from the German Ageing Survey. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 95, 104425	4	2
534	Association of Alcohol and Tobacco Consumption with Depression Severity in the Oldest Old. Results from the Age Different Old Age Cohort Platform. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
533	Cost-Effectiveness of Magnetic Resonance Imaging-Guided Thrombolysis for Patients With Stroke With Unknown Time of Onset. <i>Value in Health</i> , 2021 , 24, 1620-1627	3.3	0
532	Do postponed dental visits for financial reasons reduce quality of life? Evidence from the Survey of Health, Ageing and Retirement in Europe. <i>Ageing Clinical and Experimental Research</i> , 2021 , 33, 437-442	4.8	2
531	Does the beginning and the end of income poverty affect psychosocial factors among middle-aged and older adults? Findings based on nationally representative longitudinal data. <i>Ageing and Mental Health</i> , 2021 , 25, 906-912	3.5	3
530	Association of vision problems with psychosocial factors among middle-aged and older individuals: findings from a nationally representative study. <i>Ageing and Mental Health</i> , 2021 , 25, 946-953	3.5	4

529	What are the social consequences of beginning or ceasing to care for grandchildren? Evidence from an asymmetric fixed effects analysis of community dwelling adults in Germany. <i>Aging and Mental Health</i> , 2021 , 25, 969-975	3.5	6
528	Help-seeking for psychological distress and its association with anxiety in the oldest old - results from the AgeQualiDe cohort study. <i>Aging and Mental Health</i> , 2021 , 25, 923-929	3.5	2
527	Sexual satisfaction of middle-aged and older adults: longitudinal findings from a nationally representative sample. <i>Age and Ageing</i> , 2021 , 50, 559-564	3	4
526	Determinants of dental treatment avoidance: findings from a nationally representative study. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 1337-1343	4.8	1
525	Social Isolation and Loneliness of Older Adults in Times of the COVID-19 Pandemic: Can Use of Online Social Media Sites and Video Chats Assist in Mitigating Social Isolation and Loneliness?. <i>Gerontology</i> , 2021 , 67, 121-124	5.5	32
524	Depression Partially Mediates the Association of Adverse Childhood Experiences with Pain Intensity in Patients with Chronic Pelvic Pain Syndrome: Results from a Cross-Sectional Patient Survey. <i>Pain Medicine</i> , 2021 , 22, 1174-1184	2.8	1
523	Depressive Symptoms and Frailty Among the Oldest Old: Evidence from a Multicenter Prospective Study. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 577-582.e2	5.9	1
522	The importance of familiarity with caregiving for public caregiver stigma: Evidence from a cross-sectional study in Germany. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 93, 104301	4	
521	Reliability, Validity and Responsiveness of the EQ-5D-5L in Assessing and Valuing Health Status in Adolescents and Young Adults with Posttraumatic Stress Disorder: a Randomized Controlled Trial. <i>Psychiatric Quarterly</i> , 2021 , 92, 459-471	4.1	2
520	Planning to move into a nursing home in old age: does sexual orientation matter?. <i>Age and Ageing</i> , 2021 , 50, 974-979	3	2
519	Effects of APOE e4-allele and mental work demands on cognitive decline in old age: Results from the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 152-162	3.9	2
518	Dementia care-giving and employment: a mixed-studies review on a presumed conflict. <i>Ageing and Society</i> , 2021 , 41, 1094-1125	1.7	5
517	Non-random relations in drug use expressed as patterns comprising prescription and over-the-counter drugs in multimorbid elderly patients in primary care: Data of the exploratory analysis of the multicentre, observational cohort study MultiCare. <i>European Journal of General Practice</i> , 2021 , 27, 119-129	2.8	
516	Recruitment and Baseline Characteristics of Participants in the AgeWell.de Study-A Pragmatic Cluster-Randomized Controlled Lifestyle Trial against Cognitive Decline. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	6
515	German tariffs for the ICECAP-Supportive Care Measure (ICECAP-SCM) for use in economic evaluations at the end of life. <i>European Journal of Health Economics</i> , 2021 , 22, 365-380	3.6	1
514	Postponed Dental Visits during the COVID-19 Pandemic and their Correlates. Evidence from the Nationally Representative COVID-19 Snapshot Monitoring in Germany (COSMO). <i>Healthcare (Switzerland)</i> , 2021 , 9,	3.4	7
513	A Self-Help App for Syrian Refugees With Posttraumatic Stress (Sanadak): Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e24807	5.5	5
512	GPs' awareness of car driving among oldest patients: exploratory results from a primary care cohort. <i>BJGP Open</i> , 2021 , 5,	3.1	1

511	Disorientation in Time and Place in Old Age: Longitudinal Evidence from Three Old Age Cohorts in Germany (AgeDifferent.de Platform). <i>Journal of Alzheimer's Disease</i> , 2021 , 79, 1589-1599	4.3	
510	Spousal care and its effect on partnership characteristics - a longitudinal analysis of spousal caregiving and care receipt in Germany. <i>Scandinavian Journal of Caring Sciences</i> , 2021 ,	2.3	2
509	Frailty and Autonomy among the Oldest Old: Evidence from the Multicenter Prospective AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2021 , 67, 591-598	5.5	0
508	The Excess Costs of Depression and the Influence of Sociodemographic and Socioeconomic Factors: Results from the German Health Interview and Examination Survey for Adults (DEGS). <i>Pharmacoeconomics</i> , 2021 , 39, 667-680	4.4	3
507	Cultural differences in the intended use of long-term care services in the United States: The role of family ties. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2021 ,	4.6	2
506	Determinants of Frequent Attendance in Primary Care. A Systematic Review of Longitudinal Studies. <i>Frontiers in Medicine</i> , 2021 , 8, 595674	4.9	4
505	Loneliness among Homeless Individuals during the First Wave of the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	6
504	Health-related quality of life and ego integrity among the oldest old - Evidence from the multicenter AgeCoDe-AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 95, 104408	4	0
503	Determinants of Postponed Cancer Screening During the COVID-19 Pandemic: Evidence from the Nationally Representative COVID-19 Snapshot Monitoring in Germany (COSMO). <i>Risk Management and Healthcare Policy</i> , 2021 , 14, 3003-3011	2.8	1
502	Does obesity lead to loneliness and perceived social isolation in the second half of life? Findings from a nationally representative study in Germany. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 836-841	2.9	1
501	Mental Health Self-Stigma of Syrian Refugees With Posttraumatic Stress Symptoms: Investigating Sociodemographic and Psychopathological Correlates. <i>Frontiers in Psychiatry</i> , 2021 , 12, 642618	5	2
500	Predictors of psychological distress in Syrian refugees with posttraumatic stress in Germany. <i>PLoS ONE</i> , 2021 , 16, e0254406	3.7	2
499	Personality and functional impairment. Evidence from the Survey of Health, Ageing and Retirement in Europe. <i>Psychogeriatrics</i> , 2021 , 21, 861-868	1.8	0
498	Do oldest old individuals perceive receipt of informal care as a restriction or support of their autonomy?. <i>Aging and Mental Health</i> , 2021 , 1-12	3.5	
497	The Excess Costs of Dementia: A Systematic Review and Meta-Analysis. <i>Journal of Alzheimer's Disease</i> , 2021 , 83, 333-354	4.3	4
496	Do Loneliness and Perceived Social Isolation Reduce Expected Longevity and Increase the Frequency of Dealing with Death and Dying? Longitudinal Findings based on a Nationally Representative Sample. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 1720-1725.e5	5.9	6
495	Personality and Falls: Findings Based on the Survey of Health, Aging, and Retirement in Europe. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 2605-2607	5.9	
494	Willingness to bear economic costs of measures against SARS-CoV-2 in Germany. <i>BMC Public Health</i> , 2021 , 21, 1698	4.1	0

493	The efficacy of automated feedback after internet-based depression screening: Study protocol of the German, three-armed, randomised controlled trial DISCOVER. <i>Internet Interventions</i> , 2021 , 25, 100435	4.4	0
492	Lifestyle-integrated functional exercise to prevent falls and promote physical activity: Results from the LiFE-is-LiFE randomized non-inferiority trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 115	8.4	3
491	Frequency of contact with friends and relatives via internet and psychosocial factors in middle-aged and older adults during the COVID-19 pandemic. Findings from the German Ageing Survey. <i>International Journal of Geriatric Psychiatry</i> , 2021 ,	3.9	1
490	Comparison of FORTA, PRISCUS and EU(7)-PIM lists on identifying potentially inappropriate medication and its impact on cognitive function in multimorbid elderly German people in primary care: a multicentre observational study. <i>BMJ Open</i> , 2021 , 11, e050344	3	3
489	Excess costs of dementia in old age (85+) in Germany: Results from the AgeCoDe-AgeQualiDe study. <i>Journal of the Economics of Ageing</i> , 2021 , 20, 100346	1.5	0
488	The association of childhood maltreatment, somatization and health-related quality of life in adult age: Results from a population-based cohort study. <i>Child Abuse and Neglect</i> , 2021 , 120, 105226	4.3	1
487	Relationship between personality factors and frailty. A systematic review. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 97, 104508	4	2
486	Do Informal Caregivers Expect to Die Earlier? A Longitudinal Study with a Population-Based Sample on Subjective Life Expectancy of Informal Caregivers. <i>Gerontology</i> , 2021 , 67, 467-481	5.5	3
485	The Big Five personality traits and regularity of lifetime dental visit attendance: evidence of the Survey of Health, Ageing, and Retirement in Europe (SHARE).. <i>Aging Clinical and Experimental Research</i> , 2021 , 1	4.8	0
484	Outcomes and costs of ureteroscopy, extracorporeal shockwave lithotripsy, and percutaneous nephrolithotomy for the treatment of urolithiasis: an analysis based on health insurance claims data in Germany.. <i>World Journal of Urology</i> , 2021 , 40, 781	4	1
483	Religion and cancer prevention: study protocol for a systematic review.. <i>BMJ Open</i> , 2021 , 11, e046126	3	1
482	Association of mental demands in the workplace with cognitive function in older adults at increased risk for dementia. <i>BMC Geriatrics</i> , 2021 , 21, 688	4.1	0
481	Social support and health-related quality of life among the oldest old - longitudinal evidence from the multicenter prospective AgeCoDe-AgeQualiDe study.. <i>Quality of Life Research</i> , 2021 , 1	3.7	0
480	Health-related quality of life of individuals sharing a household with persons with dementia.. <i>Quality of Life Research</i> , 2021 , 1	3.7	
479	Perceptions of Health Care Use in Germany during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	13
478	Risk for disorientation: Longitudinal evidence from three old-age cohorts in Germany (AgeDifferent.de). <i>Alzheimer's and Dementia</i> , 2020 , 16, e039676	1.2	
477	AgeWell.de (Germany). <i>Alzheimer's and Dementia</i> , 2020 , 16, e046950	1.2	
476	Impact of morbidity on care need increase and mortality in nursing homes: a retrospective longitudinal study using administrative claims data. <i>BMC Geriatrics</i> , 2020 , 20, 439	4.1	3

475	Recruitment and Baseline Characteristics of Participants in the "Sanadak" Trial: A Self-Help App for Syrian Refugees with Post-traumatic Stress. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
474	Unmet care needs in the oldest old with social loss experiences: results of a representative survey. <i>BMC Geriatrics</i> , 2020 , 20, 416	4.1	3
473	Prediction of dementia of Alzheimer type by different types of subjective cognitive decline. <i>Alzheimer's and Dementia</i> , 2020 , 16, 1745-1749	1.2	4
472	Changes in Social Network Size Are Associated With Cognitive Changes in the Oldest-Old. <i>Frontiers in Psychiatry</i> , 2020 , 11, 330	5	10
471	What are the psychosocial consequences when fear of falling starts or ends? Evidence from an asymmetric fixed effects analysis based on longitudinal data from the general population. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 1028-1035	3.9	4
470	Osteoporotic hip fracture prediction from risk factors available in administrative claims data - A machine learning approach. <i>PLoS ONE</i> , 2020 , 15, e0232969	3.7	5
469	Study protocol for a randomised controlled trial evaluating an evidence-based, stepped and coordinated care service model for mental disorders (RECOVER). <i>BMJ Open</i> , 2020 , 10, e036021	3	4
468	Fear of Dementia in the General Population: Findings from the German Socio-Economic Panel (GSOEP). <i>Journal of Alzheimer's Disease</i> , 2020 , 75, 1135-1140	4.3	7
467	Economic evaluations and cost analyses in posttraumatic stress disorder: a systematic review. <i>Høgre Utbildning</i> , 2020 , 11, 1753940	5	15
466	The association between informal caregiving and behavioral risk factors: a cross-sectional study. <i>International Journal of Public Health</i> , 2020 , 65, 911-921	4	7
465	Cost-effectiveness of Practice Team-Supported Exposure Training for Panic Disorder and Agoraphobia in Primary Care: a Cluster-Randomized Trial. <i>Journal of General Internal Medicine</i> , 2020 , 35, 1120-1126	4	0
464	The onset of falls reduces perceived autonomy among middle aged and older adults. Results from a longitudinal nationally representative sample. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 90, 104115	4	5
463	Telephone health coaching with exercise monitoring using wearable activity trackers (TeGeCoach) for improving walking impairment in peripheral artery disease: study protocol for a randomised controlled trial and economic evaluation. <i>BMJ Open</i> , 2020 , 10, e032146	3	3
462	Determinants of Perceived Own Risk for Developing Dementia and the Perception That Memory Deterioration Is Preventable. Findings From the General Adult Population in Germany. <i>Frontiers in Medicine</i> , 2020 , 7, 203	4.9	1
461	Association between Subjective Well-Being and Frequent Dental Visits in the German Ageing Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
460	How does the integration of collaborative care elements in a gatekeeping system affect the costs for mental health care in Germany?. <i>European Journal of Health Economics</i> , 2020 , 21, 751-761	3.6	1
459	Uptake of an exercise class and use of bone density measurement after advice by the health insurance fund: results from the osteoporotic fracture prevention program in rural areas (OFRA). <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 1255-1262	4.8	1
458	Regional variation of care dependency after hip fracture in Germany: A retrospective cohort study using health insurance claims data. <i>PLoS ONE</i> , 2020 , 15, e0230648	3.7	2

457	Sex-Specific Associations Between Depressive Symptoms and Risk for Subsequent Dementia. <i>Journal of Alzheimer's Disease</i> , 2020 , 74, 151-161	4.3	3
456	The moderating role of flexible goal adjustment in the link between pain and depressive symptoms: findings based on a nationally representative sample of older adults. <i>Psychogeriatrics</i> , 2020 , 20, 602-607	1.8	6
455	Reductions in cognitive functioning are associated with decreases in satisfaction with aging. Longitudinal findings based on a nationally representative sample. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 89, 104072	4	
454	Determinants of Frequent Attendance in Primary Care. Study Protocol for a Systematic Review of Longitudinal Studies. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
453	Which Factors Contribute to Frailty among the Oldest Old? Results of the Multicentre Prospective AgeCoDe and AgeQualiDe Study. <i>Gerontology</i> , 2020 , 66, 460-466	5.5	2
452	Frequent attendance in primary care in the oldest old: evidence from the AgeCoDe-AgeQualiDe study. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 2629-2638	4.8	5
451	Patient-Centered Placement Matching of Alcohol-Dependent Patients Based on a Standardized Intake Assessment: Primary Outcomes of an Exploratory Randomized Controlled Trial. <i>European Addiction Research</i> , 2020 , 26, 109-121	4.6	2
450	Mild cognitive impairment and quality of life in the oldest old: a closer look. <i>Quality of Life Research</i> , 2020 , 29, 1675-1683	3.7	21
449	How does the onset of incontinence affect satisfaction with life among older women and men? Findings from a nationally representative longitudinal study (German Ageing Survey). <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 16	3	2
448	Personality Factors and Sick Leave Days. Evidence from a Nationally Representative Longitudinal Study in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
447	The link between falls, social isolation and loneliness: A systematic review. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 88, 104020	4	31
446	Prevalence and factors associated with obesity among the oldest old. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 89, 104069	4	4
445	Dual sensory impairment and healthcare use: Findings from a nationally representative sample. <i>Geriatrics and Gerontology International</i> , 2020 , 20, 602-606	2.9	3
444	Which factors contribute to loneliness among older Europeans? Findings from the Survey of Health, Ageing and Retirement in Europe: Determinants of loneliness. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 89, 104080	4	16
443	Late-Life Depressive Symptoms Are Associated With Functional Impairment Cross-sectionally and Over Time: Results of the AgeMooDe Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020 , 75, 811-820	4.6	4
442	How Politico-Economic Systems Shape Individuals' Value of Elderly Care: Evidence From the German Reunification. <i>Gerontologist, The</i> , 2020 , 60, 350-358	5	0
441	Personality and the use of cancer screenings. A systematic review. <i>PLoS ONE</i> , 2020 , 15, e0244655	3.7	2
440	Trauma-focused psychodynamic therapy and STAIR Narrative Therapy of post-traumatic stress disorder related to childhood maltreatment: trial protocol of a multicentre randomised controlled trial assessing psychological, neurobiological and health economic outcomes (ENHANCE). <i>BMJ Open</i> , 2020 , 10, e016123	3	

439	Internet Use in Old Age: Results of a German Population-Representative Survey. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15543	7.6	13
438	The Association Between Orthogeriatric Co-Management and Mortality Following Hip Fracture. <i>Deutsches Arzteblatt International</i> , 2020 , 117, 53-59	2.5	16
437	Beyond symptoms: why do patients see the doctor?. <i>BJGP Open</i> , 2020 , 4,	3.1	8
436	Stepped, Collaborative, Coordinated Care for Somatic Symptom and Related Disorders (Sofu-Net). <i>Zeitschrift Fur Psychologie / Journal of Psychology</i> , 2020 , 228, 119-129	1.8	3
435	Rationale and Design of the Hamburg City Health Study. <i>European Journal of Epidemiology</i> , 2020 , 35, 169-181	12.1	30
434	Determinants of incident dementia in different old age groups: results of the prospective AgeCoDe/AgeQualiDe study. <i>International Psychogeriatrics</i> , 2020 , 32, 645-659	3.4	4
433	Syrian refugees in Germany: Perspectives on mental health and coping strategies. <i>Journal of Psychosomatic Research</i> , 2020 , 129, 109906	4.1	22
432	Perceived social isolation and cognitive functioning. Longitudinal findings based on the German Ageing Survey. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 276-281	3.9	8
431	Mediating factors on the association between fear of falling and health-related quality of life in community-dwelling German older people: a cross-sectional study. <i>BMC Geriatrics</i> , 2020 , 20, 401	4.1	3
430	Dual sensory impairment and psychosocial factors. Findings based on a nationally representative sample. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 91, 104234	4	5
429	Standardisierte Kostenberechnungen im deutschen Gesundheitswesen: Bericht der Arbeitsgruppe Standardkosten des Ausschusses Ökonomische Evaluation der dgg. <i>Gesundheitsökonomie Und Qualitätsmanagement</i> , 2020 , 25, 52-59	0.3	1
428	Multimorbidity, Loneliness, and Social Isolation. A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	16
427	Religious Attendance and Cancer Screening Behavior. <i>Frontiers in Oncology</i> , 2020 , 10, 583925	5.3	3
426	Health-Related Quality of Life of Asylum Seekers and Refugees in Germany: a Cross-Sectional Study with Data from the German Socio-Economic Panel. <i>Applied Research in Quality of Life</i> , 2020 , 1	2.3	5
425	Effects of strategies to improve general practitioner-nurse collaboration and communication in regard to hospital admissions of nursing home residents (interprof ACT): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2020 , 21, 913	2.8	1
424	Psychometric Properties of the EQ-5D for the Assessment of Health-Related Quality of Life in the Population of Middle-Old and Oldest-Old Persons: Study Protocol for a Systematic Review. <i>Frontiers in Public Health</i> , 2020 , 8, 578073	6	1
423	Feeling too old? Consequences for subjective well-being. Longitudinal findings from the German Ageing Survey. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 90, 104127	4	2
422	Determinants of Dental Service Use Based on the Andersen Model: A Study Protocol for a Systematic Review. <i>Healthcare (Switzerland)</i> , 2020 , 8,	3.4	2

421	Psychosocial consequences of transitioning into informal caregiving in male and female caregivers: Findings from a population-based panel study. <i>Social Science and Medicine</i> , 2020 , 264, 113281	5.1	20
420	Prevalence and Correlates of Individuals Screening Positive for Depression and Anxiety on the PHQ-4 in the German General Population: Findings from the Nationally Representative German Socio-Economic Panel (GSOEP). <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	8
419	Depression screening using patient-targeted feedback in general practices: study protocol of the German multicentre GET.FEEDBACK.GP randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e035973	3	3
418	Health-Related Quality of Life and Costs of Posttraumatic Stress Disorder in Adolescents and Young Adults in Germany. <i>Frontiers in Psychiatry</i> , 2020 , 11, 697	5	1
417	Determinants of Willingness to Pay for Health Insurance in Germany-Results of the Population-Based Health Study of the Leipzig Research Centre for Civilization Diseases (LIFE-Adult-Study). <i>Frontiers in Public Health</i> , 2020 , 8, 456	6	1
416	Differences in Self-Esteem Between Cat Owners, Dog Owners, and Individuals Without Pets. <i>Frontiers in Veterinary Science</i> , 2020 , 7, 552	3.1	5
415	Personality, Health Care Use, and Costs: A Study Protocol for a Systematic Review. <i>Healthcare (Switzerland)</i> , 2020 , 8,	3.4	2
414	Dementia care-giving from a family network perspective in Germany: A typology. <i>Health and Social Care in the Community</i> , 2020 ,	2.6	4
413	EQ-5D-3L health status and health state utilities of the oldest-old (85 +) in Germany: results from the AgeCoDe-AgeQualiDe study. <i>Quality of Life Research</i> , 2020 , 29, 3223-3232	3.7	2
412	Cost-effectiveness of guideline-based stepped and collaborative care versus treatment as usual for patients with depression - a cluster-randomized trial. <i>BMC Psychiatry</i> , 2020 , 20, 427	4.2	1
411	Internet-Based Cognitive Behavior Therapy Only for the Young? A Secondary Analysis of a Randomized Controlled Trial of Depression Treatment. <i>Frontiers in Psychiatry</i> , 2020 , 11, 735	5	3
410	Personality, Healthcare Use and Costs-A Systematic Review. <i>Healthcare (Switzerland)</i> , 2020 , 8,	3.4	4
409	Exploring the identification, validation, and categorization of costs and benefits of education in mental health: The PECUNIA project. <i>International Journal of Technology Assessment in Health Care</i> , 2020 , 36, 325-331	1.8	5
408	How does beginning or ceasing of informal caregiving of individuals in poor health influence sleep quality? Findings from a nationally representative longitudinal study. <i>Aging and Mental Health</i> , 2020 , 1-6	3.5	5
407	Depression treatment in Germany - using claims data to compare a collaborative mental health care program to the general practitioner program and usual care in terms of guideline adherence and need-oriented access to psychotherapy. <i>BMC Psychiatry</i> , 2020 , 20, 591	4.2	1
406	The impact of receiving informal care on self-esteem and its moderation by social class. <i>Aging and Mental Health</i> , 2020 , 24, 1736-1745	3.5	1
405	Impact of stroke on affective well-being: findings from a large longitudinal nationally representative study. <i>Aging and Mental Health</i> , 2020 , 24, 2006-2013	3.5	
404	Needs and health care costs in old age: a longitudinal perspective: results from the AgeMooDe study. <i>Aging and Mental Health</i> , 2020 , 24, 1763-1768	3.5	6

403	Correlates of hospitalization among the oldest old: results of the AgeCoDe-AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 1295-1301	4.8	8
402	How do cat owners, dog owners and individuals without pets differ in terms of psychosocial outcomes among individuals in old age without a partner?. <i>Aging and Mental Health</i> , 2020 , 24, 1613-1619	3.5	12
401	Longitudinal association between panic disorder and health care costs in older adults. <i>Depression and Anxiety</i> , 2019 , 36, 1135-1142	8.4	1
400	Determinants of Postponed Dental Visits Due to Costs: Evidence from the Survey of Health, Ageing, and Retirement in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
399	Psychometric properties of the Patient Assessment of Chronic Illness Care measure (PACIC-5A) among patients with obesity. <i>BMC Health Services Research</i> , 2019 , 19, 61	2.9	3
398	The association between use of online social networks sites and perceived social isolation among individuals in the second half of life: results based on a nationally representative sample in Germany. <i>BMC Public Health</i> , 2019 , 19, 40	4.1	24
397	Cost-effectiveness analysis of collaborative treatment of late-life depression in primary care (GermanIMPACT). <i>European Psychiatry</i> , 2019 , 57, 10-18	6	4
396	The allocation of resources in the care for patients with panic disorder in Germany: an excess cost analysis informing policy and science. <i>Cost Effectiveness and Resource Allocation</i> , 2019 , 17, 9	2.4	3
395	Prevalence of Anxiety Symptoms and Their Association With Loss Experience in a Large Cohort Sample of the Oldest-Old. Results of the AgeCoDe/AgeQualiDe Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 285	5	9
394	The longitudinal association of multimorbidity on loneliness and network size: Findings from a population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 1490-1497	3.9	11
393	Women Outperform Men in Verbal Episodic Memory Even in Oldest-Old Age: 13-Year Longitudinal Results of the AgeCoDe/AgeQualiDe Study. <i>Journal of Alzheimer's Disease</i> , 2019 , 69, 857-869	4.3	8
392	Self-Rated Health and Social Exclusion: Does Gardening Moderate This Relation? Evidence from the German Ageing Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
391	Determinants of health-care costs in the oldest-old in Germany. <i>Journal of the Economics of Ageing</i> , 2019 , 14, 100200	1.5	2
390	Symptom trajectories in patients with panic disorder in a primary care intervention: Results from a randomized controlled trial (PARADISE). <i>Scientific Reports</i> , 2019 , 9, 7170	4.9	2
389	Determinants of Frequent Attendance of Outpatient Physicians: A Longitudinal Analysis Using the German Socio-Economic Panel (GSOEP). <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	9
388	HELP@APP: development and evaluation of a self-help app for traumatized Syrian refugees in Germany - a study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2019 , 19, 131	4.2	12
387	Health-related quality of life measured with the EQ-5D-5L: estimation of normative index values based on a representative German population sample and value set. <i>European Journal of Health Economics</i> , 2019 , 20, 933-944	3.6	42
386	Subjective Cognitive Decline May Be a Stronger Predictor of Incident Dementia in Women than in Men. <i>Journal of Alzheimer's Disease</i> , 2019 , 68, 1469-1478	4.3	18

385	Association between anxiety, depression and quality of life: study protocol for a systematic review of evidence from longitudinal studies. <i>BMJ Open</i> , 2019 , 9, e027218	3	11
384	Cost Comparison of Surgical Clipping and Endovascular Coiling of Unruptured Intracranial Aneurysms: A Systematic Review. <i>World Neurosurgery</i> , 2019 , 125, 461-468	2.1	5
383	Prevalence and determinants of driving habits in the oldest old: Results of the multicenter prospective AgeCoDe-AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2019 , 82, 245-250	4	7
382	The role of optimism, self-esteem, and self-efficacy in moderating the relation between health comparisons and subjective well-being: Results of a nationally representative longitudinal study among older adults. <i>British Journal of Health Psychology</i> , 2019 , 24, 547-570	8.3	13
381	Somatic and psychosocial determinants of symptom severity and quality of life in male and female patients with chronic pelvic pain syndrome. <i>Journal of Psychosomatic Research</i> , 2019 , 120, 1-7	4.1	18
380	What Is Successful Aging? A Psychometric Validation Study of Different Construct Definitions. <i>Gerontologist, The</i> , 2019 , 59, 738-748	5	19
379	AgeWell.de - study protocol of a pragmatic multi-center cluster-randomized controlled prevention trial against cognitive decline in older primary care patients. <i>BMC Geriatrics</i> , 2019 , 19, 203	4.1	11
378	Falls Are Associated With Decreased Autonomy, and Self-Efficacy Moderates This Relation: Results From a National Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 447	5	8
377	Income, Self-Rated Health, and Morbidity. A Systematic Review of Longitudinal Studies. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	9
376	Not Getting What You Want? The Impact of Income Comparisons on Subjective Well-Being-Findings of a Population-Based Longitudinal Study in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	3
375	Personality Traits and Obesity. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
374	The link between sexual satisfaction and subjective well-being: a longitudinal perspective based on the German Ageing Survey. <i>Quality of Life Research</i> , 2019 , 28, 3025-3035	3.7	11
373	Are older men more vulnerable to depression than women after losing their spouse? Evidence from three German old-age cohorts (AgeDifferent.de platform). <i>Journal of Affective Disorders</i> , 2019 , 256, 650-657	6.6	13
372	Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe and AgeQualiDe study. <i>Geriatrics and Gerontology International</i> , 2019 , 19, 705-710	2.9	5
371	Osteoporosis, Fear of Falling, and Restrictions in Daily Living. Evidence From a Nationally Representative Sample of Community-Dwelling Older Adults. <i>Frontiers in Endocrinology</i> , 2019 , 10, 646	5.7	5
370	Life satisfaction of informal care recipients: Findings from the German Ageing Survey. <i>British Journal of Health Psychology</i> , 2019 , 24, 859-875	8.3	4
369	The association of multimorbidity, loneliness, social exclusion and network size: findings from the population-based German Ageing Survey. <i>BMC Public Health</i> , 2019 , 19, 1383	4.1	19
368	Are perceived bad working conditions and perceived workplace bullying associated with doctor visits? Results of the nationally representative German General Social Survey. <i>BMC Health Services Research</i> , 2019 , 19, 697	2.9	2

367	Panic Disorder in Primary Care. <i>Deutsches A&#x0308;rzteblatt International</i> , 2019 , 116, 159-166	2.5	3
366	Association of anxiety symptoms with health care use and costs in people aged 85 and over. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 765-776	3.9	4
365	The association between voluntary work and health care use among older adults in Germany. <i>BMC Health Services Research</i> , 2019 , 19, 39	2.9	7
364	Association between caring for grandchildren and feelings of loneliness, social isolation and social network size: a cross-sectional study of community dwelling adults in Germany. <i>BMJ Open</i> , 2019 , 9, e029605	3.6	11
363	HOW POLITICO-ECONOMIC SYSTEMS CAN SHAPE THE ATTITUDE TOWARD ELDERLY CARE: LESSONS FROM THE GERMAN REUNIFICATION. <i>Innovation in Aging</i> , 2019 , 3, S675-S676	0.1	78
362	Study protocol for the COMET study: a cluster-randomised, prospective, parallel-group, superiority trial to compare the effectiveness of a collaborative and stepped care model versus treatment as usual in patients with mental disorders in primary care. <i>BMJ Open</i> , 2019 , 9, e032408	3	7
361	The value of the GP's clinical judgement in predicting dementia: a multicentre prospective cohort study among patients in general practice. <i>British Journal of General Practice</i> , 2019 , 69, e786-e793	1.6	2
360	Meaning in life and health care use: findings from a nationally representative study of older adults in Germany. <i>BMC Geriatrics</i> , 2019 , 19, 368	4.1	16
359	Lifestyle Aspects As A Predictor Of Pain Among Oldest-Old Primary Care Patients - A Longitudinal Cohort Study. <i>Clinical Interventions in Aging</i> , 2019 , 14, 1881-1888	4	1
358	eHealth-supported case management for patients with panic disorder or depression in primary care: Study protocol for a cRCT (PREMA). <i>Trials</i> , 2019 , 20, 662	2.8	2
357	Health behaviour, social support, socio-economic status and the 5-year progression of multimorbidity: Results from the MultiCare Cohort Study.. <i>Journal of Comorbidity</i> , 2019 , 9, 2235042X1983560 ²	4	2
356	Caring for the elderly: A person-centered segmentation approach for exploring the association between health care needs, mental health care use, and costs in Germany. <i>PLoS ONE</i> , 2019 , 14, e0226510 ²	2.7	4
355	Does Loneliness Predict Subsequent Use of Flu Vaccination? Findings from a Nationally Representative Study of Older Adults in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	2
354	Predictors of Seeking Psychotherapy in Primary Care Patients with High Somatic Symptom Burden. <i>Behavioral Medicine</i> , 2019 , 45, 231-239	4.4	4
353	Association of generalized anxiety symptoms and panic with health care costs in older age-Results from the ESTHER cohort study. <i>Journal of Affective Disorders</i> , 2019 , 245, 978-986	6.6	6
352	Patient Characteristics as Indicator for Care Dependence after Hip Fracture: A Retrospective Cohort Study Using Health Insurance Claims Data From Germany. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 451-455.e3	5.9	5
351	Unmet health care needs in old age and their association with depression - results of a population-representative survey. <i>Journal of Affective Disorders</i> , 2019 , 245, 998-1006	6.6	12
350	Is function in instrumental activities of daily living a useful feature in predicting Alzheimer's disease dementia in subjective cognitive decline?. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 193-203	3.9	27

349	Out-of-pocket-payments and the financial burden of 502 cancer patients of working age in Germany: results from a longitudinal study. <i>Supportive Care in Cancer</i> , 2019 , 27, 2221-2228	3.9	27
348	Impact of informal caregiving on loneliness and satisfaction with leisure-time activities. Findings of a population-based longitudinal study in Germany. <i>Aging and Mental Health</i> , 2019 , 23, 1539-1545	3.5	13
347	Obesity and loneliness. Findings from a longitudinal population-based study in the second half of life in Germany. <i>Psychogeriatrics</i> , 2019 , 19, 135-140	1.8	8
346	Stated preferences for long-term care: a literature review. <i>Ageing and Society</i> , 2019 , 39, 1873-1913	1.7	36
345	Population norms for the EQ-5D-3L: a cross-country analysis of population surveys for 20 countries. <i>European Journal of Health Economics</i> , 2019 , 20, 205-216	3.6	85
344	Seeking the balance between caregiving in dementia, family and employment: study protocol for a mixed methods study in Northern Germany. <i>BMJ Open</i> , 2018 , 8, e019444	3	4
343	A systematic review of the association of anxiety with health care utilization and costs in people aged 65 years and older. <i>Journal of Affective Disorders</i> , 2018 , 232, 163-176	6.6	25
342	Somatoform disorder in primary care: The influence of co-morbidity with anxiety and depression on health care utilization. <i>Journal of Evaluation in Clinical Practice</i> , 2018 , 24, 892-900	2.5	8
341	Preferences for home- and community-based long-term care services in Germany: a discrete choice experiment. <i>European Journal of Health Economics</i> , 2018 , 19, 1213-1223	3.6	10
340	Does informal caregiving affect self-esteem? Results from a population-based study of individuals aged 40 and over in Germany from 2002 to 2014. <i>Scandinavian Journal of Caring Sciences</i> , 2018 , 32, 1047-1055	2.3	2
339	The relation between personality, informal caregiving, life satisfaction and health-related quality of life: evidence of a longitudinal study. <i>Quality of Life Research</i> , 2018 , 27, 1249-1256	3.7	13
338	Development of a risk assessment tool for osteoporotic fracture prevention: A claims data approach. <i>Bone</i> , 2018 , 110, 170-176	4.7	11
337	Economic evaluation of cognitive behavioral therapy and Internet-based guided self-help for binge-eating disorder. <i>International Journal of Eating Disorders</i> , 2018 , 51, 155-164	6.3	20
336	Cost-utility of collaborative nurse-led self-management support for primary care patients with anxiety, depressive or somatic symptoms: A cluster-randomized controlled trial (the SMADS trial). <i>International Journal of Nursing Studies</i> , 2018 , 80, 67-75	5.8	0
335	Psychological correlates of fear of falling: Findings from the German Aging Survey. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 396-406	2.9	13
334	The Longitudinal Association between Psychological Factors and Health Care Use. <i>Health Services Research</i> , 2018 , 53, 1065-1091	3.4	20
333	Unmet needs in the depressed primary care elderly and their relation to severity of depression: results from the AgeMooDe study. <i>Aging and Mental Health</i> , 2018 , 22, 1032-1039	3.5	3
332	Frailty and healthcare costs-longitudinal results of a prospective cohort study. <i>Age and Ageing</i> , 2018 , 47, 233-241	3	87

331	The use of routine health check-ups and psychological factors – neglected link. Evidence from a population-based study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018 , 26, 137-144	1.4	2
330	Categorical and dimensional perspectives on depression in elderly primary care patients - Results of the AgeMooDe study. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27,	4.3	3
329	Potentially inappropriate medication: Association between the use of antidepressant drugs and the subsequent risk for dementia. <i>Journal of Affective Disorders</i> , 2018 , 226, 28-35	6.6	14
328	Loss experiences in old age and their impact on the social network and depression- results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>Journal of Affective Disorders</i> , 2018 , 241, 94-102	6.6	13
327	The impact of potentially inappropriate medication on the development of health care costs and its moderation by the number of prescribed substances. Results of a retrospective matched cohort study. <i>PLoS ONE</i> , 2018 , 13, e0198004	3.7	11
326	Impact of falls on depressive symptoms among the oldest old: Results from the AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1383-1388	3.9	7
325	Cross-cultural validation of the German version of the Four-Dimensional Symptom Questionnaire (4DSQ) in multimorbid elderly people. <i>Quality of Life Research</i> , 2018 , 27, 2691-2697	3.7	6
324	Prospective Associations between Single Foods, Alzheimer’s Dementia and Memory Decline in the Elderly. <i>Nutrients</i> , 2018 , 10,	6.7	35
323	Five A’s counseling in weight management of obese patients in primary care: a cluster-randomized controlled trial (INTERACT). <i>BMC Family Practice</i> , 2018 , 19, 97	2.6	9
322	Are changes in body-mass-index associated with changes in depressive symptoms? Findings of a population-based longitudinal study among older Germans. <i>BMC Psychiatry</i> , 2018 , 18, 182	4.2	7
321	A qualitative study on older primary care patients’ perspectives on depression and its treatments - potential barriers to and opportunities for managing depression. <i>BMC Family Practice</i> , 2018 , 19, 2	2.6	13
320	Physician emigration from Germany: insights from a survey in Saxony, Germany. <i>BMC Health Services Research</i> , 2018 , 18, 341	2.9	10
319	Impact of Incident Parkinson’s Disease on Satisfaction With Life. <i>Frontiers in Neurology</i> , 2018 , 9, 589	4.1	10
318	The role of optimism in the relationship between job stress and depressive symptoms. Longitudinal findings from the German Ageing Survey. <i>Journal of Affective Disorders</i> , 2018 , 241, 249-255	6.6	12
317	The impact of different types of informal caregiving on cognitive functioning of older caregivers: Evidence from a longitudinal, population-based study in Germany. <i>Social Science and Medicine</i> , 2018 , 214, 12-19	5.1	17
316	Prevalence of pain and its associated factors among the oldest-olds in different care settings - results of the AgeQualiDe study. <i>BMC Family Practice</i> , 2018 , 19, 85	2.6	7
315	Social Network Types in Old Age and Incident Dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2018 , 31, 163-170	3.8	10
314	Computerized cognitive behavior therapy for patients with mild to moderately severe depression in primary care: A pragmatic cluster randomized controlled trial (@ktiv). <i>Journal of Affective Disorders</i> , 2018 , 238, 317-326	6.6	23

313	Coordinated Treatment of Depression in Elderly People in Primary Care. <i>Deutsches A&#x0308;rzteblatt International</i> , 2018 , 115, 741-747	2.5	7
312	Costs of informal nursing care for patients with neurologic disorders: A systematic review. <i>Neurology</i> , 2018 , 90, 28-34	6.5	6
311	The Association Between Self-Regulation and Daily Sports Activities in a Nationally Representative Sample of Older Adults. Findings From the German Ageing Survey. <i>Frontiers in Physiology</i> , 2018 , 9, 1763	4.6	
310	Excess costs of alcohol-dependent patients in German psychiatric care compared with matched non-alcohol-dependent individuals from the general population: a secondary analysis of two datasets. <i>BMJ Open</i> , 2018 , 8, e020563	3	3
309	11. Versorgung 2018 , 565-590		
308	Comparison of a group-delivered and individually delivered lifestyle-integrated functional exercise (LiFE) program in older persons: a randomized noninferiority trial. <i>BMC Geriatrics</i> , 2018 , 18, 267	4.1	15
307	Diagnosis of somatoform disorders in primary care: diagnostic agreement, predictors, and comparisons with depression and anxiety. <i>BMC Psychiatry</i> , 2018 , 18, 361	4.2	11
306	Cost-effectiveness analyses and cost analyses in castration-resistant prostate cancer: A systematic review. <i>PLoS ONE</i> , 2018 , 13, e0208063	3.7	14
305	Long-term evaluation of the implementation of a large fall and fracture prevention program in long-term care facilities. <i>BMC Geriatrics</i> , 2018 , 18, 233	4.1	7
304	Do Individuals in Old Age Prepare for the Risk of Long-Term Care? Results of A Population-Based Survey in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	5
303	Collaborative mental health care program versus a general practitioner program and usual care for treatment of patients with mental or neurological disorders in Germany: protocol of a multiperspective evaluation study. <i>BMC Psychiatry</i> , 2018 , 18, 347	4.2	4
302	The association between obesity and social exclusion in middle-aged and older adults: findings from a nationally representative study in Germany. <i>BMC Geriatrics</i> , 2018 , 18, 258	4.1	6
301	Leadership position and physician visits - results of a nationally representative longitudinal study in Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2018 , 13, 33	2.7	2
300	Informal caregiving and personality: Results of a population-based longitudinal study in Germany. <i>PLoS ONE</i> , 2018 , 13, e0203586	3.7	4
299	Which factors lead to frequent attendance in the outpatient sector among individuals in the second half of life? Evidence from a population-based longitudinal study in Germany. <i>BMC Health Services Research</i> , 2018 , 18, 673	2.9	9
298	Obesity and sickness absence: results from a longitudinal nationally representative sample from Germany. <i>BMJ Open</i> , 2018 , 8, e019839	3	8
297	Correlates of preferences for autonomy in long-term care: results of a population-based survey among older individuals in Germany. <i>Patient Preference and Adherence</i> , 2018 , 12, 71-78	2.4	3
296	Effect of a combined brief narrative exposure therapy with case management versus treatment as usual in primary care for patients with traumatic stress sequelae following intensive care medicine: study protocol for a multicenter randomized controlled trial (PICTURE). <i>Trials</i> , 2018 , 19, 480	2.8	4

295	Langzeitevaluation der Umsetzungstreue des Kraft- und Balancetrainings in vollstationären Pflegeeinrichtungen: Das bayerische Sturz- und Frakturpräventionsprogramm (BF2P2). <i>Physioscience</i> , 2018 , 14, 5-12	0.3	2
294	Longitudinal Analysis of Outpatient Physician Visits in the Oldest Old: Results of the AgeQualiDe Prospective Cohort Study. <i>Journal of Nutrition, Health and Aging</i> , 2018 , 22, 689-694	5.2	6
293	Prediction of Drug-Related Risks Using Clinical Context Information in Longitudinal Claims Data. <i>Value in Health</i> , 2018 , 21, 1390-1398	3.3	4
292	Consequences of different types of informal caregiving for mental, self-rated, and physical health: longitudinal findings from the German Ageing Survey. <i>Quality of Life Research</i> , 2018 , 27, 2667-2679	3.7	19
291	Guideline-based stepped and collaborative care for patients with depression in a cluster-randomised trial. <i>Scientific Reports</i> , 2018 , 8, 9389	4.9	22
290	Cost-effectiveness Analysis of a Stepped, Collaborative and Coordinated Health Care Network for Patients with Somatoform Disorders (Sofu-Net). <i>Journal of Mental Health Policy and Economics</i> , 2018 , 21, 59-69	1.3	0
289	Analysis of Health Care Costs in Elderly Patients with Multiple Chronic Conditions Using a Finite Mixture of Generalized Linear Models. <i>Health Economics (United Kingdom)</i> , 2017 , 26, 582-599	2.4	11
288	A Longitudinal Investigation of Willingness to Pay for Health Insurance in Germany. <i>Health Services Research</i> , 2017 , 52, 1099-1117	3.4	8
287	Depression screening with patient-targeted feedback in cardiology: DEPSCREEN-INFO randomised clinical trial. <i>British Journal of Psychiatry</i> , 2017 , 210, 132-139	5.4	19
286	Disentangling the complex relation of disability and depressive symptoms in old age - findings of a multicenter prospective cohort study in Germany. <i>International Psychogeriatrics</i> , 2017 , 29, 885-895	3.4	21
285	Impact of coronary heart disease on cognitive decline in Alzheimer's disease: a prospective longitudinal cohort study in primary care. <i>British Journal of General Practice</i> , 2017 , 67, e111-e117	1.6	20
284	Mortality in Incident Cognitive Impairment: Results of the Prospective AgeCoDe Study. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 738-746	5.6	7
283	Health Service Use, Costs, and Adverse Events Associated with Potentially Inappropriate Medication in Old Age in Germany: Retrospective Matched Cohort Study. <i>Drugs and Aging</i> , 2017 , 34, 289-301	4.7	31
282	Factors Affecting Functional Impairment among Elderly Germans - Results of a Longitudinal Study. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 299-306	5.2	14
281	Excess costs of social anxiety disorder in Germany. <i>Journal of Affective Disorders</i> , 2017 , 213, 23-29	6.6	18
280	Factors associated with preferences for long-term care settings in old age: evidence from a population-based survey in Germany. <i>BMC Health Services Research</i> , 2017 , 17, 156	2.9	31
279	The "no problems"-problem: an empirical analysis of ceiling effects on the EQ-5D 5L. <i>Quality of Life Research</i> , 2017 , 26, 2079-2084	3.7	14
278	Understanding Mortality of Femoral Fractures Following Low-Impact Trauma in Persons With and Without Care Need. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 221-226	5.9	7

277	Investigating the Additive Interaction of QT-Prolonging Drugs in Older People Using Claims Data. <i>Drug Safety</i> , 2017 , 40, 133-144	5.1	21
276	Effectiveness of a Stepped, Collaborative, and Coordinated Health Care Network for Somatoform Disorders (Sofu-Net): A Controlled Cluster Cohort Study. <i>Psychosomatic Medicine</i> , 2017 , 79, 1016-1024	3.7	17
275	Economic evaluation of vitamin D and calcium food fortification for fracture prevention in Germany. <i>Public Health Nutrition</i> , 2017 , 20, 1874-1883	3.3	15
274	Long-Term Effectiveness of a Multifactorial Fall and Fracture Prevention Program in Bavarian Nursing Homes: An Analysis Based on Health Insurance Claims Data. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 552.e7-552.e17	5.9	8
273	Locus of control and frequency of physician visits: Results of a population-based longitudinal study in Germany. <i>British Journal of Health Psychology</i> , 2017 , 22, 414-428	8.3	9
272	Treatment preferences for depression in the elderly. <i>International Psychogeriatrics</i> , 2017 , 29, 389-398	3.4	21
271	How does social support affect functional impairment in late life? Findings of a multicenter prospective cohort study in Germany. <i>Age and Ageing</i> , 2017 , 46, 813-820	3	16
270	Depression screening with patient-targeted feedback in cardiology: The cost-effectiveness of DEPSCREEN-INFO. <i>PLoS ONE</i> , 2017 , 12, e0181021	3.7	4
269	The role of personality in health care use: Results of a population-based longitudinal study in Germany. <i>PLoS ONE</i> , 2017 , 12, e0181716	3.7	34
268	Choosing the right rehabilitation setting after herniated disc surgery: Motives, motivations and expectations from the patients' perspective. <i>PLoS ONE</i> , 2017 , 12, e0183698	3.7	1
267	Psychosocial correlates of unintentional weight loss in the second half of life in the German general population. <i>PLoS ONE</i> , 2017 , 12, e0185749	3.7	6
266	Frequent attenders in late life in primary care: a systematic review of European studies. <i>BMC Family Practice</i> , 2017 , 18, 104	2.6	26
265	Correlates of alcohol consumption among Germans in the second half of life. Results of a population-based observational study. <i>BMC Geriatrics</i> , 2017 , 17, 207	4.1	11
264	Psychological determinants of influenza vaccination. <i>BMC Geriatrics</i> , 2017 , 17, 194	4.1	9
263	The association of falls with loneliness and social exclusion: evidence from the DEAS German Ageing Survey. <i>BMC Geriatrics</i> , 2017 , 17, 204	4.1	31
262	Association of informal caregiving with body mass index and frequency of sporting activities: evidence of a population-based study in Germany. <i>BMC Public Health</i> , 2017 , 17, 755	4.1	5
261	The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 140	3	32
260	Self-efficacy moderates the relationship between health comparisons and social exclusion: results of the German ageing survey. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 252	3	2

259	Who should take care of me? Preferences of old age individuals for characteristics of professional long-term caregivers: an observational cross-sectional study. <i>BMC Research Notes</i> , 2017 , 10, 382	2.3	6
258	Effectiveness and cost-effectiveness of telephone-based cognitive-behavioural therapy in primary care: study protocol of TIDe - telephone intervention for depression. <i>BMC Psychiatry</i> , 2017 , 17, 263	4.2	12
257	The role of self-efficacy, self-esteem and optimism for using routine health check-ups in a population-based sample. A longitudinal perspective. <i>Preventive Medicine</i> , 2017 , 105, 47-51	4.3	10
256	Subjective cognitive decline is longitudinally associated with lower health-related quality of life. <i>International Psychogeriatrics</i> , 2017 , 29, 1939-1950	3.4	22
255	Falls and subjective well-being. Results of the population-based German Ageing Survey. <i>Archives of Gerontology and Geriatrics</i> , 2017 , 72, 181-186	4	8
254	Excess costs from functional somatic syndromes in Germany - An analysis using entropy balancing. <i>Journal of Psychosomatic Research</i> , 2017 , 97, 52-57	4.1	6
253	The longitudinal association between informal caregiving and body mass index in the second half of life: findings of the German Ageing Survey. <i>Public Health</i> , 2017 , 151, 81-86	4	3
252	Unmet Care Needs in the Oldest Old Primary Care Patients with Cognitive Disorders: Results of the AgeCoDe and AgeQualiDe Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017 , 44, 71-83	2.6	11
251	The role of general psychosocial factors for the use of cancer screening-Findings of a population-based observational study among older adults in Germany. <i>Cancer Medicine</i> , 2017 , 6, 3025-3039	4.8	11
250	Association of general psychological factors with frequent attendance in primary care: a population-based cross-sectional observational study. <i>BMC Family Practice</i> , 2017 , 18, 48	2.6	23
249	Advance directives and power of attorney for health care in the oldest-old - results of the AgeQualiDe study. <i>BMC Geriatrics</i> , 2017 , 17, 85	4.1	12
248	Which factors affect health care use among older Germans? Results of the German ageing survey. <i>BMC Health Services Research</i> , 2017 , 17, 30	2.9	31
247	The Impact of Depressive Symptoms on Healthcare Costs in Late Life: Longitudinal Findings From the AgeMooDe Study. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 131-141	6.5	16
246	Does Visual Impairment Affect Social Ties in Late Life? Findings of a Multicenter Prospective Cohort Study in Germany. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 692-698	5.2	10
245	Fracture risk in people with developmental disabilities: results of a large claims data analysis. <i>Osteoporosis International</i> , 2017 , 28, 369-375	5.3	16
244	The role of flexible goal adjustment in the effect of informal caregiving on depressive symptoms: Evidence of a large population-based longitudinal study in Germany from 2002 to 2011. <i>Quality of Life Research</i> , 2017 , 26, 419-427	3.7	8
243	Which types of mental work demands may be associated with reduced risk of dementia?. <i>Alzheimer's and Dementia</i> , 2017 , 13, 431-440	1.2	26
242	[P3088]: THE IMPACT OF CARING FOR A RELATIVE WITH DEMENTIA ON INFORMAL CAREGIVERS' EMPLOYMENT: A SYSTEMATIC, MIXED STUDIES REVIEW 2017 , 13, P1162-P1162		

241	The Curvilinear Effect of BMI on Functional Health - Evidence of the Long-Running German Ageing Survey. <i>Obesity Facts</i> , 2017 , 10, 252-260	5.1	1
240	Risk Factors for Postoperative Pain Intensity in Patients Undergoing Lumbar Disc Surgery: A Systematic Review. <i>PLoS ONE</i> , 2017 , 12, e0170303	3.7	19
239	The impact of depressive symptoms on utilization of home care by the elderly: Longitudinal results from the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016 , 204, 247-54	6.6	4
238	Effect of Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Population-Based Prospective Cohort Study in Germany. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 2311-2316	5.6	23
237	Long-term cost-effectiveness of cognitive behavioral therapy versus psychodynamic therapy in social anxiety disorder. <i>Depression and Anxiety</i> , 2016 , 33, 1114-1122	8.4	5
236	Job satisfaction of foreign-national physicians working in patient care: a cross-sectional study in Saxony, Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2016 , 11, 41	2.7	24
235	Bergewicht und Adipositas als Public Health-Problem. <i>Public Health Forum</i> , 2016 , 24, 135-138	0.1	3
234	Burnout among young physicians and its association with physicians' wishes to leave: results of a survey in Saxony, Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2016 , 11, 2	2.7	45
233	Association between multimorbidity patterns and chronic pain in elderly primary care patients: a cross-sectional observational study. <i>BMC Family Practice</i> , 2016 , 17, 68	2.6	43
232	Longitudinal predictors of informal and formal caregiving time in community-dwelling dementia patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 607-16	4.5	34
231	Gender differences in the effect of social support on health-related quality of life: results of a population-based prospective cohort study in old age in Germany. <i>Quality of Life Research</i> , 2016 , 25, 1159-68	3.7	46
230	Stigma and Knowledge as Determinants of Recommendation and Referral Behavior of General Practitioners and Internists. <i>Obesity Surgery</i> , 2016 , 26, 2393-401	3.7	19
229	Predictors of Frailty in Old Age - Results of a Longitudinal Study. <i>Journal of Nutrition, Health and Aging</i> , 2016 , 20, 952-957	5.2	46
228	Associations of frailty with health care costs--results of the ESTHER cohort study. <i>BMC Health Services Research</i> , 2016 , 16, 128	2.9	125
227	Longitudinal evaluation of medication underuse in older outpatients and its association with quality of life. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 877-85	2.8	16
226	Willingness to pay for health insurance among the elderly population in Germany. <i>European Journal of Health Economics</i> , 2016 , 17, 149-58	3.6	10
225	Informal Caregiving and Subjective Well-Being: Evidence of a Population-Based Longitudinal Study of Older Adults in Germany. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 300-5	5.9	42
224	Health care utilisation and costs in the general population in Germany. <i>Health Policy</i> , 2016 , 120, 159-69	3.2	11

223	The assessment of met and unmet care needs in the oldest old with and without depression using the Camberwell Assessment of Need for the Elderly (CANE): Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016 , 193, 309-17	6.6	30
222	Longitudinal Predictors of Functional Impairment in Older Adults in Europe--Evidence from the Survey of Health, Ageing and Retirement in Europe. <i>PLoS ONE</i> , 2016 , 11, e0146967	3.7	42
221	The Course of Pain Intensity in Patients Undergoing Herniated Disc Surgery: A 5-Year Longitudinal Observational Study. <i>PLoS ONE</i> , 2016 , 11, e0156647	3.7	6
220	Incident Subjective Cognitive Decline Does Not Predict Mortality in the Elderly--Results from the Longitudinal German Study on Ageing, Cognition, and Dementia (AgeCoDe). <i>PLoS ONE</i> , 2016 , 11, e0147050	3.7	13
219	The Effect of Intra- and Intergenerational Caregiving on Subjective Well-Being--Evidence of a Population Based Longitudinal Study among Older Adults in Germany. <i>PLoS ONE</i> , 2016 , 11, e0148916	3.7	17
218	Effect of Health Comparisons on Functional Health and Depressive Symptoms - Results of a Population-Based Longitudinal Study of Older Adults in Germany. <i>PLoS ONE</i> , 2016 , 11, e0156235	3.7	3
217	Effectiveness of Telephone-Based Health Coaching for Patients with Chronic Conditions: A Randomised Controlled Trial. <i>PLoS ONE</i> , 2016 , 11, e0161269	3.7	29
216	Negative Health Comparisons Decrease Affective and Cognitive Well-Being in Older Adults. Evidence from a Population-Based Longitudinal Study in Germany. <i>Frontiers in Psychology</i> , 2016 , 7, 999	3.4	13
215	Unmet care needs of the oldest old with late-life depression: A comparison of patient, caring relative and general practitioner perceptions - Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016 , 205, 182-189	6.6	9
214	Correlates of health related quality of life in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2016 , 49, 630-4	6.3	19
213	Late-Life Depressive Symptoms and Lifetime History of Major Depression: Cognitive Deficits are Largely Due to Incipient Dementia rather than Depression. <i>Journal of Alzheimer's Disease</i> , 2016 , 54, 185-193	4.3	17
212	Differential Risk of Incident Alzheimer's Disease Dementia in Stable Versus Unstable Patterns of Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2016 , 54, 1135-1146	4.3	53
211	Cost-effectiveness of focal psychodynamic therapy and enhanced cognitive-behavioural therapy in out-patients with anorexia nervosa. <i>Psychological Medicine</i> , 2016 , 46, 3291-3301	6.9	18
210	Cost-utility of a specific collaborative group intervention for patients with functional somatic syndromes. <i>Journal of Psychosomatic Research</i> , 2016 , 90, 43-50	4.1	5
209	Comparative evaluation of methods approximating drug prescription durations in claims data: modeling, simulation, and application to real data. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 1434-1442	2.6	10
208	The osteoporotic fracture prevention program in rural areas (OFRA): a protocol for a cluster-randomized health care fund driven intervention in a routine health care setting. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 458	2.8	12
207	The impact of preventive measures on the burden of femoral fractures - a modelling approach to estimating the impact of fall prevention exercises and oral bisphosphonate treatment for the years 2014 and 2025. <i>BMC Geriatrics</i> , 2016 , 16, 75	4.1	11
206	The Risk of Hospital Admission Due to Traumatic Brain Injury Is Increased in Older Persons With Severe Functional Limitations. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 609-12	5.9	9

205	Excess health care costs of late-life depression - Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016 , 199, 139-47	6.6	24
204	Obesity and discrimination - a systematic review and meta-analysis of observational studies. <i>Obesity Reviews</i> , 2016 , 17, 43-55	10.6	138
203	Mapping the Beck Depression Inventory to the EQ-5D-3L in Patients with Depressive Disorders. <i>Journal of Mental Health Policy and Economics</i> , 2016 , 19, 79-89	1.3	3
202	Health burden and costs of obesity and overweight in Germany: an update. <i>European Journal of Health Economics</i> , 2015 , 16, 957-67	3.6	41
201	Determinants of direct and indirect costs in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2015 , 48, 139-46	6.3	39
200	Health service use and costs associated with excess weight in older adults in Germany. <i>Age and Ageing</i> , 2015 , 44, 616-23	3	14
199	Short-term cost-effectiveness of psychodynamic therapy and cognitive-behavioral therapy in social anxiety disorder: Results from the SOPHO-NET trial. <i>Journal of Affective Disorders</i> , 2015 , 180, 21-8	6.6	16
198	Risk of osteoporotic fractures following stroke in older persons. <i>Osteoporosis International</i> , 2015 , 26, 1341-9	5.3	23
197	Cost-utility analysis of a preventive home visit program for older adults in Germany. <i>BMC Health Services Research</i> , 2015 , 15, 141	2.9	18
196	Social inequalities in patient-reported outcomes among older multimorbid patients--results of the MultiCare cohort study. <i>International Journal for Equity in Health</i> , 2015 , 14, 17	4.6	18
195	Differential effects of enriched environment at work on cognitive decline in old age. <i>Neurology</i> , 2015 , 84, 2169-76	6.5	37
194	Complex coevolution of depression and health-related quality of life in old age. <i>Quality of Life Research</i> , 2015 , 24, 2713-22	3.7	14
193	Prevalence and determinants of overweight and obesity in old age in Germany. <i>BMC Geriatrics</i> , 2015 , 15, 83	4.1	30
192	Risk of Nursing Home Admission After Femoral Fracture Compared With Stroke, Myocardial Infarction, and Pneumonia. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 715.e7-715.e12	5.9	29
191	The German version of the Camberwell Assessment of Need for the Elderly (CANE): evaluation of content validity and adaptation to the German-speaking context. <i>International Psychogeriatrics</i> , 2015 , 27, 1919-26	3.4	13
190	Determinants of health-related quality of life in older primary care patients: results of the longitudinal observational AgeCoDe Study. <i>British Journal of General Practice</i> , 2015 , 65, e716-23	1.6	47
189	Is the Short Form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? Results of the German study on ageing, cognition, and dementia in primary care patients (AgeCoDe). <i>Psychological Assessment</i> , 2015 , 27, 895-904	5.3	5
188	Elevated HbA1c is associated with increased risk of incident dementia in primary care patients. <i>Journal of Alzheimer's Disease</i> , 2015 , 44, 1203-12	4.3	35

187	Evaluating a collaborative smoking cessation intervention in primary care (ENTER): study protocol for a cluster-randomized controlled trial. <i>Trials</i> , 2015 , 16, 447	2.8	4
186	The responsiveness of the EQ-5D and time trade-off scores in schizophrenia, affective disorders, and alcohol addiction. <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 114	3	5
185	Mild Depressive Symptoms Predict Mortality from Heart Failure in Elderly Men but Not Women. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2408-10	5.6	2
184	Mortality in incident dementia - results from the German Study on Aging, Cognition, and Dementia in Primary Care Patients. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 257-69	6.5	19
183	Medication Underuse in Aging Outpatients with Cardiovascular Disease: Prevalence, Determinants, and Outcomes in a Prospective Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0136339	3.7	24
182	Self-efficacy in multimorbid elderly patients with osteoarthritis in primary care--influence on pain-related disability. <i>Clinical Rheumatology</i> , 2015 , 34, 1761-7	3.9	8
181	Cost-utility analyses of cognitive-behavioural therapy of depression: a systematic review. <i>Psychotherapy and Psychosomatics</i> , 2015 , 84, 6-21	9.4	23
180	Cognitive performance before and after the onset of subjective cognitive decline in old age. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015 , 1, 194-205	5.2	78
179	Risk of dementia in elderly patients with the use of proton pump inhibitors. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 419-28	5.1	142
178	Cost-effectiveness of collaborative care for the treatment of depressive disorders in primary care: a systematic review. <i>PLoS ONE</i> , 2015 , 10, e0123078	3.7	35
177	Longitudinal Predictors of Institutionalization in Old Age. <i>PLoS ONE</i> , 2015 , 10, e0144203	3.7	94
176	Standardisierte Bewertungssätze aus gesellschaftlicher Perspektive für die gesundheitsökonomische Evaluation 2015 ,		6
175	Health care costs in the elderly in Germany: an analysis applying Andersen's behavioral model of health care utilization. <i>BMC Health Services Research</i> , 2014 , 14, 71	2.9	51
174	Cost-Utility Analysis of Preventive Home Visits in Older Adults. <i>Value in Health</i> , 2014 , 17, A511	3.3	1
173	A comparison of GP and GDS diagnosis of depression in late life among multimorbid patients - results of the MultiCare study. <i>Journal of Affective Disorders</i> , 2014 , 168, 276-83	6.6	8
172	Expected lifetime numbers and costs of fractures in postmenopausal women with and without osteoporosis in Germany: a discrete event simulation model. <i>BMC Health Services Research</i> , 2014 , 14, 284	2.9	26
171	Implementation of chronic illness care in German primary care practices--how do multimorbid older patients view routine care? A cross-sectional study using multilevel hierarchical modeling. <i>BMC Health Services Research</i> , 2014 , 14, 336	2.9	9
170	Effectiveness and cost-effectiveness of a guideline-based stepped care model for patients with depression: study protocol of a cluster-randomized controlled trial in routine care. <i>BMC Psychiatry</i> , 2014 , 14, 230	4.2	20

169	Agreement between self-reported and general practitioner-reported chronic conditions among multimorbid patients in primary care - results of the MultiCare Cohort Study. <i>BMC Family Practice</i> , 2014 , 15, 39	2.6	54
168	Depressive mood mediates the influence of social support on health-related quality of life in elderly, multimorbid patients. <i>BMC Family Practice</i> , 2014 , 15, 62	2.6	22
167	Evaluation of a practice team-supported exposure training for patients with panic disorder with or without agoraphobia in primary care - study protocol of a cluster randomised controlled superiority trial. <i>Trials</i> , 2014 , 15, 112	2.8	6
166	Developmentally adapted cognitive processing therapy for adolescents and young adults with PTSD symptoms after physical and sexual abuse: study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 195	2.8	26
165	The costs of dementia from the societal perspective: is care provided in the community really cheaper than nursing home care?. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 117-26 ^{5.9}	5.9	30
164	Predictors of serious consequences of falls in residential aged care: analysis of more than 70,000 falls from residents of Bavarian nursing homes. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 559-63	5.9	41
163	The costs of social anxiety disorder: the role of symptom severity and comorbidities. <i>Journal of Affective Disorders</i> , 2014 , 165, 87-94	6.6	31
162	Inpatient or outpatient rehabilitation after herniated disc surgery? - Setting-specific preferences, participation and outcome of rehabilitation. <i>PLoS ONE</i> , 2014 , 9, e89200	3.7	4
161	Impact of depression on health care utilization and costs among multimorbid patients--from the MultiCare Cohort Study. <i>PLoS ONE</i> , 2014 , 9, e91973	3.7	67
160	Risk for femoral fractures in Parkinson's disease patients with and without severe functional impairment. <i>PLoS ONE</i> , 2014 , 9, e97073	3.7	26
159	Obesity and associated lifestyle in a large sample of multi-morbid German primary care attendees. <i>PLoS ONE</i> , 2014 , 9, e102587	3.7	13
158	A systematic review of economic evaluations of treatments for borderline personality disorder. <i>PLoS ONE</i> , 2014 , 9, e107748	3.7	17
157	Collaborative treatment of late-life depression in primary care (GermanIMPACT): study protocol of a cluster-randomized controlled trial. <i>Trials</i> , 2014 , 15, 351	2.8	15
156	Prognosis of mild cognitive impairment in general practice: results of the German AgeCoDe study. <i>Annals of Family Medicine</i> , 2014 , 12, 158-65	2.9	47
155	School-based prevention programs for depression and anxiety in adolescence: a systematic review. <i>Health Promotion International</i> , 2014 , 29, 427-41	3	75
154	Associations between Dementia Outcomes and Depressive Symptoms, Leisure Activities, and Social Support. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2014 , 4, 481-93	2.5	14
153	A hierarchy of predictors for dementia-free survival in old-age: results of the AgeCoDe study. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 63-72	6.5	25
152	Social relations and depression in late life-a systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 1-21	3.9	141

151	Early retirement in cancer patients with or without comorbid mental health conditions: a prospective cohort study. <i>Cancer</i> , 2014 , 120, 2199-206	6.4	16
150	Assessing met and unmet needs in the oldest-old and psychometric properties of the German version of the Camberwell assessment of need for the elderly (CANE)--a pilot study. <i>International Psychogeriatrics</i> , 2014 , 26, 285-95	3.4	20
149	Self-rated health in multimorbid older general practice patients: a cross-sectional study in Germany. <i>BMC Family Practice</i> , 2014 , 15, 1	2.6	80
148	Placement matching of alcohol-dependent patients based on a standardized intake assessment: rationale and design of a randomized controlled trial. <i>BMC Psychiatry</i> , 2014 , 14, 286	4.2	7
147	Sick leave days and costs associated with overweight and obesity in Germany. <i>Journal of Occupational and Environmental Medicine</i> , 2014 , 56, 20-7	2	22
146	Significance and costs of complex biopsychosocial health care needs in elderly people: results of a population-based study. <i>Psychosomatic Medicine</i> , 2014 , 76, 497-502	3.7	20
145	Apolipoprotein E epsilon 4 genotype and a physically active lifestyle in late life: analysis of gene-environment interaction for the risk of dementia and Alzheimer's disease dementia. <i>Psychological Medicine</i> , 2014 , 44, 1319-29	6.9	55
144	The role of spousal loss in the development of depressive symptoms in the elderly - implications for diagnostic systems. <i>Journal of Affective Disorders</i> , 2014 , 161, 97-103	6.6	30
143	Inequalities in out-of-pocket payments for health care services among elderly Germans--results of a population-based cross-sectional study. <i>International Journal for Equity in Health</i> , 2014 , 13, 3	4.6	18
142	Measuring negative attitudes towards overweight and obesity in the German population - psychometric properties and reference values for the German short version of the Fat Phobia Scale (FPS). <i>PLoS ONE</i> , 2014 , 9, e114641	3.7	15
141	Cost measurement of mental disorders in Germany. <i>Journal of Mental Health Policy and Economics</i> , 2014 , 17, 3-8	1.3	8
140	Cost-effectiveness of a multifactorial fall prevention program in nursing homes. <i>Osteoporosis International</i> , 2013 , 24, 1215-23	5.3	21
139	The health burden and costs of incident fractures attributable to osteoporosis from 2010 to 2050 in Germany--a demographic simulation model. <i>Osteoporosis International</i> , 2013 , 24, 835-47	5.3	61
138	Effects of multiple chronic conditions on health care costs: an analysis based on an advanced tree-based regression model. <i>BMC Health Services Research</i> , 2013 , 13, 219	2.9	29
137	Telephone-based health coaching for chronically ill patients: study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 337	2.8	27
136	Reliability, validity and responsiveness of the EQ-5D in assessing and valuing health status in patients with social phobia. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 215	3	15
135	The estimation of utility weights in cost-utility analysis for mental disorders: a systematic review. <i>Pharmacoeconomics</i> , 2013 , 31, 1131-54	4.4	16
134	Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 137-49	4.5	30

133	Economic costs of overweight and obesity. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2013 , 27, 105-15	6.5	169
132	Association of costs with somatic symptom severity in patients with medically unexplained symptoms. <i>Journal of Psychosomatic Research</i> , 2013 , 75, 370-5	4.1	52
131	Validity and responsiveness of the EQ-5D in assessing and valuing health status in patients with somatoform disorders. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 3	3	17
130	Depression, non-fatal stroke and all-cause mortality in old age: a prospective cohort study of primary care patients. <i>Journal of Affective Disorders</i> , 2013 , 150, 63-9	6.6	16
129	Attitudes towards bariatric surgery in the general public. <i>Obesity Surgery</i> , 2013 , 23, 338-45	3.7	21
128	Co-morbid mental health conditions in cancer patients at working age--prevalence, risk profiles, and care uptake. <i>Psycho-Oncology</i> , 2013 , 22, 2291-7	3.9	38
127	Femoral fracture rates after discharge from the hospital to the community. <i>Journal of Bone and Mineral Research</i> , 2013 , 28, 821-7	6.3	4
126	Age of major depression onset, depressive symptoms, and risk for subsequent dementia: results of the German study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>Psychological Medicine</i> , 2013 , 43, 1597-610	6.9	65
125	Attitudes of health care professionals towards female obese patients. <i>Obesity Facts</i> , 2013 , 6, 512-22	5.1	39
124	Direct costs associated with depressive symptoms in late life: a 4.5-year prospective study. <i>International Psychogeriatrics</i> , 2013 , 25, 292-302	3.4	24
123	Effectiveness of preventive home visits in reducing the risk of falls in old age: a randomized controlled trial. <i>Clinical Interventions in Aging</i> , 2013 , 8, 697-702	4	19
122	Relative impact of multimorbid chronic conditions on health-related quality of life--results from the MultiCare Cohort Study. <i>PLoS ONE</i> , 2013 , 8, e66742	3.7	96
121	Predictors of costs in dementia in a longitudinal perspective. <i>PLoS ONE</i> , 2013 , 8, e70018	3.7	40
120	Enriched environment at work and the incidence of dementia: results of the Leipzig longitudinal study of the aged (LEILA 75+). <i>PLoS ONE</i> , 2013 , 8, e70906	3.7	30
119	Cost-effectiveness of depression case management in small practices. <i>British Journal of Psychiatry</i> , 2013 , 202, 441-6	5.4	18
118	Age- and gender-specific prevalence of depression in latest-life--systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2012 , 136, 212-21	6.6	430
117	Effect of cardiovascular and metabolic disease on cognitive test performance and cognitive change in older adults. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1286-91	5.6	13
116	The long-term cost-effectiveness of obesity prevention interventions: systematic literature review. <i>Obesity Reviews</i> , 2012 , 13, 537-53	10.6	64

115	Cost-of-illness studies and cost-effectiveness analyses in eating disorders: a systematic review. <i>International Journal of Eating Disorders</i> , 2012 , 45, 476-91	6.3	114
114	Prevalence and risk factors of depressive symptoms in latest life--results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 286-93	3.9	41
113	Age-related predictors of institutionalization: results of the German study on ageing, cognition and dementia in primary care patients (AgeCoDe). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 263-70	4.5	33
112	Assessing cognitive changes in the elderly: reliable change indices for the Mini-Mental State Examination. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 126, 208-18	6.5	31
111	Prediction of incident dementia: impact of impairment in instrumental activities of daily living and mild cognitive impairment--results from the German study on ageing, cognition, and dementia in primary care patients. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 943-54	6.5	40
110	The assessment of changes in cognitive functioning: age-, education-, and gender-specific reliable change indices for older adults tested on the CERAD-NP battery: results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 943-54	6.5	19
109	Natural course of depressive symptoms in late life. An 8-year population-based prospective study. <i>Journal of Affective Disorders</i> , 2012 , 142, 166-71	6.6	31
108	Primärprävention von sturzbedingten Hüftfrakturen bei Bewohnern von Pflegeheimen in Bayern. <i>Public Health Forum</i> , 2012 , 20, 34-36	0.1	
107	The course of depression and anxiety in patients undergoing disc surgery: a longitudinal observational study. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 185-94	4.1	17
106	Influence of social support on cognitive change and mortality in old age: results from the prospective multicentre cohort study AgeCoDe. <i>BMC Geriatrics</i> , 2012 , 12, 9	4.1	29
105	Psychiatric comorbidity as predictor of costs in back pain patients undergoing disc surgery: a longitudinal observational study. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 165	2.8	8
104	A prospective study of health care resource utilisation and selected costs of schizophrenia in France. <i>BMC Health Services Research</i> , 2012 , 12, 269-76	2.9	17
103	The influence of age, gender and socio-economic status on multimorbidity patterns in primary care. First results from the multicare cohort study. <i>BMC Health Services Research</i> , 2012 , 12, 89	2.9	184
102	The performance of a value set for the EQ-5D based on experienced health states in patients with inflammatory bowel disease. <i>Value in Health</i> , 2012 , 15, 151-7	3.3	13
101	Epidemiology of falls in residential aged care: analysis of more than 70,000 falls from residents of bavarian nursing homes. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 187.e1-6	5.9	126
100	Rationale and content of psychenet: the Hamburg Network for Mental Health. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262 Suppl 2, S57-63	5.1	45
99	Obese children, adults and senior citizens in the eyes of the general public: results of a representative study on stigma and causation of obesity. <i>PLoS ONE</i> , 2012 , 7, e46924	3.7	66
98	Medical students' attitudes towards overweight and obesity. <i>PLoS ONE</i> , 2012 , 7, e48113	3.7	34

97	Attitudes of the German general population toward early diagnosis of dementia--results of a representative telephone survey. <i>PLoS ONE</i> , 2012 , 7, e50792	3.7	28
96	Does GP training in depression care affect patient outcome? - A systematic review and meta-analysis. <i>BMC Health Services Research</i> , 2012 , 12, 10	2.9	48
95	Femoral fracture rates in people with and without disability. <i>Age and Ageing</i> , 2012 , 41, 653-8	3	35
94	Perception of overweight and obesity from different angles: a qualitative study. <i>Scandinavian Journal of Public Health</i> , 2012 , 40, 271-7	3	21
93	Bandscheibenoperation, Rehabilitation, Rückkehr in den Beruf Einflussfaktoren auf die berufliche Wiedereingliederung bei Patienten nach Bandscheibenvorfall. <i>Physikalische Medizin Rehabilitationsmedizin Kurortmedizin</i> , 2012 , 22, 271-278	0.5	0
92	Economics of medically unexplained symptoms: a systematic review of the literature. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 265-75	9.4	116
91	The assessment of changes in cognitive functioning in the elderly: age- and education-specific reliable change indices for the SIDAM. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012 , 33, 73-83	2.6	9
90	Predictors of institutionalisation in incident dementia--results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe study). <i>Dementia and Geriatric Cognitive Disorders</i> , 2012 , 33, 282-8	2.6	26
89	Health service utilization and costs of depressive symptoms in late life - a systematic review. <i>Current Pharmaceutical Design</i> , 2012 , 18, 5936-57	3.3	63
88	Public attitudes towards prevention of obesity. <i>PLoS ONE</i> , 2012 , 7, e39325	3.7	25
87	Service use and costs of incident femoral fractures in nursing home residents in Germany: the Bavarian Fall and Fracture Prevention Project (BF2P2). <i>Journal of the American Medical Directors Association</i> , 2011 , 12, 459-66	5.9	17
86	Effects of psychiatric comorbidity on costs in patients undergoing disc surgery: a cross-sectional study. <i>Spine Journal</i> , 2011 , 11, 601-9	4	11
85	Accuracy of self-reports of mental health care utilization and calculated costs compared to hospital records. <i>Psychiatry Research</i> , 2011 , 185, 261-8	9.9	21
84	P1-222 Predictors of institutionalisation in individuals with and without dementia: results from the Leipzig longitudinal study of the aged (LEILA75+). <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A128-A128	5.1	
83	P1-223 Mild cognitive impairment: incidence and risk factors: results of the Leipzig longitudinal study of the aged (LEILA75+). <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A128-A128	5.1	
82	P1-224 Impact of impairment in instrumental activities of daily living and mild cognitive impairment on time to incident dementia: results of the Leipzig longitudinal study of the aged (LEILA75+). <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A128-A128	5.1	
81	P1-221 Epidemiology of depression in old age: results of the Leipzig longitudinal study of the aged (LEILA 75+). <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A127-A127	5.1	1
80	Clock drawing test - screening utility for mild cognitive impairment according to different scoring systems: results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>International Psychogeriatrics</i> , 2011 , 23, 1592-601	3.4	36

79	Net costs of dementia by disease stage. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 384-95	6.5	83
78	The impact of psychiatric comorbidity on the return to work in patients undergoing herniated disc surgery. <i>Journal of Occupational Rehabilitation</i> , 2011 , 21, 54-65	3.6	17
77	Health burden and costs of obesity and overweight in Germany. <i>European Journal of Health Economics</i> , 2011 , 12, 345-52	3.6	69
76	Affective, anxiety, and substance-related disorders in patients undergoing herniated disc surgery. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 1181-90	4.5	4
75	Availability and use of hip protectors in residents of nursing homes. <i>Osteoporosis International</i> , 2011 , 22, 1593-8	5.3	8
74	The stigma of obesity in the general public and its implications for public health - a systematic review. <i>BMC Public Health</i> , 2011 , 11, 661	4.1	97
73	Measuring use of services for mental health problems in epidemiological surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2011 , 20, 182-91	4.3	7
72	Review: health care utilization and costs of elderly persons with multiple chronic conditions. <i>Medical Care Research and Review</i> , 2011 , 68, 387-420	3.7	434
71	Cost-effectiveness of fall prevention programs based on home visits for seniors aged over 65 years: a systematic review. <i>International Psychogeriatrics</i> , 2011 , 23, 711-23	3.4	10
70	Impact of impairment in instrumental activities of daily living and mild cognitive impairment on time to incident dementia: results of the Leipzig Longitudinal Study of the Aged. <i>Psychological Medicine</i> , 2011 , 41, 1087-97	6.9	44
69	Malperformance in verbal fluency and delayed recall as cognitive risk factors for impairment in instrumental activities of daily living. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 31, 81-8	2.6	27
68	Does the clock drawing test predict dementia? Results of the Leipzig longitudinal study of the aged (LEILA 75+). <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 31, 89-97	2.6	12
67	Reduction of femoral fractures in long-term care facilities: the Bavarian fracture prevention study. <i>PLoS ONE</i> , 2011 , 6, e24311	3.7	25
66	Mental health care and out-of-pocket expenditures in Europe: results from the ESEMeD project. <i>Journal of Mental Health Policy and Economics</i> , 2011 , 14, 95-105	1.3	4
65	The role of monetary and nonmonetary incentives on the choice of practice establishment: a stated preference study of young physicians in Germany. <i>Health Services Research</i> , 2010 , 45, 212-29	3.4	38
64	Cost-of-illness studies of dementia: a systematic review focusing on stage dependency of costs. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 243-59	6.5	100
63	The assessment of changes in cognitive functioning: reliable change indices for neuropsychological instruments in the elderly - a systematic review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 29, 275-86	2.6	44
62	Health status of the advanced elderly in six European countries: results from a representative survey using EQ-5D and SF-12. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 143	3	77

61	Prediction of institutionalization in the elderly. A systematic review. <i>Age and Ageing</i> , 2010 , 39, 31-8	3	559
60	Is the Clock Drawing Test a screening tool for the diagnosis of mild cognitive impairment? A systematic review. <i>International Psychogeriatrics</i> , 2010 , 22, 56-63	3-4	55
59	Cost of falls in old age: a systematic review. <i>Osteoporosis International</i> , 2010 , 21, 891-902	5-3	319
58	Excess mortality after pelvic fractures in institutionalized older people. <i>Osteoporosis International</i> , 2010 , 21, 1835-9	5-3	29
57	Predictors of nursing home admission of individuals without a dementia diagnosis before admission - results from the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>BMC Health Services Research</i> , 2010 , 10, 186	2-9	59
56	Validity and responsiveness of the EQ-5D in assessing and valuing health status in patients with anxiety disorders. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 47	3	65
55	Validity, reliability, and responsiveness of the EQ-5D in inflammatory bowel disease in Germany. <i>Inflammatory Bowel Diseases</i> , 2010 , 16, 42-51	4-5	63
54	Income-, education- and gender-related inequalities in out-of-pocket health-care payments for 65+ patients - a systematic review. <i>International Journal for Equity in Health</i> , 2010 , 9, 20	4-6	16
53	Cognitive behavioural therapy versus supportive therapy for persistent positive symptoms in psychotic disorders: the POSITIVE Study, a multicenter, prospective, single-blind, randomised controlled clinical trial. <i>Trials</i> , 2010 , 11, 123	2-8	22
52	Mild cognitive impairment: incidence and risk factors: results of the leipzig longitudinal study of the aged. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1903-10	5-6	68
51	Is the clock drawing test appropriate for screening for mild cognitive impairment?--Results of the German study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Dementia and Geriatric Cognitive Disorders</i> , 2009 , 28, 365-72	2-6	17
50	The social phobia psychotherapy research network. The first multicenter randomized controlled trial of psychotherapy for social phobia: rationale, methods and patient characteristics. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 35-41	9-4	51
49	The German MultiCare-study: Patterns of multimorbidity in primary health care - protocol of a prospective cohort study. <i>BMC Health Services Research</i> , 2009 , 9, 145	2-9	54
48	Cost-of-illness studies and cost-effectiveness analyses in anxiety disorders: a systematic review. <i>Journal of Affective Disorders</i> , 2009 , 114, 14-31	6-6	111
47	The health and economic consequences of osteopenia- and osteoporosis-attributable hip fractures in Germany: estimation for 2002 and projection until 2050. <i>Osteoporosis International</i> , 2009 , 20, 1117-29	5-3	58
46	Fractures after nursing home admission: incidence and potential consequences. <i>Osteoporosis International</i> , 2009 , 20, 1775-83	5-3	29
45	The health and economic consequences of moderate alcohol consumption in Germany 2002. <i>Value in Health</i> , 2009 , 12, 253-61	3-3	13
44	Comparison of different valuation methods for population health status measured by the EQ-5D in three European countries. <i>Value in Health</i> , 2009 , 12, 750-8	3-3	67

43	Cost-effectiveness of a primary care model for anxiety disorders. <i>British Journal of Psychiatry</i> , 2009 , 195, 308-17	5.4	33
42	Utility assessment in patients with mental disorders: validity and discriminative ability of the time trade-off method. <i>Pharmacoeconomics</i> , 2009 , 27, 405-19	4.4	17
41	Direct medical mental health care costs of schizophrenia in France, Germany and the United Kingdom - findings from the European Schizophrenia Cohort (EuroSC). <i>European Psychiatry</i> , 2009 , 24, 216-24	6	25
40	Comparison of population health status in six european countries: results of a representative survey using the EQ-5D questionnaire. <i>Medical Care</i> , 2009 , 47, 255-61	3.1	149
39	Gender differences in predictors of nursing home placement in the elderly: a systematic review. <i>International Psychogeriatrics</i> , 2009 , 21, 1015-25	3.4	41
38	Quality of life several years after myocardial infarction: comparing the MONICA/KORA registry to the general population. <i>European Heart Journal</i> , 2009 , 30, 436-43	9.5	81
37	Service utilization and health-care costs in the advanced elderly. <i>Value in Health</i> , 2008 , 11, 611-20	3.3	37
36	Recurrent costs of HIV/AIDS-related health services in Rwanda: implications for financing. <i>Tropical Medicine and International Health</i> , 2008 , 13, 1245-56	2.3	6
35	The responsiveness of EQ-5D utility scores in patients with depression: A comparison with instruments measuring quality of life, psychopathology and social functioning. <i>Journal of Affective Disorders</i> , 2008 , 105, 81-91	6.6	44
34	Direct costs associated with depression in old age in Germany. <i>Journal of Affective Disorders</i> , 2008 , 105, 195-204	6.6	55
33	Responsiveness of EQ-5D utility indices in alcohol-dependent patients. <i>Drug and Alcohol Dependence</i> , 2008 , 92, 291-5	4.9	18
32	Cost effectiveness of ibandronate for the prevention of fractures in inflammatory bowel disease-related osteoporosis: cost-utility analysis using a Markov model. <i>Pharmacoeconomics</i> , 2008 , 26, 311-28	4.4	5
31	Cost effectiveness of the determination of autoantibodies against cyclic citrullinated peptide in the early diagnosis of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 1399-405	2.4	4
30	Prediction of institutionalisation in dementia. A systematic review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 26, 65-78	2.6	196
29	Time until institutionalization in incident dementia cases--results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>Neuroepidemiology</i> , 2008 , 31, 100-8	5.4	23
28	Healthcare costs associated with recognized and unrecognized depression in old age. <i>International Psychogeriatrics</i> , 2008 , 20, 1219-29	3.4	20
27	Direct costs associated with mild cognitive impairment in primary care. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 963-71	3.9	25
26	Mitomycin C and Vinorelbine for second-line chemotherapy in NSCLC--a phase II trial. <i>British Journal of Cancer</i> , 2007 , 96, 1052-6	8.7	15

25	Cost-of-illness studies of depression: a systematic review. <i>Journal of Affective Disorders</i> , 2007 , 98, 29-43	6.6	240
24	Advertising bans as a means of tobacco control policy: a systematic literature review of time-series analyses. <i>International Journal of Public Health</i> , 2007 , 52, 295-307		20
23	The EQ-5D in alcohol dependent patients: relationships among health-related quality of life, psychopathology and social functioning. <i>Drug and Alcohol Dependence</i> , 2007 , 86, 253-64	4.9	41
22	Validity of the EQ-5D in assessing and valuing health status in patients with schizophrenic, schizotypal or delusional disorders. <i>European Psychiatry</i> , 2007 , 22, 177-87	6	60
21	Direct and indirect costs attributable to alcohol consumption in Germany. <i>Pharmacoeconomics</i> , 2007 , 25, 605-18	4.4	40
20	Mortality, morbidity and costs attributable to smoking in Germany: update and a 10-year comparison. <i>Tobacco Control</i> , 2006 , 15, 464-71	5.3	91
19	Costs of inflammatory bowel disease in Germany. <i>Pharmacoeconomics</i> , 2006 , 24, 797-814	4.4	89
18	Decision makers' and scientists' opinion about contingent valuation and choice experiments for measuring willingness to pay in health care: results from a survey in Germany. <i>International Journal of Technology Assessment in Health Care</i> , 2006 , 22, 351-61	1.8	3
17	MEDICAL CARE FOR NURSING HOME RESIDENTS: NATIONAL PERSPECTIVES IN INTERNATIONAL CONTEXT 2006 , 175-188		
16	Cost effectiveness of treatment for amblyopia: an analysis based on a probabilistic Markov model. <i>British Journal of Ophthalmology</i> , 2004 , 88, 606-12	5.5	42
15	Cost of outpatient care in patients with inflammatory bowel disease in a German University Hospital. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004 , 19, 192-9	4	38
14	Faktoren der Früherkennung visueller Entwicklungsstörungen bei 3-jährigen Kindergartenkindern. <i>Monatsschrift Fur Kinderheilkunde</i> , 2004 , 152, 772-777	0.2	0
13	The impact of ageing on hospital care and long-term care--the example of Germany. <i>Health Policy</i> , 2004 , 67, 57-74	3.2	66
12	Cost-utility analysis of orthoptic screening in kindergarten: a Markov model based on data from Germany. <i>Pediatrics</i> , 2004 , 113, e95-108	7.4	19
11	Test characteristics of orthoptic screening examination in 3 year old kindergarten children. <i>British Journal of Ophthalmology</i> , 2003 , 87, 909-16	5.5	29
10	F-18 NaF PET for detection of bone metastases in lung cancer: accuracy, cost-effectiveness, and impact on patient management. <i>Journal of Bone and Mineral Research</i> , 2003 , 18, 2206-14	6.3	137
9	Cost effectiveness of adding folinic acid to fluorouracil plus levamisole as adjuvant chemotherapy in patients with colon cancer in Germany. <i>Pharmacoeconomics</i> , 2003 , 21, 709-19	4.4	6
8	Economic evaluation of different methods of screening for amblyopia in kindergarten. <i>Pediatrics</i> , 2002 , 109, e59	7.4	23

7	Validation of the EuroQol questionnaire in patients with inflammatory bowel disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2002 , 14, 1205-15	2.2	92
6	Economic evaluation of orthoptic screening: results of a field study in 121 German kindergartens. <i>Investigative Ophthalmology and Visual Science</i> , 2002 , 43, 3209-15		10
5	Non-cycloplegic screening for amblyopia via refractive findings with the Nikon Retinomax hand held autorefractor in 3 year old kindergarten children. <i>British Journal of Ophthalmology</i> , 2001 , 85, 1179-82	5.5	22
4	Cost-effectiveness of orthoptic screening in kindergarten: a decision-analytic model. <i>Strabismus</i> , 2000 , 8, 79-90	1.3	2
3	Prognostic significance of soluble interleukin-2 receptor-alpha in adenocarcinoma of the pancreas. <i>Cancer Letters</i> , 1998 , 134, 193-9	9.9	8
2	Internet Use in Old Age: Results of a German Population-Representative Survey (Preprint)		1
1	Health-Related Quality of Life of Individuals Living In Households with Depression: Evidence from the German Socio-Economic Panel (SOEP). <i>Applied Research in Quality of Life</i> , 1	2.3	