

# Jakub Fronczek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3405895/publications.pdf>

Version: 2024-02-01

28  
papers

232  
citations

1162367

8  
h-index

1058022

14  
g-index

28  
all docs

28  
docs citations

28  
times ranked

351  
citing authors

#	ARTICLE	IF	CITATIONS
1	Van Velthoven single-knot running suture versus Chlosta™s running suture versus single barbed suture V-Loc for vesicourethral anastomosis in laparoscopic radical prostatectomy: a retrospective comparative study. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2022, 17, 214-225.	0.3	2
2	Association between tracheostomy timing and outcomes for older critically ill COVID-19 patients: prospective observational study in European intensive care units. <i>British Journal of Anaesthesia</i> , 2022, 128, 482-490.	1.5	16
3	Should we revise the SOFA score? Yes. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 658-659.	0.7	2
4	Short-term mortality of patients ≥80 years old admitted to European intensive care units: an international observational study. <i>British Journal of Anaesthesia</i> , 2022, 129, 58-66.	1.5	3
5	Perioperative cardiovascular complications rate and activity of coagulation and fibrinolysis among patients undergoing vascular surgery for peripheral artery disease and abdominal aortic aneurysm. <i>Vascular</i> , 2021, 29, 134-142.	0.4	1
6	Myocardial injury after noncardiac surgery – an update. <i>Current Opinion in Anaesthesiology</i> , 2021, 34, 381-386.	0.9	7
7	Concentrations of fentanyl before and after initiation of continuous venovenous haemodialysis in septic patients with acute kidney injury. <i>European Journal of Anaesthesiology</i> , 2021, 38, 669-671.	0.7	0
8	Relationship between the Clinical Frailty Scale and short-term mortality in patients ≥80 years old acutely admitted to the ICU: a prospective cohort study. <i>Critical Care</i> , 2021, 25, 231.	2.5	19
9	Concentration of meropenem in patients with sepsis and acute kidney injury before and after initiation of continuous renal replacement therapy: a prospective observational trial. <i>Pharmacological Reports</i> , 2020, 72, 147-155.	1.5	6
10	Preoperative levels of natriuretic peptides and the incidence of postoperative atrial fibrillation after noncardiac surgery: a prospective cohort study. <i>Cmaj</i> , 2020, 192, E1715-E1722.	0.9	5
11	Rapid Response Teams – Rethinking Expectations. <i>Critical Care Medicine</i> , 2020, 48, e152.	0.4	1
12	Admission to surgery time in Polish patients with hip fractures: temporal trends in the last decade and association with duration of hospitalization and in-hospital mortality. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 506-511.	0.3	0
13	Changes in neoadjuvant chemotherapy utilization in muscle invasive bladder cancer treatment: a tertiary center retrospective study. <i>Central European Journal of Urology</i> , 2020, 73, 13-18.	0.2	1
14	External validation of the Revised Cardiac Risk Index and National Surgical Quality Improvement Program Myocardial Infarction and Cardiac Arrest calculator in noncardiac vascular surgery. <i>British Journal of Anaesthesia</i> , 2019, 123, 421-429.	1.5	35
15	Five Issues With the Cardiovascular Risk Index. <i>Journal of the American College of Cardiology</i> , 2019, 74, 2327-2328.	1.2	0
16	Thyroid hormones as potential prognostic factors in sepsis. <i>Anaesthesiology Intensive Therapy</i> , 2019, 51, 205-209.	0.4	16
17	A comparison of very old patients admitted to intensive care unit after acute versus elective surgery or intervention. <i>Journal of Critical Care</i> , 2019, 52, 141-148.	1.0	30
18	The Prognostic Value of Tumor Regression Grades Combined With TNM Classification in Patients With Muscle-Invasive Bladder Cancer Who Underwent Neoadjuvant Chemotherapy Followed by Radical Cystectomy. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e1203-e1211.	0.9	3

#	ARTICLE	IF	CITATIONS
19	Introduction of rapid response teams in Poland. <i>Anaesthesiology Intensive Therapy</i> , 2019, 51, 178-185.	0.4	4
20	Impact of Arterial Procedures on Coagulation and Fibrinolysis – A Pilot Study. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2019, 34, 327-334.	0.2	5
21	Identification of potential prognostic factors for absence of residual disease in the second resection of T1 bladder cancer. <i>Central European Journal of Urology</i> , 2019, 72, 252-257.	0.2	4
22	Implementation of neoadjuvant chemotherapy in muscle invasive bladder cancer treatment in Poland: a single institution retrospective study. <i>Central European Journal of Urology</i> , 2019, 72, 100-105.	0.2	2
23	Attitudes of health care professionals towards the introduction of rapid response teams in Poland – a survey study after six months of a pilot program in 25 hospitals. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 949-955.	0.3	1
24	Myocardial Infarction After Vascular Surgery. <i>JAMA Surgery</i> , 2018, 153, 496.	2.2	5
25	Myocardial Injury is More Common than Deep Venous Thrombosis after Vascular Surgery and is Associated with a High One Year Mortality Risk. <i>European Journal of Vascular and Endovascular Surgery</i> , 2018, 56, 264-270.	0.8	15
26	Myocardial Injury is More Common than Deep Venous Thrombosis after Vascular Surgery and is Associated with a High One Year Mortality Risk. <i>Journal of Vascular Surgery</i> , 2018, 68, 938.	0.6	0
27	Frailty increases mortality among patients ≥ 80 years old treated in Polish ICUs. <i>Anaesthesiology Intensive Therapy</i> , 2018, 50, 245-251.	0.4	19
28	Altered preoperative coagulation and fibrinolysis are associated with myocardial injury after non-cardiac surgery. <i>British Journal of Anaesthesia</i> , 2017, 118, 713-719.	1.5	30