

# Qun He

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3406212/publications.pdf>

Version: 2024-02-01

34  
papers

610  
citations

567281

15  
h-index

642732

23  
g-index

37  
all docs

37  
docs citations

37  
times ranked

1165  
citing authors

#	ARTICLE	IF	CITATIONS
1	Head-to-Head Comparison of the Expression Differences of NECTIN-4, TROP-2, and HER2 in Urothelial Carcinoma and Its Histologic Variants. <i>Frontiers in Oncology</i> , 2022, 12, 858865.	2.8	10
2	Estrogen and G protein-coupled estrogen receptor accelerate the progression of benign prostatic hyperplasia by inducing prostatic fibrosis. <i>Cell Death and Disease</i> , 2022, 13, .	6.3	14
3	Noninvasive evaluation of tumor immune microenvironment in patients with clear cell renal cell carcinoma using metabolic parameter from preoperative 2-[18F]FDG PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 4054-4066.	6.4	8
4	Hereditary leiomyomatosis and renal cell cancer (HLRCC): Case series and review of the literature. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 791.e9-791.e16.	1.6	4
5	Clinical and Pathological Features of Prostatic Stromal Tumor of Uncertain Malignant Potential: A Retrospective Study of 23 Chinese Cases. <i>Urologia Internationalis</i> , 2021, 105, 206-214.	1.3	4
6	Prognostic performance of the 1973 and 2004 WHO grading classification in upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 529.e19-529.e25.	1.6	2
7	Infiltrating CD4+ T cells attenuate chemotherapy sensitivity in prostate cancer via CCL5 signaling. <i>Prostate</i> , 2019, 79, 1018-1031.	2.3	32
8	MRI-Based Radiomics Signature for the Preoperative Prediction of Extracapsular Extension of Prostate Cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1914-1925.	3.4	51
9	Activation of cGMP/PKG/p65 signaling associated with PDE5's downregulates CCL5 secretion by CD8 <sup>+</sup> T cells in benign prostatic hyperplasia. <i>Prostate</i> , 2019, 79, 909-919.	2.3	14
10	Modified Laparoscopic Partial Ureterectomy for Adult Ureteral Fibroepithelial Polyp: Technique and Initial Experience. <i>Urologia Internationalis</i> , 2019, 102, 13-19.	1.3	15
11	Detection of urothelial carcinoma, upper tract urothelial carcinoma, bladder carcinoma, and urothelial carcinoma with gross hematuria using selected urine-DNA methylation biomarkers: A prospective, single-center study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 342.e15-342.e23.	1.6	31
12	Are prostate biopsies necessary for all patients 75 years and older?. <i>Journal of Geriatric Oncology</i> , 2018, 9, 124-129.	1.0	4
13	Aristolochic acid containing herbs induce gender-related oncological differences in upper tract urothelial carcinoma patients. <i>Cancer Management and Research</i> , 2018, Volume 10, 6627-6639.	1.9	18
14	Prostate cancer incidentally discovered at the time of radical cystoprostatectomy does not decrease overall survival: Results from a large Chinese medical center. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2018, 44, 258-266.	1.5	3
15	Novel germline mutations in FLCN gene identified in two Chinese patients with Birt-Hogg-Åub syndrome. <i>Chinese Journal of Cancer</i> , 2017, 36, 4.	4.9	5
16	CD8+ T cells promote proliferation of benign prostatic hyperplasia epithelial cells under low androgen level via modulation of CCL5/STAT5/CCND1 signaling pathway. <i>Scientific Reports</i> , 2017, 7, 42893.	3.3	28
17	Prognostic significance of PD-L1 expression on tumor cells and tumor-infiltrating mononuclear cells in upper tract urothelial carcinoma. <i>Medical Oncology</i> , 2017, 34, 94.	2.5	52
18	Clinicopathologic characteristics, therapy and outcomes of patients with primary ureteral small cell carcinoma: a case series and systematic review of the literature. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 4105-4111.	2.0	10

#	ARTICLE	IF	CITATIONS
19	Are the Pathological Characteristics of Prostate Cancer More Aggressive or More Indolent Depending upon the Patient Age?. <i>BioMed Research International</i> , 2017, 2017, 1-6.	1.9	14
20	Association between FBP1 and hypoxia-related gene expression in clear cell renal cell carcinoma. <i>Oncology Letters</i> , 2016, 11, 4095-4098.	1.8	17
21	Characteristics and treatment outcomes of pan-urothelial cell carcinoma: a descriptive analysis of 45 patients. <i>Scientific Reports</i> , 2016, 5, 18014.	3.3	12
22	The efficiency of multiparametric magnetic resonance imaging (mpMRI) using PI-RADS Version 2 in the diagnosis of clinically significant prostate cancer. <i>Clinical Imaging</i> , 2016, 40, 885-888.	1.5	65
23	Could Magnetic Resonance Imaging Help to Identify the Presence of Prostate Cancer Before Initial Biopsy? The Development of Nomogram Predicting the Outcomes of Prostate Biopsy in the Chinese Population. <i>Annals of Surgical Oncology</i> , 2016, 23, 4284-4292.	1.5	20
24	The prognostic impact of squamous and glandular differentiation for upper tract urothelial carcinoma patients after radical nephroureterectomy. <i>World Journal of Urology</i> , 2016, 34, 871-877.	2.2	33
25	Comparisons of prognosis between urothelial carcinoma of the upper urinary tract and bladder with pT3-4 cancer. <i>International Journal of Clinical and Experimental Medicine</i> , 2016, 9, 18308-18315.	1.3	1
26	Predictive role of preoperative hydronephrosis on poor pathological outcomes and prognosis in upper tract urothelial carcinoma patients: Experience from a nationwide high-volume center in China. <i>Oncology Letters</i> , 2015, 10, 3113-3122.	1.8	10
27	Prevalence and Risk Factors of Prostate Cancer in Chinese Men with PSA 4â€“10â€“ng/mL Who Underwent TRUS-Guided Prostate Biopsy: The Utilization of PAMD Score. <i>BioMed Research International</i> , 2015, 2015, 1-7.	1.9	10
28	Growth Pattern of Clear Cell Renal Cell Carcinoma in Patients with Delayed Surgical Intervention: Fast Growth Rate Correlates with High Grade and May Result in Poor Prognosis. <i>BioMed Research International</i> , 2015, 2015, 1-8.	1.9	20
29	High expression of KPNA2 defines poor prognosis in patients with upper tract urothelial carcinoma treated with radical nephroureterectomy. <i>BMC Cancer</i> , 2015, 15, 380.	2.6	25
30	Sensitivity of initial biopsy or transurethral resection of bladder tumor(s) for detecting histological variants on radical cystectomy. <i>BMC Urology</i> , 2015, 15, 46.	1.4	7
31	Prognostic and predictive value of epigenetic biomarkers and clinical factors in upper tract urothelial carcinoma. <i>Epigenomics</i> , 2015, 7, 733-744.	2.1	25
32	Incidence, characteristics, treatment strategies, and oncologic outcomes of synchronous bilateral upper tract urothelial carcinoma in the Chinese population. These authors contribute equally.. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 66.e1-66.e11.	1.6	21
33	Low Intraprostatic DHT Promotes the Infiltration of CD8+ T Cells in BPH Tissues via Modulation of CCL5 Secretion. <i>Mediators of Inflammation</i> , 2014, 2014, 1-9.	3.0	21
34	Inhibition of presenilins attenuates proliferation and invasion in bladder cancer cells through multiple pathways. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 36.e19-36.e25.	1.6	1