
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/340648/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clinical characteristics of coronavirus disease 2019 (COVID-19) in China: A systematic review and meta-analysis. Journal of Infection, 2020, 80, 656-665.	3.3	822
2	Efficacy and Safety of Lopinavir/Ritonavir or Arbidol in Adult Patients with Mild/Moderate COVID-19: An Exploratory Randomized Controlled Trial. Med, 2020, 1, 105-113.e4.	4.4	256
3	Transcriptional Reprogramming during Effector-to-Memory Transition Renders CD4+ T Cells Permissive for Latent HIV-1 Infection. Immunity, 2017, 47, 766-775.e3.	14.3	160
4	Chimeric Antigen Receptor T Cells Guided by the Single-Chain Fv of a Broadly Neutralizing Antibody Specifically and Effectively Eradicate Virus Reactivated from Latency in CD4 ⁺ T Lymphocytes Isolated from HIV-1-Infected Individuals Receiving Suppressive Combined Antiretroviral Therapy. Journal of Virology, 2016, 90, 9712-9724.	3.4	83
5	Circumcision to prevent HIV and other sexually transmitted infections in men who have sex with men: a systematic review and meta-analysis of global data. The Lancet Global Health, 2019, 7, e436-e447.	6.3	75
6	TRIM28 promotes HIV-1 latency by SUMOylating CDK9 and inhibiting P-TEFb. ELife, 2019, 8, .	6.0	71
7	Prognostic Factors for COVID-19 Pneumonia Progression to Severe Symptoms Based on Earlier Clinical Features: A Retrospective Analysis. Frontiers in Medicine, 2020, 7, 557453.	2.6	60
8	Effect of a WeChat-Based Intervention (Run4Love) on Depressive Symptoms Among People Living With HIV in China: A Randomized Controlled Trial. Journal of Medical Internet Research, 2020, 22, e16715.	4.3	60
9	COVID-19 induces new-onset insulin resistance and lipid metabolic dysregulation via regulation of secreted metabolic factors. Signal Transduction and Targeted Therapy, 2021, 6, 427.	17.1	55
10	Development and Feasibility Testing of an mHealth (Text Message and WeChat) Intervention to Improve the Medication Adherence and Quality of Life of People Living with HIV in China: Pilot Randomized Controlled Trial. JMIR MHealth and UHealth, 2018, 6, e10274.	3.7	54
11	A global call for talaromycosis to be recognised as a neglected tropical disease. The Lancet Global Health, 2021, 9, e1618-e1622.	6.3	52
12	A structural equation model of perceived and internalized stigma, depression, and suicidal status among people living with HIV/AIDS. BMC Public Health, 2018, 18, 138.	2.9	50
13	Spread and Impact of COVID-19 in China: A Systematic Review and Synthesis of Predictions From Transmission-Dynamic Models. Frontiers in Medicine, 2020, 7, 321.	2.6	42
14	Clinical Characteristics of Patients Infected With the Novel 2019 Coronavirus (SARS-Cov-2) in Guangzhou, China. Open Forum Infectious Diseases, 2020, 7, ofaa187.	0.9	40
15	Run4Love, a mHealth (WeChat-based) intervention to improve mental health of people living with HIV: a randomized controlled trial protocol. BMC Public Health, 2018, 18, 793.	2.9	38
16	Broadly neutralizing antibody–derived CAR T cells reduce viral reservoir in individuals infected with HIV-1. Journal of Clinical Investigation, 2021, 131, .	8.2	38
17	Association between detectable SARS OVâ€2 RNA in anal swabs and disease severity in patients with coronavirus disease 2019. Journal of Medical Virology, 2021, 93, 794-802.	5.0	34
18	Willingness to Receive COVID-19 Vaccination Among People Living With HIV and AIDS in China: Nationwide Cross-sectional Online Survey. JMIR Public Health and Surveillance, 2021, 7, e31125.	2.6	33

#	Article	IF	CITATIONS
19	Imatinib and methazolamide ameliorate COVID-19-induced metabolic complications via elevating ACE2 enzymatic activity and inhibiting viral entry. Cell Metabolism, 2022, 34, 424-440.e7.	16.2	32
20	Histone chaperone CAFâ€1 promotes HIVâ€1 latency by leading the formation of phaseâ€separated suppressive nuclear bodies. EMBO Journal, 2021, 40, e106632.	7.8	27
21	USP49 potently stabilizes APOBEC3G protein by removing ubiquitin and inhibits HIV-1 replication. ELife, 2019, 8, .	6.0	27
22	Longitudinal clinical and radiographic evaluation reveals interleukin-6 as an indicator of persistent pulmonary injury in COVID-19. International Journal of Medical Sciences, 2021, 18, 29-41.	2.5	24
23	Adoptive Transfer of Interleukin-21-stimulated Human CD8+ T Memory Stem Cells Efficiently Inhibits Tumor Growth. Journal of Immunotherapy, 2018, 41, 274-283.	2.4	22
24	Interleukin 7 Up-regulates CD95 Protein on CD4+ T Cells by Affecting mRNA Alternative Splicing. Journal of Biological Chemistry, 2015, 290, 35-45.	3.4	21
25	Molecular and serological characterization of SARS-CoV-2 infection among COVID-19 patients. Virology, 2020, 551, 26-35.	2.4	21
26	CD161 + CD4 + T Cells Harbor Clonally Expanded Replication-Competent HIV-1 in Antiretroviral Therapy-Suppressed Individuals. MBio, 2019, 10, .	4.1	20
27	CUL7 E3 Ubiquitin Ligase Mediates the Degradation of Activation-Induced Cytidine Deaminase and Regulates the Ig Class Switch Recombination in B Lymphocytes. Journal of Immunology, 2019, 203, 269-281.	0.8	19
28	Mechanisms and Effects of a WeChat-Based Intervention on Suicide Among People Living With HIV and Depression: Path Model Analysis of a Randomized Controlled Trial. Journal of Medical Internet Research, 2019, 21, e14729.	4.3	19
29	Adenosine deaminase acting on RNA-1 (ADAR1) inhibits hepatitis B virus (HBV) replication by enhancing microRNA-122 processing. Journal of Biological Chemistry, 2019, 294, 14043-14054.	3.4	18
30	Transmitted drug resistance and transmission clusters among HIV-1 treatment-naÃ ⁻ ve patients in Guangdong, China: a cross-sectional study. Virology Journal, 2021, 18, 181.	3.4	16
31	Relationship Between Patient Engagement and Depressive Symptoms Among People Living With HIV in a Mobile Health Intervention: Secondary Analysis of a Randomized Controlled Trial. JMIR MHealth and UHealth, 2020, 8, e20847.	3.7	16
32	What Would an HIV Cure Mean to You? Qualitative Analysis from a Crowdsourcing Contest in Guangzhou, China. AIDS Research and Human Retroviruses, 2018, 34, 80-87.	1.1	14
33	Detection of Anti-SARS-CoV-2-S2 IgG Is More Sensitive Than Anti-RBD IgG in Identifying Asymptomatic COVID-19 Patients. Frontiers in Immunology, 2021, 12, 724763.	4.8	14
34	Dose–Response Effects of Patient Engagement on Health Outcomes in an mHealth Intervention: Secondary Analysis of a Randomized Controlled Trial. JMIR MHealth and UHealth, 2022, 10, e25586.	3.7	14
35	Lovastatin Inhibits HIV-1-Induced MHC-I Downregulation by Targeting Nef–AP-1 Complex Formation: A New Strategy to Boost Immune Eradication of HIV-1 Infected Cells. Frontiers in Immunology, 2019, 10, 2151.	4.8	12
36	Evaluation of smartphone APP-based case-management services among antiretroviral treatment-naÃ ⁻ ve HIV-positive men who have sex with men: a randomized controlled trial protocol. BMC Public Health, 2020, 20, 85.	2.9	12

#	Article	IF	CITATIONS
37	Human umbilical cord mesenchymal stem cell transfusion in immune non-responders with AIDS: a multicenter randomized controlled trial. Signal Transduction and Targeted Therapy, 2021, 6, 217.	17.1	11
38	Sex differences in HIV treatment outcomes and adherence by exposure groups among adults in Guangdong, China: A retrospective observational cohort study. EClinicalMedicine, 2020, 22, 100351.	7.1	10
39	Complicated genotypes circulating among treatment naÃ ⁻ ve HIV-1 patients in Guangzhou, China. Infection, Genetics and Evolution, 2021, 87, 104673.	2.3	10
40	Factors associated with clinical outcomes in patients with Coronavirus Disease 2019 in Guangzhou, China. Journal of Clinical Virology, 2020, 133, 104661.	3.1	9
41	HIV-1 Drug Resistance and Genetic Transmission Networks Among MSM Failing Antiretroviral Therapy in South China 2014–2019. Infection and Drug Resistance, 2021, Volume 14, 2977-2989.	2.7	9
42	Mediators of Intervention Effects on Depressive Symptoms Among People Living With HIV: Secondary Analysis of a Mobile Health Randomized Controlled Trial Using Latent Growth Curve Modeling. JMIR MHealth and UHealth, 2019, 7, e15489.	3.7	9
43	Talaromyces marneffei Mp1p Antigen Detection may Play an Important Role in the Early Diagnosis of Talaromycosis in Patients with Acquired Immunodeficiency Syndrome. Mycopathologia, 2022, 187, 205-215.	3.1	9
44	Six-Year Immunologic Recovery and Virological Suppression of HIV Patients on LPV/r-Based Second-Line Antiretroviral Treatment: A Multi-Center Real-World Cohort Study in China. Frontiers in Pharmacology, 2019, 10, 1455.	3.5	8
45	PIWIL4 Maintains HIV-1 Latency by Enforcing Epigenetically Suppressive Modifications on the 5′ Long Terminal Repeat. Journal of Virology, 2020, 94, .	3.4	8
46	Evidence that the second human pegivirus (HPgV-2) is primarily a lymphotropic virus and can replicate independent of HCV replication. Emerging Microbes and Infections, 2020, 9, 485-495.	6.5	8
47	HIV-related stigma and quality of life in people living with HIV and depressive symptoms: indirect effects of positive coping and perceived stress. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 1030-1035.	1.2	8
48	Development and external validation of a prognostic model for survival of people living with HIV/AIDS initiating antiretroviral therapy. The Lancet Regional Health - Western Pacific, 2021, 16, 100269.	2.9	8
49	Glycopeptide Antibiotic Teicoplanin Inhibits Cell Entry of SARS-CoV-2 by Suppressing the Proteolytic Activity of Cathepsin L. Frontiers in Microbiology, 2022, 13, 884034.	3.5	8
50	Autoantibody-Mediated Erythrophagocytosis Increases Tuberculosis Susceptibility in HIV Patients. MBio, 2020, 11, .	4.1	7
51	Alteration of the respiratory microbiome in COVID-19 patients with different severities. Journal of Genetics and Genomics, 2022, 49, 258-261.	3.9	7
52	IL-21 Expands HIV-1-Specific CD8+ T Memory Stem Cells to Suppress HIV-1 Replication In Vitro. Journal of Immunology Research, 2019, 2019, 1-13.	2.2	6
53	Absence of Integrase Inhibitor-Associated Resistance Among Antiretroviral Therapy-NaÃ ⁻ ve HIV-1-Infected Adults in Guangdong Province, China, in 2018. Infection and Drug Resistance, 2020, Volume 13, 4389-4394.	2.7	6
54	X4-Tropic Latent HIV-1 Is Enriched in Peripheral Follicular Helper T Cells and Is Correlated with Disease Progression. Journal of Virology, 2020, 94, .	3.4	6

#	Article	IF	CITATIONS
55	Characteristics of drug resistance in HIV-1 CRF55_01B from ART-experienced patients in Guangdong, China. Journal of Antimicrobial Chemotherapy, 2020, 75, 1925-1931.	3.0	6
56	Methicillin-Resistant Coagulase-Negative Staphylococci Carriage is a Protective Factor of Methicillin-Resistant Staphylococcus Aureus Nasal Colonization in HIV-Infected Patients: A Cross-Sectional Study. Canadian Journal of Infectious Diseases and Medical Microbiology, 2021, 2021, 1-8.	1.9	6
57	The Association of TLR2, TLR3, and TLR9 Gene Polymorphisms With Susceptibility to Talaromycosis Among Han Chinese AIDS Patients in Guangdong. Frontiers in Cellular and Infection Microbiology, 2021, 11, 625461.	3.9	6
58	Associations between antiretroviral therapy-related experiences and mental health status among people living with HIV in China: a prospective observational cohort study. AIDS Research and Therapy, 2021, 18, 60.	1.7	6
59	Positive Coping as a Mediator of Mobile Health Intervention Effects on Quality of Life Among People Living With HIV: Secondary Analysis of the Randomized Controlled Trial Run4Love. Journal of Medical Internet Research, 2022, 24, e25948.	4.3	6
60	Expression and characterization of aTalaromyces marneffeiactive phospholipase B expressed in aPichia pastorisexpression system. Emerging Microbes and Infections, 2016, 5, 1-6.	6.5	5
61	Relationships Between Job Stress, Psychological Adaptation and Internet Gaming Disorder Among Migrant Factory Workers in China: The Mediation Role of Negative Affective States. Frontiers in Psychology, 2022, 13, 837996.	2.1	5
62	COVID-19 Vaccination Uptake Among a Nationwide Sample of People Living With HIV During the Early Phase of Vaccine Rollout in China. Frontiers in Medicine, 0, 9, .	2.6	5
63	Dual Therapy with Lopinavir/Ritonavir plus Lamivudine could be a Viable Alternative for Antiretroviral-Therapy-Naive Adults with HIV-1 Infection Regardless of HIV Viral Load or Subgenotype in Resource-Limited Settings: A Randomised, Open-Label and Non-Inferiority Study from China. Indian lournal of Medical Microbiology. 2018. 36. 513-516.	0.8	4
64	Genetic characterization of a novel HIV-1 CRF01_AE/CRF07_BC recombinant form among men who have sex with men in Guangdong, China. Archives of Virology, 2018, 163, 3093-3097.	2.1	4
65	Critical appraisal and external validation of a prognostic model for survival of people living with HIV/AIDS who underwent antiretroviral therapy. Diagnostic and Prognostic Research, 2020, 4, 19.	1.8	4
66	Difference of Intrahost Dynamics of the Second Human Pegivirus and Hepatitis C Virus in HPgV-2/HCV-Coinfected Patients. Frontiers in Cellular and Infection Microbiology, 2021, 11, 728415.	3.9	4
67	Gender differences in the relationship of sexual partnership characteristics and inconsistent condom use among people living with HIV in China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 128-135.	1.2	3
68	Reduction of anti-HIV antibody responses in subjects receiving antiretroviral therapy during chronic HIV-1 infection. Journal of Clinical Virology, 2020, 128, 104414.	3.1	3
69	Genetic Characteristics of HIV-1 CRF12_BF First Identified in Guangdong Province, China. AIDS Research and Human Retroviruses, 2021, 37, 157-161.	1.1	3
70	Persistent chronic immune activation in HIV/HBV oinfected patients after antiretroviral therapy. Journal of Viral Hepatitis, 2021, 28, 1355-1361.	2.0	3
71	Mediating Effects of Stigma and Depressive Symptoms in a Social Media–Based Intervention to Improve Long-term Quality of Life Among People Living With HIV: Secondary Analysis of a Randomized Controlled Trial. Journal of Medical Internet Research, 2021, 23, e27897.	4.3	3
72	HIV diagnosis period influences ART initiation: findings from a prospective cohort study in China. AIDS Research and Therapy, 2021, 18, 59.	1.7	2

#	Article	IF	CITATIONS
73	Multidrug-resistant Staphylococcus aureus nasal carriage among HIV-positive outpatients in Guangzhou, China: Prevalence, risk factors, phenotypic and molecular characteristics. Journal of Infection and Chemotherapy, 2021, 27, 218-225.	1.7	1
74	Near Full-Length Genomic Characterization of a Novel HIV-1 B/C Recombinant Form Identified in Guangdong Province, China. AIDS Research and Human Retroviruses, 2021, 37, 566-571.	1.1	1
75	Dynamic changes of HCV genomes under selective pressure from DAAs therapy in relapsed patients. Virus Research, 2021, 302, 198453.	2.2	1
76	Immune response to hepatitis B vaccination in human immunodeficiency virusâ€positive patients in China: A 2â€year retrospective study. Journal of Medical Virology, 2021, , .	5.0	1
77	Comparison and Correlation of Genetic Variability of the HBV Pre-S Region in HIV/HBV Co-Infected Patients: Quasispecies Perspective. Infection and Drug Resistance, 2020, Volume 13, 4327-4334.	2.7	0
78	Genetic characteristics of HIV-1 CRF06_cpx and CRF56_cpx strains isolated in Guangzhou, China. Archives of Virology, 2021, 166, 2853-2857.	2.1	0
79	Baseline and Process Factors of Anti-Retroviral Therapy That Predict Loss to Follow-up Among People Living with HIV/AIDS in China: A Retrospective Cohort Study. AIDS and Behavior, 2021, , 1.	2.7	0
80	OUP accepted manuscript. Journal of Antimicrobial Chemotherapy, 2022, , .	3.0	0