

Hao-Ling Sun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3406897/publications.pdf>

Version: 2024-02-01

58
papers

2,716
citations

257357

24
h-index

175177

52
g-index

59
all docs

59
docs citations

59
times ranked

2532
citing authors

#	ARTICLE	IF	CITATIONS
1	An Organometallic Single-Ion Magnet. <i>Journal of the American Chemical Society</i> , 2011, 133, 4730-4733.	6.6	725
2	Strategies towards single-chain magnets. <i>Coordination Chemistry Reviews</i> , 2010, 254, 1081-1100.	9.5	533
3	Slow magnetic relaxation in a novel carboxylate/oxalate/hydroxyl bridged dysprosium layer. <i>Chemical Science</i> , 2015, 6, 3095-3101.	3.7	158
4	Phosphorescent cocrystals constructed by 1,4-diiodotetrafluorobenzene and polyaromatic hydrocarbons based on C-H...I halogen bonding and other assisting weak interactions. <i>CrystEngComm</i> , 2012, 14, 5027.	1.3	106
5	Elucidation of slow magnetic relaxation in a ferromagnetic 1D dysprosium chain through magnetic dilution. <i>Chemical Communications</i> , 2014, 50, 6052.	2.2	65
6	A 1D dysprosium chain with slow magnetic relaxation constructed from a pyridine-N-oxide ligand. <i>Chemical Communications</i> , 2014, 50, 10434.	2.2	64
7	Unique (3,13)-Connected Coordination Framework Based on Pentacobalt Clusters Constructed from the (3,12)-Connected Analogue and 4,4'-Bipyridyl Spacer: Structural and Magnetic Aspects. <i>Crystal Growth and Design</i> , 2009, 9, 4239-4242.	1.4	54
8	A New Bis(phthalocyaninato) Terbium Single-Ion Magnet with an Overall Excellent Magnetic Performance. <i>Inorganic Chemistry</i> , 2017, 56, 13889-13896.	1.9	53
9	Microwave-Assisted Stepwise Synthesis and Typically Metamagnetic Behavior of a Unique Two-Dimensional Net-Based Material Based on Linear Cu(II)-Azido Chains Mediated by Discrete Cu(II) Segments. <i>Crystal Growth and Design</i> , 2010, 10, 20-24.	1.4	51
10	Assembling Dysprosium Dimer Units into a Novel Chain Featuring Slow Magnetic Relaxation via Formate Linker. <i>Inorganic Chemistry</i> , 2016, 55, 12904-12911.	1.9	46
11	Lanthanide-Organic Frameworks Constructed from 2,7-Naphthalenedisulfonate and 1 <i>H</i> -Imidazo[4,5- <i>f</i>][1,10]-phenanthroline: Synthesis, Structure, and Luminescence with Near-Visible Light Excitation and Magnetic Properties. <i>Inorganic Chemistry</i> , 2019, 58, 9855-9865.	1.9	46
12	Isostructural lanthanide-based metal-organic frameworks: structure, photoluminescence and magnetic properties. <i>Dalton Transactions</i> , 2018, 47, 925-934.	1.6	45
13	Experimental Determination of Magnetic Anisotropy in Exchange-Bias Dysprosium Metallocene Single-Molecule Magnets. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 13037-13043.	7.2	40
14	Tuning Slow Magnetic Relaxation in a Two-Dimensional Dysprosium Layer Compound through Guest Molecules. <i>Inorganic Chemistry</i> , 2016, 55, 7980-7987.	1.9	37
15	Europium Pyrimidine-4,6-dicarboxylate Framework with a Single-Crystal-to-Single-Crystal Transition and a Reversible Dehydration/Rehydration Process. <i>Inorganic Chemistry</i> , 2013, 52, 3582-3584.	1.9	36
16	Modulating Crystal Packing and Magnetic Properties of Nitroxide Free Radicals by Halogen Bonding. <i>Crystal Growth and Design</i> , 2013, 13, 3739-3745.	1.4	33
17	Novel bis(phthalocyaninato) rare earth complexes with the bulky and strong electron-donating dibutylamino groups: synthesis, spectroscopy, and SMM properties. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 1465-1471.	3.0	32
18	Aerobic Oxidation of Primary Alcohols Catalyzed by Copper Salts and Catalytically Active μ_4 -Hydroxyl-Bridged Trinuclear Copper Intermediate. <i>Advanced Synthesis and Catalysis</i> , 2010, 352, 2371-2377. ^{2,1}		31

#	ARTICLE	IF	CITATIONS
19	Bioinspired Orientation of $\hat{\Gamma}^2$ -Substituents on Porphyrin Antenna Ligands Switches Ytterbium(III) NIR Emission with Thermosensitivity. <i>Inorganic Chemistry</i> , 2017, 56, 1897-1905.	1.9	31
20	A one-dimensional homochiral Mo(IV)-Cu(II) coordination polymer: spontaneous resolution and photoresponsive properties. <i>CrystEngComm</i> , 2010, 12, 4045.	1.3	30
21	Lanthanide-pyridyl-2,5-dicarboxylate N-oxide frameworks with rutile topology. <i>CrystEngComm</i> , 2012, 14, 512-518.	1.3	29
22	Chiral six-coordinate Dy(III) and Tb(III) complexes of an achiral ligand: structure, fluorescence, and magnetism. <i>Dalton Transactions</i> , 2017, 46, 13035-13042.	1.6	28
23	Fabricating Bis(phthalocyaninato) Terbium SIM into Tetrakis(phthalocyaninato) Terbium SMM with Enhanced Performance through Sodium Coordination. <i>Chemistry - A European Journal</i> , 2018, 24, 8066-8070.	1.7	28
24	Dy ₂ @C ₇₉ N: a new member of dimetalloazafullerenes with strong single molecular magnetism. <i>Nanoscale</i> , 2020, 12, 11130-11135.	2.8	28
25	Constructing a Catalytic Cycle for C-F to C-X (X = O, S, N) Bond Transformation Based on Gold-Mediated Ligand Nucleophilic Attack. <i>Inorganic Chemistry</i> , 2016, 55, 2274-2283.	1.9	25
26	Rational construction of a porous lanthanide coordination polymer featuring reversible guest-dependent magnetic relaxation behavior. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 2875-2884.	3.0	25
27	Regulating the structural dimensionality and dynamic properties of a porous dysprosium coordination polymer through solvent molecules. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 930-938.	3.0	24
28	Proton mediated spin state transition of cobalt heme analogs. <i>Nature Communications</i> , 2019, 10, 2303.	5.8	23
29	Modulating Slow Magnetic Relaxation of Dysprosium Compounds through the Position of Coordinating Nitrate Group. <i>Inorganic Chemistry</i> , 2017, 56, 13430-13436.	1.9	22
30	Elucidation of the two-step relaxation processes of a tetranuclear dysprosium molecular nanomagnet through magnetic dilution. <i>Dalton Transactions</i> , 2018, 47, 11636-11644.	1.6	21
31	Construction and theoretical study of a new Dy- $\hat{\Gamma}^2$ -diketone chain featuring slow magnetic relaxation. <i>CrystEngComm</i> , 2015, 17, 5620-5624.	1.3	20
32	Chiral bis(phthalocyaninato) terbium double-decker compounds with enhanced single-ion magnetic behavior. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 939-943.	3.0	20
33	Dysprosium complexes bearing unsupported Dy ^{III} -Ge ^{II} /Sn ^{II} -metal-metal bonds as single-ion magnets. <i>Chemical Communications</i> , 2019, 55, 8250-8253.	2.2	20
34	Synthesis, Crystal Structure, and Optical and Photoelectrochemical Properties of a Na ⁺ O ⁻ Rhenium(I) Complex. <i>Organometallics</i> , 2011, 30, 712-716.	1.1	18
35	A rare chloride-bridged dysprosium chain with slow magnetic relaxation: a thermally activated mechanism via a second-excited state promoted by magnetic interactions. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 786-790.	3.0	18
36	Novel (4,8)-connected scu coordination framework constructed by tetrakis(4-benzoic acid)ethylene. <i>CrystEngComm</i> , 2013, 15, 1669.	1.3	14

#	ARTICLE	IF	CITATIONS
37	Tuning the dynamic magnetic behaviour and proton conductivity via water-induced reversible single-crystal to single-crystal structural transformation. <i>Journal of Materials Chemistry C</i> , 2021, 9, 15858-15867.	2.7	14
38	Luminescent lanthanide-2-phenylpyrimidine-carboxylate frameworks: structure and luminescence tuning. <i>CrystEngComm</i> , 2014, 16, 6483.	1.3	12
39	Bis[1,8,15,22-tetrakis(3-pentyloxy)phthalocyaninato]terbium Double-Decker Single-Ion Magnets. <i>Inorganic Chemistry</i> , 2019, 58, 2422-2429.	1.9	12
40	Effect of the Transition Metal Ions on the Single-Molecule Magnet Properties in a Family of Air-Stable 3d-4f Ion-Pair Compounds with Pentagonal Bipyramidal Ln(III) Ions. <i>Inorganic Chemistry</i> , 2021, 60, 18990-19000.	1.9	12
41	Heteroleptic chiral bis(phthalocyaninato) terbium double-decker single-ion magnets. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 2006-2012.	3.0	11
42	The differential magnetic relaxation behaviours of slightly distorted triangular dodecahedral dysprosium analogues in a type of cyano-bridged 3d-4f zig-zag chain compounds. <i>Dalton Transactions</i> , 2020, 49, 6867-6875.	1.6	8
43	Excited-State Dynamics of Crossing-Controlled Energy Transfer in Europium Complexes. <i>Jacs Au</i> , 2022, 2, 853-864.	3.6	8
44	Synthesis of flavonoids nitrogen mustard derivatives and study on their antitumor activity in vitro. <i>Bioorganic Chemistry</i> , 2020, 96, 103613.	2.0	7
45	The comparative studies on the magnetic relaxation behaviour of the axially-elongated pentagonal-bipyramidal dysprosium and erbium ions in similar one-dimensional chain structures. <i>Dalton Transactions</i> , 2021, 50, 8736-8745.	1.6	7
46	The construction of dynamic dysprosium-carboxylate ribbons by utilizing the hybrid-ligand conception. <i>Dalton Transactions</i> , 2021, 50, 1246-1252.	1.6	6
47	Two novel eight-connected self-penetrating porous lanthanide-organic frameworks: structures, luminescence, and gas adsorption properties. <i>CrystEngComm</i> , 2016, 18, 8159-8163.	1.3	5
48	Construction and magnetic study of two new dysprosium complexes with chain or tetranuclear structure. <i>CrystEngComm</i> , 2017, 19, 4025-4032.	1.3	5
49	N ^N Pt(II) Bisacetylide Complexes with Oxoverdazyl Radical Ligands: Preparation, Photophysical Properties, and Magnetic Exchange Interaction between the Two Radical Ligands. <i>Inorganic Chemistry</i> , 2020, 59, 12471-12485.	1.9	5
50	Three bilindione isomers: synthesis, characterization and reactivity of biliverdin analogs. <i>Journal of Biological Inorganic Chemistry</i> , 2017, 22, 727-737.	1.1	4
51	The Exploration and Analysis of the Magnetic Relaxation Behavior in Three Isostructural Cyano-Bridged 3d-4f Linear Heterotrinnuclear Compounds. <i>Inorganics</i> , 2018, 6, 36.	1.2	4
52	Experimental Determination of Magnetic Anisotropy in Exchange-Bias Dysprosium Metallocene Single-Molecule Magnets. <i>Angewandte Chemie</i> , 2020, 132, 13137-13143.	1.6	4
53	A neutral auxiliary ligand enhanced dysprosium(ⁱⁱⁱ) single molecule magnet. <i>Dalton Transactions</i> , 2018, 47, 7395-7398.	1.6	3
54	The rational construction of diamond-like dysprosium-hexacyanometallate frameworks featuring dynamic magnetic behaviour. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 231-240.	3.0	3

#	ARTICLE	IF	CITATIONS
55	Crystal structures and luminescent properties of new lanthanide(Ln^{III}) complexes derived from 2-phenyl-4-pyrimidinecarboxylate. RSC Advances, 2015, 5, 96855-96861.	1.7	2
56	Single-Ion Magnet Investigation of ABAB-Type Tetrachloro- and Tetraalkoxy-Substituted Bis(phthalocyaninato) Terbium Double-Decker with D ₂ Symmetrical Ligand Field. European Journal of Inorganic Chemistry, 2019, 2019, 1329-1334.	1.0	2
57	Enhancing the magnetic performance of pyrazine-N-oxide bridged dysprosium chains through controlled variation of ligand coordination modes. Dalton Transactions, 2021, 50, 7048-7055.	1.6	2
58	Spin-canting and weak ferromagnetism in two novel 1D alternating chains with single cis-end-to-end azido bridges. Science China Chemistry, 2012, 55, 1031-1036.	4.2	1