

Onno W Kranenburg

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3406902/onno-w-kranenburg-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

6,581
citations

41
h-index

80
g-index

121
ext. papers

7,617
ext. citations

7.5
avg, IF

5.58
L-index

#	Paper	IF	Citations
110	Loss of Neuropilin-2 in Murine Mesenchymal-like Colon Cancer Organoids Causes Mesenchymal-to-Epithelial Transition and an Acquired Dependency on Insulin-Receptor Signaling and Autophagy.. <i>Cancers</i> , 2022 , 14,	6.6	1
109	Unusual site of pseudomyxoma peritonei recurrence after cytoreductive surgery and hyperthermic intraperitoneal chemotherapy: a case report of intraluminal disease manifestation in the small bowel.. <i>World Journal of Surgical Oncology</i> , 2022 , 20, 147	3.4	
108	External Validation of Two Established Clinical Risk Scores Predicting Outcome after Local Treatment of Colorectal Liver Metastases in a Nationwide Cohort. <i>Cancers</i> , 2022 , 14, 2356	6.6	0
107	Liver Colonization by Colorectal Cancer Metastases Requires YAP-Controlled Plasticity at the Micrometastatic Stage.. <i>Cancer Research</i> , 2022 , 82, 1953-1968	10.1	1
106	Dynamic Visualization of TGF- β /SMAD3 Transcriptional Responses in Single Living Cells. <i>Cancers</i> , 2022 , 14, 2508	6.6	0
105	Peritoneal Metastases From Colorectal Cancer: Defining and Addressing the Challenges. <i>Frontiers in Oncology</i> , 2021 , 11, 650098	5.3	10
104	Patient-derived organoids as a predictive biomarker for treatment response in cancer patients. <i>Npj Precision Oncology</i> , 2021 , 5, 30	9.8	27
103	A review of the sensitivity of metastatic colorectal cancer patients with deficient mismatch repair to standard-of-care chemotherapy and monoclonal antibodies, with recommendations for future research. <i>Cancer Treatment Reviews</i> , 2021 , 95, 102174	14.4	6
102	Phenotypic plasticity underlies local invasion and distant metastasis in colon cancer. <i>ELife</i> , 2021 , 10,	8.9	7
101	Specialized nutrition improves muscle function and physical activity without affecting chemotherapy efficacy in C26 tumour-bearing mice. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 , 12, 796-810	10.3	3
100	A Potential Role for HUWE1 in Modulating Cisplatin Sensitivity. <i>Cells</i> , 2021 , 10,	7.9	2
99	Perioperative Systemic Therapy vs Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy Alone for Resectable Colorectal Peritoneal Metastases: A Phase 2 Randomized Clinical Trial. <i>JAMA Surgery</i> , 2021 , 156, 710-720	5.4	2
98	Long-Lived Human Lymphatic Endothelial Cells to Study Lymphatic Biology and Lymphatic Vessel/Tumor Coculture in a 3D Microfluidic Model. <i>ACS Biomaterials Science and Engineering</i> , 2021 , 7, 3030-3042	5.5	7
97	Specialized Nutritional Support Improves Muscle Function and Maintains Physical Activity Without Affecting Chemotherapy Efficacy in a Colorectal Cancer Mouse Model. <i>Current Developments in Nutrition</i> , 2021 , 5, 286-286	0.4	78
96	Survival of patients with deficient mismatch repair metastatic colorectal cancer in the pre-immunotherapy era. <i>British Journal of Cancer</i> , 2021 , 124, 399-406	8.7	8
95	Detection of tumor-derived cell-free DNA from colorectal cancer peritoneal metastases in plasma and peritoneal fluid. <i>Journal of Pathology: Clinical Research</i> , 2021 , 7, 203-208	5.3	7
94	Patient-derived organoids model cervical tissue dynamics and viral oncogenesis in cervical cancer. <i>Cell Stem Cell</i> , 2021 , 28, 1380-1396.e6	18	20

93	Associations of non-pedunculated T1 colorectal adenocarcinoma outcome with consensus molecular subtypes, immunoscore, and microsatellite status: a multicenter case-cohort study. <i>Modern Pathology</i> , 2020 , 33, 2626-2636	9.8	6
92	Organoid models of gastrointestinal cancers in basic and translational research. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2020 , 17, 203-222	24.2	49
91	NOXA-dependent contextual synthetic lethality of BCL-XL inhibition and "osmotic reprogramming" in colorectal cancer. <i>Cell Death and Disease</i> , 2020 , 11, 257	9.8	4
90	Mode of progression after radioembolization in patients with colorectal cancer liver metastases. <i>EJNMMI Research</i> , 2020 , 10, 107	3.6	1
89	Lymph node metastases develop through a wider evolutionary bottleneck than distant metastases. <i>Nature Genetics</i> , 2020 , 52, 692-700	36.3	38
88	Doxorubicin-induced skeletal muscle atrophy: Elucidating the underlying molecular pathways. <i>Acta Physiologica</i> , 2020 , 229, e13400	5.6	27
87	Distinct and overlapping functions of glutathione peroxidases 1 and 2 in limiting NF- κ B-driven inflammation through redox-active mechanisms. <i>Redox Biology</i> , 2020 , 28, 101388	11.3	20
86	Tumor Seeding During Colonoscopy as a Possible Cause for Metachronous Colorectal Cancer. <i>Gastroenterology</i> , 2019 , 157, 1222-1232.e4	13.3	20
85	Oral Mucosal Organoids as a Potential Platform for Personalized Cancer Therapy. <i>Cancer Discovery</i> , 2019 , 9, 852-871	24.4	115
84	Ongoing chromosomal instability and karyotype evolution in human colorectal cancer organoids. <i>Nature Genetics</i> , 2019 , 51, 824-834	36.3	91
83	Perioperative systemic therapy and cytoreductive surgery with HIPEC versus upfront cytoreductive surgery with HIPEC alone for isolated resectable colorectal peritoneal metastases: protocol of a multicentre, open-label, parallel-group, phase II-III, randomised, superiority study (CAIRO6). <i>BMC Cancer</i> , 2019 , 19, 390	4.8	48
82	Differential anti-tumour effects of MTH1 inhibitors in patient-derived 3D colorectal cancer cultures. <i>Scientific Reports</i> , 2019 , 9, 819	4.9	15
81	Prognostic value of microvessel density in stage II and III colon cancer patients: a retrospective cohort study. <i>BMC Gastroenterology</i> , 2019 , 19, 146	3	4
80	Concomitant intraperitoneal and systemic chemotherapy for extensive peritoneal metastases of colorectal origin: protocol of the multicentre, open-label, phase I, dose-escalation INTERACT trial. <i>BMJ Open</i> , 2019 , 9, e034508	3	7
79	Pancreatic cancer organoids recapitulate disease and allow personalized drug screening. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 ,	11.5	150
78	Anatomic versus Metabolic Tumor Response Assessment after Radioembolization Treatment. <i>Journal of Vascular and Interventional Radiology</i> , 2018 , 29, 244-253.e2	2.4	9
77	Increased Levels of Oxidative Damage in Liver Metastases Compared with Corresponding Primary Colorectal Tumors: Association with Molecular Subtype and Prior Treatment. <i>American Journal of Pathology</i> , 2018 , 188, 2369-2377	5.8	7
76	Macrophages induce "budding" in aggressive human colon cancer subtypes by protease-mediated disruption of tight junctions. <i>Oncotarget</i> , 2018 , 9, 19490-19507	3.3	11

75	ALDH1A1 expression is associated with poor differentiation, right-sidedness and poor survival in human colorectal cancer. <i>PLoS ONE</i> , 2018 , 13, e0205536	3.7	20
74	Inhibition of RAF1 kinase activity restores apical-basal polarity and impairs tumour growth in human colorectal cancer. <i>Gut</i> , 2017 , 66, 1106-1115	19.2	11
73	A Novel Diagnostic Tool for Selecting Patients With Mesenchymal-Type Colon Cancer Reveals Intratumor Subtype Heterogeneity. <i>Journal of the National Cancer Institute</i> , 2017 , 109,	9.7	16
72	CD95 ligand induces senescence in mismatch repair-deficient human colon cancer via chronic caspase-mediated induction of DNA damage. <i>Cell Death and Disease</i> , 2017 , 8, e2669	9.8	8
71	Lymphangiogenic Gene Expression Is Associated With Lymph Node Recurrence and Poor Prognosis After Partial Hepatectomy for Colorectal Liver Metastasis. <i>Annals of Surgery</i> , 2017 , 266, 765-771	7.8	15
70	Surgery-induced tumor growth in (metastatic) colorectal cancer. <i>Surgical Oncology</i> , 2017 , 26, 535-543	2.5	12
69	Practical and Robust Identification of Molecular Subtypes in Colorectal Cancer by Immunohistochemistry. <i>Clinical Cancer Research</i> , 2017 , 23, 387-398	12.9	98
68	Downregulation of DNA repair proteins and increased DNA damage in hypoxic colon cancer cells is a therapeutically exploitable vulnerability. <i>Oncotarget</i> , 2017 , 8, 86296-86311	3.3	14
67	A potential role for CCN2/CTGF in aggressive colorectal cancer. <i>Journal of Cell Communication and Signaling</i> , 2016 , 10, 223-227	5.2	22
66	Mice lacking functional CD95-ligand display reduced proliferation of the intestinal epithelium without gross homeostatic alterations. <i>Medical Molecular Morphology</i> , 2016 , 49, 110-8	2.3	2
65	Surgical resection and radiofrequency ablation initiate cancer in cytokeratin-19+ liver cells deficient for p53 and Rb. <i>Oncotarget</i> , 2016 , 7, 54662-54675	3.3	0
64	Maintenance of Clonogenic KIT(+) Human Colon Tumor Cells Requires Secretion of Stem Cell Factor by Differentiated Tumor Cells. <i>Gastroenterology</i> , 2015 , 149, 692-704	13.3	26
63	SIRT1/PGC1 β -Dependent Increase in Oxidative Phosphorylation Supports Chemotherapy Resistance of Colon Cancer. <i>Clinical Cancer Research</i> , 2015 , 21, 2870-9	12.9	116
62	Paired image- and FACS-based toxicity assays for high content screening of spheroid-type tumor cell cultures. <i>FEBS Open Bio</i> , 2015 , 5, 85-90	2.7	10
61	Prometastatic NOTCH Signaling in Colon Cancer. <i>Cancer Discovery</i> , 2015 , 5, 115-7	24.4	9
60	Identification of the DEAD box RNA helicase DDX3 as a therapeutic target in colorectal cancer. <i>Oncotarget</i> , 2015 , 6, 28312-26	3.3	56
59	Wnt signalling induces accumulation of phosphorylated β -catenin in two distinct cytosolic complexes. <i>Open Biology</i> , 2014 , 4, 140120	7	35
58	Hypoxia after liver surgery imposes an aggressive cancer stem cell phenotype on residual tumor cells. <i>Annals of Surgery</i> , 2014 , 259, 750-9	7.8	33

57	GPx2 suppression of H ₂ O ₂ stress links the formation of differentiated tumor mass to metastatic capacity in colorectal cancer. <i>Cancer Research</i> , 2014 , 74, 6717-30	10.1	56
56	The secretome of colon cancer stem cells contains drug-metabolizing enzymes. <i>Journal of Proteomics</i> , 2013 , 91, 84-96	3.9	81
55	PDGFRB promotes liver metastasis formation of mesenchymal-like colorectal tumor cells. <i>Neoplasia</i> , 2013 , 15, 204-17	6.4	51
54	Surgical implantation of an abdominal imaging window for intravital microscopy. <i>Nature Protocols</i> , 2013 , 8, 583-94	18.8	180
53	CD95 signaling in colorectal cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2012 , 1826, 189-98	11.2	10
52	Intravital microscopy through an abdominal imaging window reveals a pre-micrometastasis stage during liver metastasis. <i>Science Translational Medicine</i> , 2012 , 4, 158ra145	17.5	147
51	Proteomics in studying cancer stem cell biology. <i>Expert Review of Proteomics</i> , 2012 , 9, 325-36	4.2	7
50	Differentiated human colorectal cancer cells protect tumor-initiating cells from irinotecan. <i>Gastroenterology</i> , 2011 , 141, 269-78	13.3	75
49	The death receptor CD95 activates the cofilin pathway to stimulate tumour cell invasion. <i>EMBO Reports</i> , 2011 , 12, 931-7	6.5	38
48	Synergistic killing of colorectal cancer cells by oxaliplatin and ABT-737. <i>Cellular Oncology (Dordrecht)</i> , 2011 , 34, 307-13	7.2	15
47	A role for CD95 signaling in ischemia/reperfusion-induced invasion and outgrowth of colorectal micrometastases in mouse liver. <i>Journal of Surgical Oncology</i> , 2011 , 104, 198-204	2.8	10
46	How CD95 stimulates invasion. <i>Cell Cycle</i> , 2011 , 10, 3857-62	4.7	27
45	Circulating CD95-ligand as a potential prognostic marker for recurrence in patients with synchronous colorectal liver metastases. <i>Anticancer Research</i> , 2011 , 31, 4507-12	2.3	3
44	Liver surgery induces an immediate mobilization of progenitor cells in liver cancer patients: A potential role for G-CSF. <i>Cancer Biology and Therapy</i> , 2010 , 9, 743-8	4.6	17
43	Oncogenic KRAS desensitizes colorectal tumor cells to epidermal growth factor receptor inhibition and activation. <i>Neoplasia</i> , 2010 , 12, 443-52	6.4	32
42	Oncogenic K-Ras turns death receptors into metastasis-promoting receptors in human and mouse colorectal cancer cells. <i>Gastroenterology</i> , 2010 , 138, 2357-67	13.3	105
41	CD95 is a key mediator of invasion and accelerated outgrowth of mouse colorectal liver metastases following radiofrequency ablation. <i>Journal of Hepatology</i> , 2010 , 53, 1069-77	13.4	45
40	Radiofrequency ablation of colorectal liver metastases induces an inflammatory response in distant hepatic metastases but not in local accelerated outgrowth. <i>Journal of Surgical Oncology</i> , 2010 , 101, 551-6	2.8	25

39	Oncogenic K-Ras Activates p38 to Maintain Colorectal Cancer Cell Proliferation during MEK Inhibition. <i>Analytical Cellular Pathology</i> , 2010 , 32, 245-257	3.4	2
38	Modification of mammalian reoviruses for use as oncolytic agents. <i>Expert Opinion on Biological Therapy</i> , 2009 , 9, 1509-20	5.4	15
37	Wip1 confers G2 checkpoint recovery competence by counteracting p53-dependent transcriptional repression. <i>EMBO Journal</i> , 2009 , 28, 3196-206	13	60
36	Accelerated perinecrotic outgrowth of colorectal liver metastases following radiofrequency ablation is a hypoxia-driven phenomenon. <i>Annals of Surgery</i> , 2009 , 249, 814-23	7.8	74
35	Ageing and hepatic steatosis exacerbate ischemia/reperfusion-accelerated outgrowth of colorectal micrometastases. <i>Annals of Surgical Oncology</i> , 2008 , 15, 1392-8	3.1	27
34	Differential Notch and TGFbeta signaling in primary colorectal tumors and their corresponding metastases. <i>Analytical Cellular Pathology</i> , 2008 , 30, 1-11	3.4	35
33	Fusogenic peptides enhance endosomal escape improving siRNA-induced silencing of oncogenes. <i>International Journal of Pharmaceutics</i> , 2007 , 331, 211-4	6.5	127
32	Perinecrotic hypoxia contributes to ischemia/reperfusion-accelerated outgrowth of colorectal micrometastases. <i>American Journal of Pathology</i> , 2007 , 170, 1379-88	5.8	43
31	KRAS(D13) Promotes apoptosis of human colorectal tumor cells by ReovirusT3D and oxaliplatin but not by tumor necrosis factor-related apoptosis-inducing ligand. <i>Cancer Research</i> , 2006 , 66, 5403-8	10.1	39
30	Synergistic effect of interstitial laser coagulation and doxorubicin in a murine tumor recurrence model of solitary colorectal liver metastasis. <i>Annals of Surgical Oncology</i> , 2006 , 13, 168-75	3.1	10
29	Beta-amyloid (Abeta) causes detachment of N1E-115 neuroblastoma cells by acting as a scaffold for cell-associated plasminogen activation. <i>Molecular and Cellular Neurosciences</i> , 2005 , 28, 496-508	4.8	6
28	NS-398, a selective cyclooxygenase-2 inhibitor, reduces experimental bladder carcinoma outgrowth by inhibiting tumor cell proliferation. <i>Urology</i> , 2005 , 66, 434-40	1.6	16
27	Dual effect of Kras(D12) knockdown on tumorigenesis: increased immune-mediated tumor clearance and abrogation of tumor malignancy. <i>Oncogene</i> , 2005 , 24, 8338-42	9.2	29
26	Control of colorectal metastasis formation by K-Ras. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2005 , 1756, 103-14	11.2	27
25	The KRAS oncogene: past, present, and future. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2005 , 1756, 81-2	11.2	110
24	Ischemia/reperfusion accelerates the outgrowth of hepatic micrometastases in a highly standardized murine model. <i>Hepatology</i> , 2005 , 42, 165-75	11.2	337
23	Sensitization to apoptosis underlies KrasD12-dependent oncolysis of murine C26 colorectal carcinoma cells by reovirus T3D. <i>Journal of Virology</i> , 2005 , 79, 14981-5	6.6	44
22	Stimulation of angiogenesis by Ras proteins. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2004 , 1654, 23-37	11.2	57

21	Validation of bioluminescence imaging of colorectal liver metastases in the mouse. <i>Journal of Surgical Research</i> , 2004 , 122, 225-30	2.5	31
20	Recombinant endostatin forms amyloid fibrils that bind and are cytotoxic to murine neuroblastoma cells in vitro. <i>FEBS Letters</i> , 2003 , 539, 149-55	3.8	42
19	Glycation induces formation of amyloid cross-beta structure in albumin. <i>Journal of Biological Chemistry</i> , 2003 , 278, 41810-9	5.4	210
18	p116Rip is a novel filamentous actin-binding protein. <i>Journal of Biological Chemistry</i> , 2003 , 278, 27216-23	3.4	27
17	Amyloid endostatin induces endothelial cell detachment by stimulation of the plasminogen activation system. <i>Molecular Cancer Research</i> , 2003 , 1, 561-8	6.6	28
16	Tissue-type plasminogen activator is a multiligand cross-beta structure receptor. <i>Current Biology</i> , 2002 , 12, 1833-9	6.3	93
15	Ras-MAP kinase signaling by lysophosphatidic acid and other G protein-coupled receptor agonists. <i>Oncogene</i> , 2001 , 20, 1540-6	9.2	137
14	Regulating c-Ras function. cholesterol depletion affects caveolin association, GTP loading, and signaling. <i>Current Biology</i> , 2001 , 11, 1880-4	6.3	49
13	Characterization of p190RhoGEF, a RhoA-specific guanine nucleotide exchange factor that interacts with microtubules. <i>Journal of Biological Chemistry</i> , 2001 , 276, 4948-56	5.4	139
12	Src and Pyk2 mediate G-protein-coupled receptor activation of epidermal growth factor receptor (EGFR) but are not required for coupling to the mitogen-activated protein (MAP) kinase signaling cascade. <i>Journal of Biological Chemistry</i> , 2001 , 276, 20130-5	5.4	165
11	Dynamin is required for the activation of mitogen-activated protein (MAP) kinase by MAP kinase kinase. <i>Journal of Biological Chemistry</i> , 1999 , 274, 35301-4	5.4	141
10	Activation of RhoA by lysophosphatidic acid and Galpha12/13 subunits in neuronal cells: induction of neurite retraction. <i>Molecular Biology of the Cell</i> , 1999 , 10, 1851-7	3.5	268
9	Diacylglycerol kinase theta binds to and is negatively regulated by active RhoA. <i>Journal of Biological Chemistry</i> , 1999 , 274, 6820-2	5.4	79
8	Gi-mediated tyrosine phosphorylation of Grb2 (growth-factor-receptor-bound protein 2)-bound dynamin-II by lysophosphatidic acid. <i>Biochemical Journal</i> , 1999 , 339, 11	3.8	9
7	Gi-mediated tyrosine phosphorylation of Grb2 (growth-factor-receptor-bound protein 2)-bound dynamin-II by lysophosphatidic acid. <i>Biochemical Journal</i> , 1999 , 339, 11-14	3.8	20
6	Molecular dissection of the Rho-associated protein kinase (p160ROCK)-regulated neurite remodeling in neuroblastoma N1E-115 cells. <i>Journal of Cell Biology</i> , 1998 , 141, 1625-36	7.3	424
5	Identification of a novel, putative Rho-specific GDP/GTP exchange factor and a RhoA-binding protein: control of neuronal morphology. <i>Journal of Cell Biology</i> , 1997 , 137, 1603-13	7.3	143
4	The guanine nucleotide exchange factor Tiam1 affects neuronal morphology; opposing roles for the small GTPases Rac and Rho. <i>Journal of Cell Biology</i> , 1997 , 139, 797-807	7.3	317

3	Lysophosphatidic acid: G-protein signalling and cellular responses. <i>Current Opinion in Cell Biology</i> , 1997 , 9, 168-73	9	470
2	Characterization of 911: a new helper cell line for the titration and propagation of early region 1-deleted adenoviral vectors. <i>Human Gene Therapy</i> , 1996 , 7, 215-22	4.8	460
1	Transcription of the chicken anemia virus (CAV) genome and synthesis of its 52-kDa protein. <i>Gene</i> , 1992 , 118, 267-71	3.8	41