

Khaled Farid

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3408770/publications.pdf>

Version: 2024-02-01

32
papers

406
citations

687220

13
h-index

794469

19
g-index

33
all docs

33
docs citations

33
times ranked

471
citing authors

#	ARTICLE	IF	CITATIONS
1	Cardiopulmonary assessment of patients with unresectable hepatocellular carcinoma treated by transarterial chemoembolization. <i>Journal of Liver Transplantation</i> , 2022, 5, 100063.	0.2	1
2	HCC-Mark: a simple non-invasive model based on routine parameters for predicting hepatitis C virus related hepatocellular carcinoma. <i>British Journal of Biomedical Science</i> , 2021, 78, 72-77.	1.2	2
3	High blood glucose levels are associated with fibrosis/cirrhosis progression in chronic hepatitis C. <i>Journal of Immunoassay and Immunochemistry</i> , 2021, 42, 559-570.	0.5	4
4	A novel model based on interleukin 6 and insulin-like growth factor II for detection of hepatocellular carcinoma associated with hepatitis C virus. <i>Journal of Genetic Engineering and Biotechnology</i> , 2021, 19, 168.	1.5	3
5	A combination of Î±-fetoprotein, midkine, thioredoxin and a metabolite for predicting hepatocellular carcinoma. <i>Annals of Hepatology</i> , 2020, 19, 179-185.	0.6	17
6	Prognostic value of vascular endothelial growth factor in both conventional and drug eluting beads transarterial chemoembolization for treatment of unresectable hepatocellular carcinoma in HCV patients. <i>Expert Review of Gastroenterology and Hepatology</i> , 2020, 14, 1203-1214.	1.4	16
7	Development of a novel glycosylated protein-based fibrosis prediction score for determination of significant liver fibrosis in HCV-infected patients, a preliminary study. <i>Journal of Medical Virology</i> , 2020, 92, 3525-3533.	2.5	1
8	Diagnostic role of collagen-III and matrix metalloproteinase-1 for early detection of hepatocellular carcinoma. <i>British Journal of Biomedical Science</i> , 2020, 77, 58-63.	1.2	7
9	Percutaneous US-guided combined ethanol and tetracycline injection for treating symptomatic simple and hydatid hepatic cysts. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2018, 49, 797-803.	0.3	1
10	Monocyte/granulocyte to lymphocyte ratio and the MELD score as predictors for early recurrence of hepatocellular carcinoma after trans-arterial chemoembolization. <i>British Journal of Biomedical Science</i> , 2018, 75, 187-191.	1.2	17
11	Development and evaluation of a novel score for prediction of large oesophageal varices in patients with hepatitis c virus-induced liver cirrhosis. <i>British Journal of Biomedical Science</i> , 2017, 74, 138-143.	1.2	11
12	Circulating levels of collagen III and MMP-1 in patients with chronic hepatitis C co-infected with hepatitis B virus. <i>British Journal of Biomedical Science</i> , 2017, 74, 95-100.	1.2	7
13	Combined use of nuclear phosphoprotein c-Myc and cellular phosphoprotein p53 for hepatocellular carcinoma detection in high-risk chronic hepatitis C patients. <i>British Journal of Biomedical Science</i> , 2017, 74, 170-175.	1.2	13
14	Simplified HCC-ART score for highly sensitive detection of small-sized and early-stage hepatocellular carcinoma in the widely used Okuda, CLIP, and BCLC staging systems. <i>International Journal of Clinical Oncology</i> , 2017, 22, 332-339.	1.0	10
15	GPC-HCC model: a combination of glybican-3 with other routine parameters improves the diagnostic efficacy in hepatocellular carcinoma. <i>Tumor Biology</i> , 2016, 37, 12571-12577.	0.8	19
16	Interferon-gamma is associated with hepatic dysfunction in fibrosis, cirrhosis, and hepatocellular carcinoma. <i>Journal of Immunoassay and Immunochemistry</i> , 2016, 37, 597-610.	0.5	20
17	Impact of Hepatitis C Virus/Schistosoma mansoni Coinfection on the Circulating Levels of HCV-NS4 Protein and Extracellular-Matrix Deposition in Patients with Different Hepatic Fibrosis Stages. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 95, 1044-1050.	0.6	5
18	An Easy and Useful Noninvasive Score Based on Î±-1-acid Glycoprotein and C-Reactive Protein for Diagnosis of Patients with Hepatocellular Carcinoma Associated with Hepatitis C Virus Infection. <i>Journal of Immunoassay and Immunochemistry</i> , 2016, 37, 273-288.	0.5	12

#	ARTICLE	IF	CITATIONS
19	Levels of <i>Schistosoma mansoni</i> Circulating Antigen in Chronic Hepatitis C Patients with Different Stages of Liver Fibrosis. <i>Journal of Immunoassay and Immunochemistry</i> , 2016, 37, 316-330.	0.5	1
20	Fibro-check: a combination of direct and indirect markers for liver fibrosis staging in chronic hepatitis C patients. <i>Annals of Hepatology</i> , 2015, 14, 225-233.	0.6	20
21	HCC-DETECT: a combination of nuclear, cytoplasmic, and oncofetal proteins as biomarkers for hepatocellular carcinoma. <i>Tumor Biology</i> , 2015, 36, 7667-7674.	0.8	8
22	A simple diagnostic index comprising epithelial membrane antigen and fibronectin for hepatocellular carcinoma. <i>Annals of Hepatology</i> , 2015, 14, 869-880.	0.6	21
23	Fibro-check: a combination of direct and indirect markers for liver fibrosis staging in chronic hepatitis C patients. <i>Annals of Hepatology</i> , 2015, 14, 225-33.	0.6	7
24	A rapid, low-cost quantitative diagnostic method for hepatitis C virus infection using capillary zone electrophoresis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014, 33, 439-452.	1.3	4
25	Noninvasive Diagnosis of Liver Fibrosis and Cirrhosis in Chronic Hepatitis C Patients. <i>Journal of Clinical Laboratory Analysis</i> , 2013, 27, 121-129.	0.9	14
26	HCC-ART score, a simple, highly sensitive and specific test for early diagnosis of hepatocellular carcinoma: a large-scale, multicentre study. <i>British Journal of Cancer</i> , 2013, 109, 1657-1665.	2.9	27
27	Diagnostic value of fibronectin discriminant score for predicting liver fibrosis stages in chronic hepatitis C virus patients. <i>Annals of Hepatology</i> , 2013, 12, 44-53.	0.6	31
28	Diagnostic Performances of Hepatitis C Virus-NS4 Antigen in Patients with Different Liver Pathologies. <i>Archives of Medical Research</i> , 2012, 43, 555-562.	1.5	6
29	Development of a novel score for liver fibrosis staging and comparison with eight simple laboratory scores in large numbers of HCV-monoinfected patients. <i>Clinica Chimica Acta</i> , 2012, 413, 1725-1730.	0.5	22
30	Fibro- $\hat{\pm}$ score as a simple and useful non-invasive test for predicting significant liver fibrosis in chronic hepatitis C patients. <i>Arab Journal of Gastroenterology</i> , 2011, 12, 74-79.	0.4	21
31	Evaluation of cytokeratin-1 in the diagnosis of hepatocellular carcinoma. <i>Clinica Chimica Acta</i> , 2011, 412, 2310-2315.	0.5	18
32	Non-invasive predictive score of fibrosis stages in chronic hepatitis C patients based on epithelial membrane antigen in the blood in combination with routine laboratory markers. <i>Hepatology Research</i> , 2011, 41, 1075-1084.	1.8	9