Huimin Hu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/340895/publications.pdf

Version: 2024-02-01

567144 302012 1,719 46 15 39 h-index citations g-index papers 49 49 49 1953 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	CGCG clinical practice guidelines for the management of adult diffuse gliomas. Cancer Letters, 2016, 375, 263-273.	3.2	448
2	Mutational Landscape of Secondary Glioblastoma Guides MET-Targeted Trial in Brain Tumor. Cell, 2018, 175, 1665-1678.e18.	13.5	250
3	Clinical practice guidelines for the management of adult diffuse gliomas. Cancer Letters, 2021, 499, 60-72.	3.2	194
4	Molecular and clinical characterization of PD-L1 expression at transcriptional level via 976 samples of brain glioma. Oncolmmunology, 2016, 5, e1196310.	2.1	176
5	Molecular and clinical characterization of TIM-3 in glioma through 1,024 samples. Oncolmmunology, 2017, 6, e1328339.	2.1	114
6	Genetic and clinical characterization of B7â€H3 (CD276) expression and epigenetic regulation in diffuse brain glioma. Cancer Science, 2018, 109, 2697-2705.	1.7	73
7	Identification of a 6-Cytokine Prognostic Signature in Patients with Primary Glioblastoma Harboring M2 Microglia/Macrophage Phenotype Relevance. PLoS ONE, 2015, 10, e0126022.	1.1	59
8	Multidimensional analysis of gene expression reveals TGFB1I1-induced EMT contributes to malignant progression of astrocytomas. Oncotarget, 2014, 5, 12593-12606.	0.8	36
9	EFEMP2 indicates assembly of M0 macrophage and more malignant phenotypes of glioma. Aging, 2020, 12, 8397-8412.	1.4	30
10	ALDH1A3: A Marker of Mesenchymal Phenotype in Gliomas Associated with Cell Invasion. PLoS ONE, 2015, 10, e0142856.	1.1	28
11	Identification of an ATP metabolismâ€related signature associated with prognosis and immune microenvironment in gliomas. Cancer Science, 2020, 111, 2325-2335.	1.7	27
12	Genome-wide transcriptional analyses of Chinese patients reveal cell migration is attenuated in IDH1-mutant glioblastomas. Cancer Letters, 2015, 357, 566-574.	3.2	25
13	RGS16 promotes glioma progression and serves as a prognostic factor. CNS Neuroscience and Therapeutics, 2020, 26, 791-803.	1.9	24
14	Bioinformatic analyses reveal a distinct Notch activation induced by STAT3 phosphorylation in the mesenchymal subtype of glioblastoma. Journal of Neurosurgery, 2017, 126, 249-259.	0.9	19
15	ADAR3 expression is an independent prognostic factor in lower-grade diffuse gliomas and positively correlated with the editing level of GRIA2Q607R. Cancer Cell International, 2018, 18, 196.	1.8	19
16	Redox Regulator GLRX Is Associated With Tumor Immunity in Glioma. Frontiers in Immunology, 2020, 11, 580934.	2.2	17
17	Gene Expression and Methylation Analyses Suggest DCTD as a Prognostic Factor in Malignant Glioma. Scientific Reports, 2017, 7, 11568.	1.6	16
18	Comprehensive Analysis of the Clinical and Biological Significances of Endoplasmic Reticulum Stress in Diffuse Gliomas. Frontiers in Cell and Developmental Biology, 2021, 9, 619396.	1.8	16

#	Article	IF	CITATIONS
19	Low miR‑210 and CASP8AP2 expression is associated with a poor outcome in pediatric acute lymphoblastic leukemia. Oncology Letters, 2017, 14, 8072-8077.	0.8	12
20	Clinical characteristics, treatment and prognosis of paediatric patients with metastatic neuroblastoma to the brain. Clinical Neurology and Neurosurgery, 2019, 184, 105372.	0.6	11
21	Co-expression of mitosis-regulating genes contributes to malignant progression and prognosis in oligodendrogliomas. Oncotarget, 2015, 6, 38257-38269.	0.8	11
22	MEGF10, a Glioma Survival-Associated Molecular Signature, Predicts IDH Mutation Status. Disease Markers, 2018, 2018, 1-8.	0.6	9
23	Right Ventricular Function and Its Coupling With Pulmonary Circulation in Precapillary Pulmonary Hypertension: A Three-Dimensional Echocardiographic Study. Frontiers in Cardiovascular Medicine, 2021, 8, 690606.	1.1	9
24	Diagnostic value of procalcitonin, C-reactive protein and lactate dehydrogenase in paediatric malignant solid tumour concurrent with infection and tumour progression. Scientific Reports, 2019, 9, 5903.	1.6	8
25	Increased proportion of Th17/Treg cells at the new diagnosed stage of chronic immune thrombocytopenia in pediatrics: the pilot study from a multi-center. European Journal of Pediatrics, 2021, 180, 3411-3417.	1.3	8
26	Stratification according to recursive partitioning analysis predicts outcome in newly diagnosed glioblastomas. Oncotarget, 2017, 8, 42974-42982.	0.8	8
27	Factors influencing recurrence after complete remission in children with hepatoblastoma: A 14-year retrospective study in China. PLoS ONE, 2021, 16, e0259503.	1.1	8
28	Cardiotoxicity of anthracycline (ANT) treatment in children with malignant tumors. Pediatric Hematology and Oncology, 2018, 35, 111-120.	0.3	7
29	RELB: A novel prognostic marker for glioblastoma as identified by populationâ€based analysis. Oncology Letters, 2019, 18, 386-394.	0.8	7
30	Highâ€sensitive clinical diagnostic method for PTPRZ1â€MET and the characteristic protein structure contributing to ligandâ€independent MET activation. CNS Neuroscience and Therapeutics, 2021, 27, 617-628.	1.9	7
31	Mutation-introduced dimerization of receptor tyrosine kinases: from protein structure aberrations to carcinogenesis. Tumor Biology, 2015, 36, 1423-1428.	0.8	6
32	Radiation therapy is an important factor to improve survival in pediatric patients with head and neck rhabdomyosarcoma by enhancing local control: a historical cohort study from a single center. BMC Pediatrics, 2020, 20, 265.	0.7	6
33	Factors of Recurrence After Complete Response in Children with Neuroblastoma: A 16-Year Retrospective Study of 179 Cases. Cancer Management and Research, 2022, Volume 14, 107-122.	0.9	6
34	Integrated analysis identified genes associated with a favorable prognosis in oligodendrogliomas. Genes Chromosomes and Cancer, 2016, 55, 169-176.	1.5	3
35	Prognostic analysis for children with hepatoblastoma with lung metastasis: A singleâ€center analysis of 98 cases. Asia-Pacific Journal of Clinical Oncology, 2020, 17, e191-e200.	0.7	3
36	Clinical features and imaging manifestations of retinoblastoma with hepatic metastasis. Pediatric Blood and Cancer, 2021, 68, e28959.	0.8	3

#	Article	IF	CITATIONS
37	Genotypic Characteristics of Hepatoblastoma as Detected by Next Generation Sequencing and Their Correlation With Clinical Efficacy. Frontiers in Oncology, 2021, 11, 628531.	1.3	3
38	Identification of a novel antiâ€'heat shock cognate 71�kDa protein antibody in patients with Kawasaki disease. Molecular Medicine Reports, 2020, 21, 1771-1778.	1.1	3
39	Clinical treatment and prognostic observation for different pathological infiltrations in 537 patients with unilateral retinoblastoma. Chinese Medical Journal, 2014, 127, 3581-6.	0.9	3
40	Diagnostic value of miRNA expression and right ventricular echocardiographic functional parameters for chronic thromboembolic pulmonary hypertension with right ventricular dysfunction and injury. BMC Pulmonary Medicine, 2022, 22, 171.	0.8	3
41	Case report: Delayed retinoblastoma relapse in a lymph node after 9 years of complete remission. Current Problems in Cancer, 2021, 45, 100703.	1.0	2
42	A potentially effective drug for patients with recurrent glioma: sermorelin. Annals of Translational Medicine, 2021, 9, 406-406.	0.7	1
43	Clinical Characteristics and Prognosis Analysis of Infantile Hepatoblastoma—A 15-Year Retrospective Single-Center Study. Cancer Management and Research, 2021, Volume 13, 3201-3208.	0.9	1
44	Short-term prognosis of childhood hepatoblastoma in relation to ERCC1 C118T single nucleotide polymorphism and VEGF expression. Polish Journal of Pathology, 2019, 70, 304-310.	0.1	0
45	Genotypic characteristics of hepatoblastoma detected by next generation sequencing and its correlation with clinical efficacy. Apmis, 2021, , .	0.9	0
46	Clinical Characteristics and Image Manifestations of a Rare Retinoblastoma with a Bone Metastasis. Cancer Management and Research, 2022, Volume 14, 1565-1575.	0.9	0