

Christina Sobin

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3409187/christina-sobin-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

47
papers

2,659
citations

27
h-index

51
g-index

51
ext. papers

2,885
ext. citations

6
avg, IF

4.68
L-index

#	Paper	IF	Citations
47	Psychomotor symptoms of depression. <i>American Journal of Psychiatry</i> , 1997 , 154, 4-17	11.9	435
46	Genetic variation at the 22q11 PRODH2/DGCR6 locus presents an unusual pattern and increases susceptibility to schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 3717-22	11.5	278
45	Family-based association studies support a sexually dimorphic effect of COMT and MAOA on genetic susceptibility to obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 1999 , 45, 1178-89	7.9	234
44	Predictors of retrograde amnesia following ECT. <i>American Journal of Psychiatry</i> , 1995 , 152, 995-1001	11.9	199
43	Diagnostic interviewing for family studies. <i>Psychiatric Genetics</i> , 1993 , 3, 227-234	2.9	119
42	Emotion in speech: the acoustic attributes of fear, anger, sadness, and joy. <i>Journal of Psycholinguistic Research</i> , 1999 , 28, 347-65	1	97
41	Psychiatric disorders in relatives of probands with panic disorder and/or major depression. <i>Archives of General Psychiatry</i> , 1994 , 51, 383-94		94
40	Lower prepulse inhibition in children with the 22q11 deletion syndrome. <i>American Journal of Psychiatry</i> , 2005 , 162, 1090-9	11.9	88
39	Evidence of a schizotypy subtype in OCD. <i>Journal of Psychiatric Research</i> , 2000 , 34, 15-24	5.2	86
38	Networks of attention in children with the 22q11 deletion syndrome. <i>Developmental Neuropsychology</i> , 2004 , 26, 611-26	1.8	82
37	Phenotypic differences in early- and late-onset obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2000 , 41, 373-9	7.3	75
36	Neuropsychological characteristics of children with the 22q11 Deletion Syndrome: a descriptive analysis. <i>Child Neuropsychology</i> , 2005 , 11, 39-53	2.7	74
35	Social skills and executive function deficits in children with the 22q11 Deletion Syndrome. <i>Applied Neuropsychology</i> , 2006 , 13, 258-68		63
34	Who responds to electroconvulsive therapy? A comparison of effective and ineffective forms of treatment. <i>British Journal of Psychiatry</i> , 1996 , 169, 322-8	5.4	55
33	Genome-wide scan in a large complex pedigree with predominantly male schizophrenics from the island of Kosrae: evidence for linkage to chromosome 2q. <i>Molecular Psychiatry</i> , 2003 , 8, 695-705, 643	15.1	50
32	Associations between prepulse inhibition and executive visual attention in children with the 22q11 deletion syndrome. <i>Molecular Psychiatry</i> , 2005 , 10, 553-62	15.1	50
31	The motor agitation and retardation scale: a scale for the assessment of motor abnormalities in depressed patients. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1998 , 10, 85-92	2.7	42

30	Neuromotor deficits in children with the 22q11 deletion syndrome. <i>Movement Disorders</i> , 2006 , 21, 2082-9		39
29	Is the comorbidity between social phobia and panic disorder due to familial cotransmission or other factors?. <i>Archives of General Psychiatry</i> , 1995 , 52, 574-82		39
28	Vocal Acoustic Correlates of Flat Affect in Schizophrenia: Similarity to Parkinson's Disease and Right Hemisphere Disease and Contrast with Depression. <i>British Journal of Psychiatry</i> , 1989 , 154, 51-56	5.4	38
27	Phenotypic characteristics of Obsessive-Compulsive Disorder ascertained in adulthood. <i>Journal of Psychiatric Research</i> , 1999 , 33, 265-73	5.2	34
26	Microglial disruption in young mice with early chronic lead exposure. <i>Toxicology Letters</i> , 2013 , 220, 44-52	4.4	31
25	A Bland-Altman comparison of the Lead Care [®] System and inductively coupled plasma mass spectrometry for detecting low-level lead in child whole blood samples. <i>Journal of Medical Toxicology</i> , 2011 , 7, 24-32	2.6	28
24	Identification of an interstitial deletion in an adult female with schizophrenia, mental retardation, and dysmorphic features: further support for a putative schizophrenia-susceptibility locus at 5q21-23.1. <i>American Journal of Human Genetics</i> , 1997 , 61, 1450-4	11	28
23	Phenotypic characterization and genealogical tracing in an Afrikaner schizophrenia database 2004 , 124B, 20-8		28
22	δ-Aminolevulinic acid dehydratase single nucleotide polymorphism 2 and peptide transporter 2*2 haplotype may differentially mediate lead exposure in male children. <i>Archives of Environmental Contamination and Toxicology</i> , 2011 , 61, 521-9	3.2	27
21	Early, non-psychotic deviant behavior in schizophrenia: a possible endophenotypic marker for genetic studies. <i>Psychiatry Research</i> , 2001 , 101, 101-13	9.9	27
20	δ-Aminolevulinic acid dehydratase single nucleotide polymorphism 2 (ALAD2) and peptide transporter 2*2 haplotype (hPEPT2*2) differently influence neurobehavior in low-level lead exposed children. <i>Neurotoxicology and Teratology</i> , 2015 , 47, 137-45	3.9	23
19	Polymorphisms of delta-aminolevulinic acid dehydratase (ALAD) and peptide transporter 2 (PEPT2) genes in children with low-level lead exposure. <i>NeuroToxicology</i> , 2009 , 30, 881-7	4.4	23
18	Olfactory disorder in children with 22q11 deletion syndrome. <i>Pediatrics</i> , 2006 , 118, e697-703	7.4	23
17	Statistical modeling with litter as a random effect in mixed models to manage "intralitter likeness". <i>Neurotoxicology and Teratology</i> , 2020 , 77, 106841	3.9	22
16	A comparison study of early non-psychotic deviant behavior in Afrikaner and US patients with schizophrenia or schizoaffective disorder. <i>Psychiatry Research</i> , 2003 , 117, 113-25	9.9	20
15	Olfactory recognition memory is disrupted in young mice with chronic low-level lead exposure. <i>Toxicology Letters</i> , 2015 , 236, 69-74	4.4	18
14	Early chronic low-level lead exposure produces glomerular hypertrophy in young C57BL/6J mice. <i>Toxicology Letters</i> , 2014 , 225, 48-56	4.4	18
13	Early chronic lead exposure reduces exploratory activity in young C57BL/6J mice. <i>Journal of Applied Toxicology</i> , 2015 , 35, 759-65	4.1	17

12	Sex differences in the behavior of children with the 22q11 deletion syndrome. <i>Psychiatry Research</i> , 2009 , 166, 24-34	9.9	16
11	Relationship between dysthymia and major depression: an analysis of family study data. <i>Depression</i> , 1994 , 2, 252-258		9
10	A comparison of arsenic exposure in young children and home water arsenic in two rural West Texas communities. <i>BMC Public Health</i> , 2017 , 17, 850	4.1	6
9	Early chronic low-level Pb exposure alters global exploratory behaviors but does not impair spatial and object memory retrieval in an object-in-place task in pre-adolescent C57BL/6J mice. <i>Neurotoxicology and Teratology</i> , 2017 , 61, 104-114	3.9	5
8	Potential frameworks to support evaluation of mechanistic data for developmental neurotoxicity outcomes: A symposium report. <i>Neurotoxicology and Teratology</i> , 2020 , 78, 106865	3.9	5
7	Early chronic exposure to low-level lead alters total hippocampal microglia in pre-adolescent mice. <i>Toxicology Letters</i> , 2019 , 302, 75-82	4.4	5
6	A Comparison of Child Blood Lead Levels in Urban and Rural Children Ages 5-12 Years Living in the Border Region of El Paso, Texas. <i>Archives of Environmental Contamination and Toxicology</i> , 2018 , 75, 503-511	3.2	3
5	Early chronic low-level lead exposure reduced C-C chemokine receptor 7 in hippocampal microglia. <i>Toxicology Letters</i> , 2019 , 314, 106-116	4.4	2
4	Genome-wide scan in a large complex pedigree with predominantly male schizophrenics from the island of Kosrae: evidence for linkage to chromosome 2q. <i>Molecular Psychiatry</i> , 2003 , 8, 643-643	15.1	2
3	Correspondence: Assessment of learning, memory and attention in developmental neurotoxicology. <i>Neurotoxicology and Teratology</i> , 2017 , 59, 76-77	3.9	1
2	Behavioral Outcome as a Primary Organizing Principle for Mechanistic Data in Developmental Neurotoxicity 2018 , 337-347		1
1	Validity of a portable X-ray fluorescence device for analyzing field dust wipe samples for lead. <i>International Journal of Environmental Science and Technology</i> , 2018 , 10, 103-107	3.3	0