Christopher R Weber

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3409243/christopher-r-weber-publications-by-year.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

5,972
citations

499
ext. papers

7,082
ext. citations

7,082
avg, IF

77
g-index

5.53
L-index

#	Paper	IF	Citations
89	Wnt-Etatenin activation epigenetically reprograms T cells in inflammatory bowel disease and dysplastic progression. <i>Nature Immunology</i> , 2021 , 22, 471-484	19.1	14
88	Transcriptional factors in calcium mishandling and atrial fibrillation development. <i>Pflugers Archiv European Journal of Physiology</i> , 2021 , 473, 1177-1197	4.6	1
87	T cell protein tyrosine phosphatase protects intestinal barrier function by restricting epithelial tight junction remodeling. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	3
86	ZO-1 Regulates Intercalated Disc Composition and Atrioventricular Node Conduction. <i>Circulation Research</i> , 2020 , 127, e28-e43	15.7	5
85	Potent Tetrahydroquinolone Eliminates Apicomplexan Parasites. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 203	5.9	6
84	Cerebral Cavernous Malformation Proteins in Barrier Maintenance and Regulation. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	10
83	Idiopathic pulmonary fibrosis is associated with tight junction protein alterations. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020 , 1862, 183205	3.8	12
82	Computational Modeling of Claudin Structure and Function. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
81	Activation of the PKA signaling pathway stimulates oxalate transport by human intestinal Caco2-BBE cells. <i>American Journal of Physiology - Cell Physiology</i> , 2020 , 318, C372-C379	5.4	7
80	Automated microfluidic platform for dynamic and combinatorial drug screening of tumor organoids. <i>Nature Communications</i> , 2020 , 11, 5271	17.4	64
79	Serum Serotonin Differentiates Between Disease Activity States in Crohn's Patients. <i>Inflammatory Bowel Diseases</i> , 2020 , 26, 1607-1618	4.5	12
78	Targeted mutational analysis of inflammatory bowel disease-associated colorectal cancers. <i>Human Pathology</i> , 2019 , 89, 44-50	3.7	16
77	Appendicitis Secondary to a Fractured, Penetrating Celect IVC Filter in a Young Kidney Transplant Recipient. <i>Journal of Vascular and Interventional Radiology</i> , 2019 , 30, 963-965	2.4	1
76	Safety and Efficacy of Combination Treatment With Calcineurin Inhibitors and Vedolizumab in Patients With Refractory Inflammatory Bowel Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 486-493	6.9	53
75	Atrial fibrillation risk loci interact to modulate Ca2+-dependent atrial rhythm homeostasis. <i>Journal of Clinical Investigation</i> , 2019 , 129, 4937-4950	15.9	15
74	A calcium transport mechanism for atrial fibrillation in Tbx5-mutant mice. ELife, 2019, 8,	8.9	18
73	IBD-associated Colon Cancers Differ in DNA Methylation and Gene Expression Profiles Compared With Sporadic Colon Cancers. <i>Journal of Crohnps and Colitis</i> , 2019 , 13, 884-893	1.5	7

(2016-2019)

72	Human Organoids Share Structural and Genetic Features with Primary Pancreatic Adenocarcinoma Tumors. <i>Molecular Cancer Research</i> , 2019 , 17, 70-83	6.6	45
71	The cerebral cavernous malformation disease causing gene KRIT1 participates in intestinal epithelial barrier maintenance and regulation. <i>FASEB Journal</i> , 2019 , 33, 2132-2143	0.9	7
7°	Unusual gastric subepithelial tumor: primary mixed acinar-endocrine neoplasm in an anemic woman. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 1355-1356	5.2	1
69	Integrated molecular subtyping defines a curable oligometastatic state in colorectal liver metastasis. <i>Nature Communications</i> , 2018 , 9, 1793	17.4	114
68	Vedolizumab as Induction and Maintenance for Inflammatory Bowel Disease: 12-month Effectiveness and Safety. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 849-860	4.5	24
67	Molecular determination of claudin-15 organization and channel selectivity. <i>Journal of General Physiology</i> , 2018 , 150, 949-968	3.4	19
66	Patients With Ulcerative Colitis and Primary Sclerosing Cholangitis Frequently Have Subclinical Inflammation in The Proximal Colon. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 68-74	6.9	26
65	Tbx18 sets the pace. Journal of Physiology, 2018 , 596, 6129-6130	3.9	
64	Tryptophan Metabolism through the Kynurenine Pathway is Associated with Endoscopic Inflammation in Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 1471-1480	4.5	43
63	Microbial signals drive pre-leukaemic myeloproliferation in a Tet2-deficient host. <i>Nature</i> , 2018 , 557, 58	n- - 584	163
		У	103
62	Prevention of colonic neoplasia with polyethylene glycol: A short term randomized placebo-controlled double-blinded trial. <i>PLoS ONE</i> , 2018 , 13, e0193544	3.7	0
62	Prevention of colonic neoplasia with polyethylene glycol: A short term randomized		0
	Prevention of colonic neoplasia with polyethylene glycol: A short term randomized placebo-controlled double-blinded trial. <i>PLoS ONE</i> , 2018 , 13, e0193544 Spectral biomarkers for chemoprevention of colonic neoplasia: a placebo-controlled	3.7	0
61	Prevention of colonic neoplasia with polyethylene glycol: A short term randomized placebo-controlled double-blinded trial. <i>PLoS ONE</i> , 2018 , 13, e0193544 Spectral biomarkers for chemoprevention of colonic neoplasia: a placebo-controlled double-blinded trial with aspirin. <i>Gut</i> , 2017 , 66, 285-292 Dynamic modeling of the tight junction pore pathway. <i>Annals of the New York Academy of Sciences</i> ,	3.7	0 25
60	Prevention of colonic neoplasia with polyethylene glycol: A short term randomized placebo-controlled double-blinded trial. <i>PLoS ONE</i> , 2018 , 13, e0193544 Spectral biomarkers for chemoprevention of colonic neoplasia: a placebo-controlled double-blinded trial with aspirin. <i>Gut</i> , 2017 , 66, 285-292 Dynamic modeling of the tight junction pore pathway. <i>Annals of the New York Academy of Sciences</i> , 2017 , 1397, 209-218 Early Transcriptomic Changes in the Ileal Pouch Provide Insight into the Molecular Pathogenesis of	3·7 19.2 6.5	0 25 11
61 60 59	Prevention of colonic neoplasia with polyethylene glycol: A short term randomized placebo-controlled double-blinded trial. <i>PLoS ONE</i> , 2018 , 13, e0193544 Spectral biomarkers for chemoprevention of colonic neoplasia: a placebo-controlled double-blinded trial with aspirin. <i>Gut</i> , 2017 , 66, 285-292 Dynamic modeling of the tight junction pore pathway. <i>Annals of the New York Academy of Sciences</i> , 2017 , 1397, 209-218 Early Transcriptomic Changes in the Ileal Pouch Provide Insight into the Molecular Pathogenesis of Pouchitis and Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2017 , 23, 366-378 Constipation-Predominant Irritable Bowel Syndrome Females Have Normal Colonic Barrier and	3.7 19.2 6.5	0 25 11 8
61 60 59 58	Prevention of colonic neoplasia with polyethylene glycol: A short term randomized placebo-controlled double-blinded trial. <i>PLoS ONE</i> , 2018 , 13, e0193544 Spectral biomarkers for chemoprevention of colonic neoplasia: a placebo-controlled double-blinded trial with aspirin. <i>Gut</i> , 2017 , 66, 285-292 Dynamic modeling of the tight junction pore pathway. <i>Annals of the New York Academy of Sciences</i> , 2017 , 1397, 209-218 Early Transcriptomic Changes in the Ileal Pouch Provide Insight into the Molecular Pathogenesis of Pouchitis and Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2017 , 23, 366-378 Constipation-Predominant Irritable Bowel Syndrome Females Have Normal Colonic Barrier and Secretory Function. <i>American Journal of Gastroenterology</i> , 2017 , 112, 913-923 Interleukin-15 promotes intestinal dysbiosis with butyrate deficiency associated with increased	3.7 19.2 6.5 4.5	0 25 11 8

54	Pitx2 modulates a Tbx5-dependent gene regulatory network to maintain atrial rhythm. <i>Science Translational Medicine</i> , 2016 , 8, 354ra115	17.5	79
53	Insights into the pathogenesis of ulcerative colitis from a murine model of stasis-induced dysbiosis, colonic metaplasia, and genetic susceptibility. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 310, G973-88	5.1	18
52	The Thr300Ala variant in ATG16L1 is associated with improved survival in human colorectal cancer and enhanced production of type I interferon. <i>Gut</i> , 2016 , 65, 456-64	19.2	47
51	New paradigms for understanding and step changes in treating active and chronic, persistent apicomplexan infections. <i>Scientific Reports</i> , 2016 , 6, 29179	4.9	20
50	Antrum Mucosal Protein-18 Peptide Targets Tight Junctions to Protect and Heal Barrier Structure and Function in Models of Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2015 , 21, 2393-24	4 6 2 ⁵	10
49	Claudin-2-dependent paracellular channels are dynamically gated. ELife, 2015, 4, e09906	8.9	71
48	ECatenin promotes colitis and colon cancer through imprinting of proinflammatory properties in T cells. <i>Science Translational Medicine</i> , 2014 , 6, 225ra28	17.5	95
47	Intestinal epithelial expression of TNFAIP3 results in microbial invasion of the inner mucus layer and induces colitis in IL-10-deficient mice. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 307, G871-82	5.1	16
46	Molecular aspects of tight junction barrier function. Current Opinion in Pharmacology, 2014, 19, 84-9	5.1	52
45	Rectal leiomyosarcoma in association with ulcerative colitis: a rare condition with an unusual presentation. <i>International Journal of Colorectal Disease</i> , 2014 , 29, 887-8	3	11
44	Cardiac Na+-Ca2+ exchanger: dynamics of Ca2+-dependent activation and deactivation in intact myocytes. <i>Journal of Physiology</i> , 2013 , 591, 2067-86	3.9	29
43	Bifidobacteria stabilize claudins at tight junctions and prevent intestinal barrier dysfunction in mouse necrotizing enterocolitis. <i>American Journal of Pathology</i> , 2013 , 182, 1595-606	5.8	147
42	Occludin OCEL-domain interactions are required for maintenance and regulation of the tight junction barrier to macromolecular flux. <i>Molecular Biology of the Cell</i> , 2013 , 24, 3056-68	3.5	113
41	Capsaicin induces NKCC1 internalization and inhibits chloride secretion in colonic epithelial cells independently of TRPV1. <i>American Journal of Physiology - Renal Physiology</i> , 2013 , 304, G142-56	5.1	17
40	FOXO3 growth inhibition of colonic cells is dependent on intraepithelial lipid droplet density. Journal of Biological Chemistry, 2013 , 288, 16274-16281	5.4	36
39	Dynamic properties of the tight junction barrier. <i>Annals of the New York Academy of Sciences</i> , 2012 , 1257, 77-84	6.5	64
38	Dynamic migration of Intraepithelial lymphocytes requires occludin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 7097-102	11.5	106
37	Topical polyethylene glycol as a novel chemopreventive agent for oral cancer via targeting of epidermal growth factor response. <i>PLoS ONE</i> , 2012 , 7, e38047	3.7	15

(2009-2012)

36	Expression of TNFAIP3 in intestinal epithelial cells protects from DSS- but not TNBS-induced colitis. American Journal of Physiology - Renal Physiology, 2012 , 303, G220-7	5.1	22
35	Targeted deletion of MyD88 in intestinal epithelial cells results in compromised antibacterial immunity associated with downregulation of polymeric immunoglobulin receptor, mucin-2, and antibacterial peptides. <i>Mucosal Immunology</i> , 2012 , 5, 501-12	9.2	152
34	Impact of Hibernation on Gut Microbiota and Intestinal Barrier Function in Ground Squirrels 2012, 281-	291	6
33	Identification of discrete single tight junction opening/closing events with ion channel-like properties. <i>FASEB Journal</i> , 2012 , 26, 1107.3	0.9	1
32	Claudin 2 protein expression is increased in human necrotizing enterocolitis. <i>FASEB Journal</i> , 2012 , 26, 1162.1	0.9	
31	Tight junction pore and leak pathways: a dynamic duo. <i>Annual Review of Physiology</i> , 2011 , 73, 283-309	23.1	550
30	Genistein inhibits proliferation of colon cancer cells by attenuating a negative effect of epidermal growth factor on tumor suppressor FOXO3 activity. <i>BMC Cancer</i> , 2011 , 11, 219	4.8	8o
29	Occludin S408 phosphorylation regulates tight junction protein interactions and barrier function. <i>Journal of Cell Biology</i> , 2011 , 193, 565-82	7.3	176
28	Tumor suppressor FOXO3 mediates signals from the EGF receptor to regulate proliferation of colonic cells. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 300, G264-72	5.1	20
27	Polyethylene glycol diminishes pathological effects of Citrobacter rodentium infection by blocking bacterial attachment to the colonic epithelia. <i>Gut Microbes</i> , 2011 , 2, 267-73	8.8	2
26	Lipid droplet accumulation promotes proliferation in colon cells via loss of FOXO3-dependent cell cycle arrest. <i>FASEB Journal</i> , 2011 , 25, 1103.9	0.9	
25	MLCK-dependent exchange and actin binding region-dependent anchoring of ZO-1 regulate tight junction barrier function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 8237-41	11.5	171
24	Epithelial myosin light chain kinase activation induces mucosal interleukin-13 expression to alter tight junction ion selectivity. <i>Journal of Biological Chemistry</i> , 2010 , 285, 12037-46	5.4	192
23	Caveolin-1-dependent occludin endocytosis is required for TNF-induced tight junction regulation in vivo. <i>Journal of Cell Biology</i> , 2010 , 189, 111-26	7.3	321
22	Phosphoinositide 3-kinase signaling mediates beta-catenin activation in intestinal epithelial stem and progenitor cells in colitis. <i>Gastroenterology</i> , 2010 , 139, 869-81, 881.e1-9	13.3	116
21	Caveolin-1dependent occludin endocytosis is required for TNF-induced tight junction regulation in vivo. <i>Journal of Experimental Medicine</i> , 2010 , 207, i10-i10	16.6	1
20	Retinoic acid-induced gene-1 (RIG-I) associates with the actin cytoskeleton via caspase activation and recruitment domain-dependent interactions. <i>Journal of Biological Chemistry</i> , 2009 , 284, 6486-94	5.4	39
19	Tumor suppressor FOXO3 participates in the regulation of intestinal inflammation. <i>Laboratory Investigation</i> , 2009 , 89, 1053-62	5.9	40

18	Claudin-1 and claudin-2 expression is elevated in inflammatory bowel disease and may contribute to early neoplastic transformation. <i>Laboratory Investigation</i> , 2008 , 88, 1110-20	5.9	229
17	The tight junction protein complex undergoes rapid and continuous molecular remodeling at steady state. <i>Journal of Cell Biology</i> , 2008 , 181, 683-95	7.3	268
16	Tumor suppressor Foxo3a is involved in the regulation of lipopolysaccharide-induced interleukin-8 in intestinal HT-29 cells. <i>Infection and Immunity</i> , 2008 , 76, 4677-85	3.7	40
15	Modulation of the pancreatic islet beta-cell-delayed rectifier potassium channel Kv2.1 by the polyunsaturated fatty acid arachidonate. <i>Journal of Biological Chemistry</i> , 2007 , 282, 7442-9	5.4	47
14	MMP25 (MT6-MMP) is highly expressed in human colon cancer, promotes tumor growth, and exhibits unique biochemical properties. <i>Journal of Biological Chemistry</i> , 2007 , 282, 21998-2010	5.4	47
13	Inflammatory bowel disease: is it really just another break in the wall?. <i>Gut</i> , 2007 , 56, 6-8	19.2	93
12	A mathematical treatment of integrated Ca dynamics within the ventricular myocyte. <i>Biophysical Journal</i> , 2004 , 87, 3351-71	2.9	402
11	Cardiac submembrane [Na+] transients sensed by Na+-Ca2+ exchange current. <i>Circulation Research</i> , 2003 , 92, 950-2	15.7	43
10	Cellular basis of abnormal calcium transients of failing human ventricular myocytes. <i>Circulation Research</i> , 2003 , 92, 651-8	15.7	363
9	Dynamic regulation of sodium/calcium exchange function in human heart failure. <i>Circulation</i> , 2003 , 108, 2224-9	16.7	124
8	Simultaneous measurement of [Na]i, [Ca]i, and I(NCX) in intact cardiac myocytes. <i>Annals of the New York Academy of Sciences</i> , 2002 , 976, 157-8	6.5	3
7	Modulation of contractility in failing human myocytes by reverse-mode Na/Ca exchange. <i>Annals of the New York Academy of Sciences</i> , 2002 , 976, 466-71	6.5	16
6	Calcium influx via I(NCX) is favored in failing human ventricular myocytes. <i>Annals of the New York Academy of Sciences</i> , 2002 , 976, 478-9	6.5	14
5	Na/Ca exchange function in intact ventricular myocytes. <i>Annals of the New York Academy of Sciences</i> , 2002 , 976, 500-12	6.5	19
4	Intracellular Na(+) concentration is elevated in heart failure but Na/K pump function is unchanged. <i>Circulation</i> , 2002 , 105, 2543-8	16.7	242
3	Na(+)-Ca(2+) exchange current and submembrane [Ca(2+)] during the cardiac action potential. <i>Circulation Research</i> , 2002 , 90, 182-9	15.7	163
2	Allosteric regulation of Na/Ca exchange current by cytosolic Ca in intact cardiac myocytes. <i>Journal of General Physiology</i> , 2001 , 117, 119-31	3.4	136
1	Control of maximum sarcoplasmic reticulum Ca load in intact ferret ventricular myocytes. Effects Of thapsigargin and isoproterenol. <i>Journal of General Physiology</i> , 1998 , 111, 491-504	3.4	50