Ulf Högberg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3411398/publications.pdf

Version: 2024-02-01

		201575	223716
86	2,451	27	46
papers	citations	h-index	g-index
07	97	0.7	2122
87	87	87	3122
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	External Hydrocephalus as a Cause of Infant Subdural Hematoma: Epidemiological and Radiological Investigations of Infants Suspected of Being Abused. Pediatric Neurology, 2022, 126, 26-34.	1.0	6
2	Retinal haemorrhage in infants investigated for suspected maltreatment is strongly correlated with intracranial pathology. Acta Paediatrica, International Journal of Paediatrics, 2022, 111, 800-808.	0.7	9
3	Internet-based Treatment for Vulvodynia (EMBLA) – A Randomized Controlled Study. Journal of Sexual Medicine, 2022, 19, 319-330.	0.3	10
4	Transfer of knowledge to diagnose infant abuse and its incidence – a time-series analysis from Sweden. Implementation Science, 2022, 17, 15.	2.5	0
5	How do we know that infant abusive head trauma has occurred?. Acta Paediatrica, International Journal of Paediatrics, 2022, 111, 888-889.	0.7	3
6	How to sure that rib fractures and classical metaphyseal lesions are caused by traumatic shaking?. Acta Paediatrica, International Journal of Paediatrics, 2022, , .	0.7	1
7	Rib fractures in infancy, case-series and register case-control study from Sweden. Journal of Pediatric Endocrinology and Metabolism, 2021, 34, 363-372.	0.4	3
8	Time matters—a Swedish cohort study of labor duration and risk of uterine rupture. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 1902-1909.	1.3	5
9	Do Inter-Country Differences in the Frequency of Abusive Head Trauma Reflect Different Proportions of Overdiagnosis of Abuse or True Differences in Abuse?. Journal of Epidemiology, 2020, 30, 276-277.	1.1	4
10	High Risk of Bias in a Systematic Review of Rib Fractures and Abuse by Paine et al (2019). Pediatric Emergency Care, 2020, 36, e426.	0.5	3
11	Medical findings and symptoms in infants exposed to witnessed or admitted abusive shaking: A nationwide registry study. PLoS ONE, 2020, 15, e0240182.	1.1	16
12	The epidemiology of infant shaft fractures of femur or humerus by incidence, birth, accidents, and other causes. BMC Musculoskeletal Disorders, 2020, 21, 840.	0.8	15
13	Difficult birth is the main contributor to birthâ€related fracture and accidents to other neonatal fractures. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 2040-2048.	0.7	16
14	Epidural Analgesia During Childbirth and Postpartum Depressive Symptoms: A Population-Based Longitudinal Cohort Study. Anesthesia and Analgesia, 2020, 130, 615-624.	1.1	25
15	Parents' experiences of seeking health care and encountering allegations of shaken baby syndrome: A qualitative study. PLoS ONE, 2020, 15, e0228911.	1.1	4
16	Mothers' satisfaction with care during facility-based childbirth: a cross-sectional survey in southern Mozambique. BMC Pregnancy and Childbirth, 2019, 19, 303.	0.9	32
17	Medical diagnoses among infants at entry in outâ€ofâ€home care: A Swedish populationâ€register study. Health Science Reports, 2019, 2, e133.	0.6	10
18	Populationâ€based register study of children born in Sweden from 1997 to 2014 showed an increase in rickets during infancy. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 2034-2040.	0.7	10

#	Article	IF	CITATIONS
19	Why is there a multi-fold difference in diagnosis of abuse among infants with long bone fracture in East Anglia compared with Sweden?. Archives of Disease in Childhood, 2019, 104, 1122.1-1122.	1.0	1
20	The erratic pathway to regaining a professional self-image after an obstetric work-related trauma: A grounded theory study. International Journal of Nursing Studies, 2019, 89, 53-61.	2.5	17
21	Infant abuse diagnosis associated with abusive head trauma criteria: incidence increase due to overdiagnosis?. European Journal of Public Health, 2018, 28, 641-646.	0.1	16
22	Gaps in obstetric care processes – we can only improve what is being measured. Journal of Perinatal Medicine, 2018, 46, 139-149.	0.6	1
23	Delineating the association between mode of delivery and postpartum depression symptoms: a longitudinal study. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 301-311.	1.3	56
24	Ready to deliver maternal and newborn care? Health providers' perceptions of their work context in rural Mozambique. Global Health Action, 2018, 11, 1532631.	0.7	5
25	Epidemiology of subdural haemorrhage during infancy: A population-based register study. PLoS ONE, 2018, 13, e0206340.	1.1	29
26	Metabolic bone disease risk factors strongly contributing to long bone and rib fractures during early infancy: A population register study. PLoS ONE, 2018, 13, e0208033.	1.1	28
27	Midwives' experiences of working conditions, perceptions of professional role and attitudes towards mothers in Mozambique. Midwifery, 2016, 40, 95-101.	1.0	20
28	Results from the National Perinatal Patient Safety Program in Sweden: the challenge of evaluation. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 596-603.	1.3	12
29	Breech delivery at a University Hospital in Tanzania. BMC Pregnancy and Childbirth, 2016, 16, 342.	0.9	9
30	Maternal and perinatal conditions and the risk of developing celiac disease during childhood. BMC Pediatrics, 2016, 16, 77.	0.7	24
31	Circularity bias in abusive head trauma studies could be diminished with a new ranking scale. Egyptian Journal of Forensic Sciences, 2016, 6, 6-10.	0.4	10
32	Suicides during pregnancy and 1 year postpartum in Sweden, 1980–2007. British Journal of Psychiatry, 2016, 208, 462-469.	1.7	103
33	Delineating the Association between Heavy Postpartum Haemorrhage and Postpartum Depression. PLoS ONE, 2016, 11, e0144274.	1.1	49
34	Achieving a 25% reduction in premature non-communicable disease mortality: the Swedish population as a cohort study. BMC Medicine, 2015, 13, 65.	2.3	13
35	Exposure to violence among women with unwanted pregnancies and the association with post-traumatic stress disorder, symptoms of anxiety and depression. Sexual and Reproductive Healthcare, 2015, 6, 50-53.	0.5	16
36	The development and experience of epidemiological transition theory over four decades: a systematic review. Global Health Action, 2014, 7, 23574.	0.7	119

#	Article	IF	Citations
37	Assessing knowledge, attitudes, and behaviors related to HIV and AIDS in Nicaragua: A community-level perspective. Sexual and Reproductive Healthcare, 2013, 4, 37-44.	0.5	20
38	Women's experiences of dietary advice and dietary changes during pregnancy. Midwifery, 2013, 29, 1027-1034.	1.0	75
39	Maternal mortality in S weden 1988–2007: more deaths than officially reported. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 40-46.	1.3	25
40	Measuring HIV- and AIDS-Related Stigma and Discrimination in Nicaragua: Results From a Community-Based Study. AIDS Education and Prevention, 2013, 25, 164-178.	0.6	17
41	The Supportive Process for Ending Intimate Partner Violence After Pregnancy. Violence Against Women, 2012, 18, 1257-1278.	1.1	14
42	Healthcare system intervention for prevention of birth injuries â€" process evaluation of self-assessment, peer review, feedback and agreement for change. BMC Health Services Research, 2012, 12, 274.	0.9	15
43	The influence of fetal head circumference on labor outcome: a populationâ€based register study. Acta Obstetricia Et Gynecologica Scandinavica, 2012, 91, 470-475.	1.3	46
44	Cross-Sectional Survey of Sexual Dysfunction and Quality of Life Among Older People in Indonesia. Journal of Sexual Medicine, 2011, 8, 1594-1602.	0.3	12
45	"Keeping Up a Front― Narratives About Intimate Partner Violence, Pregnancy, and Antenatal Care. Violence Against Women, 2010, 16, 189-206.	1.1	49
46	Midlevel providers and the Fifth Millennium Goal of reducing maternal mortality. Sexual and Reproductive Healthcare, 2010, 1, 3-5.	0.5	7
47	Gendered patterns of high violence exposure among Swedish youth. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 528-535.	1.3	34
48	Neuroendocrine response to violence during pregnancy – impact on duration of pregnancy and fetal growth. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 818-823.	1.3	69
49	Cesarean by choice? Empirical study of public attitudes. Acta Obstetricia Et Gynecologica Scandinavica, 2008, 87, 1301-1308.	1.3	21
50	Women's experiences of becoming a mother after prolonged labour. Journal of Advanced Nursing, 2008, 63, 250-258.	1.5	21
51	A pilot study of eye movement desensitisation and reprocessing treatment (EMDR) for post-traumatic stress after childbirth. Midwifery, 2008, 24, 62-73.	1.0	40
52	Violent Men. Journal of Interpersonal Violence, 2008, 23, 225-244.	1.3	27
53	Revealing the burden of maternal mortality: a probabilistic model for determining pregnancy-related causes of death from verbal autopsies. Population Health Metrics, 2007, 5, 1 .	1.3	74
54	Pregnancy-related deaths due to pulmonary embolism in Sweden. Acta Obstetricia Et Gynecologica Scandinavica, 2007, 86, 435-443.	1.3	32

#	Article	IF	CITATIONS
55	Some Swedish women's experiences of prolonged labour. Midwifery, 2006, 22, 56-65.	1.0	54
56	The InterVA model: verbal autopsy interpretation in rural Ethiopia. Bulletin of the World Health Organization, 2006, 84, 204-210.	1.5	78
57	Violence against pregnant women: prevalence and characteristics. A population-based study in Nicaragua. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 1243-1248.	1.1	69
58	The negative birth experience of prolonged labour: a case-referent study. Journal of Clinical Nursing, 2005, 14, 579-586.	1.4	71
59	Evidence-based changes in term breech delivery practice in Sweden. Acta Obstetricia Et Gynecologica Scandinavica, 2005, 84, 584-587.	1.3	16
60	Evidence-based changes in term breech delivery practice in Sweden. Acta Obstetricia Et Gynecologica Scandinavica, 2005, 84, 584-587.	1.3	5
61	Proactive Management Promotes Outcome in Extremely Preterm Infants: A Population-Based Comparison of Two Perinatal Management Strategies. Pediatrics, 2004, 114, 58-64.	1.0	188
62	An "American dilemma" in Scandinavian childbirth: unmet needs in healthcare?. Scandinavian Journal of Public Health, 2004, 32, 75-77.	1.2	6
63	Postpartum care should provide alternatives to meet parents' need for safety, active participation, and â€~bonding'. Midwifery, 2003, 19, 267-276.	1.0	39
64	Physical partner abuse during pregnancy: a risk factor for low birth weight in Nicaragua. Obstetrics and Gynecology, 2002, 100, 700-705.	1.2	111
65	Violence against pregnant women will remain hidden as long as no direct questions are asked. Midwifery, 2002, 18, 268-278.	1.0	47
66	Gender, literacy, and survival among Ethiopian adults, 1987 - 96. Bulletin of the World Health Organization, 2002, 80, 714-20.	1.5	21
67	The very preterm infant - a population-based study. Acta Obstetricia Et Gynecologica Scandinavica, 2001, 80, 525-531.	1.3	11
68	Fetal exposure, heredity and risk indicators for cardiovascular disease in a Swedish welfare cohort. International Journal of Epidemiology, 2001, 30, 853-862.	0.9	38
69	Prolonged Labour Attributed to Large Fetus. Gynecologic and Obstetric Investigation, 2000, 49, 160-164.	0.7	22
70	Swedish maternal mortality in the 19th century by different definitions: previous stillbirths but not multiparity risk factor for maternal death. Acta Obstetricia Et Gynecologica Scandinavica, 2000, 79, 679-686.	1.3	10
71	Somalis giving birth in Sweden: a challenge to culture and gender specific values and behaviours. Midwifery, 2000, 16, 105-115.	1.0	59
72	User charges for antenatal care and ultrasound - an unwillingness to pay. Acta Obstetricia Et Gynecologica Scandinavica, 1999, 78, 398-402.	1.3	0

#	Article	IF	Citations
73	Characteristics of pregnancy and birth and malignancy in the offspring (Sweden). Cancer Causes and Control, 1999, 10, 85-94.	0.8	40
74	Familial occurrence of dystocia. American Journal of Obstetrics and Gynecology, 1998, 179, 117-121.	0.7	23
75	Infertility in an industrial setting:— a population-based study from Northern Sweden. Acta Obstetricia Et Gynecologica Scandinavica, 1997, 76, 673-679.	1.3	15
76	Effect of Introduction of Sulphonamides on the Incidence of and Mortality from Puerperal Sepsis in a Swedish County Hospital. Scandinavian Journal of Infectious Diseases, 1994, 26, 233-238.	1.5	3
77	Reproductive patterns amoneu Swedish women born 1936–1960. Acta Obstetricia Et Gynecologica Scandinavica, 1992, 71, 207-214.	1.3	24
78	Reproductive mortality and its relation to different methods of birth control. Journal of Biosocial Science, 1990, 22, 323-331.	0.5	1
79	Reproductive pattern among women in 19th century Sweden. Journal of Biosocial Science, 1990, 22, 13-18.	0.5	7
80	Maternal Deaths Related to Cesarean Section in Sweden, 1951–1980. Acta Obstetricia Et Gynecologica Scandinavica, 1989, 68, 351-357.	1.3	12
81	Maternal deaths in medieval sweden: an osteological and life table analysis. Journal of Biosocial Science, 1987, 19, 495-503.	0.5	64
82	Maternal Deaths in Sweden, 1971–1980. Acta Obstetricia Et Gynecologica Scandinavica, 1986, 65, 161-167.	1.3	34
83	The Decline in Maternal Mortality in Sweden, 1931–1980. Acta Obstetricia Et Gynecologica Scandinavica, 1985, 64, 583-592.	1.3	38
84	Maternal mortality - a world wide problem. International Journal of Gynecology and Obstetrics, 1985, 23, 463-470.	1.0	20
85	The demography of maternal mortality-seven Swedish parishes in the 19th century. International Journal of Gynecology and Obstetrics, 1985, 23, 489-497.	1.0	27
86	Responding to concerns about the methodology used in a study on retinal haemorrhages in suspected infant abuse. Acta Paediatrica, International Journal of Paediatrics, 0, , .	0.7	0