

# Eduardo Moreno-Jimnez

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3413056/eduardo-moreno-jimenez-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66  
papers

4,809  
citations

29  
h-index

69  
g-index

72  
ext. papers

5,417  
ext. citations

7.2  
avg, IF

5.72  
L-index

#	Paper	IF	Citations
66	Synergistic effects of biochar and biostimulants on nutrient and toxic element uptake by pepper in contaminated soils. <i>Journal of the Science of Food and Agriculture</i> , <b>2022</b> , 102, 167-174	4.3	0
65	Review on the interactions of arsenic, iron (oxy)(hydr)oxides, and dissolved organic matter in soils, sediments, and groundwater in a ternary system. <i>Chemosphere</i> , <b>2022</b> , 286, 131790	8.4	8
64	Soil element coupling is driven by ecological context and atomic mass. <i>Ecology Letters</i> , <b>2021</b> , 24, 319-326	6.0	4
63	(Im)mobilization of arsenic, chromium, and nickel in soils via biochar: A meta-analysis. <i>Environmental Pollution</i> , <b>2021</b> , 286, 117199	9.3	12
62	Mobility of arsenic, chromium and copper arising from soil application of stabilised aggregates made from contaminated wood ash. <i>Journal of Hazardous Materials</i> , <b>2020</b> , 393, 122479	12.8	6
61	Rice Grain Cadmium Concentrations in the Global Supply-Chain. <i>Exposure and Health</i> , <b>2020</b> , 12, 869-876	8.8	26
60	Localized Intensification of Arsenic Release within the Emergent Rice Rhizosphere. <i>Environmental Science &amp; Technology</i> , <b>2020</b> , 54, 3138-3147	10.3	14
59	Engineered Pyrogenic Materials as Tools to Affect Arsenic Mobility in Old Mine Site Soil of Mediterranean Region. <i>Bulletin of Environmental Contamination and Toxicology</i> , <b>2020</b> , 104, 265-272	2.7	1
58	Global Sourcing of Low-Inorganic Arsenic Rice Grain. <i>Exposure and Health</i> , <b>2020</b> , 12, 711-719	8.8	22
57	Carbon and Metal(loid)s in Parkland and Road Verge Surface Soils in the City of Liverpool, UK. <i>Agronomy</i> , <b>2020</b> , 10, 335	3.6	2
56	Biocrusts buffer against the accumulation of soil metallic nutrients induced by warming and rainfall reduction. <i>Communications Biology</i> , <b>2020</b> , 3, 325	6.7	8
55	Aided phytostabilisation over two years using iron sulphate and organic amendments: Effects on soil quality and rye production. <i>Chemosphere</i> , <b>2020</b> , 240, 124827	8.4	11
54	Aridity and reduced soil micronutrient availability in global drylands. <i>Nature Sustainability</i> , <b>2019</b> , 2, 371-377	7.1	48
53	The Preservation and Interpretation of $\delta^{13}C$ Values in Charred Archaeobotanical Remains. <i>Archaeometry</i> , <b>2019</b> , 61, 161-178	1.6	16
52	Co-application of activated carbon and compost to contaminated soils: toxic elements mobility and PAH degradation and availability. <i>International Journal of Environmental Science and Technology</i> , <b>2019</b> , 16, 1057-1068	3.3	12
51	Complementary assessment of As, Cu and Zn environmental availability in a stabilised contaminated soil using large-bore column leaching, automatic microcolumn extraction and DGT analysis. <i>Science of the Total Environment</i> , <b>2019</b> , 690, 217-225	10.2	4
50	Influence of Pyrolyzed Grape-Seeds/Sewage Sludge Blends on the Availability of P, Fe, Cu, As and Cd to Maize. <i>Agronomy</i> , <b>2019</b> , 9, 406	3.6	3

49	Designing biochar properties through the blending of biomass feedstock with metals: Impact on oxyanions adsorption behavior. <i>Chemosphere</i> , <b>2019</b> , 214, 743-753	8.4	29
48	The effect of biochar amendments on phenanthrene sorption, desorption and mineralisation in different soils. <i>PeerJ</i> , <b>2018</b> , 6, e5074	3.1	4
47	Aided phytostabilisation of As- and Cu-contaminated soils using white lupin and combined iron and organic amendments. <i>Journal of Environmental Management</i> , <b>2018</b> , 205, 142-150	7.9	23
46	Effect of Physical and Chemical Activation on Arsenic Sorption Separation by Grape Seeds-Derived Biochar. <i>Separations</i> , <b>2018</b> , 5, 59	3.1	7
45	Efficiency of organic and mineral based amendments to reduce metal[loid]mobility and uptake ( <i>Lolium perenne</i> ) from a pyrite-waste contaminated soil. <i>Journal of Geochemical Exploration</i> , <b>2017</b> , 174, 46-52	3.8	19
44	Effect of <i>Lupinus albus</i> L. root activities on As and Cu mobility after addition of iron-based soil amendments. <i>Chemosphere</i> , <b>2017</b> , 182, 373-381	8.4	16
43	Biochar modification to enhance sorption of inorganics from water. <i>Bioresource Technology</i> , <b>2017</b> , 246, 34-47	11	288
42	Sorption separation of Eu and As from single-component systems by Fe-modified biochar: kinetic and equilibrium study. <i>Journal of the Iranian Chemical Society</i> , <b>2017</b> , 14, 521-530	2	36
41	Iron-impregnated biochars as effective phosphate sorption materials. <i>Environmental Science and Pollution Research</i> , <b>2017</b> , 24, 463-475	5.1	98
40	Automatic flow-through dynamic extraction: A fast tool to evaluate char-based remediation of multi-element contaminated mine soils. <i>Talanta</i> , <b>2016</b> , 148, 686-93	6.2	7
39	Transplanting the leafy liverwort <i>Herbertus hutchinsiae</i> : a suitable conservation tool to maintain oceanic-montane liverwort-rich heath?. <i>Plant Ecology and Diversity</i> , <b>2016</b> , 9, 175-185	2.2	5
38	Iron plaque formed under aerobic conditions efficiently immobilizes arsenic in <i>Lupinus albus</i> L roots. <i>Environmental Pollution</i> , <b>2016</b> , 216, 215-222	9.3	27
37	Geographical variation in inorganic arsenic in paddy field samples and commercial rice from the Iberian Peninsula. <i>Food Chemistry</i> , <b>2016</b> , 202, 356-63	8.5	46
36	Availability and transfer to grain of As, Cd, Cu, Ni, Pb and Zn in a barley agri-system: Impact of biochar, organic and mineral fertilizers. <i>Agriculture, Ecosystems and Environment</i> , <b>2016</b> , 219, 171-178	5.7	72
35	Assessing the combination of iron sulfate and organic materials as amendment for an arsenic and copper contaminated soil. A chemical and ecotoxicological approach. <i>Chemosphere</i> , <b>2016</b> , 165, 539-546	8.4	22
34	Mobility and toxicity of heavy metal(loid)s arising from contaminated wood ash application to a pasture grassland soil. <i>Environmental Pollution</i> , <b>2016</b> , 218, 419-427	9.3	15
33	Application of Biochar for Soil Remediation. <i>SSSA Special Publication Series</i> , <b>2015</b> , 295-324	0	16
32	Mycorrhizal <i>limonium sinuatum</i> (L.) mill. Enhances accumulation of lead and cadmium. <i>International Journal of Phytoremediation</i> , <b>2015</b> , 17, 556-62	3.9	21

31	Assessing the influence of compost and biochar amendments on the mobility and toxicity of metals and arsenic in a naturally contaminated mine soil. <i>Environmental Pollution</i> , <b>2014</b> , 186, 195-202	9.3	297
30	Effects of biochar and activated carbon amendment on maize growth and the uptake and measured availability of polycyclic aromatic hydrocarbons (PAHs) and potentially toxic elements (PTEs). <i>Environmental Pollution</i> , <b>2014</b> , 193, 79-87	9.3	84
29	Effects of biochar amendment on root traits and contaminant availability of maize plants in a copper and arsenic impacted soil. <i>Plant and Soil</i> , <b>2014</b> , 379, 351-360	4.2	74
28	Sprinkler irrigation of rice fields reduces grain arsenic but enhances cadmium. <i>Science of the Total Environment</i> , <b>2014</b> , 485-486, 468-473	10.2	66
27	Evidence of a new Hg-tolerant ecotype of <i>Rumex induratus</i> from Almad�n (Ciudad Real, Spain). <i>Plant Biosystems</i> , <b>2014</b> , 148, 58-63	1.6	5
26	Arsenic and selenium mobilisation from organic matter treated mine spoil with and without inorganic fertilisation. <i>Environmental Pollution</i> , <b>2013</b> , 173, 238-44	9.3	69
25	<i>Atriplex atacamensis</i> and <i>Atriplex halimus</i> resist As contamination in Pre-Andean soils (northern Chile). <i>Science of the Total Environment</i> , <b>2013</b> , 450-451, 188-96	10.2	30
24	Inorganic species of arsenic in soil solution determined by microcartridges and ferrihydrite-based diffusive gradient in thin films (DGT). <i>Talanta</i> , <b>2013</b> , 104, 83-9	6.2	17
23	Soil Factors Controlling Arsenic Availability for <i>Silene vulgaris</i> . <i>Communications in Soil Science and Plant Analysis</i> , <b>2013</b> , 44, 2152-2167	1.5	1
22	Phytostabilisation with Mediterranean shrubs and liming improved soil quality in a pot experiment with a pyrite mine soil. <i>Journal of Hazardous Materials</i> , <b>2012</b> , 201-202, 52-9	12.8	34
21	The fate of arsenic in soil-plant systems. <i>Reviews of Environmental Contamination and Toxicology</i> , <b>2012</b> , 215, 1-37	3.5	94
20	Implications of chloride-enhanced cadmium uptake in saline agriculture: modeling cadmium uptake by maize and tobacco. <i>International Journal of Environmental Science and Technology</i> , <b>2012</b> , 9, 69-77	3.3	17
19	Screening risk assessment tools for assessing the environmental impact in an abandoned pyritic mine in Spain. <i>Science of the Total Environment</i> , <b>2011</b> , 409, 692-703	10.2	37
18	Field sampling of soil pore water to evaluate trace element mobility and associated environmental risk. <i>Environmental Pollution</i> , <b>2011</b> , 159, 3078-85	9.3	57
17	A review of biochar's potential role in the remediation, revegetation and restoration of contaminated soils. <i>Environmental Pollution</i> , <b>2011</b> , 159, 3269-82	9.3	1047
16	Using Mediterranean shrubs for the phytoremediation of a soil impacted by pyritic wastes in Southern Spain: a field experiment. <i>Journal of Environmental Management</i> , <b>2011</b> , 92, 1584-90	7.9	43
15	Natural attenuation of residual heavy metal contamination in soils affected by the Aznalc�n mine spill, SW Spain. <i>Journal of Environmental Management</i> , <b>2011</b> , 92, 2069-75	7.9	12
14	Efficiency of green waste compost and biochar soil amendments for reducing lead and copper mobility and uptake to ryegrass. <i>Journal of Hazardous Materials</i> , <b>2011</b> , 191, 41-8	12.8	390

13	Hydroponics as a valid tool to assess arsenic availability in mine soils. <i>Chemosphere</i> , <b>2010</b> , 79, 513-7	8.4	18
12	The fate of arsenic in soils adjacent to an old mine site (Bustarviejo, Spain): mobility and transfer to native flora. <i>Journal of Soils and Sediments</i> , <b>2010</b> , 10, 301-312	3.4	65
11	Mobility of arsenic, cadmium and zinc in a multi-element contaminated soil profile assessed by in-situ soil pore water sampling, column leaching and sequential extraction. <i>Environmental Pollution</i> , <b>2010</b> , 158, 155-60	9.3	125
10	Effects of biochar and greenwaste compost amendments on mobility, bioavailability and toxicity of inorganic and organic contaminants in a multi-element polluted soil. <i>Environmental Pollution</i> , <b>2010</b> , 158, 2282-7	9.3	811
9	Heavy metals distribution in soils surrounding an abandoned mine in NW Madrid (Spain) and their transference to wild flora. <i>Journal of Hazardous Materials</i> , <b>2009</b> , 162, 854-9	12.8	143
8	Arsenic- and mercury-induced phytotoxicity in the Mediterranean shrubs <i>Pistacia lentiscus</i> and <i>Tamarix gallica</i> grown in hydroponic culture. <i>Ecotoxicology and Environmental Safety</i> , <b>2009</b> , 72, 1781-9	7	36
7	Feasibility of arsenic phytostabilisation using Mediterranean shrubs: impact of root mineralisation on As availability in soils. <i>Journal of Environmental Monitoring</i> , <b>2009</b> , 11, 1375-80		14
6	Short and long-term uptake of Hg in white lupin plants: Kinetics and stress indicators. <i>Environmental and Experimental Botany</i> , <b>2008</b> , 62, 316-322	5.9	66
5	Comparison of arsenic resistance in Mediterranean woody shrubs used in restoration activities. <i>Chemosphere</i> , <b>2008</b> , 71, 466-73	8.4	31
4	Bioavailability of metals and As from acidified multicontaminated soils: use of white lupin to validate several extraction methods. <i>Environmental Geochemistry and Health</i> , <b>2008</b> , 30, 193-8	4.7	56
3	Mercury accumulation and resistance to mercury stress in <i>Rumex induratus</i> and <i>Marrubium vulgare</i> grown in perlite. <i>Journal of Plant Nutrition and Soil Science</i> , <b>2007</b> , 170, 485-494	2.3	33
2	Mercury bioaccumulation and phytotoxicity in two wild plant species of Almad� area. <i>Chemosphere</i> , <b>2006</b> , 63, 1969-73	8.4	87
1	Effects of microplastics on crop nutrition in fertile soils and interaction with arbuscular mycorrhizal fungi		1