

# Duygu Kuzum

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3413061/publications.pdf>

Version: 2024-02-01

48  
papers

6,341  
citations

186265  
28  
h-index

254184  
43  
g-index

51  
all docs

51  
docs citations

51  
times ranked

7399  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanoelectronic Programmable Synapses Based on Phase Change Materials for Brain-Inspired Computing. Nano Letters, 2012, 12, 2179-2186.	9.1	1,036
2	Synaptic electronics: materials, devices and applications. Nanotechnology, 2013, 24, 382001.	2.6	1,012
3	An Electronic Synapse Device Based on Metal Oxide Resistive Switching Memory for Neuromorphic Computation. IEEE Transactions on Electron Devices, 2011, 58, 2729-2737.	3.0	731
4	Artificial optic-neural synapse for colored and color-mixed pattern recognition. Nature Communications, 2018, 9, 5106.	12.8	462
5	Transparent and flexible low noise graphene electrodes for simultaneous electrophysiology and neuroimaging. Nature Communications, 2014, 5, 5259.	12.8	448
6	Bioresorbable silicon electronics for transient spatiotemporal mapping of electrical activity from the cerebral cortex. Nature Materials, 2016, 15, 782-791.	27.5	400
7	On the Correct Extraction of Interface Trap Density of MOS Devices With High-Mobility Semiconductor Substrates. IEEE Transactions on Electron Devices, 2008, 55, 547-556.	3.0	339
8	Transformation of Cortex-wide Emergent Properties during Motor Learning. Neuron, 2017, 94, 880-890.e8.	8.1	211
9	Brain-like associative learning using a nanoscale non-volatile phase change synaptic device array. Frontiers in Neuroscience, 2014, 8, 205.	2.8	176
10	Ge-Interface Engineering With Ozone Oxidation for Low Interface-State Density. IEEE Electron Device Letters, 2008, 29, 328-330.	3.9	172
11	Flexible Neural Electrode Array Based-on Porous Graphene for Cortical Microstimulation and Sensing. Scientific Reports, 2016, 6, 33526.	3.3	144
12	Deep 2-photon imaging and artifact-free optogenetics through transparent graphene microelectrode arrays. Nature Communications, 2018, 9, 2035.	12.8	143
13	Ge (100) and (111) N- and P-FETs With High Mobility and Low- $\sigma_{\text{t}}$ Mobility Characterization. IEEE Transactions on Electron Devices, 2009, 56, 648-655.	3.0	98
14	Neuroinspired unsupervised learning and pruning with subquantum CBRAM arrays. Nature Communications, 2018, 9, 5312.	12.8	82
15	Low-Energy Robust Neuromorphic Computation Using Synaptic Devices. IEEE Transactions on Electron Devices, 2012, 59, 3489-3494.	3.0	76
16	Ultralow Impedance Graphene Microelectrodes with High Optical Transparency for Simultaneous Deep Two-Photon Imaging in Transgenic Mice. Advanced Functional Materials, 2018, 28, 1800002.	14.9	76
17	Energy-efficient Mott activation neuron for full-hardware implementation of neural networks. Nature Nanotechnology, 2021, 16, 680-687.	31.5	73
18	The Effect of Donor/Acceptor Nature of Interface Traps on Ge MOSFET Characteristics. IEEE Transactions on Electron Devices, 2011, 58, 1015-1022.	3.0	57

#	ARTICLE	IF	CITATIONS
19	A Compact Closed-Loop Optogenetics System Based on Artifact-Free Transparent Graphene Electrodes. <i>Frontiers in Neuroscience</i> , 2018, 12, 132.	2.8	53
20	Multimodal neural recordings with Neuro-FITM uncover diverse patterns of cortical–hippocampal interactions. <i>Nature Neuroscience</i> , 2021, 24, 886-896.	14.8	47
21	Chemical Bonding, Interfaces, and Defects in Hafnium Oxide–Germanium Oxynitride Gate Stacks on Ge(100). <i>Journal of the Electrochemical Society</i> , 2008, 155, G304.	2.9	44
22	Roadmap on material-function mapping for photonic-electronic hybrid neural networks. <i>APL Materials</i> , 2019, 7, .	5.1	42
23	Characteristics of surface states and charge neutrality level in Ge. <i>Applied Physics Letters</i> , 2009, 95, .	3.3	38
24	Silicon Germanium CMOS Optoelectronic Switching Device: Bringing Light to Latch. <i>IEEE Transactions on Electron Devices</i> , 2007, 54, 3252-3259.	3.0	35
25	Graphene-based neurotechnologies for advanced neural interfaces. <i>Current Opinion in Biomedical Engineering</i> , 2018, 6, 138-147.	3.4	35
26	The Impact of Resistance Drift of Phase Change Memory (PCM) Synaptic Devices on Artificial Neural Network Performance. <i>IEEE Electron Device Letters</i> , 2019, 40, 1325-1328.	3.9	33
27	Drift-Enhanced Unsupervised Learning of Handwritten Digits in Spiking Neural Network With PCM Synapses. <i>IEEE Electron Device Letters</i> , 2018, 39, 1768-1771.	3.9	32
28	High performance germanium N+–P and P+–N junction diodes formed at low Temperature ( $\sim 1/2 380^{\circ}\text{C}$ ) using metal-induced dopant activation. <i>Applied Physics Letters</i> , 2008, 93, .	3.3	29
29	A Soft-Pruning Method Applied During Training of Spiking Neural Networks for In-memory Computing Applications. <i>Frontiers in Neuroscience</i> , 2019, 13, 405.	2.8	29
30	SiGe optoelectronic metal-oxide semiconductor field-effect transistor. <i>Optics Letters</i> , 2007, 32, 2022.	3.3	25
31	Performance Prospects of Deeply Scaled Spin-Transfer Torque Magnetic Random-Access Memory for In-Memory Computing. <i>IEEE Electron Device Letters</i> , 2020, 41, 1126-1129.	3.9	23
32	N-Channel Germanium MOSFET Fabricated Below 360 $\text{\AA}$ by Cobalt-Induced Dopant Activation for Monolithic Three-Dimensional-ICs. <i>IEEE Electron Device Letters</i> , 2011, 32, 234-236.	3.9	22
33	Low Temperature Germanium Growth on Silicon Oxide Using Boron Seed Layer and In Situ Dopant Activation. <i>Journal of the Electrochemical Society</i> , 2010, 157, H371.	2.9	19
34	Evaluation of Durability of Transparent Graphene Electrodes Fabricated on Different Flexible Substrates for Chronic <i>In Vivo</i> Experiments. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 3203-3210.	4.2	13
35	Investigation of Trap Spacing for the Amorphous State of Phase-Change Memory Devices. <i>IEEE Transactions on Electron Devices</i> , 2011, 58, 4370-4376.	3.0	12
36	High-Density Porous Graphene Arrays Enable Detection and Analysis of Propagating Cortical Waves and Spirals. <i>Scientific Reports</i> , 2018, 8, 17089.	3.3	12

#	ARTICLE	IF	CITATIONS
37	Computational analysis of network activity and spatial reach of sharp wave-ripples. PLoS ONE, 2017, 12, e0184542.	2.5	9
38	Spatiotemporal evolution of focal epileptiform activity from surface and laminar field recordings in cat neocortex. Journal of Neurophysiology, 2018, 119, 2068-2081.	1.8	9
39	Effect of interfacial oxide on Ge MOSCAP and N-MOSFET characteristics. Microelectronic Engineering, 2011, 88, 3428-3431.	2.4	8
40	Adaptive Quantization as a Device-Algorithm Co-Design Approach to Improve the Performance of In-Memory Unsupervised Learning With SNNs. IEEE Transactions on Electron Devices, 2019, 66, 1722-1728.	3.0	8
41	Decoding of cortex-wide brain activity from local recordings of neural potentials. Journal of Neural Engineering, 2021, 18, 066009.	3.5	7
42	Hippocampal-Cortical Memory Trace Transfer and Reactivation Through Cell-Specific Stimulus and Spontaneous Background Noise. Frontiers in Computational Neuroscience, 2019, 13, 67.	2.1	6
43	A Neuromorphic Brain Interface Based on RRAM Crossbar Arrays for High Throughput Real-Time Spike Sorting. IEEE Transactions on Electron Devices, 2022, 69, 2137-2144.	3.0	6
44	Decoding ECoG High Gamma Power from Cellular Calcium Response using Transparent Graphene Microelectrodes. , 2019, , .		4
45	A flexible head fixation system for optical imaging and electrophysiology in awake mice. , 2020, , .		3
46	3D Expandable Microwire Electrode Arrays Made of Programmable Shape Memory Materials. , 2018, , .		1
47	Drift-enhanced Unsupervised Learning with PCM Synapses. , 2018, , .		0
48	Multimodal Monitoring of Human Brain Organoids Implanted in Mice Using Transparent Microelectrodes. , 2021, , .		0