

# Jana Brejchova

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3413789/publications.pdf>

Version: 2024-02-01

43  
papers

622  
citations

567281

15  
h-index

677142

22  
g-index

45  
all docs

45  
docs citations

45  
times ranked

579  
citing authors

#	ARTICLE	IF	CITATIONS
1	Visualization of distinct patterns of subcellular redistribution of the thyrotropin-releasing hormone receptor-1 and Gq $\pm$ /G11 $\pm$ induced by agonist stimulation. <i>Biochemical Journal</i> , 1999, 340, 529-538.	3.7	36
2	Agonist-induced Transfer of the alpha Subunits of the Guanine-nucleotide-binding Regulatory Proteins Gq and G11, and of Muscarinic m1 Acetylcholine Receptors from Plasma Membranes to a Light-vesicular Membrane Fraction. <i>FEBS Journal</i> , 1994, 224, 455-462.	0.2	35
3	Lithium " therapeutic tool endowed with multiple beneficiary effects caused by multiple mechanisms. <i>Acta Neurobiologiae Experimentalis</i> , 2016, 76, 1-19.	0.7	33
4	FLIM studies of 22- and 25-NBD-cholesterol in living HEK293 cells: Plasma membrane change induced by cholesterol depletion. <i>Chemistry and Physics of Lipids</i> , 2013, 167-168, 62-69.	3.2	28
5	Different sensitivity of ATP + Mg + Na (I) and Pi + Mg (II) dependent types of ouabain binding to phospholipase A2. <i>Journal of Membrane Biology</i> , 1988, 104, 211-221.	2.1	26
6	Expression of Opioid Receptors in Cells of the Immune System. <i>International Journal of Molecular Sciences</i> , 2021, 22, 315.	4.1	26
7	Plasma-membrane-independent pool of the alpha subunit of the stimulatory guanine-nucleotide-binding regulatory protein in a low-density-membrane fraction of S49 lymphoma cells. <i>FEBS Journal</i> , 1992, 208, 693-698.	0.2	22
8	Thyrotropin-releasing hormone-induced depletion of Gq $\pm$ /G11 $\pm$ proteins from detergent-insensitive membrane domains. <i>FEBS Letters</i> , 1999, 464, 35-40.	2.8	21
9	Opposing changes of trimeric G protein levels during ontogenetic development of rat brain. <i>Developmental Brain Research</i> , 2002, 133, 57-67.	1.7	21
10	Proteomic analysis of protein composition of rat forebrain cortex exposed to morphine for 10 days; comparison with animals exposed to morphine and subsequently nurtured for 20 days in the absence of this drug. <i>Journal of Proteomics</i> , 2016, 145, 11-23.	2.4	21
11	Fluorescence spectroscopy studies of HEK293 cells expressing DOR-Gi1 $\pm$ fusion protein; the effect of cholesterol depletion. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2011, 1808, 2819-2829.	2.6	20
12	Proteomic analysis of post-nuclear supernatant fraction and percoll-purified membranes prepared from brain cortex of rats exposed to increasing doses of morphine. <i>Proteome Science</i> , 2014, 12, 11.	1.7	20
13	"Opioid receptors exhibit high efficiency when activating trimeric G proteins in membrane domains. <i>Journal of Neurochemistry</i> , 2003, 85, 34-49.	3.9	19
14	Maturation of rat brain is accompanied by differential expression of the long and short splice variants of Gs $\pm$ protein: identification of cytosolic forms of Gs $\pm$ . <i>Journal of Neurochemistry</i> , 2008, 79, 88-97.	3.9	19
15	The Impact of Morphine on the Characteristics and Function Properties of Human Mesenchymal Stem Cells. <i>Stem Cell Reviews and Reports</i> , 2018, 14, 801-811.	5.6	18
16	Dominant Portion of Thyrotropin-Releasing Hormone Receptor Is Excluded from Lipid Domains. Detergent-Resistant and Detergent-Sensitive Pools of TRH Receptor and Gq $\pm$ /G11 $\pm$ Protein. <i>Journal of Biochemistry</i> , 2005, 138, 111-125.	1.7	17
17	TRH-receptor mobility and function in intact and cholesterol-depleted plasma membrane of HEK293 cells stably expressing TRH-R-eGFP. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2015, 1848, 781-796.	2.6	16
18	Long-term adaptation to high doses of morphine causes desensitization of mu-OR- and delta-OR-stimulated G-protein response in forebrain cortex but does not decrease the amount of G-protein alpha subunits. <i>Medical Science Monitor</i> , 2010, 16, BR260-70.	1.1	16

#	ARTICLE	IF	CITATIONS
19	Long-term agonist stimulation of IP prostanoid receptor depletes the cognate Gs $\hat{\pm}$ protein in membrane domains but does not change the receptor level. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2004, 1691, 51-65.	4.1	14
20	Up-regulation of $\hat{\mu}$ 4-, $\hat{\nu}$ - and $\hat{\kappa}$ -opioid receptors in concanavalin A-stimulated rat spleen lymphocytes. <i>Journal of Neuroimmunology</i> , 2018, 321, 12-23.	2.3	14
21	Concurrent Compression of Phospholipid Membranes by Calcium and Cholesterol. <i>Langmuir</i> , 2019, 35, 11358-11368.	3.5	14
22	Na <sup>+</sup> /K <sup>+</sup> -ATPase and lipid peroxidation in forebrain cortex and hippocampus of sleep-deprived rats treated with therapeutic lithium concentration for different periods of time. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 102, 109953.	4.8	14
23	Up-regulation of adenylylcyclases I and II induced by long-term adaptation of rats to morphine fades away 20days after morphine withdrawal. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2011, 1810, 1220-1229.	2.4	13
24	Plasma membrane cholesterol level and agonist-induced internalization of $\hat{\nu}$ -opioid receptors; colocalization study with intracellular membrane markers of Rab family. <i>Journal of Bioenergetics and Biomembranes</i> , 2016, 48, 375-396.	2.3	13
25	Differentiation of cultured brown adipocytes is associated with a selective increase in the short variant of Gs $\hat{\pm}$ protein. Evidence for higher functional activity of Gs $\hat{\pm}$ S. <i>Molecular and Cellular Endocrinology</i> , 2000, 167, 23-31.	3.2	12
26	Disruption of the Plasma Membrane Integrity by Cholesterol Depletion Impairs Effectiveness of TRH Receptor-Mediated Signal Transduction via Gq/G11 $\hat{\pm}$ Proteins. <i>Journal of Receptor and Signal Transduction Research</i> , 2007, 27, 335-352.	2.5	12
27	High- and low-affinity sites for sodium in $\hat{\nu}$ -OR-Gi11 $\hat{\pm}$ (Cys351-Ile351) fusion protein stably expressed in HEK293 cells; functional significance and correlation with biophysical state of plasma membrane. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2014, 387, 487-502.	3.0	12
28	Ca <sup>2+</sup> responses to thyrotropin-releasing hormone and angiotensin II: the role of plasma membrane integrity and effect of G <sub>11</sub> $\hat{\pm}$ protein overexpression on homologous and heterologous desensitization. <i>Cell Biochemistry and Function</i> , 2008, 26, 264-274.	2.9	11
29	Modulation of adenylyl cyclase activity by baclofen in the developing rat brain: difference between cortex, thalamus and hippocampus. <i>Neuroscience Letters</i> , 2002, 330, 9-12.	2.1	9
30	Functional interactions between the $\hat{\mu}$ 1b-adrenoceptor and G $\hat{\pm}$ 11 are compromised by de-palmitoylation of the G protein but not of the receptor. <i>Cellular Signalling</i> , 2006, 18, 1244-1251.	3.6	9
31	Determination of $\hat{\mu}$ 4-, $\hat{\nu}$ - and $\hat{\kappa}$ -opioid receptors in forebrain cortex of rats exposed to morphine for 10 days: Comparison with animals after 20 days of morphine withdrawal. <i>PLoS ONE</i> , 2017, 12, e0186797.	2.5	9
32	Effect of therapeutic concentration of lithium on live HEK293 cells; increase of Na <sup>+</sup> /K <sup>+</sup> -ATPase, change of overall protein composition and alteration of surface layer of plasma membrane. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 1099-1112.	2.4	8
33	Prolonged Agonist Stimulation Does Not Alter the Protein Composition of Membrane Domains in Spite of Dramatic Changes Induced in a Specific Signaling Cascade. <i>Cell Biochemistry and Biophysics</i> , 2005, 42, 021-040.	1.8	7
34	Increased baclofen-stimulated G protein coupling and deactivation in rat brain cortex during development. <i>Developmental Brain Research</i> , 2004, 151, 67-73.	1.7	5
35	Agonist-induced tyrosine phosphorylation of Gq/G11 $\hat{\pm}$ requires the intact structure of membrane domains. <i>Biochemical and Biophysical Research Communications</i> , 2005, 328, 526-532.	2.1	5
36	Induction of oxidative stress by long-term treatment of live HEK293 cells with therapeutic concentration of lithium is associated with down-regulation of $\hat{\nu}$ -opioid receptor amount and function. <i>Biochemical Pharmacology</i> , 2018, 154, 452-463.	4.4	5

#	ARTICLE	IF	CITATIONS
37	High Efficacy but Low Potency of $\hat{\nu}$ -Opioid Receptor-G Protein Coupling in Brij-58-Treated, Low-Density Plasma Membrane Fragments. PLoS ONE, 2015, 10, e0135664.	2.5	5
38	Na <sup>+</sup> /K <sup>+</sup> -ATPase level and products of lipid peroxidation in live cells treated with therapeutic lithium for different periods in time (1, 7, and 28 days); studies of Jurkat and HEK293 cells. Naunyn-Schmiedeberg's Archives of Pharmacology, 2019, 392, 785-799.	3.0	4
39	Tissue-specific protective properties of lithium: comparison of rat kidney, erythrocytes and brain. Naunyn-Schmiedeberg's Archives of Pharmacology, 2021, 394, 955-965.	3.0	3
40	The Altered Migration and Distribution of Systemically Administered Mesenchymal Stem Cells in Morphine-Treated Recipients. Stem Cell Reviews and Reports, 2021, 17, 1420-1428.	3.8	3
41	Determination of $\hat{\nu}$ -opioid receptor molecules mobility in living cells plasma membrane by novel method of FRAP analysis. Biochimica Et Biophysica Acta - Biomembranes, 2019, 1861, 1346-1354.	2.6	2
42	Therapeutic lithium alters polar head-group region of lipid bilayer and prevents lipid peroxidation in forebrain cortex of sleep-deprived rats. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2021, 1866, 158962.	2.4	2
43	The high-resolution proteomic analysis of protein composition of rat spleen lymphocytes stimulated by Concanavalin A; a comparison with morphine-treated cells. Journal of Neuroimmunology, 2020, 341, 577191.	2.3	0