

# Shoichiro Tange

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3413799/publications.pdf>

Version: 2024-02-01

31  
papers

978  
citations

687363

13  
h-index

501196

28  
g-index

32  
all docs

32  
docs citations

32  
times ranked

2021  
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibition of EGFR and MEK surmounts entrectinib resistance in a brain metastasis model of <i>NTRK1</i> -rearranged tumor cells. <i>Cancer Science</i> , 2022, 113, 2323-2335.	3.9	5
2	Prevalence of Pathogenic Germline BRCA1/2 Variants and Their Association with Clinical Characteristics in Patients with Epithelial Ovarian Cancer in a Rural Area of Japan. <i>Genes</i> , 2022, 13, 1085.	2.4	1
3	Genetic analyses of a secondary poroma and trichoblastoma in a <i>HRAS</i> -mutated sebaceous nevus. <i>Journal of Dermatology</i> , 2021, 48, 1268-1272.	1.2	4
4	Functionally confirmed compound heterozygous ADAM17 missense loss-of-function variants cause neonatal inflammatory skin and bowel disease 1. <i>Scientific Reports</i> , 2021, 11, 9552.	3.3	9
5	Detection of novel fusion genes by next-generation sequencing-based targeted RNA sequencing analysis in adenoid cystic carcinoma of head and neck. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2021, 132, 426-433.	0.4	6
6	Claudin-6 is a single prognostic marker and functions as a tumor-promoting gene in a subgroup of intestinal type gastric cancer. <i>Gastric Cancer</i> , 2020, 23, 403-417.	5.3	34
7	Renal angiomyolipoma (AML) harboring a missense mutation of <i>TSC2</i> with copy-neutral loss of heterozygosity (CN-LOH). <i>Cancer Biology and Therapy</i> , 2020, 21, 315-319.	3.4	7
8	p53-induced ARVCF modulates the splicing landscape and supports the tumor suppressive function of p53. <i>Oncogene</i> , 2020, 39, 2202-2211.	5.9	5
9	Proteasomal degradation of polycomb-group protein CBX6 confers MMP-2 expression essential for mesothelioma invasion. <i>Scientific Reports</i> , 2020, 10, 16678.	3.3	6
10	Prognostic significance of GAD1 overexpression in patients with resected lung adenocarcinoma. <i>Cancer Medicine</i> , 2019, 8, 4189-4199.	2.8	16
11	A novel long non-coding RNA from the HOXA6-HOXA5 locus facilitates colon cancer cell growth. <i>BMC Cancer</i> , 2019, 19, 532.	2.6	6
12	Retinoblastoma Inactivation Induces a Protumoral Microenvironment via Enhanced CCL2 Secretion. <i>Cancer Research</i> , 2019, 79, 3903-3915.	0.9	68
13	Suppression of STING Associated with LKB1 Loss in KRAS-Driven Lung Cancer. <i>Cancer Discovery</i> , 2019, 9, 34-45.	9.4	310
14	Upregulation of CHOP participates in caspase activation and virus release in human astrovirus-infected cells. <i>Journal of General Virology</i> , 2019, 100, 778-792.	2.9	6
15	Foretinib Overcomes Entrectinib Resistance Associated with the <i>NTRK1</i> G667C Mutation in <i>NTRK1</i> Fusion-Positive Tumor Cells in a Brain Metastasis Model. <i>Clinical Cancer Research</i> , 2018, 24, 2357-2369.	7.0	25
16	A rare male patient with classic Rett syndrome caused by MeCP2_e1 mutation. <i>American Journal of Medical Genetics, Part A</i> , 2018, 176, 699-702.	1.2	10
17	Overcoming Resistance to Dual Innate Immune and MEK Inhibition Downstream of KRAS. <i>Cancer Cell</i> , 2018, 34, 439-452.e6.	16.8	55
18	Abstract 5185: Identification of a new candidate therapeutic target for gastric cancer by in silico analysis. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
19	<i>In vivo</i> imaging xenograft models for the evaluation of anti-brain tumor efficacy of targeted drugs. <i>Cancer Medicine</i> , 2017, 6, 2972-2983.	2.8	2
20	MEG3 Long Noncoding RNA Contributes to the Epigenetic Regulation of Epithelial-Mesenchymal Transition in Lung Cancer Cell Lines. <i>Journal of Biological Chemistry</i> , 2017, 292, 82-99.	3.4	157
21	Construction of a combinatorial pipeline using two somatic variant calling methods for whole exome sequence data of gastric cancer. <i>Journal of Medical Investigation</i> , 2017, 64, 233-240.	0.5	0
22	KH-type splicing regulatory protein is involved in esophageal squamous cell carcinoma progression. <i>Oncotarget</i> , 2017, 8, 101130-101145.	1.8	15
23	DOT1L histone methyltransferase regulates the expression of BCAT1 and is involved in sphere formation and cell migration of breast cancer cell lines. <i>Biochimie</i> , 2016, 123, 20-31.	2.6	35
24	Examination of a plasmid-based reverse genetics system for human astrovirus. <i>Microbiology and Immunology</i> , 2015, 59, 586-596.	1.4	5
25	JARID2 Is Involved in Transforming Growth Factor-Beta-Induced Epithelial-Mesenchymal Transition of Lung and Colon Cancer Cell Lines. <i>PLoS ONE</i> , 2014, 9, e115684.	2.5	50
26	EED regulates epithelial-mesenchymal transition of cancer cells induced by TGF- $\beta$ 2. <i>Biochemical and Biophysical Research Communications</i> , 2014, 453, 124-130.	2.1	23
27	Initiation of human astrovirus type 1 infection was blocked by inhibitors of phosphoinositide 3-kinase. <i>Virology Journal</i> , 2013, 10, 153.	3.4	13
28	KDM5B histone demethylase controls epithelial-mesenchymal transition of cancer cells by regulating the expression of the microRNA-200 family. <i>Cell Cycle</i> , 2013, 12, 2100-2112.	2.6	63
29	Roles of histone methylating enzymes in development and progression of cancer. <i>Cancer Science</i> , 2013, 104, 795-800.	3.9	25
30	An SV40 mutant defective in VP4 expression exhibits a temperature-sensitive growth defect. <i>Virus Research</i> , 2011, 157, 116-120.	2.2	7
31	Phosphorylation of histone H3 at Ser10: Its role in cell transformation by v-Src. <i>Biochemical and Biophysical Research Communications</i> , 2009, 386, 588-592.	2.1	10