

Xiao-zhong Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3413957/publications.pdf>

Version: 2024-02-01

58
papers

3,751
citations

279487

23
h-index

143772

57
g-index

60
all docs

60
docs citations

60
times ranked

2188
citing authors

#	ARTICLE	IF	CITATIONS
1	Vegetation change and human-environment interactions in the Qinghai Lake Basin, northeastern Tibetan Plateau, since the last deglaciation. <i>Catena</i> , 2022, 210, 105892.	2.2	14
2	Late Holocene land use evolution and vegetation response to climate change in the watershed of Xingyun Lake, SW China. <i>Catena</i> , 2022, 211, 105973.	2.2	15
3	Long-distance modern analogues bias results of pollen-based precipitation reconstructions. <i>Science Bulletin</i> , 2022, 67, 1115-1117.	4.3	8
4	An inverse relationship between moisture and grazing intensity in an arid mountain-basin system. <i>Progress in Physical Geography</i> , 2022, 46, 310-322.	1.4	3
5	Holocene fire records and their drivers in the westerlies-dominated Central Asia. <i>Science of the Total Environment</i> , 2022, 833, 155153.	3.9	6
6	Spatiotemporal variation in human settlements and their interaction with living environments in Neolithic and Bronze Age China. <i>Progress in Physical Geography</i> , 2022, 46, 949-967.	1.4	9
7	Holocene hydroclimate changes revealed by multiple proxies from an alpine lake in the central Tianshan Mountains, Northwest China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 597, 111004.	1.0	4
8	Effects of human activities on mountain forest in northern China during the middle Holocene. <i>Quaternary Science Reviews</i> , 2022, 288, 107580.	1.4	14
9	Meltwater-Driven Water-Level Fluctuations of Bosten Lake in Arid China Over the Past 2,000 Years. <i>Geophysical Research Letters</i> , 2021, 48, e2020GL090988.	1.5	14
10	An updated chronology and paleoenvironmental background for the Paleolithic Loufangzi site, North China. <i>Journal of Human Evolution</i> , 2021, 152, 102948.	1.3	2
11	Intensification and Driving Forces of Pastoralism in Northern China 5.7 ka Ago. <i>Geophysical Research Letters</i> , 2021, 48, e2020GL092288.	1.5	24
12	Vegetation History and Precipitation Changes in the NE Qinghai-Tibet Plateau: A 7,900-Year Pollen Record From Caodalain Lake. <i>Paleoceanography and Paleoclimatology</i> , 2021, 36, e2020PA004126.	1.3	18
13	Lateglacial and Holocene climate change in the NE Tibetan Plateau: Reconciling divergent proxies of Asian summer monsoon variability. <i>Catena</i> , 2021, 199, 105089.	2.2	15
14	Cycles of grazing and agricultural activity during the historical period and its relationship with climatic and societal changes in northern China. <i>Land Degradation and Development</i> , 2021, 32, 3315-3325.	1.8	11
15	Pediastrum (Chlorophyceae) assemblages in surface lake sediments in China and western Mongolia and their environmental significance. <i>Review of Palaeobotany and Palynology</i> , 2021, 289, 104396.	0.8	15
16	Featured Front Cover. <i>Land Degradation and Development</i> , 2021, 32, i.	1.8	0
17	Changes in the hydrodynamic intensity of Bosten Lake and its impact on early human settlement in the northeastern Tarim Basin, Arid Central Asia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 576, 110499.	1.0	10
18	Sedimentary Pediastrum record of middle-late Holocene temperature change and its impacts on early human culture in the desert-oasis area of northwestern China. <i>Quaternary Science Reviews</i> , 2021, 265, 107054.	1.4	34

#	ARTICLE	IF	CITATIONS
19	Moisture Changes in the Northern Xinjiang Basin Over the Past 2400 years as Documented in Pollen Records of Jili Lake. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	6
20	Divergent patterns of Holocene hydro-climatic evolution in arid central Asia and the Asian summer monsoon margin indicated by <i>Pediastrum</i> records. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 582, 110662.	1.0	10
21	Anthropogenic mountain forest degradation and soil erosion recorded in the sediments of Mayinghai Lake in northern China. <i>Catena</i> , 2021, 207, 105597.	2.2	21
22	Climatic quantification and seasonality of the late MIS 3 in North China: A perspective from carbon and oxygen isotopes of fossil mammal teeth. <i>Quaternary Science Reviews</i> , 2021, 272, 107222.	1.4	2
23	The effect of diatoms on the grain size of lake sediments: a case study of the sediments of Lake Kanas. <i>Journal of Paleolimnology</i> , 2020, 63, 101-111.	0.8	8
24	Vegetation response in subtropical southwest China to rapid climate change during the Younger Dryas. <i>Earth-Science Reviews</i> , 2020, 201, 103080.	4.0	29
25	Pollen Record of Humidity Changes in the Arid Western Qilian Mountains Over the Past 300 Years and Comparison With Tree-Ring Reconstructions. <i>Frontiers in Earth Science</i> , 2020, 8, .	0.8	6
26	Towards quantification of Holocene anthropogenic land-cover change in temperate China: A review in the light of pollen-based REVEALS reconstructions of regional plant cover. <i>Earth-Science Reviews</i> , 2020, 203, 103119.	4.0	84
27	Long-term herbivore population dynamics in the northeastern Qinghai-Tibetan Plateau and its implications for early human impacts. <i>Review of Palaeobotany and Palynology</i> , 2020, 275, 104171.	0.8	29
28	The impact of climate change and human activity on the ecological status of Bosten Lake, NW China, revealed by a diatom record for the last 2000 years. <i>Holocene</i> , 2019, 29, 1871-1884.	0.9	21
29	Westerlies Asia and monsoonal Asia: Spatiotemporal differences in climate change and possible mechanisms on decadal to sub-orbital timescales. <i>Earth-Science Reviews</i> , 2019, 192, 337-354.	4.0	366
30	In-site pollen record from the Dadiwan archaeological site and the human-environment relationship during Marine Oxygen Isotope Stage 3. <i>Quaternary Research</i> , 2019, 91, 289-300.	1.0	4
31	Early-“middle Holocene ecological change and its influence on human subsistence strategies in the Luoyang Basin, north-central China. <i>Quaternary Research</i> , 2018, 89, 446-458.	1.0	24
32	Modern pollen assemblages from human-influenced vegetation in northwestern China and their relationship with vegetation and climate. <i>Vegetation History and Archaeobotany</i> , 2018, 27, 767-780.	1.0	32
33	Trend of increasing Holocene summer precipitation in arid central Asia: Evidence from an organic carbon isotopic record from the LJW10 loess section in Xinjiang, NW China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 509, 24-32.	1.0	50
34	Impact of recent climate change on Lake Kanas, Altai Mountains (N.W. China) inferred from diatom and geochemical evidence. <i>Journal of Paleolimnology</i> , 2018, 59, 461-477.	0.8	12
35	A late-Holocene pollen record from the western Qilian Mountains and its implications for climate change and human activity along the Silk Road, Northwestern China. <i>Holocene</i> , 2018, 28, 1141-1150.	0.9	21
36	Holocene Vegetation and Climate Dynamics in the Altai Mountains and Surrounding Areas. <i>Geophysical Research Letters</i> , 2018, 45, 6628-6636.	1.5	96

#	ARTICLE	IF	CITATIONS
37	Modern pollen assemblages in topsoil and surface sediments of the Xingyun Lake catchment, central Yunnan Plateau, China, and their implications for interpretation of the fossil pollen record. <i>Review of Palaeobotany and Palynology</i> , 2017, 241, 1-12.	0.8	18
38	Early human impacts on vegetation on the northeastern Qinghai-Tibetan Plateau during the middle to late Holocene. <i>Progress in Physical Geography</i> , 2017, 41, 286-301.	1.4	56
39	Environmental status of the Jilantai Basin, North China, on the northwestern margin of the modern Asian summer monsoon domain during Marine Isotope Stage 3. <i>Journal of Asian Earth Sciences</i> , 2017, 147, 178-192.	1.0	9
40	The luminescence dating chronology of a deep core from Bosten Lake (NW China) in arid central Asia reveals lake evolution over the last 220 ka. <i>Boreas</i> , 2017, 46, 264-281.	1.2	3
41	Hydroclimatic changes over the past 900 years documented by the sediments of Tiewaike Lake, Altai Mountains, Northwestern China. <i>Quaternary International</i> , 2017, 452, 91-101.	0.7	23
42	A novel procedure for pollen-based quantitative paleoclimate reconstructions and its application in China. <i>Science China Earth Sciences</i> , 2017, 60, 2059-2066.	2.3	29
43	Temperature variations over the past 600 years documented by a $\delta^{13}C$ record from terrestrial plant remains from Kanas Lake, Altai Mountains, Northwestern China. <i>Chinese Science Bulletin</i> , 2017, 62, 2829-2839.	0.4	4
44	Holocene moisture and East Asian summer monsoon evolution in the northeastern Tibetan Plateau recorded by Lake Qinghai and its environs: A review of conflicting proxies. <i>Quaternary Science Reviews</i> , 2016, 154, 111-129.	1.4	143
45	Developing inorganic carbon-based radiocarbon chronologies for Holocene lake sediments in arid NW China. <i>Quaternary Science Reviews</i> , 2016, 144, 66-82.	1.4	41
46	A preliminary investigation of relationship between modern <i>Pediastrum</i> and the level of Xingyun Lake, central Yunnan, and its implications for the interpretation of the fossil record. <i>Chinese Science Bulletin</i> , 2016, 61, 2395-2408.	0.4	9
47	East Asian summer monsoon precipitation variability since the last deglaciation. <i>Scientific Reports</i> , 2015, 5, 11186.	1.6	534
48	Vegetation and climate history reconstructed from an alpine lake in central Tianshan Mountains since 8.5 ka BP. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 432, 36-48.	1.0	76
49	Holocene vegetation history, precipitation changes and Indian Summer Monsoon evolution documented from sediments of Xingyun Lake, southwest China. <i>Journal of Quaternary Science</i> , 2014, 29, 661-674.	1.1	171
50	Relationships between chironomids and water depth in Bosten Lake, Xinjiang, northwest China. <i>Journal of Paleolimnology</i> , 2014, 51, 313-323.	0.8	25
51	Vegetation history, climatic changes and Indian summer monsoon evolution during the Last Glaciation (36,400–13,400 cal BP) documented by sediments from Xingyun Lake, Yunnan, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 410, 179-189.	1.0	54
52	Application and limitations of the <i>Artemisia</i> / <i>Chenopodiaceae</i> pollen ratio in arid and semi-arid China. <i>Holocene</i> , 2012, 22, 1385-1392.	0.9	116
53	Pollen distribution in large freshwater lake of arid region: a case study on the surface sediments from Bosten Lake, Xinjiang, China. <i>Frontiers of Earth Science</i> , 2010, 4, 174-180.	0.5	17
54	Dry late-glacial and early Holocene climate in arid central Asia indicated by lithological and palynological evidence from Bosten Lake, China. <i>Quaternary International</i> , 2009, 194, 19-27.	0.7	168

#	ARTICLE	IF	CITATIONS
55	Differences of modern pollen assemblages from lake sediments and surface soils in arid and semi-arid China and their significance for pollen-based quantitative climate reconstruction. <i>Review of Palaeobotany and Palynology</i> , 2009, 156, 519-524.	0.8	78
56	Holocene moisture evolution in arid central Asia and its out-of-phase relationship with Asian monsoon history. <i>Quaternary Science Reviews</i> , 2008, 27, 351-364.	1.4	967
57	A GIS-based landslide hazard assessment by multivariate analysis. <i>Journal of the Japan Landslide Society</i> , 2008, 45, 187-195.	0.1	17
58	Humid Little Ice Age in arid central Asia documented by Bosten Lake, Xinjiang, China. <i>Science in China Series D: Earth Sciences</i> , 2006, 49, 1280-1290.	0.9	156