

Leonardo Ciocca

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3414179/leonardo-ciocca-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70 papers	1,679 citations	24 h-index	39 g-index
76 ext. papers	1,978 ext. citations	2.9 avg, IF	4.64 L-index

#	Paper	IF	Citations
70	Rehabilitation of nasal defects 2022 , 137-182		
69	Rehabilitation of ocular defects 2022 , 183-215		
68	Facial surgery 2022 , 35-91		
67	Rehabilitation of auricular defects 2022 , 93-135		
66	Digital Jaw Relation Record of Edentulous Patients in the CAD-CAM Workflow of the Implant-Supported Full-Arch Prosthesis. <i>Journal of Oral Implantology</i> , 2021 , 47, 57-62	1.2	
65	3D planning of ear prosthesis and navigated flapless surgery for craniofacial implants: A pilot study. <i>Journal of Stomatology, Oral and Maxillofacial Surgery</i> , 2021 , 122, 391-396	1.7	2
64	Mandibular reconstruction using a new design for a patient-specific plate to support a fibular free flap and avoid double-barrel technique. <i>Acta Otorhinolaryngologica Italica</i> , 2021 , 41, 230-235	2.8	1
63	Fatigue failure and success rate of lithium disilicate table-tops as a function of cement thickness. <i>Journal of Prosthodontic Research</i> , 2021 , 65, 528-534	4.3	0
62	Assessment of impression material accuracy in complete-arch restorations on four implants. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 763-771	4	1
61	Manufacturing of Metal Frameworks for Full-Arch Dental Restoration on Implants: A Comparison between Milling and a Novel Hybrid Technology. <i>Journal of Prosthodontics</i> , 2019 , 28, 556-563	3.9	7
60	Fatigue resistance of monolithic lithium disilicate occlusal veneers: a pilot study. <i>Odontology / the Society of the Nippon Dental University</i> , 2019 , 107, 482-490	3.6	6
59	Influence of preparation design and spacing parameters on the risk of chipping of crowns made with Cerec Bluecam before cementation. <i>Journal of Prosthodontic Research</i> , 2019 , 63, 100-104	4.3	2
58	Translucency of IPS e.max and cubic zirconia monolithic crowns. <i>Journal of Prosthetic Dentistry</i> , 2018 , 120, 269-275	4	40
57	In vitro assessment of the accuracy of digital impressions prepared using a single system for full-arch restorations on implants. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2018 , 13, 1097-1108	3.9	8
56	Prosthetically CAD-CAM-Guided Bone Augmentation of Atrophic Jaws Using Customized Titanium Mesh: Preliminary Results of an Open Prospective Study. <i>Journal of Oral Implantology</i> , 2018 , 44, 131-137 ^{1.2}		25
55	The prototype concept in a full digital implant workflow. <i>Journal of the American Dental Association</i> , 2018 , 149, 918-923	1.9	6
54	Customized hybrid biomimetic hydroxyapatite scaffold for bone tissue regeneration. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2017 , 105, 723-734	3.5	17

53	Short-term outcomes of mandibular reconstruction in oncological patients using a CAD/CAM prosthesis including a condyle supporting a fibular free flap. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2017 , 45, 330-337	3.6	25
52	The Concept of Prosthetically Guided Maxillofacial and Implant Surgery for Maxillary Reconstruction. <i>Journal of Oral Implantology</i> , 2016 , 42, 184-8	1.2	3
51	Surgical reconstruction of maxillary defects using a computer-assisted design/computer-assisted manufacturing-produced titanium mesh supporting a free flap. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016 , 44, 1320-6	3.6	17
50	A CAD-CAM-prototyped temporomandibular condyle connected to a bony plate to support a free fibula flap in patients undergoing mandiblectomy: A pilot study with 5 years of follow up. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016 , 44, 811-9	3.6	12
49	Synthetic Biomimetic HA Composite Scaffolds for the Bone Regenerative Medicine Using CAD-CAM Technology. <i>Key Engineering Materials</i> , 2016 , 672, 235-246	0.4	
48	Is a computer-assisted design and computer-assisted manufacturing method for mandibular reconstruction economically viable?. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016 , 44, 795-9	3.6	45
47	Biomimetic Customized Composite Scaffolds and Translational Models for the Bone Regenerative Medicine Using CAD-CAM Technology 2016 , 585-613		
46	Morphological results of customized microvascular mandibular reconstruction: A comparative study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016 , 44, 697-702	3.6	36
45	Updates on the Construction of an Eyeglass-Supported Nasal Prosthesis Using Computer-Aided Design and Rapid Prototyping Technology 2016 , 20-25		
44	Updates on the Construction of an Eyeglass-Supported Nasal Prosthesis Using Computer-Aided Design and Rapid Prototyping Technology. <i>Journal of Prosthodontics</i> , 2016 , 25, 61-5	3.9	9
43	Work flow for the prosthetic rehabilitation of atrophic patients with a minimal-intervention CAD/CAM approach. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 22-6	4	14
42	Mandibular reconstructions using computer-aided design/computer-aided manufacturing: A systematic review of a defect-based reconstructive algorithm. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2015 , 43, 1785-91	3.6	52
41	Additive manufacturing to assist prosthetically guided bone regeneration of atrophic maxillary arches. <i>Rapid Prototyping Journal</i> , 2015 , 21, 705-715	3.8	11
40	Evaluation of Masticatory Efficiency and QoL Improvements After Prosthetic Rehabilitation of Mandibular Cancer Patients Reconstructed with a Fibula Free Flap. <i>International Journal of Prosthodontics</i> , 2015 , 28, 418-24	1.9	9
39	Socioeconomic status and health conditions associated with incidence of dental caries in Brazilian children. <i>Journal of Medicine and the Person</i> , 2015 , 13, 194-199		
38	Synthesis of nanogranular Fe ₃ O ₄ /biomimetic hydroxyapatite for potential applications in nanomedicine: structural and magnetic characterization. <i>Materials Research Express</i> , 2015 , 2, 065002	1.7	13
37	Clinical outcomes and success rates of quartz fiber post restorations: A retrospective study. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 367-72	4	28
36	Accuracy of fibular sectioning and insertion into a rapid-prototyped bone plate, for mandibular reconstruction using CAD-CAM technology. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2015 , 43, 28-33	3.6	62

35	Mandibular reconstruction using fibula free flap harvested using a customised cutting guide: how we do it. <i>Acta Otorhinolaryngologica Italica</i> , 2015 , 35, 198-201	2.8	19
34	Biomimetic Customized Composite Scaffolds and Translational Models for the Bone Regenerative Medicine Using CAD-CAM Technology 2015 , 1-23		
33	The CAD-CAM technique for mandibular reconstruction: an 18 patients oncological case-series. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014 , 42, 1460-4	3.6	45
32	Oculo-facial rehabilitation after facial cancer removal: updated CAD/CAM procedures: a pilot study. <i>Prosthetics and Orthotics International</i> , 2014 , 38, 505-9	1.5	23
31	Custom-made novel biomimetic composite scaffolds for the bone regenerative medicine. <i>Materials Letters</i> , 2014 , 136, 393-396	3.3	7
30	Design and manufacturing of customized surgical devices for mandibular rehabilitation. <i>International Journal on Interactive Design and Manufacturing</i> , 2013 , 7, 227-237	1.9	16
29	Design and Rapid Manufacturing of anatomical prosthesis for facial rehabilitation. <i>International Journal on Interactive Design and Manufacturing</i> , 2013 , 7, 51-62	1.9	22
28	CAD-CAM prosthetically guided bone regeneration using preformed titanium mesh for the reconstruction of atrophic maxillary arches. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2013 , 16, 26-32	2.1	14
27	CAD-CAM-generated hydroxyapatite scaffold to replace the mandibular condyle in sheep: preliminary results. <i>Journal of Biomaterials Applications</i> , 2013 , 28, 207-18	2.9	26
26	Mesenchymal stem cells and platelet gel improve bone deposition within CAD-CAM custom-made ceramic HA scaffolds for condyle substitution. <i>BioMed Research International</i> , 2013 , 2013, 549762	3	17
25	Innovative Composite HA Scaffold Rapid Prototyping for Bone Reconstruction: An In Vitro Pilot Study. <i>Key Engineering Materials</i> , 2013 , 583, 56-63	0.4	2
24	Prosthetically guided maxillofacial surgery: evaluation of the accuracy of a surgical guide and custom-made bone plate in oncology patients after mandibular reconstruction. <i>Plastic and Reconstructive Surgery</i> , 2013 , 131, 1376-1385	2.7	80
23	CAD/CAM guided secondary mandibular reconstruction of a discontinuity defect after ablative cancer surgery. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2012 , 40, e511-5	3.6	106
22	A CAD/CAM-prototyped anatomical condylar prosthesis connected to a custom-made bone plate to support a fibula free flap. <i>Medical and Biological Engineering and Computing</i> , 2012 , 50, 743-9	3.1	66
21	The design and rapid prototyping of surgical guides and bone plates to support iliac free flaps for mandible reconstruction. <i>Plastic and Reconstructive Surgery</i> , 2012 , 129, 859e-861e	2.7	25
20	Computer-aided design and manufacturing construction of a surgical template for craniofacial implant positioning to support a definitive nasal prosthesis. <i>Clinical Oral Implants Research</i> , 2011 , 22, 850-6	4.8	40
19	Direct metal laser sintering (DMLS) of a customized titanium mesh for prosthetically guided bone regeneration of atrophic maxillary arches. <i>Medical and Biological Engineering and Computing</i> , 2011 , 49, 1347-52	3.1	92
18	Design and manufacturing of ear prosthesis by means of rapid prototyping technology. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2011 , 225, 296-302	1.7	9

17	CAD/CAM bilateral ear prostheses construction for Treacher Collins syndrome patients using laser scanning and rapid prototyping. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2010 , 13, 379-86	2.1	29
16	New protocol for construction of eyeglasses-supported provisional nasal prosthesis using CAD/CAM techniques. <i>Journal of Rehabilitation Research and Development</i> , 2010 , 47, 595-604		31
15	Immediate facial rehabilitation in cancer patients using CAD-CAM and rapid prototyping technology: a pilot study. <i>Supportive Care in Cancer</i> , 2010 , 18, 723-8	3.9	36
14	Translucency of zirconia copings made with different CAD/CAM systems. <i>Journal of Prosthetic Dentistry</i> , 2010 , 104, 6-12	4	166
13	Rehabilitation of the nose using CAD/CAM and rapid prototyping technology after ablative surgery of squamous cell carcinoma: a pilot clinical report. <i>International Journal of Oral and Maxillofacial Implants</i> , 2010 , 25, 808-12	2.8	17
12	CAD-CAM construction of a provisional nasal prosthesis after ablative tumour surgery of the nose: a pilot case report. <i>European Journal of Cancer Care</i> , 2009 , 18, 97-101	2.4	31
11	CAD/CAM and rapid prototyped scaffold construction for bone regenerative medicine and surgical transfer of virtual planning: a pilot study. <i>Computerized Medical Imaging and Graphics</i> , 2009 , 33, 58-62	7.6	97
10	CAD-CAM construction of an auricular template for craniofacial implant positioning: a novel approach to diagnosis. <i>European Journal of Radiology</i> , 2009 , 71, 253-6	4.7	14
9	Gingival hyperplasia around implants in the maxilla and jaw reconstructed by fibula free flap. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2008 , 37, 478-80	2.9	17
8	A new method for quantitative analysis of dentinal tubules. <i>Computers in Biology and Medicine</i> , 2007 , 37, 277-86	7	8
7	Maxillofacial rehabilitation after rhinectomy using two different treatment options: clinical reports. <i>Journal of Oral Rehabilitation</i> , 2007 , 34, 311-5	3.4	21
6	CAD/CAM ear model and virtual construction of the mold. <i>Journal of Prosthetic Dentistry</i> , 2007 , 98, 339-43		66
5	Fatigue resistance of restored endodontically treated teeth: a multiparametric analysis. <i>International Journal of Prosthodontics</i> , 2006 , 19, 25-7	1.9	5
4	The prosthetically guided osteodistraction of the mandible in the microvascular bone reconstruction after cancer surgery. <i>Minerva Stomatologica: A Journal on Dentistry and Maxillofacial Surgery</i> , 2006 , 55, 145-9	1	
3	CAD-CAM generated ear cast by means of a laser scanner and rapid prototyping machine. <i>Journal of Prosthetic Dentistry</i> , 2004 , 92, 591-5	4	79
2	Residual facial disfigurement after the ablative surgery of a lachrymal gland carcinoma: a clinical report of the prosthetic rehabilitation. <i>Indian Journal of Cancer</i> , 2004 , 41, 85-8	0.9	
1	Home care maintenance protocol for ear prostheses. <i>Minerva Stomatologica: A Journal on Dentistry and Maxillofacial Surgery</i> , 2004 , 53, 611-7	1	