

# Zoltan Trocsanyi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3414950/zoltan-trocsanyi-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

568  
papers

20,591  
citations

69  
h-index

119  
g-index

595  
ext. papers

23,481  
ext. citations

5  
avg, IF

6.58  
L-index

#	Paper	IF	Citations
568	Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
567	Sterile neutrino dark matter in a U(1) extension of the standard model. <i>Journal of Cosmology and Astroparticle Physics</i> , <b>2022</b> , 2022, 035	6.4	1
566	Study of quark and gluon jet substructure in Z+jet and dijet events from pp collisions. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
565	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
564	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	1
563	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 153	4.2	0
562	Search for long-lived particles produced in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
561	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	
560	Nonstandard interactions and sterile neutrinos in super-weak U(1) extension of the standard model. <i>Journal of Physics G: Nuclear and Particle Physics</i> , <b>2022</b> , 49, 045004	2.9	
559	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 290	4.2	0
558	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
557	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
556	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
555	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
554	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
553	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
552	Measurement of the inclusive $\overline{\text{t}}\text{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	

551	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 970	4.2	3
550	Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the $B\bar{b}$ final state at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
549	Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	3
548	Observation of $tW$ production in the single-lepton channel in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0
547	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb $^{-1}$ of proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
546	Measurements of the $pp \rightarrow W\mu\bar{\mu}$ and $pp \rightarrow Z\tau\tau$ cross sections at $(\sqrt{\text{mathrm{s}}}) = 13$ TeV and limits on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
545	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
544	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 200	4.2	5
543	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic $WW$ decay mode at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	3
542	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	4
541	Search for new physics in top quark production with additional leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV using effective field theory. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	4
540	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
539	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
538	Development and validation of HERWIG $\Gamma$ tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , <b>2021</b> , 81, 312	4.2	1
537	Angular analysis of the decay $B^+ \rightarrow K^{*0}(892) + \mu^+ \nu_\mu$ in proton-proton collisions at $(\sqrt{\text{mathrm{s}}}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
536	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 378	4.2	5
535	Measurement of b jet shapes in proton-proton collisions at $(\sqrt{s}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0
534	First measurement of large area jet transverse momentum spectra in heavy-ion collisions. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2

533	Study of Drell-Yan dimuon production in proton-lead collisions at ( $\sqrt{s_{\mathrm{NN}}}$ ) = 8.16 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	0
532	Measurements of the differential cross sections of the production of Z + jets and $\bar{\nu}$ jets and of Z boson emission collinear with a jet in pp collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	
531	In-medium modification of dijets in PbPb collisions at ( $\sqrt{s_{\mathrm{NN}}}$ ) = 5.02 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	0
530	Measurement of the Z boson differential production cross section using its invisible decay mode ( $Z \rightarrow \bar{\nu} \overline{\nu}$ ) in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	
529	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 488	4-2	5
528	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	3
527	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	5
526	Search for the lepton flavor violating decay $\bar{\nu} \rightarrow \nu \gamma$ in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	1
525	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 13	4-2	7
524	Evidence for Higgs boson decay to a pair of muons. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	14
523	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 3	4-2	5
522	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 629	4-2	4
521	Search for a heavy vector resonance decaying to a $\bar{\nu}$ boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 688	4-2	0
520	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 723	4-2	3
519	One-loop corrections to light neutrino masses in gauged U(1) extensions of the standard model. <i>Physical Review D</i> , <b>2021</b> , 104,	4-9	2
518	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 852	4-2	0
517	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 800	4-2	7
516	Measurement of prompt open-charm production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	

515	Measurement of the inclusive and differential $t\bar{t}$ cross sections in the single-lepton channel and EFT interpretation at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	0
514	Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	0
513	Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	0
512	Search for a heavy resonance decaying to a top quark and a W boson at $\sqrt{s} = 13$ TeV in the fully hadronic final state. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	1
511	Search for decays of the 125 GeV Higgs boson into a Z boson and a $\bar{b}c$ meson. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
510	Groomed jet mass at high precision. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 809, 135704	4-2	8
509	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	12
508	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	20
507	Search for supersymmetry in proton-proton collisions at $(\sqrt{s}) = 13$ TeV in events with high-momentum Z bosons and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	1
506	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	8
505	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	1
504	Search for new neutral Higgs bosons through the $(\text{H}) \rightarrow \text{ZA} \rightarrow \{\ell\ell\}^{\{+\}\{-\}} \text{b} \overline{\text{b}}$ process in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	10
503	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 189	4-2	3
502	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , <b>2020</b> , 80, 534	4-2	6
501	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	7
500	Determination of the strong coupling constant $\alpha_S(m_Z)$ from measurements of inclusive $W\bar{b}$ and Z boson production cross sections in proton-proton collisions at $(\sqrt{s}) = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
499	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	3
498	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 43	4-2	6

497	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
496	Super-Weak Force and Neutrino Masses. <i>Symmetry</i> , <b>2020</b> , 12, 107	2.7	4
495	Evidence for $(\text{W})\text{W}$ production from double-parton interactions in proton-proton collisions at $(\sqrt{s} = 13, \text{TeV})$ . <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4
494	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 75	4.2	24
493	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 3	4.2	16
492	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , <b>2020</b> , 80, 4	4.2	61
491	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\bar{\nu}\nu$ and $e\bar{\nu}$ in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	6
490	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
489	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	11
488	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7
487	A multi-dimensional search for new heavy resonances decaying to boosted $\tau\tau$ , $WZ$ , or $WW$ boson pairs in the dijet final state at 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 237	4.2	10
486	Two- and three-loop data for the groomed jet mass. <i>Physical Review D</i> , <b>2020</b> , 101,	4.9	10
485	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1164	4.2	0
484	Measurement of differential cross sections and charge ratios for $s$ -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 370	4.2	4
483	Measurement of $(\text{W})\text{W}$ normalised multi-differential cross sections in $(\text{pp})$ collisions at $(\sqrt{s}=13, \text{TeV})$ , and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	13
482	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	16
481	Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	3
480	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1

479	The production of isolated photons in PbPb and pp collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
478	Investigation into the event-activity dependence of $\eta$ (NS) relative production in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	3
477	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
476	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , <b>2020</b> , 4, 10	6	3
475	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	8
474	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	5
473	Measurement of properties of $(\mathrm{B})_{\mathrm{s}}^0$ decays and search for $\mathrm{B}^0$ with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	10
472	Search for a light pseudoscalar Higgs boson in the boosted $\Upsilon$ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	9
471	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	4
470	Measurement of the cross section for $(\overline{\mathrm{t}}\mathrm{t})$ production with additional jets and b jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	1
469	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	13
468	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	18
467	Particle physics model of curvaton inflation in a stable universe. <i>Physical Review D</i> , <b>2020</b> , 101,	4-9	3
466	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 718	4-2	2
465	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 752	4-2	2
464	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	8
463	Measurement of the top quark pair production cross section in dilepton final states containing one $\Upsilon$ lepton in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	0
462	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 773	4-2	0

461	Search for charged Higgs bosons in the $H \rightarrow \tau\tau$ decay channel in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	24
460	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 305	4.2	2
459	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
458	Search for a low-mass $\tilde{\chi}$ resonance in association with a bottom quark in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
457	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV via Higgs boson decays to $\tau$ leptons. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	3
456	Search for the pair production of light top squarks in the $e\tau$ final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
455	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 421	4.2	153
454	Search for supersymmetry in events with a photon, jets, $\tau$ -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 444	4.2	1
453	Measurements of the $pp \rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
452	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 368	4.2	27
451	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at ( $\sqrt{s}=13$ ,text {TeV}). <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	7
450	Search for nonresonant Higgs boson pair production in the ( $\mathbf{b}\overline{\mathbf{b}}\mathbf{b}\overline{\mathbf{b}}$ ) final state at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
449	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 280	4.2	12
448	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
447	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 364	4.2	18
446	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 90	4.2	6
445	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 123	4.2	4
444	Search for rare decays of $\tilde{g}$ and Higgs bosons to $\tilde{g}\gamma$ and a photon in proton-proton collisions at $\sqrt{s}=13$ . <i>European Physical Journal C</i> , <b>2019</b> , 79, 94	4.2	7



443	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	9
442	Measurements of ( $\overline{\mathbf{t}}$ ) differential cross sections in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	15
441	Search for ( $\overline{\mathbf{t}}\mathbf{H}$ ) production in the ( $\mathbf{H}$ to $\overline{\mathbf{b}}\mathbf{b}$ ) decay channel with leptonic ( $\overline{\mathbf{t}}$ ) decays in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	17
440	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at ( $\sqrt{s} = 13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	2
439	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	8
438	Search for resonant ( $\overline{\mathbf{t}}$ ) production in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	13
437	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	7
436	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	7
435	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	14
434	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 20	4-2	4
433	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two $\overline{\mathbf{t}}$ leptons and two jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	18
432	Search for a $W'$ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	4
431	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	9
430	Inclusive search for supersymmetry in pp collisions at ( $\sqrt{s}=13$ ) TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	2
429	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	8
428	Search for excited leptons in $\overline{\mathbf{t}}$ final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	2
427	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	15
426	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ( $\sqrt{s} = 13, \text{TeV}$ ). <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	6

4 <sup>25</sup>	Measurement of exclusive $\bar{p}$ photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 702	4.2	13
4 <sup>24</sup>	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 277	4.2	19
4 <sup>23</sup>	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 564	4.2	20
4 <sup>22</sup>	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
4 <sup>21</sup>	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , <b>2019</b> , 79, 313	4.2	13
4 <sup>20</sup>	High precision determination of $\beta_s$ from a global fit of jet rates. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
4 <sup>19</sup>	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
4 <sup>18</sup>	Search for supersymmetry using Higgs boson to diphoton decays at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
4 <sup>17</sup>	Measurements of differential Z boson production cross sections in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	11
4 <sup>16</sup>	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
4 <sup>15</sup>	Study of the $(\mathbf{B}^+ \rightarrow \mathbf{J}/\psi \overline{\Lambda} \mathbf{p})$ decay in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	1
4 <sup>14</sup>	Search for resonances decaying to a pair of Higgs bosons in the $b(\overline{q})q$ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
4 <sup>13</sup>	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 969	4.2	1
4 <sup>12</sup>	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	6
4 <sup>11</sup>	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
4 <sup>10</sup>	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 893	4.2	6
4 <sup>09</sup>	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
4 <sup>08</sup>	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 886	4.2	6

407	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 242	4.2	4
406	Pseudorapidity distributions of charged hadrons in proton-lead collisions at ( $\sqrt{s_{\mathrm{NN}}}=5.02$ ) and 8.16 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	4
405	Search for resonant and nonresonant Higgs boson pair production in the ( $\mathrm{b}\overline{\mathrm{b}}\mathrm{e}\ell\nu\ell\nu$ ) final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	19
404	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s}=13$ . <i>European Physical Journal C</i> , <b>2018</b> , 78, 291	4.2	17
403	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 165	4.2	29
402	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 287	4.2	11
401	Measurement of the inclusive ( $\mathrm{t}\overline{\mathrm{t}}$ ) cross section in pp collisions at ( $\sqrt{s}=5.02$ ) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3
400	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	
399	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	2
398	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	4
397	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	45
396	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	40
395	Measurement of differential cross sections in the kinematic angular variable $\phi^*$ for inclusive Z boson production in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	2
394	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ( $\sqrt{s_{\mathrm{NN}}}=5.02$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	8
393	Measurement of normalized differential ( $\mathrm{t}\overline{\mathrm{t}}$ ) cross sections in the dilepton channel from pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
392	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	13
391	Search for ZZ resonances in the $2\ell\ell$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3
390	Jet properties in PbPb and pp collisions at ( $\sqrt{s_{\mathrm{NN}}}=5.02$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7

389	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	22
388	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 140	4-2	20
387	Measurement of b hadron lifetimes in pp collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 457	4-2	9
386	Measurements of the ( $\text{pp} \rightarrow \text{ZZ}$ ) production cross section and the ( $\text{Z} \rightarrow 4\ell$ ) branching fraction, and constraints on anomalous triple gauge couplings at ( $\sqrt{s} = 13, \text{TeV}$ ) <b>2018</b> , 78, 1		3
385	Measurement of b hadron lifetimes in pp collisions at ( $\sqrt{s} = 8$ ) ( $\text{TeV}$ ) <b>2018</b> , 78, 1		1
384	Search for ( $\text{t}\overline{\text{t}}\text{H}$ ) production in the all-jet final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	13
383	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at ( $\sqrt{s}=8$ ) and 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
382	Measurement of the groomed jet mass in PbPb and pp collisions at ( $\sqrt{s_{\text{NN}}}=5.02$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	5
381	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
380	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	14
379	Search for natural and split supersymmetry in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	39
378	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	6
377	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two leptons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	14
376	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	16
375	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	6
374	Charged-particle nuclear modification factors in XeXe collisions at ( $\sqrt{s_{\text{NN}}} = 5.44$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	11
373	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 891	4-2	13
372	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	14

371	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	37
370	Event shape variables measured using multijet final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3
369	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
368	Search for narrow and broad dijet resonances in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	50
367	Search for $Z\bar{\nu}$ resonances using leptonic and hadronic final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
366	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	5
365	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
364	Search for supersymmetry in events with a $\mu$ lepton pair and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
363	Search for the decay of a Higgs boson in the $\tau\bar{\tau}$ channel in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
362	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 707	4.2	23
361	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 965	4.2	19
360	Studies of $\rho$ and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 939	4.2	12
359	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\bar{\nu}q$ final states at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
358	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 697	4.2	9
357	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\bar{\nu}$ final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3
356	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , <b>2018</b> , 78, 789	4.2	19
355	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1	4.2	4
354	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	15

353	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	8
352	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	10
351	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , <b>2018</b> , 78, 708	4-2	5
350	Search for vector-like T and B quark pairs in final states with leptons at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	29
349	Search for dark matter produced in association with a Higgs boson decaying to $\bar{\nu}_\tau \nu_\tau$ ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
348	Search for additional neutral MSSM Higgs bosons in the $\tau\tau$ final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	42
347	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
346	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	20
345	Search for a heavy resonance decaying into a Z boson and a vector boson in the ( $\nu_{\overline{q}} \overline{\nu}_{\overline{q}}$ ) final state. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	6
344	Soft-drop event shapes in electron-positron annihilation at next-to-next-to-leading order accuracy. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 786, 313-318	4-2	15
343	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	18
342	Search for beyond the standard model Higgs bosons decaying into a ( $\overline{b}b$ ) pair in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	11
341	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , <b>2018</b> , 78, 701	4-2	25
340	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , <b>2018</b> , 78, 509	4-2	37
339	Search for lepton flavour violating decays of the Higgs boson to $\tau\mu$ and $e\mu$ in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	19
338	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying $\tau$ leptons at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	23
337	Electroweak production of two jets in association with a Z boson in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1	4-2	12
336	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	14

335	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
334	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
333	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	20
332	Search for a singly produced third-generation scalar leptoquark decaying to a $\tau$ lepton and a bottom quark in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
331	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
330	Measurement of the inelastic proton-proton cross section at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	41
329	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	24
328	Search for high-mass resonances in dilepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	63
327	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	28
326	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7 [Formula: see text] cross sections. <i>European Physical Journal C</i> , <b>2017</b> , 77, 15	4.2	19
325	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 172	4.2	22
324	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ( $\sqrt{s}=8$ ) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	34
323	Measurement of the production cross section of a $W$ boson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 92	4.2	7
322	Measurement of the $WZ$ production cross section in pp collisions at [Formula: see text] and 8 [Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 236	4.2	21
321	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 269	4.2	26
320	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , <b>2017</b> , 77, 294	4.2	21
319	Search for new physics in the monophoton final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
318	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 459	4.2	16

317	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 467	4.2	14
316	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 751	4.2	15
315	Charged-particle nuclear modification factors in PbPb and pPb collisions at ( $\sqrt{s_{\mathrm{N};\mathrm{N}}}=5.02$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	64
314	Search for ( $\overline{\mathrm{t}}$ ) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	17
313	Search for associated production of dark matter with a Higgs boson decaying to ( $\overline{\mathrm{b}}$ ) or $\overline{\mathrm{t}}$ ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
312	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	8
311	Measurement of the semileptonic ( $\overline{\mathrm{t}}$ ) + $\overline{\mathrm{b}}$ production cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
310	Measurements of the pp $\rightarrow W\overline{b}$ and pp $\rightarrow Z\overline{b}$ cross sections and limits on anomalous quartic gauge couplings at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	2
309	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 710	4.2	54
308	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
307	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	19
306	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
305	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 252	4.2	58
304	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 327	4.2	17
303	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2017</b> , 77, 354	4.2	8
302	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	19
301	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 845	4.2	22
300	Measurement of electroweak-induced production of $W\overline{b}$ with two jets in pp collisions at ( $\sqrt{s}=8$ ) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9



299	Searches for $W$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
298	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	5
297	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	18
296	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	11
295	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	20
294	Search for top squark pair production in pp collisions at ( $\sqrt{s}=13$ ) TeV using single lepton events. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	25
293	Measurement of the ( $\overline{\text{t}}\text{t}$ ) production cross section using events with one lepton and at least one jet in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	14
292	Search for a heavy resonance decaying to a top quark and a vector-like top quark at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	4
291	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 578	4-2	21
290	Search for top quark partners with charge 5/3 in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	3
289	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	21
288	Measurements of jet charge with dijet events in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	10
287	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	10
286	Search for new physics with dijet angular distributions in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	11
285	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	46
284	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	35
283	Search for new phenomena with multiple charged leptons in proton-proton collisions at ( $\sqrt{s}=13$ ) (,text {TeV}). <i>European Physical Journal C</i> , <b>2017</b> , 77, 1	4-2	2
282	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 636	4-2	20

281	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying $\tau$ leptons and two jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	18
280	Search for CP violation in ( $\overline{t}$ ) production and decay in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	4
279	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 746	4.2	8
278	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
277	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
276	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	77
275	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	16
274	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 325	4.2	13
273	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 439	4.2	34
272	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 536	4.2	6
271	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 372	4.2	24
270	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	15
269	Measurement of the ( $\overline{t}$ ) production cross section in the $e\tau$ channel in proton-proton collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	30
268	Jet production in the CoLoRFuNNLO method: Event shapes in electron-positron collisions. <i>Physical Review D</i> , <b>2016</b> , 94,	4.9	54
267	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 460	4.2	14
266	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 379	4.2	20
265	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 469	4.2	37
264	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 128	4.2	21

263	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , <b>2016</b> , 76, 155	4.2	250
262	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 237	4.2	19
261	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\ell$ leptons in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
260	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 13	4.2	35
259	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 451	4.2	36
258	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2016</b> , 76, 401	4.2	38
257	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 317	4.2	9
256	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	6
255	Three-Jet Production in Electron-Positron Collisions at Next-to-Next-to-Leading Order Accuracy. <i>Physical Review Letters</i> , <b>2016</b> , 117, 152004	7.4	54
254	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
253	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , <b>2015</b> , 75, 251	4.2	55
252	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 66	4.2	21
251	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 147	4.2	50
250	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 151	4.2	33
249	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	19
248	Search for disappearing tracks in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	35
247	Study of Z production in PbPb and pp collisions at ( $\sqrt{s_{\mathrm{NN}}}=2.76$ ) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
246	Higgs boson decay into b-quarks at NNLO accuracy. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	50

245	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 235	4.2	250
244	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 288	4.2	37
243	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 237	4.2	48
242	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 325	4.2	24
241	Performance of the CMS missing transverse momentum reconstruction in pp data at $\sqrt{s} = 8$ TeV. <i>Journal of Instrumentation</i> , <b>2015</b> , 10, P02006-P02006	1	84
240	Hadroproduction of t anti-t pair in association with an isolated photon at NLO accuracy matched with parton shower. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	5
239	Searches for supersymmetry using the $M_{T2}$ variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	26
238	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	73
237	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 212	4.2	399
236	Combined Measurement of the Higgs Boson Mass in pp Collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , <b>2015</b> , 114, 191803	7.4	709
235	Measurement of the $Z\gamma$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	7
234	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , <b>2015</b> , 75, 186	4.2	41
233	Measurement of the differential cross section for top quark pair production in pp collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 542	4.2	98
232	Measurements of the $Z\gamma$ production cross sections in the $Z\gamma$ channel in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , <b>2015</b> , 75, 511	4.2	25
231	Measurement of the $(\overline{t}t)$ production cross section in the dilepton channel in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	43
230	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $(\sqrt{s_{NN}}) = 2.76$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	60
229	Measurement of associated W + charm production in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	37
228	Search for new physics in events with same-sign dileptons and jets in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	38

227	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ (,text {TeV}). <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	67
226	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2973	4.2	16
225	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2980	4.2	131
224	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3014	4.2	11
223	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	61
222	Event activity dependence of $(Y)(nS)$ production in $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ TeV pPb and $(\sqrt{s}) = 2.76$ TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	42
221	. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	18
220	Search for $W \rightarrow \tau b$ decays in the lepton + jets final state in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	23
219	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	15
218	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	81
217	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	48
216	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	21
215	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	3
214	Hadroproduction of $W + W\bar{b}$ ( $\overline{\mathrm{b}}$ ) at NLO accuracy matched with shower Monte Carlo programs. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	6
213	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	74
212	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	59
211	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2758	4.2	21
210	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2847	4.2	71

209	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2901	4.2	13
208	Observation of the associated production of a single top quark and a W boson in pp collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , <b>2014</b> , 112, 231802	7.4	62
207	Measurement of prompt $(2S)$ to $J/\psi$ yield ratios in Pb-Pb and p-p collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , <b>2014</b> , 113, 262301	7.4	38
206	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3149	4.2	149
205	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3060	4.2	29
204	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3129	4.2	29
203	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	70
202	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at ( $\sqrt{s} = 8$ ) TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	37
201	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3036	4.2	183
200	Measurement of prompt $J/\psi$ pair production in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	41
199	Alignment of the CMS tracker with LHC and cosmic ray data. <i>Journal of Instrumentation</i> , <b>2014</b> , 9, P06009-P06009	4	24
198	Search for top squark and Higgsino production using diphoton Higgs boson decays. <i>Physical Review Letters</i> , <b>2014</b> , 112, 161802	7.4	38
197	Search for top-quark partners with charge 5/3 in the same-sign dilepton final state. <i>Physical Review Letters</i> , <b>2014</b> , 112, 171801	7.4	58
196	Search for flavor-changing neutral currents in top-quark decays $t \rightarrow Zq$ in pp collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , <b>2014</b> , 112, 171802	7.4	46
195	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3076	4.2	239
194	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	45
193	Study of hadronic event-shape variables in multijet final states in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	3
192	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	15

191	Description and performance of track and primary-vertex reconstruction with the CMS tracker. <i>Journal of Instrumentation</i> , <b>2014</b> , 9, P10009-P10009	1	279
190	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	32
189	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	144
188	Search for the associated production of the Higgs boson with a top-quark pair <b>2014</b> , 2014, 1		6
187	Search for microscopic black holes in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	38
186	Measurement of the ( $\Lambda_{\text{b}}^0$ ) lifetime in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	14
185	Searches for long-lived charged particles in pp collisions at ( $\sqrt{s}$ ) =7 and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	96
184	Study of exclusive two-photon production of W+W $\gamma$ in pp collisions at ( $\sqrt{s}=7$ ) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	56
183	Observation of a new boson with mass near 125 GeV in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	261
182	Integration of collinear-type doubly unresolved counterterms in NNLO jet cross sections. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	18
181	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	35
180	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	39
179	Measurement of the ( $\overline{\text{t}}\text{t}$ ) production cross section in the all-jet final state in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	14
178	Measurement of the X(3872) production cross section via decays to J/ $\psi$ $\gamma$ in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	44
177	Study of the underlying event at forward rapidity in pp collisions at ( $\sqrt{s}=0.9, 2.76, \text{and } 7$ TeV). <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	39
176	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	15
175	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	33
174	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	30

173	Search for exotic resonances decaying into WZ/ZZ in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	16
172	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2404	4.2	15
171	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2469	4.2	49
170	Measurement of the production cross section for ( $\mathrm{Z}\gamma$ to $\nu\overline{\nu}$ ) in pp collisions at ( $\sqrt{s} = 7$ ) TeV and limits on ZZ and Z triple gauge boson couplings. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	12
169	Measurement of the W-boson helicity in top-quark decays from ( $\mathrm{t}\overline{\mathrm{t}}$ ) production in lepton+jets events in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	25
168	Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2568	4.2	82
167	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	10
166	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2494	4.2	37
165	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2493	4.2	10
164	Measurement of the ( $\mathrm{t}\overline{\mathrm{t}}$ ) production cross section in the $\mu$ jets channel in pp collisions at ( $\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	21
163	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2674	4.2	24
162	Search for top-squark pair production in the single-lepton final state in pp collisions at ( $\sqrt{s}=8$ TeV). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	162
161	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	43
160	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	26
159	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at ( $\sqrt{s} = 7$ TeV) and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	50
158	Measurement of the W+W cross section in pp collisions at ( $\sqrt{s} = 7$ TeV) and limits on anomalous WW and WWZ couplings. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	56
157	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	37
156	Measurement of the ZZ production cross section and search for anomalous couplings in $2\mu\mu$ final states in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	39



155	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or 3 b-quark jets in 7 TeV pp collisions using the variable $\cancel{E}_T$ . <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	29
154	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	12
153	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2283	4.2	45
152	Measurement of differential top-quark-pair production cross sections in pp collisions at ( $\sqrt{s} = 7$ $\text{TeV}$ ). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	102
151	Measurement of the $B_s(0) \rightarrow \mu^+ \mu^-$ branching fraction and search for $B(0) \rightarrow \mu^+ \mu^-$ with the CMS experiment. <i>Physical Review Letters</i> , <b>2013</b> , 111, 101804	7.4	220
150	Searches for new physics using the $t\bar{t}$ invariant mass distribution in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , <b>2013</b> , 111, 211804	7.4	76
149	Energy calibration and resolution of the CMS electromagnetic calorimeter in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of Instrumentation</i> , <b>2013</b> , 8, P09009-P09009	1	111
148	Identification of b-quark jets with the CMS experiment. <i>Journal of Instrumentation</i> , <b>2013</b> , 8, P04013-P04013		376
147	The performance of the CMS muon detector in proton-proton collisions at $\sqrt{s} = 7$ TeV at the LHC. <i>Journal of Instrumentation</i> , <b>2013</b> , 8, P11002-P11002	1	74
146	Study of high-p <sub>T</sub> charged particle suppression in PbPb compared to pp collisions at ( $\sqrt{s_{\text{NN}}}=2.76\text{--}2.76\text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	316
145	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at ( $\sqrt{s_{\text{NN}}}= 2.76\text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	158
144	Jet production rates in association with W and Z bosons in pp collisions at ( $\sqrt{s} = 7\text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	37
143	Exclusive $t\bar{t} \mu^+ \mu^-$ production in proton-proton collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	45
142	Measurement of the production cross section for pairs of isolated photons in pp collisions at ( $\sqrt{s} = 7\text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	20
141	Inclusive b-jet production in pp collisions at ( $\sqrt{s} = 7\text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	30
140	Search for quark compositeness in dijet angular distributions from pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	12
139	Suppression of non-prompt $J/\psi$ and $\Upsilon(1S)$ in PbPb collisions at ( $\sqrt{s_{\text{NN}}} = 2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	184
138	Search for heavy bottom-like quarks in 4.9 fb <sup>-1</sup> of pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	44

137	Measurement of the cross section for production of ( $\overline{b} X$ ) decaying to muons in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	3
136	Measurement of the $Z/\overline{\nu} + b$ -jet cross section in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	24
135	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at ( $\sqrt{s}=7$ ;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	27
134	Search for anomalous production of multilepton events in pp collisions at ( $\sqrt{s} = 7$ ,TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	65
133	Search for a light charged Higgs boson in top quark decays in pp collisions at ( $\sqrt{s} = 7$ ;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	101
132	Search for leptonic decays of $W^\pm$ bosons in pp collisions at ( $\sqrt{s} = \{7\}$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	43
131	Search for stopped long-lived particles produced in pp collisions at ( $\sqrt{s} = \{\text{7TeV}\}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	17
130	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	24
129	Measurement of the underlying event activity in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	11
128	Search for anomalous ( $\overline{t}$ ) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	57
127	Search for dark matter and large extra dimensions in monojet events in pp collisions at ( $\sqrt{s} = \{7\}$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	155
126	Search for a fermiophobic Higgs boson in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	13
125	Search for supersymmetry in hadronic final states using M T <sub>2</sub> in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	92
124	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ( $\sqrt{s_{\mathbb{N}\mathbb{N}}} = 2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	73
123	Measurement of the ( $\overline{t}$ ) production cross section in the dilepton channel in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	64
122	Search for exclusive or semi-exclusive $\overline{\nu}$ production and observation of exclusive and semi-exclusive $e+e\overline{\nu}$ production in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	45
121	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	6
120	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	41

119	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	10
118	Search for resonant ( $\overline{\text{t}}\text{t}$ ) production in lepton+jets events in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	25
117	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	30
116	Measurement of the single-top-quark t-channel cross section in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	70
115	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at ( $\sqrt{s}=7$ ;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	12
114	Measurement of the top-quark mass in ( $\overline{\text{t}}\text{t}$ ) events with lepton+jets final states in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	30
113	A new boson with a mass of 125 GeV observed with the CMS experiment at the Large Hadron Collider. <i>Science</i> , <b>2012</b> , 338, 1569-75	33-3	71
112	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at ( $\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	30
111	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at ( $\sqrt{s} = 0.9, 2.76, 7$ TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	133
110	A search for a doubly-charged Higgs boson in pp collisions at ( $\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	111
109	Measurement of the top-quark mass in ( $\overline{\text{t}}\text{t}$ ) events with dilepton final states in pp collisions at ( $\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	36
108	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at ( $\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	17
107	Measurement of the relative prompt production rate of $\text{t}\overline{\text{t}}$ and $\text{t}\overline{\text{t}}\text{t}$ in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2251	4-2	46
106	Performance of CMS muon reconstruction in pp collision events at $\sqrt{s}=7$ TeV. <i>Journal of Instrumentation</i> , <b>2012</b> , 7, P10002-P10002	1	398
105	Search for signatures of extra dimensions in the diphoton mass spectrum at the large hadron collider. <i>Physical Review Letters</i> , <b>2012</b> , 108, 111801	7-4	53
104	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	11
103	$J/\psi$ and $\psi(2S)$ production in pp collisions at ( $\sqrt{s} = 7$ TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	69
102	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 4\ell$ channel in pp collisions at ( $\sqrt{s} = 7$ ;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	24

101	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel in pp collisions at $(\sqrt{s} = 7)\text{TeV}$ . <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	11
100	Search for $(B_{\text{c}}^0 \rightarrow \mu^+ \mu^-)$ and $B_0 \rightarrow \mu^+ \mu^-$ decays. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	52
99	Search for a Higgs boson in the decay channel $H \rightarrow ZZ^* \rightarrow q(\overline{q}) \mu\mu$ in pp collisions at $(\sqrt{s} = 7)\text{TeV}$ . <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	21
98	Search for microscopic black holes in pp collisions at $(\sqrt{s} = 7\text{TeV})$ . <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	34
97	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $(\sqrt{s} = 7)\text{TeV}$ . <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	13
96	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	13
95	Measurement of the pseudorapidity and centrality dependence of the transverse energy density in Pb-Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{TeV}$ . <i>Physical Review Letters</i> , <b>2012</b> , 109, 152303	7-4	55
94	Search for a light pseudoscalar Higgs boson in the dimuon decay channel in pp collisions at $\sqrt{s} = 7\text{TeV}$ . <i>Physical Review Letters</i> , <b>2012</b> , 109, 121801	7-4	51
93	Search for dark matter and large extra dimensions in pp collisions yielding a photon and missing transverse energy. <i>Physical Review Letters</i> , <b>2012</b> , 108, 261803	7-4	116
92	Observation of sequential $\Lambda$ suppression in PbPb collisions. <i>Physical Review Letters</i> , <b>2012</b> , 109, 222301	7-4	172
91	Observation of a new $\Lambda$ baryon. <i>Physical Review Letters</i> , <b>2012</b> , 108, 252002	7-4	57
90	Performance of $\bar{q}$ -lepton reconstruction and identification in CMS. <i>Journal of Instrumentation</i> , <b>2012</b> , 7, P01001-P01001	1	81
89	Missing transverse energy performance of the CMS detector. <i>Journal of Instrumentation</i> , <b>2011</b> , 6, P09001-P09001		
88	Top quark pair production in association with a jet at NLO accuracy with parton showering. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 76-81	4-2	39
87	Prompt and non-prompt $J/\psi$ production in pp collisions at $(\sqrt{s} = 7)\text{TeV}$ . <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4-2	118
86	Measurement of the $(\text{t}\bar{\text{t}})$ production cross section in pp collisions at $(\sqrt{s}=7)\text{TeV}$ using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4-2	35
85	A subtraction scheme for computing QCD jet cross sections at NNLO: integrating the iterated singly-unresolved subtraction terms. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	44
84	Charged particle multiplicities in pp interactions at $(\sqrt{s} = 0.9)$ , 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	89

83	Measurements of inclusive W and Z cross sections in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	104
82	Search for heavy stable charged particles in pp collisions at ( $\sqrt{s} = 7$ ;{text{TeV}}). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	34
81	Inclusive b-hadron production cross section with muons in pp collisions at ( $\sqrt{s} = 7$ ;{text{TeV}}). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	21
80	Measurement of ( $\overline{\text{B}}\text{B}$ ) angular correlations based on secondary vertex reconstruction at ( $\sqrt{s} = 7$ ;{text{TeV}}). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	27
79	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at ( $\sqrt{s} = 7$ ;{text{TeV}}). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	38
78	Measurement of Bose-Einstein correlations in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	22
77	Strange particle production in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	78
76	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	21
75	Search for resonances in the dilepton mass distribution in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	32
74	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at ( $\sqrt{s} = 7$ ;{text{TeV}}). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	26
73	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	46
72	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	10
71	Measurement of the ( $\bar{t}t$ ) production cross section and the top quark mass in the dilepton channel in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	48
70	Long-range and short-range dihadron angular correlations in central PbPb collisions at ( $\sqrt{s_{\text{NN}}}$ ) = 2.76 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	56
69	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	12
68	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	28
67	Search for same-sign top-quark pair production at ( $\sqrt{s} = 7$ ) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	39
66	Charged particle transverse momentum spectra in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	44

65	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	17
64	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at ( $\sqrt{s_{NN}} = 2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	87
63	Search for new physics with jets and missing transverse momentum in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	46
62	Search for supersymmetry in pp collisions at ( $\sqrt{s} = 7$ ) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	32
61	Measurement of the underlying event activity at the LHC with ( $\sqrt{s} = 7$ ) TeV and comparison with ( $\sqrt{s} = 0.9$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	70
60	Measurement of the Drell-Yan cross section in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	32
59	Measurement of the inclusive W and Z production cross sections in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	121
58	Measurement of energy flow at large pseudorapidities in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	19
57	Search for $B(s)(0) \rightarrow \mu^+ \mu^-$ and $B(0) \rightarrow \mu^+ \mu^-$ decays in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 107, 191802	7-4	44
56	Search for supersymmetry at the LHC in events with jets and missing transverse energy. <i>Physical Review Letters</i> , <b>2011</b> , 107, 221804	7-4	188
55	Study of Z Boson Production in PbPb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 212301	7-4	66
54	Search for supersymmetry in pp collisions at 7 TeV in events with two photons and missing transverse energy. <i>Physical Review Letters</i> , <b>2011</b> , 106, 211802	7-4	45
53	Measurement of the $B_0$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 252001	7-4	48
52	Determination of jet energy calibration and transverse momentum resolution in CMS. <i>Journal of Instrumentation</i> , <b>2011</b> , 6, P11002-P11002	1	463
51	Measurement of energy flow at large pseudorapidities in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV <b>2011</b> , 2011, 1		5
50	Identification and filtering of uncharacteristic noise in the CMS hadron calorimeter. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03014-T03014	1	34
49	Search for dijet resonances in 7 TeV pp collisions at CMS. <i>Physical Review Letters</i> , <b>2010</b> , 105, 211801	7-4	116
48	Performance and operation of the CMS electromagnetic calorimeter. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03010-T03010	1	31

47	Performance of CMS hadron calorimeter timing and synchronization using test beam, cosmic ray, and LHC beam data. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03013-T03013	1	5
46	Performance of the CMS drift tube chambers with cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03015-T03015		
45	Calibration of the CMS drift tube chambers and measurement of the drift velocity with cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03016-T03016	1	2
44	Performance study of the CMS barrel resistive plate chambers with cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03017-T03017	1	8
43	Performance of the CMS cathode strip chambers with cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03018-T03018	1	4
42	Aligning the CMS muon chambers with the muon alignment system during an extended cosmic ray run. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03019-T03019	1	4
41	A unified model for nucleosynthesis of heavy elements in stars. <i>Journal of Physics: Conference Series</i> , <b>2010</b> , 202, 012024	0.3	
40	Alignment of the CMS silicon tracker during commissioning with cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03009-T03009	1	35
39	Commissioning of the CMS experiment and the cosmic run at four tesla. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03001-T03001	1	15
38	Fine synchronization of the CMS muon drift-tube local trigger using cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03004-T03004	1	2
37	Alignment of the CMS muon system with cosmic-ray and beam-halo muons. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03020-T03020	1	8
36	Precise mapping of the magnetic field in the CMS barrel yoke using cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03021-T03021	1	16
35	Performance of CMS muon reconstruction in cosmic-ray events. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03022-T03022		
34	CMS data processing workflows during an extended cosmic ray run. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03006-T03006	1	2
33	First measurement of the underlying event activity at the LHC with ( $\sqrt{s} = 0.9$ ) TeV. <i>European Physical Journal C</i> , <b>2010</b> , 70, 555-572	4.2	36
32	CMS tracking performance results from early LHC operation. <i>European Physical Journal C</i> , <b>2010</b> , 70, 1165-1192	4.1	99
31	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at ( $\sqrt{s} = 0.9$ ) and 2.36 TeV. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	201
30	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	389

29	Analytic integration of real-virtual counterterms in NNLO jet cross sections II. <i>Journal of High Energy Physics</i> , <b>2009</b> , 2009, 079-079	5-4	36
28	A subtraction scheme for computing QCD jet cross sections at NNLO: integrating the subtraction terms I. <i>Journal of High Energy Physics</i> , <b>2008</b> , 2008, 042-042	5-4	49
27	Analytic integration of real-virtual counterterms in NNLO jet cross sections I. <i>Journal of High Energy Physics</i> , <b>2008</b> , 2008, 107-107	5-4	52
26	Subtraction method of computing QCD jet cross sections at NNLO accuracy. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , <b>2008</b> , 183, 30-35		
25	A subtraction scheme for computing QCD jet cross sections at NNLO: regularization of real-virtual emission. <i>Journal of High Energy Physics</i> , <b>2007</b> , 2007, 052-052	5-4	68
24	A subtraction scheme for computing QCD jet cross sections at NNLO: regularization of doubly-real emissions. <i>Journal of High Energy Physics</i> , <b>2007</b> , 2007, 070-070	5-4	79
23	Progress on NNLO subtraction. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , <b>2006</b> , 157, 37-42		
22	Three-jet event-shapes in lepton-proton scattering at next-to-leading order accuracy. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2006</b> , 634, 498-503	4-2	6
21	Precision electroweak measurements on the Z resonance. <i>Physics Reports</i> , <b>2006</b> , 427, 257-454	27-7	730
20	Matching of singly- and doubly-unresolved limits of tree-level QCD squared matrix elements. <i>Journal of High Energy Physics</i> , <b>2005</b> , 2005, 024-024	5-4	87
19	QCD radiative corrections to prompt diphoton production in association with a jet at hadron colliders. <i>Journal of High Energy Physics</i> , <b>2003</b> , 2003, 059-059	5-4	36
18	The dipole formalism for next-to-leading order QCD calculations with massive partons. <i>Nuclear Physics B</i> , <b>2002</b> , 627, 189-265	2-8	338
17	One-loop singular behaviour of QCD and SUSY QCD amplitudes with massive partons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2001</b> , 500, 149-160	4-2	125
16	Multijet cross sections in deep inelastic scattering at next-to-leading order. <i>Physical Review Letters</i> , <b>2001</b> , 87, 082001	7-4	106
15	Calculation of power corrections to hadronic event shapes of tagged b events. <i>Journal of High Energy Physics</i> , <b>2000</b> , 2000, 014-014	5-4	2
14	Multijet rates in $e^+e^-$ annihilation: perturbation theory versus LEP data. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , <b>1999</b> , 74, 44-48		7
13	Four-jet production in $e^+e^-$ annihilation at next-to-leading order. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , <b>1998</b> , 64, 63-67		6
12	Four-jet angular distributions and color charge measurements: Leading order versus next-to-leading order. <i>Physical Review D</i> , <b>1998</b> , 57, 5793-5802	4-9	13



11	Next-to-leading order calculation of four-jet observables in electron-positron annihilation. <i>Physical Review D</i> , <b>1998</b> , 59,	4.9	107
10	Next-to-Leading Order Calculation of Four-Jet Shape Variables. <i>Physical Review Letters</i> , <b>1997</b> , 79, 3604-3607	4.2	48
9	Calculation of QCD jet cross sections at next-to-leading order. <i>Nuclear Physics B</i> , <b>1997</b> , 486, 189-223	2.8	55
8	Group independent color decomposition of next-to-leading order matrix elements for e+e- to four partons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1997</b> , 414, 187-194	4.2	10
7	Gluonic three-jet cross section in hadron collisions at O( $\alpha_s^3$ ) with cone jet definition. <i>Acta Physica Hungarica A Heavy Ion Physics</i> , <b>1997</b> , 5, 69-75		
6	Three-Jet Cross Section in Hadron Collisions at Next-to-Leading Order: Pure Gluon Processes. <i>Physical Review Letters</i> , <b>1996</b> , 77, 2182-2185	7.4	13
5	Collinear limits of one-loop helicity amplitudes in QCD. <i>Acta Physica Hungarica A Heavy Ion Physics</i> , <b>1995</b> , 1, 43-51		
4	One-loop radiative corrections to the helicity amplitudes of QCD processes involving four quarks and one gluon. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1994</b> , 336, 529-536	4.2	81
3	Singular terms of helicity amplitudes at one loop in QCD and the soft limit of the cross sections of multi-parton processes. <i>Nuclear Physics B</i> , <b>1994</b> , 420, 550-564	2.8	95
2	One-loop helicity amplitudes for all 2 $\rightarrow$ 2 processes in QCD and N = 1 supersymmetric Yang-Mills theory. <i>Nuclear Physics B</i> , <b>1994</b> , 411, 397-442	2.8	162
1	QCD corrections to photon production in association with hadrons in e+e- annihilation. <i>Nuclear Physics B</i> , <b>1993</b> , 394, 139-168	2.8	28