

# Helmut BrÃ¼ckner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3415625/publications.pdf>

Version: 2024-02-01

69  
papers

1,341  
citations

361413

20  
h-index

414414

32  
g-index

73  
all docs

73  
docs citations

73  
times ranked

1145  
citing authors

#	ARTICLE	IF	CITATIONS
1	High-resolution facies analysis of a coastal sabkha in the eastern Gulf of Salwa (Qatar): A spatio-temporal reconstruction. <i>Sedimentology</i> , 2022, 69, 1119-1150.	3.1	6
2	Insights into Holocene relative sea-level changes in the southern North Sea using an improved microfauna-based transfer function. <i>Journal of Quaternary Science</i> , 2022, 37, 71.	2.1	3
3	Weathering under coastal hyperaridity – Late Quaternary development of spectral, textural, and gravelometric alluvial fan surface characteristics. <i>Quaternary Science Reviews</i> , 2022, 277, 107339.	3.0	7
4	The unexpectedly short Holocene Humid Period in Northern Arabia. <i>Communications Earth &amp; Environment</i> , 2022, 3, .	6.8	7
5	Mid-to late Holocene environmental changes and human-environment interactions in the surroundings of La Silla del Papa, SW Spain. <i>Geoarchaeology - an International Journal</i> , 2021, 36, 573-600.	1.5	6
6	Mid- to late-Holocene sea-level evolution of the northeastern Aegean sea. <i>Holocene</i> , 2021, 31, 1621-1634.	1.7	4
7	Digital mapping of coastal boulders – high-resolution data acquisition to infer past and recent transport dynamics. <i>Sedimentology</i> , 2020, 67, 1393-1410.	3.1	20
8	Modern and historical tropical cyclone and tsunami deposits at the coast of Myanmar: Implications for their identification and preservation in the geological record. <i>Sedimentology</i> , 2020, 67, 1431-1459.	3.1	14
9	Gradients in climate, geology, and topography affecting coastal alluvial fan morphodynamics in hyperarid regions – The Atacama perspective. <i>Global and Planetary Change</i> , 2020, 185, 102994.	3.5	27
10	Identification of humid periods in the Atacama Desert through hillslope activity established by infrared stimulated luminescence (IRSL) dating. <i>Global and Planetary Change</i> , 2020, 185, 103086.	3.5	12
11	Late Pleistocene alluvial fan evolution along the coastal Atacama Desert (N Chile). <i>Global and Planetary Change</i> , 2020, 190, 103091.	3.5	17
12	Human-environment interaction in the hinterland of Ephesos – As deduced from an in-depth study of Lake Belevi, west Anatolia. <i>Quaternary Science Reviews</i> , 2020, 244, 106418.	3.0	8
13	Characterization of silty to fine-sandy sediments with SH waves: full waveform inversion in comparison with other geophysical methods. <i>Near Surface Geophysics</i> , 2020, 18, 217-248.	1.2	13
14	On the geoarchaeology of Limyra (SW Anatolia) – new insights into the famous Lycian city and its environs. <i>Geoarchaeology - an International Journal</i> , 2020, 35, 487-502.	1.5	6
15	Testing the potential of K-feldspar pIR-IRSL and quartz ESR for dating coastal alluvial fan complexes in arid environments. <i>Quaternary International</i> , 2020, 556, 124-143.	1.5	18
16	Sediment-filled karst depressions and – key archaeological environments of south Qatar. <i>E&amp;G Quaternary Science Journal</i> , 2020, 68, 215-236.	0.7	5
17	The sedimentological and environmental footprint of extreme wave events in Boca do Rio, Algarve coast, Portugal. <i>Sedimentary Geology</i> , 2019, 389, 147-160.	2.1	13
18	Geomorphology of the coastal alluvial fan complex Guanillos, northern Chile. <i>Journal of Maps</i> , 2019, 15, 436-447.	2.0	10

#	ARTICLE	IF	CITATIONS
19	Elaia, Pergamon's maritime satellite: the rise and fall of an ancient harbour city shaped by shoreline migration. <i>Journal of Quaternary Science</i> , 2019, 34, 228-244.	2.1	13
20	First experimental evaluation of the alpha efficiency in coarse-grained quartz for ESR dating purposes: implications for dose rate evaluation. <i>Scientific Reports</i> , 2019, 9, 19769.	3.3	6
21	Methodological approach for dating harbor sediments by using luminescence dating—a case study in Ephesus, Western Turkey. <i>Archaeological and Anthropological Sciences</i> , 2019, 11, 3143-3153.	1.8	2
22	Rapid Delta Growth in Historical Times at Ephesus and Miletus—The Examples of the KÄ¼Ä¼k and the BÄ¼Ä¼k Menderes Rivers. <i>World Geomorphological Landscapes</i> , 2019, , 293-306.	0.3	4
23	Late Holocene coastline and landscape changes to the west of Ephesus, Turkey. <i>Quaternary International</i> , 2019, 501, 349-363.	1.5	6
24	Vertical and lateral distribution of Foraminifera and Ostracoda in the East Frisian Wadden Sea — developing a transfer function for relative sea-level change. <i>Geologica Belgica</i> , 2019, 22, 99-110.	1.1	13
25	Coastal lowland and floodplain evolution along the lower reaches of the Supsa River (western) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.7	2
26	The Excavation at Limyra/Lycia 2018: Preliminary Report. <i>Anatolia Antiqua Eski Anadolu</i> , 2019, , 233-254.	0.1	0
27	Historical Nankai-Suruga megathrust earthquakes recorded by tsunami and terrestrial mass movement deposits on the Shirasuka coastal lowlands, Shizuoka Prefecture, Japan. <i>Holocene</i> , 2018, 28, 968-983.	1.7	16
28	Molecular organic indicators for human activities in the Roman harbor of Ephesus, Turkey. <i>Geoarchaeology - an International Journal</i> , 2018, 33, 498-509.	1.5	9
29	Successful combination of electron spin resonance, luminescence and palaeomagnetic dating methods allows reconstruction of the Pleistocene evolution of the lower Moulouya river (NE) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.7	2
30	Fossil bog soils (â€ˆdwog horizonsâ€™) and their relation to Holocene coastal changes in the Jade Weser region, southern North Sea, Germany. <i>Journal of Coastal Conservation</i> , 2018, 22, 51-69.	1.6	4
31	Mid- to Late Holocene landscape changes in the Rioni delta area (Kolkheti lowlands, W Georgia). <i>Quaternary International</i> , 2018, 465, 85-98.	1.5	7
32	Chronology and formation processes of the Middle to Upper Palaeolithic deposits of Ifri n'Ammar using multi-method luminescence dating and micromorphology. <i>Quaternary International</i> , 2018, 485, 89-102.	1.5	15
33	Bronze Age settlement mounds on the Colchian plain at the Black Sea coast of Georgia: A geoarchaeological perspective. <i>Geoarchaeology - an International Journal</i> , 2018, 33, 453-469.	1.5	3
34	Using a Multi-Proxy Approach to Detect and Date a Buried part of the Hellenistic City Wall of Ainos (NW Turkey). <i>Geosciences (Switzerland)</i> , 2018, 8, 357.	2.2	9
35	Intestinal parasites from public and private latrines and the harbour canal in Roman Period Ephesus, Turkey (1st c. BCE to 6th c. CE). <i>Journal of Archaeological Science: Reports</i> , 2018, 21, 289-297.	0.5	10
36	Migration of Barchan Dunes in Qatar—Controls of the Shamal, Teleconnections, Sea-Level Changes and Human Impact. <i>Geosciences (Switzerland)</i> , 2018, 8, 240.	2.2	13

#	ARTICLE	IF	CITATIONS
37	Unravelling fluvial deposition and pedogenesis in ephemeral stream deposits in the vicinity of the prehistoric rock shelter of Ifri n'Ammar (NE Morocco) during the last 100 ka. <i>Catena</i> , 2017, 152, 115-134.	5.0	10
38	Foraminifera as markers of Holocene sea-level fluctuations and water depths of ancient harbours – A case study from the Bay of Elaia (W Turkey). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 482, 17-29.	2.3	19
39	Life cycle of estuarine islands – From the formation to the landlocking of former islands in the environs of Miletos and Ephesos in western Asia Minor (Turkey). <i>Journal of Archaeological Science: Reports</i> , 2017, 12, 876-894.	0.5	28
40	Assessing tectonic subsidence from estimates of Holocene relative sea-level change: An example from the NW Mediterranean (Magra Plain, Italy). <i>Holocene</i> , 2017, 27, 1988-1999.	1.7	9
41	Contrasting terrace systems of the lower Moulouya river as indicator of crustal deformation in NE Morocco. <i>Journal of African Earth Sciences</i> , 2017, 126, 45-57.	2.0	8
42	Human impact on Holocene sediment dynamics in the Eastern Mediterranean – the example of the Roman harbour of Ephesus. <i>Earth Surface Processes and Landforms</i> , 2016, 41, 980-996.	2.5	35
43	Evolution of Taman Peninsula's ancient Bosphorus channels, south-west Russia: Deltaic progradation and Greek colonisation. <i>Journal of Archaeological Science: Reports</i> , 2016, 5, 327-335.	0.5	7
44	The harbour of Elaia: A palynological archive for human environmental interactions during the last 7500 years. <i>Quaternary Science Reviews</i> , 2016, 149, 167-187.	3.0	33
45	New Sediment Cores Reveal Environmental Changes Driven by Tectonic Processes at Ancient Helike, Greece. <i>Geoarchaeology - an International Journal</i> , 2016, 31, 140-155.	1.5	9
46	Prograded foredunes of Western Australia's macro-tidal coast – implications for Holocene sea-level change and high-energy wave impacts. <i>Earth Surface Processes and Landforms</i> , 2015, 40, 726-740.	2.5	18
47	Traces of historical tropical cyclones and tsunamis in the Ashburton Delta (north-west Australia). <i>Sedimentology</i> , 2015, 62, 1546-1572.	3.1	36
48	Neolithic settlement sites in Western Turkey – palaeogeographic studies at �zukuri H�y�k and Arvalya H�y�k. <i>Journal of Archaeological Science: Reports</i> , 2015, 4, 565-577.	0.5	14
49	The environs of Elaia's ancient open harbour – a reconstruction based on microfaunal evidence. <i>Journal of Archaeological Science</i> , 2015, 54, 340-355.	2.4	27
50	Luminescence dating of ephemeral stream deposits around the Palaeolithic site of Ifri n'Ammar (Morocco). <i>Quaternary Geochronology</i> , 2015, 30, 460-465.	1.4	13
51	Demise of a harbor: a geochemical chronicle from Ephesus. <i>Journal of Archaeological Science</i> , 2015, 53, 202-213.	2.4	32
52	The Purpose and Age of Underwater Walls in the Bay of Elaia of Western Turkey: A Multidisciplinary Approach. <i>Geoarchaeology - an International Journal</i> , 2014, 29, 138-155.	1.5	24
53	The palaeogeographies of Ephesos (Turkey), its harbours, and the Artemision – a geoarchaeological reconstruction for the timespan 1500 – 300 BC. <i>Zeitschrift f�r Geomorphologie</i> , 2014, 58, 33-66.	0.8	17
54	Taken from the sea, reclaimed by the sea: The fate of the closed harbour of Elaia, the maritime satellite city of Pergamum (Turkey). <i>Quaternary International</i> , 2013, 312, 70-83.	1.5	33

#	ARTICLE	IF	CITATIONS
55	In search of the harbours: New evidence of Late Roman and Byzantine harbours of Ephesus. <i>Quaternary International</i> , 2013, 312, 57-69.	1.5	65
56	OSL dating of tsunami deposits from Phra Thong Island, Thailand. <i>Quaternary Geochronology</i> , 2012, 10, 224-229.	1.4	54
57	The Late Holocene evolution of the Black Sea – a critical view on the so-called Phanagorian regression. <i>Quaternary International</i> , 2012, 266, 162-174.	1.5	40
58	Palaeogeographies of the Magra Valley coastal plain to constrain the location of the Roman harbour of Luna (NW Italy). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 337-338, 37-51.	2.3	31
59	Palaeogeographic Changes at Lake Cökerek on the Koccher Peninsula, Ukraine, during the Mid- and Late Holocene. <i>Geoarchaeology - an International Journal</i> , 2012, 27, 206-219.	1.5	16
60	Luminescence-dated aeolian deposits of late Quaternary age in the southern Tibetan Plateau and their implications for landscape history. <i>Quaternary Research</i> , 2009, 72, 421-430.	1.7	75
61	Sediment sequences and paleosols in the Kyichu Valley, southern Tibet (China), indicating Late Quaternary environmental changes. <i>Island Arc</i> , 2009, 18, 404-427.	1.1	14
62	Human induced landscape changes around Bafa Gölü (western Turkey). <i>Vegetation History and Archaeobotany</i> , 2008, 17, 365-380.	2.1	41
63	Effects of Feldspar Contamination on Equivalent dose and the Shape of Growth Curve for OSL of Silt-Sized Quartz Extracted from Chinese Loess. <i>Geochronometria</i> , 2008, 30, 49-53.	0.8	106
64	Holocene palaeogeographies of the central Acheloos River delta (NW Greece) in the vicinity of the ancient seaport Oniadai. <i>Geodinamica Acta</i> , 2007, 20, 241-256.	2.2	35
65	Impacts des tsunamis le long des côtes du golfe Ambracien (Grèce nord-occidentale). <i>Mediterranee</i> , 2007, , 43-57.	0.1	18
66	Holocene paleogeographies of the Palairos coastal plain (Akarnania, northwest Greece) and their geoarchaeological implications. <i>Geoarchaeology - an International Journal</i> , 2006, 21, 649-664.	1.5	23
67	Progradation deltaïque holocène en Méditerranée: Étude de cas. <i>Mediterranee</i> , 2005, , 95-106.	0.1	54
68	Sedimentary Facies Patterns and the Interpretation of Paleogeographies of Ancient Troia. <i>Natural Science in Archaeology</i> , 2003, , 361-377.	1.7	7
69	Survey on the metal contamination of agricultural soils in Georgia. <i>Land Degradation and Development</i> , 1999, 10, 467-488.	3.9	8