

# Mousumi Majumder

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3415708/publications.pdf>

Version: 2024-02-01

19  
papers

891  
citations

623734

14  
h-index

839539

18  
g-index

19  
all docs

19  
docs citations

19  
times ranked

1427  
citing authors

#	ARTICLE	IF	CITATIONS
1	MicroRNAs: The Master Regulators of the Breast Cancer Tumor Microenvironment. , 2022, , 1-23.		1
2	Prostaglandin E2 Receptor 4 (EP4) as a Therapeutic Target to Impede Breast Cancer-Associated Angiogenesis and Lymphangiogenesis. <i>Cancers</i> , 2021, 13, 942.	3.7	16
3	Pri-miR526b and Pri-miR655 Are Potential Blood Biomarkers for Breast Cancer. <i>Cancers</i> , 2021, 13, 3838.	3.7	7
4	Chemically Induced Hypoxia Enhances miRNA Functions in Breast Cancer. <i>Cancers</i> , 2020, 12, 2008.	3.7	26
5	Mir526b and Mir655 Promote Tumour Associated Angiogenesis and Lymphangiogenesis in Breast Cancer. <i>Cancers</i> , 2019, 11, 938.	3.7	58
6	miR526b and miR655 Induce Oxidative Stress in Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4039.	4.1	35
7	Tumor suppressor role of cytoplasmic polyadenylation element binding protein 2 (CPEB2) in human mammary epithelial cells. <i>BMC Cancer</i> , 2019, 19, 561.	2.6	26
8	Prostaglandin E2 promotes embryonic vascular development and maturation in zebrafish. <i>Biology Open</i> , 2019, 8, .	1.2	11
9	COX-2 induces oncogenic micro RNA miR655 in human breast cancer. <i>Scientific Reports</i> , 2018, 8, 327.	3.3	51
10	Roles of prostaglandins in tumor-associated lymphangiogenesis with special reference to breast cancer. <i>Cancer and Metastasis Reviews</i> , 2018, 37, 369-384.	5.9	48
11	EP4 as a Therapeutic Target for Aggressive Human Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1019.	4.1	59
12	PGE2 promotes breast cancer-associated lymphangiogenesis by activation of EP4 receptor on lymphatic endothelial cells. <i>BMC Cancer</i> , 2017, 17, 11.	2.6	61
13	COX-2 Induces Breast Cancer Stem Cells via EP4/PI3K/AKT/NOTCH/WNT Axis. <i>Stem Cells</i> , 2016, 34, 2290-2305.	3.2	95
14	The role of CCL21/CCR7 chemokine axis in breast cancer-induced lymphangiogenesis. <i>Molecular Cancer</i> , 2015, 14, 35.	19.2	108
15	COX-2 Elevates Oncogenic miR-526b in Breast Cancer by EP4 Activation. <i>Molecular Cancer Research</i> , 2015, 13, 1022-1033.	3.4	56
16	Prostaglandin E2 receptor <sc>EP</sc>4 as the common target on cancer cells and macrophages to abolish angiogenesis, lymphangiogenesis, metastasis, and stemâ€like cell functions. <i>Cancer Science</i> , 2014, 105, 1142-1151.	3.9	77
17	A practical and sensitive method of quantitating lymphangiogenesis in vivo. <i>Laboratory Investigation</i> , 2013, 93, 779-791.	3.7	15
18	Targeting COX-2 and EP4 to control tumor growth, angiogenesis, lymphangiogenesis and metastasis to the lungs and lymph nodes in a breast cancer model. <i>Laboratory Investigation</i> , 2012, 92, 1115-1128.	3.7	115

#	ARTICLE	IF	CITATIONS
19	Co-Expression of $\alpha 9 \beta 1$ Integrin and VEGF-D Confers Lymphatic Metastatic Ability to a Human Breast Cancer Cell Line MDA-MB-468LN. PLoS ONE, 2012, 7, e35094.	2.5	26