Brendan M Mcquillan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3415748/publications.pdf

Version: 2024-02-01

67 papers 4,062 citations

30 h-index 63 g-index

71 all docs

71 docs citations

71 times ranked

7190 citing authors

#	Article	IF	Citations
1	Prehospital continuous positive airway pressure (CPAP) for acute respiratory distress: a randomised controlled trial. Emergency Medicine Journal, 2022, 39, 37-44.	1.0	9
2	Impact of Pre-Hospital Activation of STEMI on False Positive Activation Rate and Door to Balloon Time. Heart Lung and Circulation, 2022, 31, 447-455.	0.4	7
3	Alcohol Consumption and Cardiovascular Outcomes in Patients With Nonalcoholic Fatty Liver Disease: A Populationâ€Based Cohort Study. Hepatology Communications, 2022, 6, 526-534.	4.3	7
4	Essentials of a new clinical practice guidance on familial hypercholesterolaemia for physicians. Internal Medicine Journal, 2021, 51, 769-779.	0.8	4
5	Synopsis of an integrated guidance for enhancing the care of familial hypercholesterolaemia: an Australian perspective. American Journal of Preventive Cardiology, 2021, 6, 100151.	3.0	3
6	Antithrombotic Therapy in Atrial Fibrillation Management in Western Australia: Temporal Trends and Evidence-Treatment Gaps. Heart Lung and Circulation, 2021, 30, 955-962.	0.4	6
7	The incidence of cardiac complications in patients hospitalised with COVIDâ€19 in Australia: the AUSâ€COVID study. Medical Journal of Australia, 2021, 215, 279-279.	1.7	3
8	Cardiac Complications in Patients Hospitalised With COVID-19 in Australia. Heart Lung and Circulation, 2021, 30, 1834-1840.	0.4	10
9	Association of hypertension with mortality in patients hospitalised with COVID-19. Open Heart, 2021, 8, e001853.	2.3	4
10	Ischaemic Stroke and the Echocardiographic "Bubble Study― Are We Screening the Right Patients?. Heart Lung and Circulation, 2019, 28, 1183-1189.	0.4	4
11	A 5αâ€reductase (SRD5A2) polymorphism is associated with serum testosterone and sex hormone–binding globulin in men, while aromatase (CYP19A1) polymorphisms are associated with oestradiol and luteinizing hormone reciprocally. Clinical Endocrinology, 2019, 90, 301-311.	2.4	3
12	Drivers of hospitalisation trends for non-valvular atrial fibrillation in Western Australia, 2000–2013. International Journal of Cardiology, 2019, 276, 273-277.	1.7	9
13	Lipoprotein(a) and apolipoprotein(a) isoform size: Associations with angiographic extent and severity of coronary artery disease, and carotid artery plaque. Atherosclerosis, 2018, 275, 232-238.	0.8	21
14	Patent Foramen Ovale Closure. Circulation, 2018, 137, 1991-1993.	1.6	2
15	REACTED – Reducing Acute Chest pain Time in the ED: A prospective preâ€ postâ€interventional cohort study, stratifying risk using early cardiac multiâ€markers, probably increases discharges safely. EMA - Emergency Medicine Australasia, 2016, 28, 383-390.	1.1	2
16	Neutral associations of testosterone, dihydrotestosterone and estradiol with fatal and nonâ€fatal cardiovascular events, and mortality in men aged 17–97 years. Clinical Endocrinology, 2016, 85, 575-582.	2.4	31
17	Transient occlusion of the right coronary artery by a calcific bicuspid aortic valve mass – An interesting case of inferior STEMI. Journal of Cardiology Cases, 2016, 14, 40-42.	0.5	1
18	Epidemiological and Mendelian Randomization Studies of Dihydrotestosterone and Estradiol and Leukocyte Telomere Length in Men. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 1299-1306.	3.6	37

#	Article	IF	CITATIONS
19	Trends in incidence and prevalence of hospitalization for atrial fibrillation and associated mortality in Western Australia, 1995–2010. International Journal of Cardiology, 2016, 208, 19-25.	1.7	40
20	Plasma Proprotein Convertase Subtilisin Kexin Type 9 as a Predictor of Carotid Atherosclerosis in Asymptomatic Adults. Heart Lung and Circulation, 2016, 25, 520-525.	0.4	50
21	Testosterone, dihydrotestosterone and estradiol are differentially associated with carotid intima-media thickness and the presence of carotid plaque in men with and without coronary artery disease. Endocrine Journal, 2015, 62, 777-786.	1.6	27
22	Higher ferritin levels, but not serum iron or transferrin saturation, are associated with Type 2 diabetes mellitus in adult men and women free of genetic haemochromatosis. Clinical Endocrinology, 2015, 82, 525-532.	2.4	43
23	Management of acute coronary syndrome in special subgroups: female, older, diabetic and Indigenous patients. Medical Journal of Australia, 2014, 201, S91-6.	1.7	1
24	A cohort study examination of established and emerging risk factors for atrial fibrillation: the Busselton Health Study. European Journal of Epidemiology, 2014, 29, 181-190.	5.7	99
25	Differential associations of testosterone, dihydrotestosterone and oestradiol with physical, metabolic and healthâ€related factors in communityâ€dwelling men aged 17–97Âyears from the <scp>B</scp> usselton <scp>H</scp> ealth <scp>S</scp> urvey. Clinical Endocrinology, 2014, 81, 100-108.	2.4	50
26	A comprehensive investigation of variants in genes encoding adiponectin (ADIPOQ) and its receptors (ADIPOR1/R2), and their association with serum adiponectin, type 2 diabetes, insulin resistance and the metabolic syndrome. BMC Medical Genetics, 2013, 14, 15.	2.1	73
27	Body mass index and waist circumference: Relationship to cardiometabolic risk factors in children – B usselton H ealth S tudy 2005–2007. Journal of Paediatrics and Child Health, 2013, 49, 955-962.	0.8	10
28	Interleukin-6 receptor pathways in coronary heart disease: a collaborative meta-analysis of 82 studies. Lancet, The, 2012, 379, 1205-1213.	13.7	668
29	Association between C reactive protein and coronary heart disease: mendelian randomisation analysis based on individual participant data. BMJ: British Medical Journal, 2011, 342, d548-d548.	2.3	530
30	Doorâ€toâ€balloon times are reduced in STâ€elevation myocardial infarction by emergency physician activation of the cardiac catheterisation laboratory and immediate patient transfer. Medical Journal of Australia, 2010, 193, 207-212.	1.7	18
31	Investigating the association between K198N coding polymorphism in EDN1 and hypertension, lipoprotein levels, the metabolic syndrome and cardiovascular disease. Human Genetics, 2008, 123, 307-313.	3.8	16
32	15-Lipoxygenase gene variants are associated with carotid plaque but not carotid intima-media thickness. Human Genetics, 2008, 123, 445-453.	3.8	16
33	Association of Interleukin-1 gene polymorphisms with central obesity and metabolic syndrome in a coronary heart disease population. Human Genetics, 2008, 124, 199-206.	3.8	31
34	Association of PARL rs3732581 genetic variant with insulin levels, metabolic syndrome and coronary artery disease. Human Genetics, 2008, 124, 263-270.	3.8	6
35	Circulating adiponectin levels associate with inflammatory markers, insulin resistance and metabolic syndrome independent of obesity. International Journal of Obesity, 2008, 32, 772-779.	3.4	140
36	Staphylococcus Aureus Infective Endocarditis: A Comparison of Right and Left Heart Disease. Heart Lung and Circulation, 2008, 17, S88.	0.4	0

#	Article	lF	Citations
37	Assessment of Potential Recipients for Cardiac Resynchronisation Therapy (CRT): Are Current Implantation Rates too Low?. Heart Lung and Circulation, 2008, 17, S144.	0.4	O
38	Abnormal glucose regulation in an Australian acute coronary syndrome population: A prospective study. Diabetes Research and Clinical Practice, 2008, 81, 303-309.	2.8	8
39	Greater adverse effects of cholesterol and diabetes on carotid intima–media thickness in South Asian Indians: Comparison of risk factor-IMT associations in two population-based surveys. Atherosclerosis, 2008, 199, 116-122.	0.8	35
40	The apolipoprotein All rs5082 variant is associated with reduced risk of coronary artery disease in an Australian male population. Atherosclerosis, 2008, 199, 333-339.	0.8	31
41	Carotid intima-medial thickness measured on multiple ultrasound frames: evaluation of a DICOM-based software system. Cardiovascular Ultrasound, 2007, 5, 29.	1.6	37
42	Cholesteryl ester transfer protein gene haplotypes, plasma high-density lipoprotein levels and the risk of coronary heart disease. Human Genetics, 2007, 121, 401-411.	3.8	39
43	Rapid Fatty Acid Ethyl Ester Synthesis by Porcine Myocardium Upon Ethanol Infusion into the Left Anterior Descending Coronary Artery. American Journal of Pathology, 2006, 168, 1436-1443.	3 . 8	10
44	Interleukin-18 levels are not associated with subclinical carotid atherosclerosis in a community population. Atherosclerosis, 2006, 189, 414-419.	0.8	30
45	Title is missing!. Heart Lung and Circulation, 2006, 15, 197-198.	0.4	O
46	The Câ€480T hepatic lipase polymorphism is associated with HDL but not with risk of coronary heart disease. Clinical Genetics, 2006, 70, 114-121.	2.0	35
47	Stromelysin-1 (MMP-3) gene 5A/6A promoter polymorphism is associated with blood pressure in a community population. Journal of Hypertension, 2005, 23, 537-542.	0.5	24
48	Impact of voluntary folate fortification on plasma homocysteine and serum folate in Australia from 1995 to 2001: a population based cohort study. Journal of Epidemiology and Community Health, 2005, 59, 371-376.	3.7	34
49	Elevated Interleukin-18 Levels Are Associated With the Metabolic Syndrome Independent of Obesity and Insulin Resistance. Arteriosclerosis, Thrombosis, and Vascular Biology, 2005, 25, 1268-1273.	2.4	211
50	Promoter polymorphism of the gene for CD14 receptor is not associated with sub-clinical carotid atherosclerosis in a community population. European Journal of Cardiovascular Prevention and Rehabilitation, 2004, 11, 344-349.	2.8	7
51	Monocyte Count, But Not C-Reactive Protein or Interleukin-6, Is an Independent Risk Marker for Subclinical Carotid Atherosclerosis. Stroke, 2004, 35, 1619-1624.	2.0	187
52	Effect of Atrial Septal Mobility on Transcatheter Closure of Interatrial Communications. Echocardiography, 2003, 20, 711-714.	0.9	9
53	Apolipoprotein E Gene Polymorphisms Are Associated With Carotid Plaque Formation but Not With Intima-Media Wall Thickening. Stroke, 2003, 34, 869-874.	2.0	46
54	Effect of destructive pulse duration on the detection of myocardial perfusion in myocardial contrast echocardiography: In vitro and in vivo observations. Journal of the American Society of Echocardiography, 2002, 15, 1440-1447.	2.8	13

#	Article	IF	CITATIONS
55	Fatty acid ethyl esters: recent observations. Prostaglandins Leukotrienes and Essential Fatty Acids, 2002, 67, 193-196.	2.2	14
56	Polymorphisms in the angiotensinogen gene are associated with carotid intimal–medial thickening in females from a community-based population. Atherosclerosis, 2001, 159, 209-217.	0.8	47
57	Antioxidant vitamins and the risk of carotid atherosclerosis. Journal of the American College of Cardiology, 2001, 38, 1788-1794.	2.8	77
58	Clinical Correlates and Reference Intervals for Pulmonary Artery Systolic Pressure Among Echocardiographically Normal Subjects. Circulation, 2001, 104, 2797-2802.	1.6	592
59	A Pro12Ala polymorphism in the human peroxisome proliferator-activated receptor-gamma 2 is associated with combined hyperlipidaemia in obesity. European Journal of Endocrinology, 2001, 144, 277-282.	3.7	105
60	Serum Ferritin and C282Y Mutation of the Hemochromatosis Gene as Predictors of Asymptomatic Carotid Atherosclerosis in a Community Population. Stroke, 2000, 31, 3015-3020.	2.0	48
61	Biological Variability and Reference Intervals for Total Plasma Homocysteine. Annals of Clinical Biochemistry, 1999, 36, 56-61.	1.6	40
62	Westernization of Chinese Adults and Increased Subclinical Atherosclerosis. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 2487-2493.	2.4	115
63	Hyperhomocysteinemia but Not the C677T Mutation of Methylenetetrahydrofolate Reductase Is an Independent Risk Determinant of Carotid Wall Thickening. Circulation, 1999, 99, 2383-2388.	1.6	187
64	Angiotensin-Converting Enzyme Gene Polymorphism and Carotid Wall Thickening in a Community Population. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 1969-1974.	2.4	44
65	Lack of association between seropositivity to Chlamydia pneumoniae and carotid atherosclerosis. American Journal of Cardiology, 1999, 84, 825-828.	1.6	46
66	Assessment of LV Mass by Echocardiography. Circulation, 1999, 99, .	1.6	1
67	Prospects for 2 mm diameter NIF polymer capsules. , 0, , .		О