

Brendan M Mcquillan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3415748/publications.pdf>

Version: 2024-02-01

67
papers

4,062
citations

182225
30
h-index

129628
63
g-index

71
all docs

71
docs citations

71
times ranked

7822
citing authors

#	ARTICLE	IF	CITATIONS
1	Prehospital continuous positive airway pressure (CPAP) for acute respiratory distress: a randomised controlled trial. <i>Emergency Medicine Journal</i> , 2022, 39, 37-44.	0.4	9
2	Impact of Pre-Hospital Activation of STEMI on False Positive Activation Rate and Door to Balloon Time. <i>Heart Lung and Circulation</i> , 2022, 31, 447-455.	0.2	7
3	Alcohol Consumption and Cardiovascular Outcomes in Patients With Nonalcoholic Fatty Liver Disease: A Population-Based Cohort Study. <i>Hepatology Communications</i> , 2022, 6, 526-534.	2.0	7
4	Essentials of a new clinical practice guidance on familial hypercholesterolaemia for physicians. <i>Internal Medicine Journal</i> , 2021, 51, 769-779.	0.5	4
5	Synopsis of an integrated guidance for enhancing the care of familial hypercholesterolaemia: an Australian perspective. <i>American Journal of Preventive Cardiology</i> , 2021, 6, 100151.	1.3	3
6	Antithrombotic Therapy in Atrial Fibrillation Management in Western Australia: Temporal Trends and Evidence-Treatment Gaps. <i>Heart Lung and Circulation</i> , 2021, 30, 955-962.	0.2	6
7	The incidence of cardiac complications in patients hospitalised with COVID-19 in Australia: the AUS-COVID study. <i>Medical Journal of Australia</i> , 2021, 215, 279-279.	0.8	3
8	Cardiac Complications in Patients Hospitalised With COVID-19 in Australia. <i>Heart Lung and Circulation</i> , 2021, 30, 1834-1840.	0.2	10
9	Association of hypertension with mortality in patients hospitalised with COVID-19. <i>Open Heart</i> , 2021, 8, e001853.	0.9	4
10	Ischaemic Stroke and the Echocardiographic "Bubble Study": Are We Screening the Right Patients?. <i>Heart Lung and Circulation</i> , 2019, 28, 1183-1189.	0.2	4
11	A 5 α -reductase (SRD5A2) polymorphism is associated with serum testosterone and sex hormone-binding globulin in men, while aromatase (CYP19A1) polymorphisms are associated with oestradiol and luteinizing hormone reciprocally. <i>Clinical Endocrinology</i> , 2019, 90, 301-311.	1.2	3
12	Drivers of hospitalisation trends for non-valvular atrial fibrillation in Western Australia, 2000-2013. <i>International Journal of Cardiology</i> , 2019, 276, 273-277.	0.8	9
13	Lipoprotein(a) and apolipoprotein(a) isoform size: Associations with angiographic extent and severity of coronary artery disease, and carotid artery plaque. <i>Atherosclerosis</i> , 2018, 275, 232-238.	0.4	21
14	Patent Foramen Ovale Closure. <i>Circulation</i> , 2018, 137, 1991-1993.	1.6	2
15	REACTED - Reducing Acute Chest pain Time in the ED: A prospective pre/post-interventional cohort study, stratifying risk using early cardiac multi-markers, probably increases discharges safely. <i>EMA - Emergency Medicine Australasia</i> , 2016, 28, 383-390.	0.5	2
16	Neutral associations of testosterone, dihydrotestosterone and estradiol with fatal and non-fatal cardiovascular events, and mortality in men aged 17-97 years. <i>Clinical Endocrinology</i> , 2016, 85, 575-582.	1.2	31
17	Transient occlusion of the right coronary artery by a calcific bicuspid aortic valve mass - An interesting case of inferior STEMI. <i>Journal of Cardiology Cases</i> , 2016, 14, 40-42.	0.2	1
18	Epidemiological and Mendelian Randomization Studies of Dihydrotestosterone and Estradiol and Leukocyte Telomere Length in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 1299-1306.	1.8	37

#	ARTICLE	IF	CITATIONS
19	Trends in incidence and prevalence of hospitalization for atrial fibrillation and associated mortality in Western Australia, 1995–2010. <i>International Journal of Cardiology</i> , 2016, 208, 19-25.	0.8	40
20	Plasma Proprotein Convertase Subtilisin Kexin Type 9 as a Predictor of Carotid Atherosclerosis in Asymptomatic Adults. <i>Heart Lung and Circulation</i> , 2016, 25, 520-525.	0.2	50
21	Testosterone, dihydrotestosterone and estradiol are differentially associated with carotid intima-media thickness and the presence of carotid plaque in men with and without coronary artery disease. <i>Endocrine Journal</i> , 2015, 62, 777-786.	0.7	27
22	Higher ferritin levels, but not serum iron or transferrin saturation, are associated with Type 2 diabetes mellitus in adult men and women free of genetic haemochromatosis. <i>Clinical Endocrinology</i> , 2015, 82, 525-532.	1.2	43
23	Management of acute coronary syndrome in special subgroups: female, older, diabetic and Indigenous patients. <i>Medical Journal of Australia</i> , 2014, 201, S91-6.	0.8	1
24	A cohort study examination of established and emerging risk factors for atrial fibrillation: the Busselton Health Study. <i>European Journal of Epidemiology</i> , 2014, 29, 181-190.	2.5	99
25	Differential associations of testosterone, dihydrotestosterone and oestradiol with physical, metabolic and health-related factors in community-dwelling men aged 17–97 years from the Busselton Health Survey. <i>Clinical Endocrinology</i> , 2014, 81, 100-108.	1.2	50
26	A comprehensive investigation of variants in genes encoding adiponectin (ADIPOQ) and its receptors (ADIPOR1/R2), and their association with serum adiponectin, type 2 diabetes, insulin resistance and the metabolic syndrome. <i>BMC Medical Genetics</i> , 2013, 14, 15.	2.1	73
27	Body mass index and waist circumference: Relationship to cardiometabolic risk factors in children – Busselton Health Study 2005–2007. <i>Journal of Paediatrics and Child Health</i> , 2013, 49, 955-962.	0.4	10
28	Interleukin-6 receptor pathways in coronary heart disease: a collaborative meta-analysis of 82 studies. <i>Lancet</i> , The, 2012, 379, 1205-1213.	6.3	668
29	Association between C reactive protein and coronary heart disease: mendelian randomisation analysis based on individual participant data. <i>BMJ: British Medical Journal</i> , 2011, 342, d548-d548.	2.4	530
30	Door-to-balloon times are reduced in ST-elevation myocardial infarction by emergency physician activation of the cardiac catheterisation laboratory and immediate patient transfer. <i>Medical Journal of Australia</i> , 2010, 193, 207-212.	0.8	18
31	Investigating the association between K198N coding polymorphism in EDN1 and hypertension, lipoprotein levels, the metabolic syndrome and cardiovascular disease. <i>Human Genetics</i> , 2008, 123, 307-313.	1.8	16
32	15-Lipoxygenase gene variants are associated with carotid plaque but not carotid intima-media thickness. <i>Human Genetics</i> , 2008, 123, 445-453.	1.8	16
33	Association of Interleukin-1 gene polymorphisms with central obesity and metabolic syndrome in a coronary heart disease population. <i>Human Genetics</i> , 2008, 124, 199-206.	1.8	31
34	Association of PARL rs3732581 genetic variant with insulin levels, metabolic syndrome and coronary artery disease. <i>Human Genetics</i> , 2008, 124, 263-270.	1.8	6
35	Circulating adiponectin levels associate with inflammatory markers, insulin resistance and metabolic syndrome independent of obesity. <i>International Journal of Obesity</i> , 2008, 32, 772-779.	1.6	140
36	Staphylococcus Aureus Infective Endocarditis: A Comparison of Right and Left Heart Disease. <i>Heart Lung and Circulation</i> , 2008, 17, S88.	0.2	0

#	ARTICLE	IF	CITATIONS
37	Assessment of Potential Recipients for Cardiac Resynchronisation Therapy (CRT): Are Current Implantation Rates too Low?. <i>Heart Lung and Circulation</i> , 2008, 17, S144.	0.2	0
38	Abnormal glucose regulation in an Australian acute coronary syndrome population: A prospective study. <i>Diabetes Research and Clinical Practice</i> , 2008, 81, 303-309.	1.1	8
39	Greater adverse effects of cholesterol and diabetes on carotid intima-media thickness in South Asian Indians: Comparison of risk factor-IMT associations in two population-based surveys. <i>Atherosclerosis</i> , 2008, 199, 116-122.	0.4	35
40	The apolipoprotein All rs5082 variant is associated with reduced risk of coronary artery disease in an Australian male population. <i>Atherosclerosis</i> , 2008, 199, 333-339.	0.4	31
41	Carotid intima-medial thickness measured on multiple ultrasound frames: evaluation of a DICOM-based software system. <i>Cardiovascular Ultrasound</i> , 2007, 5, 29.	0.5	37
42	Cholesteryl ester transfer protein gene haplotypes, plasma high-density lipoprotein levels and the risk of coronary heart disease. <i>Human Genetics</i> , 2007, 121, 401-411.	1.8	39
43	Rapid Fatty Acid Ethyl Ester Synthesis by Porcine Myocardium Upon Ethanol Infusion into the Left Anterior Descending Coronary Artery. <i>American Journal of Pathology</i> , 2006, 168, 1436-1443.	1.9	10
44	Interleukin-18 levels are not associated with subclinical carotid atherosclerosis in a community population. <i>Atherosclerosis</i> , 2006, 189, 414-419.	0.4	30
45	Title is missing!. <i>Heart Lung and Circulation</i> , 2006, 15, 197-198.	0.2	0
46	The C-480T hepatic lipase polymorphism is associated with HDL-C but not with risk of coronary heart disease. <i>Clinical Genetics</i> , 2006, 70, 114-121.	1.0	35
47	Stromelysin-1 (MMP-3) gene 5A/6A promoter polymorphism is associated with blood pressure in a community population. <i>Journal of Hypertension</i> , 2005, 23, 537-542.	0.3	24
48	Impact of voluntary folate fortification on plasma homocysteine and serum folate in Australia from 1995 to 2001: a population based cohort study. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 371-376.	2.0	34
49	Elevated Interleukin-18 Levels Are Associated With the Metabolic Syndrome Independent of Obesity and Insulin Resistance. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 1268-1273.	1.1	211
50	Promoter polymorphism of the gene for CD14 receptor is not associated with sub-clinical carotid atherosclerosis in a community population. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004, 11, 344-349.	3.1	7
51	Monocyte Count, But Not C-Reactive Protein or Interleukin-6, Is an Independent Risk Marker for Subclinical Carotid Atherosclerosis. <i>Stroke</i> , 2004, 35, 1619-1624.	1.0	187
52	Effect of Atrial Septal Mobility on Transcatheter Closure of Interatrial Communications. <i>Echocardiography</i> , 2003, 20, 711-714.	0.3	9
53	Apolipoprotein E Gene Polymorphisms Are Associated With Carotid Plaque Formation but Not With Intima-Media Wall Thickening. <i>Stroke</i> , 2003, 34, 869-874.	1.0	46
54	Effect of destructive pulse duration on the detection of myocardial perfusion in myocardial contrast echocardiography: In vitro and in vivo observations. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 1440-1447.	1.2	13

#	ARTICLE	IF	CITATIONS
55	Fatty acid ethyl esters: recent observations. Prostaglandins Leukotrienes and Essential Fatty Acids, 2002, 67, 193-196.	1.0	14
56	Polymorphisms in the angiotensinogen gene are associated with carotid intimalâ€œ medial thickening in females from a community-based population. Atherosclerosis, 2001, 159, 209-217.	0.4	47
57	Antioxidant vitamins and the risk of carotid atherosclerosis. Journal of the American College of Cardiology, 2001, 38, 1788-1794.	1.2	77
58	Clinical Correlates and Reference Intervals for Pulmonary Artery Systolic Pressure Among Echocardiographically Normal Subjects. Circulation, 2001, 104, 2797-2802.	1.6	592
59	A Pro12Ala polymorphism in the human peroxisome proliferator-activated receptor-gamma 2 is associated with combined hyperlipidaemia in obesity. European Journal of Endocrinology, 2001, 144, 277-282.	1.9	105
60	Serum Ferritin and C282Y Mutation of the Hemochromatosis Gene as Predictors of Asymptomatic Carotid Atherosclerosis in a Community Population. Stroke, 2000, 31, 3015-3020.	1.0	48
61	Biological Variability and Reference Intervals for Total Plasma Homocysteine. Annals of Clinical Biochemistry, 1999, 36, 56-61.	0.8	40
62	Westernization of Chinese Adults and Increased Subclinical Atherosclerosis. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 2487-2493.	1.1	115
63	Hyperhomocysteinemia but Not the C677T Mutation of Methylenetetrahydrofolate Reductase Is an Independent Risk Determinant of Carotid Wall Thickening. Circulation, 1999, 99, 2383-2388.	1.6	187
64	Angiotensin-Converting Enzyme Gene Polymorphism and Carotid Wall Thickening in a Community Population. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 1969-1974.	1.1	44
65	Lack of association between seropositivity to Chlamydia pneumoniae and carotid atherosclerosis. American Journal of Cardiology, 1999, 84, 825-828.	0.7	46
66	Assessment of LV Mass by Echocardiography. Circulation, 1999, 99, .	1.6	1
67	Prospects for 2 mm diameter NIF polymer capsules. , 0, , .		0