

# Yusaku Suenaga

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3415870/publications.pdf>

Version: 2024-02-01

37

papers

1,031

citations

623734

14

h-index

414414

32

g-index

38

all docs

38

docs citations

38

times ranked

1033

citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Supramolecular Silver(I) Complexes with Highly Strained Polycyclic Aromatic Compounds. <i>Journal of the American Chemical Society</i> , 1998, 120, 8610-8618.   | 13.7 | 189       |
| 2  | Construction of Metal Sandwich Systems Derived from Assembly of Silver(I) Complexes with Polycyclic Aromatic Compounds. <i>Journal of the American Chemical Society</i> , 1999, 121, 4968-4976.  | 13.7 | 154       |
| 3  | Double Hydrogen Bond- and π-Stacking-Assembled Two-Dimensional Copper(I) Complex of 2-Hydroxyquinoxaline. <i>Inorganic Chemistry</i> , 1997, 36, 2688-2690.  | 4.0  | 77        |
| 4  | 2-D Interwoven and 3-D 5-fold Interpenetrating Silver(I) Complexes of 1-(Isocyanidomethyl)-1H-benzotriazole and 1,3-Bis(dicyanomethylidene)indan. <i>Inorganic Chemistry</i> , 2000, 39, 4273-4279.  | 4.0  | 74        |
| 5  | Reversible Photochromism of a Crystalline Dithienylethene Copper(I) Polymer. <i>Journal of the American Chemical Society</i> , 1996, 118, 3305-3306.   | 13.7 | 72        |
| 6  | A variety of one-, two- and three-dimensional copper(I) and silver(I) co-ordination polymers assembled by 1,4-bis(4-pyridyl)butadiyne and 1,4-bis(2-pyridyl)butadiyne. <i>Dalton Transactions RSC</i> , 2000, , 4160-4166.                                 | 2.3  | 69        |
| 7  | Binuclear Complexes of Co(III) Containing Extended Conjugated Bis(Catecholate) Ligands. <i>Inorganic Chemistry</i> , 2005, 44, 6183-6191.  | 4.0  | 42        |
| 8  | Spiral, Herringbone, and Triple-Decker Silver(I) Complexes of Benzopyrene Derivatives Assembled through 1,2-Coordination. <i>Inorganic Chemistry</i> , 2001, 40, 3191-3199.  | 4.0  | 35        |
| 9  | Mobility of Silver(I) Ions around the Propeller Ligand, Hexaphenylbenzene (HPB), in Silver(I) π-Complexes. <i>Inorganic Chemistry</i> , 1999, 38, 5668-5673.   | 4.0  | 32        |
| 10 | Three-dimensional silver(I) co-ordination polymer with pocket structures. <i>Dalton Transactions RSC</i> , 2000, , 3620-3623.  | 2.3  | 29        |
| 11 | Syntheses and structures of copper(I) and silver(I) coordination polymers with hexakis(methylthio)benzene. <i>Polyhedron</i> , 1998, 18, 429-436.  | 2.2  | 27        |
| 12 | Reversible photochromism of novel silver(I) coordination complexes with 1,2-bis(2-ethyl-methyl-5-(2-(2-pyridyl)-3-thienyl)perfluorocyclopentene in crystalline phase. <i>Inorganica Chimica Acta</i> , 2006, 359, 4281-4288.                               | 2.4  | 19        |
| 13 | Cationic Tetrasilver Complex of Hexaphenylbenzene. <i>Inorganic Chemistry</i> , 1999, 38, 1376-1377.   | 4.0  | 18        |
| 14 | A zigzag chain coordination polymer consisting of silver(I) ion having square planar geometry. <i>Inorganica Chimica Acta</i> , 2002, 328, 105-110.  | 2.4  | 17        |
| 15 | Two-dimensional supramolecular co-ordination compounds of silver(I) with box structures. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 2737-2741.   | 1.1  | 14        |
| 16 | A Double-Decker Silver(I) Coordination Polymer of 1-Methylpyrene with Columnar Aromatic Stacks. Effect of Substituting Groups on Structure of Silver(I) Complexes with Polycyclic Aromatic Hydrocarbons. <i>Inorganic Chemistry</i> , 2001, 40, 7087-7090. | 4.0  | 14        |
| 17 | Two-dimensional silver(I) coordination polymer with twisted naphthalene rings. <i>Inorganica Chimica Acta</i> , 2003, 351, 379-384.  | 2.4  | 14        |
| 18 | Crystal structure and photo-induced property of two-dimensional silver(I) complex with 1,3,5-tris(benzylsulfanyl)benzene. <i>Inorganic Chemistry Communication</i> , 2003, 6, 389-393.   | 3.9  | 14        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Synthesis and Structure of Polymeric Silver(I) Complex of Tetrakis(methylthio)-tetrathiafulvalene: The First Example of the Silver(I) Ion Coordinated Directly to TTF-Derivatives. <i>Molecular Crystals and Liquid Crystals</i> , 1996, 284, 319-327.   | 0.3 | 13        |
| 20 | Comparative X-Ray Studies of a Copper(I) Coordination Polymer with 1,2,4,5-Tetramethylmercaptobenzene (tmmb), [(CuX) <sub>2</sub> (tmmb)] <sub>n</sub> (X=Br, I). <i>Analytical Sciences</i> , 1997, 13, 1047-1049.  | 1.6 | 11        |
| 21 | Synthesis and characterization of a tri-nuclear Co(II) complex with a Bis(catecholate) ligand. <i>Inorganic Chemistry Communication</i> , 2011, 14, 440-443.   | 3.9 | 10        |
| 22 | Crystal Structure and Characterization of Trinuclear Cobalt(III) Complex with 2,3,6,7,10,11-Hexahydroxytriphenylene. <i>Chemistry Letters</i> , 2014, 43, 562-564.   | 1.3 | 10        |
| 23 | Syntheses, Characterization and X-Ray Crystal Structures of Tetrakis(Ethylthio)Tetrathiafulvalenium Hexachlorodicopper(II) and Hexabromodicopper(II). <i>Molecular Crystals and Liquid Crystals</i> , 1996, 285, 75-82.  | 0.3 | 9         |
| 24 | Crystal Structure of Tetranuclear Palladium Complex Bridged by Bis(diphenylphosphino)methane, (Pd <sub>4</sub> (.MU.-dppm) <sub>4</sub> (.MU.-Cl) <sub>2</sub> )(ClO <sub>4</sub> ) <sub>2</sub> bpe.. <i>Analytical Sciences</i> , 1998, 14, 451-453.   | 1.6 | 9         |
| 25 | Crystal Structure of .ETA.5-Pentamethylcyclopentadienyl-.ETA.6-toluene Rhodium Tetrafluoroborate, [Rh(Cp*)(.ETA.6-C <sub>6</sub> H <sub>5</sub> Me)](BF <sub>4</sub> ) <sub>2</sub> (Cp* = .ETA.5-C <sub>5</sub> Me <sub>5</sub> ).. <i>Analytical Sciences</i> , 2001, 17, 1361-1362.                               | 1.6 | 8         |
| 26 | Spectroscopic characterization of valence tautomeric behavior in a cobalt-dioxolene complex using an ancillary ligand containing quinoline groups. <i>Inorganic Chemistry Communication</i> , 2020, 114, 107826.   | 3.9 | 8         |
| 27 | Effect of nitrogen-donor ancillary ligand on oxidation behavior of Co(III) binuclear complexes with conjugated bis(catecholate) ligands. <i>Inorganica Chimica Acta</i> , 2008, 361, 2941-2949.  | 2.4 | 7         |
| 28 | Syntheses and characterization of Co(III) binuclear complexes with bis(catecholate) ligands containing an acetylene linker. <i>Inorganica Chimica Acta</i> , 2011, 365, 505-512.   | 2.4 | 7         |
| 29 | Syntheses, structure and properties of dinuclear Co complexes with bis(catecholate) ligands – Effect of a quinoline ring in the terminal group. <i>Polyhedron</i> , 2019, 171, 480-485.  | 2.2 | 6         |
| 30 | Crystal Structure of Bis(diphenylphosphino)methane Dipalladium(I) Nitrate Complex, (Pd <sub>2</sub> (.MU.-dppm) <sub>2</sub> (NO <sub>3</sub> ) <sub>2</sub> ).. <i>Analytical Sciences</i> , 1998, 14, 447-449.   | 1.6 | 5         |
| 31 | Thermal transition behavior and crystal structure of octakis(phenylsulfanyl)naphthalene. <i>Thermochimica Acta</i> , 2003, 400, 87-94.   | 2.7 | 5         |
| 32 | Silver(I) Coordination Complexes of 1,10-Phenanthroline-5,6-dione with 1D Chain and 2D Network Structure. <i>Molecular Crystals and Liquid Crystals</i> , 2006, 457, 203-213.  | 0.9 | 5         |
| 33 | Crystal Structure of Dinuclear Copper(I) Complex with 1,2,4,5-Tetramethylmercaptobenzene, [Cu(tmmb)] <sub>2</sub> . <i>Analytical Sciences</i> , 1997, 13, 651-652.  | 1.6 | 4         |
| 34 | Dinuclear cobalt complexes with a redox active biphenyl bridging ligand [Co<sub>2</sub>(BP)(tqa)<sub>2</sub>](PF<sub>6</sub>)<sub>2</sub><sub>2</sub> (H<sub>4</sub>BP = ) Tj ETQq0 0 0 rgBT <sub>3.3</sub> /Overlock 10 Tf 50 properties. <i>Dalton Transactions</i> , 2021, 50, 9833-9841.<br>Crystal Structure of | 0.9 | 3         |
| 35 | Tetrafluoroborate with a Unique Trigonal-bipyramidal Ir <sub>2</sub> Cl <sub>3</sub> Core, [Ir <sub>2</sub> (Cp*) <sub>2</sub> (.MU.-Cl) <sub>3</sub> ]BF <sub>4</sub> (Cp* = ) Tj ETQq1 1 0.784314 rgBT <sup>1</sup> /Overlock  | 1.6 | 0         |
| 36 | Crystal Structure of Bis{cis-bis(diphenylphosphino)ethylene}palladium(0) Acetate Solvate.. <i>Analytical Sciences</i> , 1997, 13, 319-320.   | 1.6 | 0         |

# ARTICLE

IF CITATIONS

- 37 Crystal Structure of Chlorobis(1,10-phenanthroline)copper(II) Tetrafluoroborate, [Cu(phen)<sub>2</sub>Cl]BF<sub>4</sub>. Analytical Sciences: X-ray Structure Analysis Online, 2004, 20, X71-X72. 0.1 0