

# Yusaku Suenaga

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3415870/publications.pdf>

Version: 2024-02-01

37

papers

1,031

citations

623734

14

h-index

414414

32

g-index

38

all docs

38

docs citations

38

times ranked

1033

citing authors

#	ARTICLE	IF	CITATIONS
1	Dinuclear cobalt complexes with a redox active biphenyl bridging ligand [Co <sub>2</sub> (BP)(tqa) <sub>2</sub> ](PF <sub>6</sub> ) <sub>2</sub> (H <sub>4</sub> BP =) Tj ETQq1 1 0.784314 rgBT <sub>3</sub> /Overlock properties. <i>Dalton Transactions</i> , 2021, 50, 9833-9841.	3.3	14
2	Spectroscopic characterization of valence tautomeric behavior in a cobalt-dioxolene complex using an ancillary ligand containing quinoline groups. <i>Inorganic Chemistry Communication</i> , 2020, 114, 107826.	3.9	8
3	Syntheses, structure and properties of dinuclear Co complexes with bis(catecholate) ligands – Effect of a quinoline ring in the terminal group. <i>Polyhedron</i> , 2019, 171, 480-485.	2.2	6
4	Crystal Structure and Characterization of Trinuclear Cobalt(III) Complex with 2,3,6,7,10,11-Hexahydroxytriphenylene. <i>Chemistry Letters</i> , 2014, 43, 562-564.	1.3	10
5	Synthesis and characterization of a tri-nuclear Co(II) complex with a Bis(catecholate) ligand. <i>Inorganic Chemistry Communication</i> , 2011, 14, 440-443.	3.9	10
6	Syntheses and characterization of Co(III) binuclear complexes with bis(catecholate) ligands containing an acetylene linker. <i>Inorganica Chimica Acta</i> , 2011, 365, 505-512.	2.4	7
7	Effect of nitrogen-donor ancillary ligand on oxidation behavior of Co(III) binuclear complexes with conjugated bis(catecholate) ligands. <i>Inorganica Chimica Acta</i> , 2008, 361, 2941-2949.	2.4	7
8	Reversible photochromism of novel silver(I) coordination complexes with 1,2-bis(2-methyl-5-(2-pyridyl)-3-thienyl)perfluorocyclopentene in crystalline phase. <i>Inorganica Chimica Acta</i> , 2006, 359, 4281-4288.	2.4	19
9	Silver(I) Coordination Complexes of 1,10-Phenanthroline-5,6-dione with 1D Chain and 2D Network Structure. <i>Molecular Crystals and Liquid Crystals</i> , 2006, 457, 203-213.	0.9	5
10	Binuclear Complexes of Co(III) Containing Extended Conjugated Bis(Catecholate) Ligands. <i>Inorganic Chemistry</i> , 2005, 44, 6183-6191.	4.0	42
11	Crystal Structure of Tetrafluoroborate with a Unique Trigonal-bipyramidal Ir <sub>2</sub> Cl <sub>3</sub> Core, [Ir <sub>2</sub> (Cp*) <sub>2</sub> (.MU.-Cl) <sub>3</sub> ]BF <sub>4</sub> (Cp*) Tj ETQq1 1 0.784314 rgBT <sub>3</sub> /Overlock	0.1	1
12	Crystal Structure of Chlorobis(1,10-phenanthroline)copper(II) Tetrafluoroborate, [Cu(phen) <sub>2</sub> Cl] <sub>2</sub> BF <sub>4</sub> . <i>Analytical Sciences: X-ray Structure Analysis Online</i> , 2004, 20, X71-X72.	0.1	0
13	Two-dimensional silver(I) coordination polymer with twisted naphthalene rings. <i>Inorganica Chimica Acta</i> , 2003, 351, 379-384.	2.4	14
14	Thermal transition behavior and crystal structure of octakis(phenylsulfanyl)naphthalene. <i>Thermochimica Acta</i> , 2003, 400, 87-94.	2.7	5
15	Crystal structure and photo-induced property of two-dimensional silver(I) complex with 1,3,5-tris(benzylsulfanyl)benzene. <i>Inorganic Chemistry Communication</i> , 2003, 6, 389-393.	3.9	14
16	A zigzag chain coordination polymer consisting of silver(I) ion having square planar geometry. <i>Inorganica Chimica Acta</i> , 2002, 328, 105-110.	2.4	17
17	A Double-Decker Silver(I) Coordination Polymer of 1-Methylpyrene with Columnar Aromatic Stacks. Effect of Substituting Groups on Structure of Silver(I) Complexes with Polycyclic Aromatic Hydrocarbons. <i>Inorganic Chemistry</i> , 2001, 40, 7087-7090.	4.0	14
18	Spiral, Herringbone, and Triple-Decker Silver(I) Complexes of Benzopyrene Derivatives Assembled through 1,2-Coordination. <i>Inorganic Chemistry</i> , 2001, 40, 3191-3199.	4.0	35

#	ARTICLE	IF	CITATIONS
19	Crystal Structure of .ETA.5-Pentamethylcyclopentadienyl-.ETA.6-toluene Rhodium Tetrafluoroborate, [Rh(Cp*)(.ETA.6-C6H5Me)](BF4)2(Cp*=.ETA.5-C5Me5).. Analytical Sciences, 2001, 17, 1361-1362.	1.6	8
20	A variety of one-, two- and three-dimensional copper(I) and silver(I) co-ordination polymers assembled by 1,4-bis(4-pyridyl)butadiyne and 1,4-bis(2-pyridyl)butadiyne. Dalton Transactions RSC, 2000, , 4160-4166.	2.3	69
21	Three-dimensional silver(I) co-ordination polymer with pocket structures. Dalton Transactions RSC, 2000, , 3620-3623.	2.3	29
22	2-D Interwoven and 3-D 5-fold Interpenetrating Silver(I) Complexes of 1-(Isocyanidomethyl)-1H-benzotriazole and 1,3-Bis(dicyanomethylidene)indan. Inorganic Chemistry, 2000, 39, 4273-4279.	4.0	74
23	Construction of Metal Sandwich Systems Derived from Assembly of Silver(I) Complexes with Polycyclic Aromatic Compounds. Journal of the American Chemical Society, 1999, 121, 4968-4976.	13.7	154
24	Two-dimensional supramolecular co-ordination compounds of silver(I) with box structures. Journal of the Chemical Society Dalton Transactions, 1999, , 2737-2741.	1.1	14
25	Mobility of Silver(I) Ions around the Propeller Ligand, Hexaphenylbenzene (HPB), in Silver(I) Complexes. Inorganic Chemistry, 1999, 38, 5668-5673.	4.0	32
26	Cationic Tetrasilver Complex of Hexaphenylbenzene. Inorganic Chemistry, 1999, 38, 1376-1377.	4.0	18
27	Syntheses and structures of copper(I) and silver(I) coordination polymers with hexakis(methylthio)benzene. Polyhedron, 1998, 18, 429-436.	2.2	27
28	Supramolecular Silver(I) Complexes with Highly Strained Polycyclic Aromatic Compounds. Journal of the American Chemical Society, 1998, 120, 8610-8618.	13.7	189
29	Crystal Structure of Bis(diphenylphosphino)methane Dipalladium(I) Nitrate Complex, (Pd2(.MU.-dppm)2(NO3)2).. Analytical Sciences, 1998, 14, 447-449.	1.6	5
30	Crystal Structure of Tetranuclear Palladium Complex Bridged by Bis(diphenylphosphino)methane, (Pd4(.MU.-dppm)4(.MU.-Cl)2)(ClO4)2bpe.. Analytical Sciences, 1998, 14, 451-453.	1.6	9
31	Comparative X-Ray Studies of a Copper(I) Coordination Polymer with 1,2,4,5-Tetramethylmercaptobenzene (tmmB), [(CuX)2(tmmB)]n(X=Br, I). Analytical Sciences, 1997, 13, 1047-1049.	1.6	11
32	Crystal Structure of Bis{cis-bis(diphenylphosphino)ethylene}palladium(0) Acetate Solvate.. Analytical Sciences, 1997, 13, 319-320.	1.6	0
33	Crystal Structure of Dinuclear Copper(I) Complex with 1,2,4,5-Tetramethylmercaptobenzene, [Cu(tmmB)]2. Analytical Sciences, 1997, 13, 651-652.	1.6	4
34	Double Hydrogen Bond- and π-Stacking-Assembled Two-Dimensional Copper(I) Complex of 2-Hydroxyquinoxaline. Inorganic Chemistry, 1997, 36, 2688-2690.	4.0	77
35	Reversible Photochromism of a Crystalline Dithienylethene Copper(I) Polymer. Journal of the American Chemical Society, 1996, 118, 3305-3306.	13.7	72
36	Synthesis and Structure of Polymeric Silver(I) Complex of Tetrakis(methylthio)-tetrathiafulvalene: The First Example of the Silver(I) Ion Coordinated Directly to TTF-Derivatives. Molecular Crystals and Liquid Crystals, 1996, 284, 319-327.	0.3	13

#	ARTICLE	IF	CITATIONS
37	Syntheses, Characterization and X-Ray Crystal Structures of Tetrakis(Ethylthio)Tetrathiafulvalenium Hexachlorodicopper(II) and Hexabromodicopper(II). Molecular Crystals and Liquid Crystals, 1996, 285, 75-82.	0.3	9