

# Bukola Fawole

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3416092/publications.pdf>

Version: 2024-02-01

35  
papers

2,541  
citations

394421

19  
h-index

377865

34  
g-index

35  
all docs

35  
docs citations

35  
times ranked

2591  
citing authors

| #  | ARTICLE                                                                                                                                                                                                                              | IF   | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1  | Understanding abortion-related complications in health facilities: results from WHO multicountry survey on abortion (MCS-A) across 11 sub-Saharan African countries. <i>BMJ Global Health</i> , 2021, 6, e003702.                    | 4.7  | 22        |
| 2  | Early evaluation of the “STOP SEPSIS”™ WHO Global Maternal Sepsis Awareness Campaign implemented for healthcare providers in 46 low, middle and high-income countries. <i>BMJ Open</i> , 2020, 10, e036338.                          | 1.9  | 6         |
| 3  | How women are treated during facility-based childbirth in four countries: a cross-sectional study with labour observations and community-based surveys. <i>Lancet, The</i> , 2019, 394, 1750-1763.                                   | 13.7 | 279       |
| 4  | Narratives of women presenting with abortion complications in Southwestern Nigeria: A qualitative study. <i>PLoS ONE</i> , 2019, 14, e0217616.                                                                                       | 2.5  | 13        |
| 5  | A prospective study of severity of complications associated with use of misoprostol and other abortion methods in South West Nigeria. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 146, 302-307.                | 2.3  | 3         |
| 6  | Use of histograms to assess the efficacy of uterotonic treatment for post-partum haemorrhage: A feasibility study. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2019, 61, 15-27.                       | 2.8  | 2         |
| 7  | Secondary analysis of the <sc>WOMAN</sc> trial to explore the risk of sepsis after invasive treatments for postpartum hemorrhage. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 146, 231-237.                    | 2.3  | 8         |
| 8  | Effect of treatment delay on the effectiveness and safety of antifibrinolytics in acute severe haemorrhage: a meta-analysis of individual patient-level data from 40~138 bleeding patients. <i>Lancet, The</i> , 2018, 391, 125-132. | 13.7 | 261       |
| 9  | Methodological development of tools to measure how women are treated during facility-based childbirth in four countries: labor observation and community survey. <i>BMC Medical Research Methodology</i> , 2018, 18, 132.            | 3.1  | 70        |
| 10 | Trends in misoprostol use and abortion complications: A cross-sectional study from nine referral hospitals in Nigeria. <i>PLoS ONE</i> , 2018, 13, e0209415.                                                                         | 2.5  | 14        |
| 11 | Tranexamic acid for the prevention of postpartum bleeding in women with anaemia: study protocol for an international, randomised, double-blind, placebo-controlled trial. <i>Trials</i> , 2018, 19, 712.                             | 1.6  | 39        |
| 12 | The impact of early outcome events on the effect of tranexamic acid in post-partum haemorrhage: an exploratory subgroup analysis of the WOMAN trial. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 215.                            | 2.4  | 9         |
| 13 | Risk factors for peripartum hysterectomy among women with postpartum haemorrhage: analysis of data from the WOMAN trial. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 186.                                                        | 2.4  | 51        |
| 14 | The global maternal sepsis study and awareness campaign (GLOSS): study protocol. <i>Reproductive Health</i> , 2018, 15, 16.                                                                                                          | 3.1  | 62        |
| 15 | Haematological and fibrinolytic status of Nigerian women with post-partum haemorrhage. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 143.                                                                                          | 2.4  | 28        |
| 16 | Tranexamic acid for significant traumatic brain injury (The CRASH-3 trial): Statistical analysis plan for an international, randomised, double-blind, placebo-controlled trial. <i>Wellcome Open Research</i> , 2018, 3, 86.         | 1.8  | 14        |
| 17 | Tranexamic acid for significant traumatic brain injury (The CRASH-3 trial): Statistical analysis plan for an international, randomised, double-blind, placebo-controlled trial. <i>Wellcome Open Research</i> , 2018, 3, 86.         | 1.8  | 28        |
| 18 | Effect of tranexamic acid on coagulation and fibrinolysis in women with postpartum haemorrhage (WOMAN-ETAC): a single-centre, randomised, double-blind, placebo-controlled trial. <i>Wellcome Open Research</i> , 2018, 3, 100.      | 1.8  | 24        |

| #  | ARTICLE                                                                                                                                                                                                                                                          | IF   | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 19 | Progression of the first stage of spontaneous labour: A prospective cohort study in two sub-Saharan African countries. <i>PLoS Medicine</i> , 2018, 15, e1002492.                                                                                                | 8.4  | 57        |
| 20 | Effect of early tranexamic acid administration on mortality, hysterectomy, and other morbidities in women with post-partum haemorrhage (WOMAN): an international, randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2017, 389, 2105-2116. | 13.7 | 974       |
| 21 | Antenatal corticosteroids for women at risk of imminent preterm birth in low-resource countries: the case for equipoise and the need for efficacy trials. <i>BMJ Global Health</i> , 2017, 2, e000398.                                                           | 4.7  | 44        |
| 22 | The communication and emotional support needs to improve women's experience of childbirth care in health facilities in Southwest Nigeria: A qualitative study. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 139, 27-37.                     | 2.3  | 28        |
| 23 | Mistreatment of women during childbirth in Abuja, Nigeria: a qualitative study on perceptions and experiences of women and healthcare providers. <i>Reproductive Health</i> , 2017, 14, 9.                                                                       | 3.1  | 129       |
| 24 | Defining quality of care during childbirth from the perspectives of Nigerian and Ugandan women: A qualitative study. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 139, 4-16.                                                                | 2.3  | 42        |
| 25 | Using a service design model to develop the "Passport to Safer Birth" in Nigeria and Uganda. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 139, 56-66.                                                                                       | 2.3  | 12        |
| 26 | Negotiating quality standards for effective delivery of labor and childbirth care in Nigeria and Uganda. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 139, 47-55.                                                                           | 2.3  | 11        |
| 27 | Healthcare providers' perspectives on labor monitoring in Nigeria and Uganda: A qualitative study on challenges and opportunities. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 139, 17-26.                                                 | 2.3  | 11        |
| 28 | "By slapping their laps, the patient will know that you truly care for her" A qualitative study on social norms and acceptability of the mistreatment of women during childbirth in Abuja, Nigeria. <i>SSM - Population Health</i> , 2016, 2, 640-655.           | 2.7  | 97        |
| 29 | Room temperature stable carbetocin for the prevention of postpartum haemorrhage during the third stage of labour in women delivering vaginally: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 143.                                 | 1.6  | 31        |
| 30 | Effect of tranexamic acid on coagulation and fibrinolysis in women with postpartum haemorrhage (WOMAN-ETAC): protocol and statistical analysis plan for a randomized controlled trial. <i>Wellcome Open Research</i> , 2016, 1, 31.                              | 1.8  | 8         |
| 31 | Formative research and development of innovative tools for "Better Outcomes in Labour Difficulty" (BOLD): study protocol. <i>Reproductive Health</i> , 2015, 12, 50.                                                                                             | 3.1  | 20        |
| 32 | WHO Better Outcomes in Labour Difficulty (BOLD) project: innovating to improve quality of care around the time of childbirth. <i>Reproductive Health</i> , 2015, 12, 48.                                                                                         | 3.1  | 22        |
| 33 | Maternal oxygen administration for fetal distress. <i>The Cochrane Library</i> , 2012, 12, CD000136.                                                                                                                                                             | 2.8  | 21        |
| 34 | Biophysical profile for fetal assessment in high risk pregnancies. <i>The Cochrane Library</i> , 2008, , CD000038.                                                                                                                                               | 2.8  | 101       |
| 35 | The Log-Normal zero-inflated cure regression model for labor time in an African obstetric population. <i>Journal of Applied Statistics</i> , 0, , 1-14.                                                                                                          | 1.3  | 0         |