

Alexis Valentin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3416873/publications.pdf>

Version: 2024-02-01

122
papers

4,279
citations

76326

40
h-index

138484

58
g-index

127
all docs

127
docs citations

127
times ranked

6363
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis, Characterization, and Antileishmanial Activity of Neutral Gold(I) Complexes with N-heterocyclic Carbene Ligands Bearing Sulfur-Containing Side Arms. <i>Organometallics</i> , 2021, 40, 1466-1473.	2.3	8
2	New Insights into Blood Circulating Lymphocytes in Human Pneumocystis Pneumonia. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 652.	3.5	2
3	Alsinol, an arylamino alcohol derivative active against Plasmodium, Babesia, Trypanosoma, and Leishmania: past and new outcomes. <i>Parasitology Research</i> , 2020, 119, 3503-3515.	1.6	3
4	Antikinetoplastid SAR study in 3-nitroimidazopyridine series: Identification of a novel non-genotoxic and potent anti-T.Âb. brucei hit-compound with improved pharmacokinetic properties. <i>European Journal of Medicinal Chemistry</i> , 2020, 206, 112668.	5.5	11
5	Human toxocarasis and atopy. <i>Parasite</i> , 2020, 27, 32.	2.0	7
6	8-Alkynyl-3-nitroimidazopyridines display potent antitrypanosomal activity against both T.Âb. brucei and cruzi. <i>European Journal of Medicinal Chemistry</i> , 2020, 202, 112558.	5.5	15
7	New 8-Nitroquinolinone Derivative Displaying Submicromolar <i>in Vitro</i> Activities against Both <i>Trypanosoma brucei</i> and <i>cruzi</i> . <i>ACS Medicinal Chemistry Letters</i> , 2020, 11, 464-472.	2.8	8
8	Design, Synthesis and Efficacy of Hybrid Triclosanâ€Gold Based Molecules on Artemisininâ€resistant <i>Plasmodium falciparum</i> and <i>Leishmania infantum</i> Parasites. <i>ChemistrySelect</i> , 2020, 5, 619-625.	1.5	7
9	Two in one: bifunctional derivatives of trolox acting as antimalarial and antioxidant agents. <i>Future Medicinal Chemistry</i> , 2020, 12, 1845-1854.	2.3	1
10	Real-time PCR for diagnosis of imported schistosomiasis. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007711.	3.0	40
11	Polyunsaturated fatty acid metabolites: biosynthesis in <i>Leishmania</i> and role in parasite/host interaction. <i>Journal of Lipid Research</i> , 2019, 60, 636-647.	4.2	20
12	Antileishmanial Compounds Isolated from <i>Psidium Guajava</i> L. Using a Metabolomic Approach. <i>Molecules</i> , 2019, 24, 4536.	3.8	11
13	Nongenotoxic 3-Nitroimidazo[1,2- <i>a</i>]pyridines Are NTR1 Substrates That Display Potent <i>in Vitro</i> Antileishmanial Activity. <i>ACS Medicinal Chemistry Letters</i> , 2019, 10, 34-39.	2.8	31
14	How Histone Deacetylase Inhibitors Alter the Secondary Metabolites of <i>Botryosphaeria mamane</i> , an Endophytic Fungus Isolated from <i>Bixa orellana</i> . <i>Chemistry and Biodiversity</i> , 2019, 16, e1800485.	2.1	21
15	Antiprotozoal properties of Indonesian medicinal plant extracts. <i>Journal of Herbal Medicine</i> , 2018, 11, 46-52.	2.0	8
16	Synthesis, characterization, and antileishmanial activity of neutral N-heterocyclic carbenes gold(I) complexes. <i>European Journal of Medicinal Chemistry</i> , 2018, 143, 1635-1643.	5.5	49
17	Adaptation of a microbead assay for the easy evaluation of traditional anti-sickling medicines: application to DREPANOSTAT and FACA. <i>Pharmaceutical Biology</i> , 2018, 56, 385-392.	2.9	2
18	Antitrypanosomatid Pharmacomodulation at Position 3 of the 8â€Nitroquinolinâ€2(1 <i>H</i>)â€one Scaffold Using Palladiumâ€Catalysed Crossâ€Coupling Reactions. <i>ChemMedChem</i> , 2018, 13, 2217-2228.	3.2	8

#	ARTICLE	IF	CITATIONS
19	8-Aryl-6-chloro-3-nitro-2-(phenylsulfonylmethyl)imidazo[1,2-a]pyridines as potent antitrypanosomatid molecules bioactivated by type 1 nitroreductases. <i>European Journal of Medicinal Chemistry</i> , 2018, 157, 115-126.	5.5	19
20	Novel 8-nitroquinolin-2(1H)-ones as NTR-bioactivated antikinoplastid molecules: Synthesis, electrochemical and SAR study. <i>European Journal of Medicinal Chemistry</i> , 2018, 155, 135-152.	5.5	19
21	Adaptation and optimization of a fluorescence-based assay for in vivo antimalarial drug screening. <i>Parasitology Research</i> , 2017, 116, 1955-1962.	1.6	4
22	New 3-substituted-2,1-benzisoxazoles: Synthesis and antimicrobial activities. <i>Arabian Journal of Chemistry</i> , 2017, 10, S2464-S2470.	4.9	12
23	Role of Quinone Reductase 2 in the Antimalarial Properties of Indolone-Type Derivatives. <i>Molecules</i> , 2017, 22, 210.	3.8	7
24	Wayanin and guaijaverin, two active metabolites found in a <i>Psidium acutangulum</i> Mart. ex DC (syn. P.) Tj ETQq0 0 0 rgBT /Overlock 10 T <i>Ethnopharmacology</i> , 2016, 187, 241-248.	4.1	18
25	Discovery and preliminary structure-activity relationship studies on tecomaquinone I and tectol as novel farnesyltransferase and plasmodial inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 3102-3107.	3.0	9
26	Biologically Active Acetylenic Amino Alcohol and <i>N</i> -Hydroxylated 1,2,3,4-Tetrahydro- β -carboline Constituents of the New Zealand Ascidian <i>Pseudodistoma opacum</i> . <i>Journal of Natural Products</i> , 2016, 79, 607-610.	3.0	31
27	Structure-activity relationships of bioactive marine natural products leading to the identification of more potent non-natural analogues - the meroterpenoids, thiaplidiaquinones A and B. <i>Planta Medica</i> , 2016, 81, S1-S381.	1.3	0
28	Antiplasmodial activity of some phenolic compounds from Cameroonians <i>Allanblackia</i> . <i>African Health Sciences</i> , 2015, 15, 835.	0.7	25
29	Structure-Activity Relationships of the Bioactive Thiazinoquinone Marine Natural Products Thiaplidiaquinones A and B. <i>Marine Drugs</i> , 2015, 13, 5102-5110.	4.6	13
30	Analysis of the type II-A CRISPR-Cas system of <i>Streptococcus agalactiae</i> reveals distinctive features according to genetic lineages. <i>Frontiers in Genetics</i> , 2015, 6, 214.	2.3	45
31	Cold Atmospheric Plasma Induces a Predominantly Necrotic Cell Death via the Microenvironment. <i>PLoS ONE</i> , 2015, 10, e0133120.	2.5	48
32	Phenolic composition and prospective anti-infectious properties of <i>Atriplex lindleyi</i> . <i>Asian Pacific Journal of Tropical Disease</i> , 2015, 5, 786-791.	0.5	8
33	Synthesis, characterization, and antileishmanial activities of gold(I) complexes involving quinoline functionalized N-heterocyclic carbenes. <i>European Journal of Medicinal Chemistry</i> , 2015, 94, 22-29.	5.5	55
34	Synthesis, Structures, and Biological Studies of Heterobimetallic Au(I)-Ru(II) Complexes Involving N-Heterocyclic Carbene-Based Multidentate Ligands. <i>Organometallics</i> , 2015, 34, 1046-1055.	2.3	73
35	Discovery of new thienopyrimidinone derivatives displaying antimalarial properties toward both erythrocytic and hepatic stages of <i>Plasmodium</i> . <i>European Journal of Medicinal Chemistry</i> , 2015, 95, 16-28.	5.5	29
36	Antileishmanial pharmacomodulation in 8-nitroquinolin-2(1H)-one series. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 2377-2386.	3.0	12

#	ARTICLE	IF	CITATIONS
37	LRH-1 mediates anti-inflammatory and antifungal phenotype of IL-13-activated macrophages through the PPAR γ ligand synthesis. <i>Nature Communications</i> , 2015, 6, 6801.	12.8	46
38	Artemisinin nanoformulation suitable for intravenous injection: Preparation, characterization and antimalarial activities. <i>International Journal of Pharmaceutics</i> , 2015, 495, 671-679.	5.2	45
39	Concomitant cases of disseminated <i>Geotrichum clavatum</i> infections in patients with acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2014, 55, 1186-1188.	1.3	27
40	Schistosomiasis Haematobium, Corsica, France. <i>Emerging Infectious Diseases</i> , 2014, 20, 1595-1597.	4.3	75
41	Amino derivatives of indolone-N-oxide: Preparation and antiplasmodial properties. <i>European Journal of Medicinal Chemistry</i> , 2014, 76, 369-375.	5.5	9
42	2-Aryl-3H-indol-3-ones: Synthesis, electrochemical behaviour and antiplasmodial activities. <i>European Journal of Medicinal Chemistry</i> , 2014, 78, 269-274.	5.5	21
43	Contribution of molecular diagnosis to the management of cutaneous leishmaniasis in travellers. <i>Clinical Microbiology and Infection</i> , 2014, 20, O528-O530.	6.0	9
44	Antimalarial Activities of Indolones and Derivatives. <i>Current Topics in Medicinal Chemistry</i> , 2014, 14, 1643-1652.	2.1	9
45	Seeds of <i>Peganum Harmala</i> L. Chemical Analysis, Antimalarial and Antioxidant Activities, and Cytotoxicity Against Human Breast Cancer Cells. <i>Medicinal Chemistry</i> , 2014, 11, 94-101.	1.5	13
46	Synthesis and biological evaluation of new bis-indolone-N-oxides. <i>Bioorganic Chemistry</i> , 2013, 48, 16-21.	4.1	5
47	Chemical composition and anticancer, antiinflammatory, antioxidant and antimalarial activities of leaves essential oil of <i>Cedrelopsis grevei</i> . <i>Food and Chemical Toxicology</i> , 2013, 56, 352-362.	3.6	102
48	The C-type Lectin Receptors Dectin-1, MR, and SIGNR3 Contribute Both Positively and Negatively to the Macrophage Response to <i>Leishmania infantum</i> . <i>Immunity</i> , 2013, 38, 1038-1049.	14.3	134
49	LC-MS analysis, anticancer, antioxidant and antimalarial activities of <i>Cynodon dactylon</i> L. extracts. <i>Industrial Crops and Products</i> , 2013, 45, 240-247.	5.2	21
50	Disseminated <i>Chroconis gallopava</i> infection in a heart transplant patient. <i>Transplant Infectious Disease</i> , 2013, 15, E115-8.	1.7	20
51	An extraction method of positive blood cultures for direct identification of <i>Candida</i> species by Vitek MS matrix-assisted laser desorption ionization time of flight mass spectrometry. <i>Medical Mycology</i> , 2013, 51, 652-656.	0.7	21
52	Macrocyclic Spermidine Alkaloids from <i>Androea decaryi</i> L. Perrier. <i>Molecules</i> , 2013, 18, 3962-3971.	3.8	5
53	Short synthesis and antimalarial activity of fagaronine. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 4856-4861.	3.0	25
54	Routine Identification of Medical Fungi by the New Vitek MS Matrix-Assisted Laser Desorption Ionization-Time of Flight System with a New Time-Effective Strategy. <i>Journal of Clinical Microbiology</i> , 2012, 50, 2107-2110.	3.9	88

#	ARTICLE	IF	CITATIONS
55	New Antiplasmodial Bromotyrosine Derivatives from <i>Suberea ianthelliformis</i> Lendenfeld, 1888. <i>Chemistry and Biodiversity</i> , 2012, 9, 1436-1451.	2.1	27
56	Simultaneous cutaneous infection due to <i>Paeclomyces lilacinus</i> and <i>Acanthamoeba</i> in a heart transplant patient. <i>Transplant Infectious Disease</i> , 2012, 14, E156-60.	1.7	12
57	The in vivo antimalarial activity of methylene blue combined with pyrimethamine, chloroquine and quinine. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2012, 107, 820-823.	1.6	14
58	In vitro anthelmintic activity of the essential oils of <i>Zanthoxylum zanthoxyloides</i> and <i>Newbouldia laevis</i> against <i>Strongyloides ratti</i> . <i>Parasitology Research</i> , 2012, 110, 1427-1433.	1.6	31
59	New findings on Simalikalactone D, an antimalarial compound from <i>Quassia amara</i> L. (Simaroubaceae). <i>Experimental Parasitology</i> , 2012, 130, 341-347.	1.2	11
60	Biological activities of nitidine, a potential anti-malarial lead compound. <i>Malaria Journal</i> , 2012, 11, 67.	2.3	59
61	Synthesis and antiplasmodial activity of streptocyanine/peroxide and streptocyanine/4-aminoquinoline hybrid dyes. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 7400.	2.8	12
62	Chemical Study and Antimalarial, Antioxidant, and Anticancer Activities of <i>Melaleuca armillaris</i> (Sol Ex Gateau) Sm Essential Oil. <i>Journal of Medicinal Food</i> , 2011, 14, 1383-1388.	1.5	28
63	Antiplasmodial activity of New Caledonia and Vanuatu traditional medicines. <i>Pharmaceutical Biology</i> , 2011, 49, 369-376.	2.9	12
64	<i>Helichrysum gymnocephalum</i> Essential Oil: Chemical Composition and Cytotoxic, Antimalarial and Antioxidant Activities, Attribution of the Activity Origin by Correlations. <i>Molecules</i> , 2011, 16, 8273-8291.	3.8	59
65	Oregano: Chemical Analysis and Evaluation of Its Antimalarial, Antioxidant, and Cytotoxic Activities. <i>Journal of Food Science</i> , 2011, 76, C512-8.	3.1	122
66	Chemical and biological explorations of the electrophilic reactivity of the bioactive marine natural product halenaquinone with biomimetic nucleophiles. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 1261-1264.	2.2	15
67	NL MIND-BEST: A web server for ligands and proteins discovery—Theoretic-experimental study of proteins of <i>Giardia lamblia</i> and new compounds active against <i>Plasmodium falciparum</i> . <i>Journal of Theoretical Biology</i> , 2011, 276, 229-249.	1.7	43
68	Involvement of tannins and flavonoids in the in vitro effects of <i>Newbouldia laevis</i> and <i>Zanthoxylum zanthoxyloides</i> extracts on the exsheathment of third-stage infective larvae of gastrointestinal nematodes. <i>Veterinary Parasitology</i> , 2011, 180, 292-297.	1.8	56
69	The in vivo anti-plasmodial activity of haliclonaclamine A, an alkaloid from the marine sponge, <i>Halicionasp.</i> <i>Natural Product Research</i> , 2011, 25, 1923-1930.	1.8	11
70	Imported <i>Plasmodium knowlesi</i> Malaria in a French Tourist Returning from Thailand. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011, 84, 535-538.	1.4	44
71	Alveolar and Blood T Lymphocyte Profiles in <i>Pneumocystis jirovecii</i> Positive Patients: Effects of HIV Status. <i>Journal of Infectious Diseases</i> , 2011, 204, 544-553.	4.0	12
72	Synthesis and Antiplasmodial Activity of New Indolone <i>N</i> -Oxide Derivatives. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 699-714.	6.4	48

#	ARTICLE	IF	CITATIONS
73	Chemical study, antimalarial and antioxidant activities, and cytotoxicity to human breast cancer cells (MCF7) of <i>Argania spinosa</i> . <i>Phytomedicine</i> , 2010, 17, 157-160.	5.3	33
74	1-Azaaurones derived from the naturally occurring aurones as potential antimalarial drugs. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 5724-5731.	3.0	46
75	New bioactive halenaquinone derivatives from South Pacific marine sponges of the genus <i>Xestospongia</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 6006-6011.	3.0	37
76	Design and preparation of aza-analogues of benzo[<i>c</i>]phenanthridine framework with cytotoxic and antiplasmodial activities. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 2854-2859.	5.5	26
77	PPAR α Ligands Switched High Fat Diet-Induced Macrophage M2b Polarization toward M2a Thereby Improving Intestinal Candida Elimination. <i>PLoS ONE</i> , 2010, 5, e12828.	2.5	73
78	Anti-Leishmanial Lindenane Sesquiterpenes from <i>Hedyosmum angustifolium</i> . <i>Planta Medica</i> , 2010, 76, 365-368.	1.3	27
79	Flow cytometry for the evaluation of anti-plasmodial activity of drugs on <i>Plasmodium falciparum</i> gametocytes. <i>Malaria Journal</i> , 2010, 9, 49.	2.3	44
80	Antimalarial Activity of Simalikalactone E, a New Quassinoid from <i>Quassia amara</i> L. (Simaroubaceae). <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 4393-4398.	3.2	65
81	Synthesis and Antimalarial Properties of Streptocyanine Dyes. <i>ChemMedChem</i> , 2009, 4, 1327-1332.	3.2	4
82	Cryptosporidiosis in paediatric renal transplantation. <i>Pediatric Nephrology</i> , 2009, 24, 2245-2255.	1.7	43
83	Four anti-protozoal and anti-bacterial compounds from <i>Tapirira guianensis</i> . <i>Phytochemistry</i> , 2009, 70, 305-311.	2.9	28
84	Electrochemical impedance spectroscopy to study physiological changes affecting the red blood cell after invasion by malaria parasites. <i>Biosensors and Bioelectronics</i> , 2009, 24, 2721-2725.	10.1	37
85	Cytotoxic and Antiplasmodial Xanthenes from <i>Pentadesma butyracea</i> . <i>Journal of Natural Products</i> , 2009, 72, 954-957.	3.0	85
86	An antiplasmodial new bisindole alkaloid from the hard coral <i>Tubastraea</i> sp.. <i>Natural Product Research</i> , 2009, 23, 178-182.	1.8	38
87	Quassinoid constituents of <i>Quassia amara</i> L. leaf herbal tea. Impact on its antimalarial activity and cytotoxicity. <i>Journal of Ethnopharmacology</i> , 2009, 126, 114-118.	4.1	49
88	Antitumoral, antileishmanial and antimalarial activity of pentacyclic 1,4-naphthoquinone derivatives. <i>Journal of the Brazilian Chemical Society</i> , 2009, 20, 176-182.	0.6	46
89	Design, synthesis, and biological activities of conformationally restricted analogs of primaquine with a 1,10-phenanthroline framework. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 4666-4669.	2.2	18
90	Concentration and purification by magnetic separation of the erythrocytic stages of all human <i>Plasmodium</i> species. <i>Malaria Journal</i> , 2008, 7, 45.	2.3	191

#	ARTICLE	IF	CITATIONS
91	Alisiaquinones and Alisiaquinol, Dual Inhibitors of <i>Plasmodium falciparum</i> Enzyme Targets from a New Caledonian Deep Water Sponge. <i>Journal of Natural Products</i> , 2008, 71, 1189-1192.	3.0	68
92	Agelasines J, K, and L from the Solomon Islands Marine Sponge <i>Agelas</i> cf. <i>mauritiana</i> . <i>Journal of Natural Products</i> , 2008, 71, 1451-1454.	3.0	48
93	Antimicrobial and antileishmanial xanthenes from the stem bark of <i>Allanblackia gabonensis</i> (Guttiferae). <i>Natural Product Research</i> , 2008, 22, 333-341.	1.8	26
94	Antimalarial and vasorelaxant constituents of the leaves of <i>Allanblackia monticola</i> (Guttiferae). <i>Annals of Tropical Medicine and Parasitology</i> , 2007, 101, 23-30.	1.6	17
95	Blood schizontocidal activity of methylene blue in combination with antimalarials against <i>Plasmodium falciparum</i> . <i>Parasite</i> , 2007, 14, 135-140.	2.0	29
96	Amazonian plants from Peru used by Quechua and Mestizo to treat malaria with evaluation of their activity. <i>Journal of Ethnopharmacology</i> , 2007, 112, 482-489.	4.1	52
97	A non-radiolabeled heme-GSH interaction test for the screening of antimalarial compounds. <i>Experimental Parasitology</i> , 2007, 116, 311-313.	1.2	11
98	Activity-guided isolation of antiplasmodial dihydrochalcones and flavanones from <i>Piper hostmannianum</i> var. <i>berbicense</i> . <i>Phytochemistry</i> , 2007, 68, 1312-1320.	2.9	76
99	Antiplasmodial activity and cytotoxicity of plants used in West African traditional medicine for the treatment of malaria. <i>Journal of Ethnopharmacology</i> , 2006, 105, 131-136.	4.1	75
100	Prenylated Xanthone Derivatives with Antiplasmodial Activity from <i>Allanblackia monticola</i> STANER L.C.. <i>Chemical and Pharmaceutical Bulletin</i> , 2006, 54, 111-113.	1.3	77
101	In Vitro and In Vivo Antimalarial Activity of Derivatives of 1,10-Phenanthroline Framework. <i>Archiv Der Pharmazie</i> , 2006, 339, 201-206.	4.1	12
102	Isolation and Antimalarial Activity of Alkaloids from <i>Pseudoxandra cuspidata</i> . <i>Planta Medica</i> , 2006, 72, 894-898.	1.3	10
103	Isolation of Plakinamine I: A New Steroidal Alkaloid from the Marine Sponge <i>Corticium</i> sp. and Synthesis of an Analogue Model Compound. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 4359-4363.	2.4	11
104	New clerodane diterpenoids from <i>Laetia procera</i> (Poepp.) Eichler (Flacourtiaceae), with antiplasmodial and antileishmanial activities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 5065-5070.	2.2	40
105	Daucane Sesquiterpenes from <i>Ferula hermonis</i> . <i>Journal of Natural Products</i> , 2005, 68, 468-471.	3.0	42
106	Studies on medicinal plants of Ivory Coast: Investigation of <i>Sida acuta</i> for in vitro antiplasmodial activities and identification of an active constituent. <i>Phytomedicine</i> , 2004, 11, 338-341.	5.3	43
107	Antiplasmodial and Cytotoxic Activity of Galipinine and other Tetrahydroquinolines from <i>Galipea officinalis</i> . <i>Planta Medica</i> , 2002, 68, 68-69.	1.3	162
108	In vitro antiplasmodial activity of extracts of <i>Alchornea cordifolia</i> and identification of an active constituent: ellagic acid. <i>Journal of Ethnopharmacology</i> , 2002, 81, 399-401.	4.1	99

#	ARTICLE	IF	CITATIONS
109	Sheep as a new experimental host for <i>Babesia divergens</i> . <i>Veterinary Research</i> , 2002, 33, 429-433.	3.0	33
110	Bioactive Acridone Alkaloids from <i>Swingleaglutinosa</i> . <i>Journal of Natural Products</i> , 2001, 64, 1221-1223.	3.0	25
111	Antiplasmodial Activity of <i>Cochlospermum planchonii</i> and <i>C. tinctorium</i> Tubercle Essential Oils. <i>Journal of Essential Oil Research</i> , 2001, 13, 65-67.	2.7	16
112	New Potential Antimalarial Agents. Synthesis and Biological Activities of Original Diaza-analogs of Phenanthrene.. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 1886-1889.	1.3	32
113	Antiplasmodial activity of plant extracts used in west African traditional medicine. <i>Journal of Ethnopharmacology</i> , 2000, 73, 145-151.	4.1	66
114	<i>In vitro</i> Antimalarial Activity and Cytotoxicity of <i>Cochlospermum tinctorium</i> and <i>C. planchonii</i> Leaf Extracts and Essential Oils. <i>Planta Medica</i> , 1999, 65, 378-381.	1.3	42
115	<i>In vitro</i> antiplasmodial activity of stem and root extracts of <i>Nauclea latifolia</i> S.M. (Rubiaceae). <i>Journal of Ethnopharmacology</i> , 1998, 61, 173-178.	4.1	76
116	<i>In Vitro</i> Antimalarial Activity of Eight Essential Oils. <i>Journal of Essential Oil Research</i> , 1997, 9, 329-333.	2.7	99
117	Composition and antimalarial activity <i>in vitro</i> of volatile components of <i>lippia multiflora</i> . <i>Phytochemistry</i> , 1995, 40, 1439-1442.	2.9	77
118	Involvement of <i>Candida albicans</i> Cell Wall Proteins in the Adherence of Blastospores to Human Buccal Epithelial Cells. <i>Experimental Mycology</i> , 1995, 19, 247-253.	1.6	8
119	Characterization of a new 60 kDa apical protein of <i>Plasmodium falciparum</i> merozoite expressed in late schizogony. <i>Biology of the Cell</i> , 1994, 82, 129-138.	2.0	7
120	Heat shock response of <i>Babesia divergens</i> and identification of the hsp70 as an immunodominant early antigen during ox, gerbil and human babesiosis. <i>Biology of the Cell</i> , 1991, 72, 93-102.	2.0	14
121	Lipid trafficking between high density lipoproteins and <i>Babesia divergens</i> -infected human erythrocytes. <i>Biology of the Cell</i> , 1991, 73, 63-70.	2.0	26
122	Class II MHC antigen induction on rat insulinoma (RINm5F) and colon carcinoma (TS) cells by co-culture with diabetic and normal xenogenic lymphocytes. <i>Journal of Autoimmunity</i> , 1989, 2, 229-240.	6.5	0