

Fernando Rogã©rio de Carvalho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3418866/publications.pdf>

Version: 2024-02-01

30
papers

334
citations

840776

11
h-index

888059

17
g-index

30
all docs

30
docs citations

30
times ranked

356
citing authors

#	ARTICLE	IF	CITATIONS
1	Inventory of the freshwater fishes from a densely collected area in South America—a case study of the current knowledge of Neotropical fish diversity. <i>Zootaxa</i> , 2016, 4138, 401-40.	0.5	61
2	Ichthyofauna of the rio Itatinga in the Parque das Neblinas, Bertioga, São Paulo State: composition and biogeography. <i>Biota Neotropica</i> , 2007, 7, 81-86.	1.0	31
3	<i>Hyphessobrycon uaiso</i> : new characid fish from the rio Grande, upper rio Paraná basin, Minas Gerais State (Ostariophysi: Characidae), with a brief comment about some types of <i>Hyphessobrycon</i> . <i>Neotropical Ichthyology</i> , 2013, 11, 525-536.	1.0	24
4	Stream fish metacommunity organisation across a Neotropical ecoregion: The role of environment, anthropogenic impact and dispersal-based processes. <i>PLoS ONE</i> , 2020, 15, e0233733.	2.5	23
5	New species of <i>Hasemania</i> (Characiformes: Characidae) from Central Brazil, with comments on the endemism of upper rio Tocantins basin, Goiás State. <i>Neotropical Ichthyology</i> , 2010, 8, 27-32.	1.0	19
6	Fish assemblages in stream stretches occupied by cattail (Typhaceae, Angiospermae) stands in Southeast Brazil. <i>Neotropical Ichthyology</i> , 2009, 7, 241-250.	1.0	18
7	<i>Hemigrammus tocantinsi</i> : a new species from the upper rio Tocantins basin, Central Brazil (Characiformes: Characidae). <i>Neotropical Ichthyology</i> , 2010, 8, 247-254.	1.0	17
8	Revalidation of the genus <i>Ectreopopterus</i> Fowler (Teleostei: Characiformes), with the redescription of its type species, <i>E. uruguayensis</i> . <i>Zootaxa</i> , 2012, 3204, 47.	0.5	17
9	Human impacts and the loss of Neotropical freshwater fish diversity. <i>Neotropical Ichthyology</i> , 2021, 19, .	1.0	14
10	<i>Astyanax goyanensis</i> (Miranda-Ribeiro, 1944), new combination and <i>Astyanax courensis</i> , new species (Ostariophysi: Characiformes): two Characidae from the upper rio Tocantins basin, Central Brazil. <i>Neotropical Ichthyology</i> , 2010, 8, 265-275.	1.0	12
11	Feeding association between benthic and nektonic Neotropical stream fishes. <i>Neotropical Ichthyology</i> , 2008, 6, 109-111.	1.0	11
12	Redescription and osteology of <i>Hyphessobrycon compressus</i> (Meek) (Teleostei: Characidae), type species of the genus. <i>Neotropical Ichthyology</i> , 2015, 13, 513-540.	1.0	10
13	A new species of <i>Astyanax</i> Baird & Girard (Characiformes: Characidae) from western Chapada Diamantina, Bahia, Brazil. <i>Zootaxa</i> , 2019, 4604, zootaxa.4604.2.9.	0.5	9
14	New species of <i>Moenkhausia</i> Eigenmann (Ostariophysi: Characidae) from the upper rio Tocantins basin in Central Brazil. <i>Neotropical Ichthyology</i> , 2011, 9, 57-63.	1.0	8
15	Redescription of <i>Hyphessobrycon flammeus</i> Myers, 1924 (Ostariophysi: Characidae), a threatened species from Brazil. <i>Neotropical Ichthyology</i> , 2014, 12, 247-256.	1.0	8
16	A new <i>Hemigrammus</i> Gill from upper rio Parana system, Southeastern Brazil (Characiformes: Tj ETQq0 0 0 rgBT /OVerlock 10 Tf 50 142	0.5	7
17	Broad and fine-scale threats on threatened Brazilian freshwater fish: variability across hydrographic regions and taxonomic groups. <i>Biota Neotropica</i> , 2021, 21, .	0.5	7
18	<scp>NEOTROPICAL FRESHWATER FISHES</scp>: A dataset of occurrence and abundance of freshwater fishes in the Neotropics. <i>Ecology</i> , 2023, 104, e3713.	3.2	7

#	ARTICLE	IF	CITATIONS
19	Redescription of <i>Moenkhausia doceana</i> (Steindachner, 1877) (Ostariophysi: Characiformes): a characid from the Northeastern Mata Atlântica ecoregion, Brazil. <i>Neotropical Ichthyology</i> , 2014, 12, 377-388.	1.0	6
20	Geographic distribution of <i>Hemigrammus ora</i> (Ostariophysi: Characiformes: Characidae) in the Amazon basin, Brazil. <i>Zoologia</i> , 2011, 28, 545-550.	0.5	5
21	New species of <i>Hyphessobrycon</i> from the Rio Teles Pires, Rio Tapajás basin, Brazil (Ostariophysi.) <i>Tj ETQq1 1.0.784314 rgBT /</i>	1.6	5
22	Freshwater fish richness baseline from the São Francisco Interbasin Water Transfer Project in the Brazilian Semiarid. <i>Neotropical Ichthyology</i> , 2020, 18, .	1.0	5
23	Taxonomic review of the <i>Hyphessobrycon panamensis</i> species-group (Characiformes: Characidae). <i>Zootaxa</i> , 2020, 4751, zootaxa.4751.3.1.	0.5	4
24	Stream fish from recently deforested basins in the Meridional Amazon, Mato Grosso, Brazil. <i>Biota Neotropica</i> , 2020, 20, .	0.5	3
25	First record of <i>Jupiaba acanthogaster</i> (Eigenmann, 1911) (Ostariophysi, Characidae) in the upper Paran´ river basin, Brazil. <i>Check List</i> , 2020, 16, 889-893.	0.4	2
26	<i>Gymnotus paraguensis</i> , a Good Example of Phenotypic Plasticity in the Pantanal Biome, Brazil. <i>Zebrafish</i> , 2021, 18, 162-173.	1.1	1
27	Taxonomic status of <i>Tetragonopterus anomalus</i> Steindachner, 1891, an <i>inquirenda</i> species in Characidae (Teleostei: Characiformes) . <i>Zootaxa</i> , 2015, 4018, 146.	0.5	0
28	Redescription of <i>Hyphessobrycon itaparicensis</i> , a senior synonym of <i>H. sergipanus</i> (Characiformes:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	1.0	0
29	Life history traits of parental care in <i>Crenicichla lepidota</i> (Cichliformes, Geophagini) in the upper Paraguay River basin, Brazil. <i>Papeis Avulsos De Zoologia</i> , 0, 61, e20216103.	0.4	0
30	Museum specimens reveal a rare new characid fish genus, helping to refine the interrelationships of the Probolodini (Characidae: Stethaprioninae). <i>Systematics and Biodiversity</i> , 2021, 19, 1135-1148.	1.2	0