

Lisa A Lesniewski

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3419276/lisa-a-lesniewski-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

2,806
citations

28
h-index

52
g-index

89
ext. papers

3,253
ext. citations

4.3
avg, IF

5.05
L-index

#	Paper	IF	Citations
81	Sirt1 overexpression attenuates Western-style diet-induced aortic stiffening in mice.. <i>Physiological Reports</i> , 2022 , 10, e15284	2.6	
80	T lymphocyte depletion ameliorates age-related metabolic impairments in mice. <i>GeroScience</i> , 2021 , 43, 1331-1347	8.9	4
79	Chronic aerobic exercise: targeting two birds with one stone. <i>Journal of Physiology</i> , 2021 , 599, 1015-1016.9		
78	Multicolor fluorescence biosensors reveal a burning need for diversity in the single-cell metabolic landscape. <i>Trends in Endocrinology and Metabolism</i> , 2021 , 32, 537-539	8.8	
77	T cells mediate cell non-autonomous arterial ageing in mice. <i>Journal of Physiology</i> , 2021 , 599, 3973-3991.3.9		1
76	P2Y Receptor Promotes High-Fat Diet-Induced Obesity. <i>Frontiers in Endocrinology</i> , 2020 , 11, 341	5.7	13
75	Lifelong SIRT-1 overexpression attenuates large artery stiffening with advancing age. <i>Aging</i> , 2020 , 12, 11314-11324	5.6	7
74	Aging differentially impacts vasodilation and angiogenesis in arteries from the white and brown adipose tissues. <i>Experimental Gerontology</i> , 2020 , 142, 111126	4.5	1
73	Deletion of Robo4 prevents high-fat diet-induced adipose artery and systemic metabolic dysfunction. <i>Microcirculation</i> , 2019 , 26, e12540	2.9	2
72	Dietary Glycocalyx Precursor Supplementation Ameliorates Age-Related Vascular Dysfunction. <i>FASEB Journal</i> , 2019 , 33, 828.1	0.9	4
71	Deletion of miR-92a Results in Glucose Intolerance via Impaired Pancreatic Beta Cell Function. <i>FASEB Journal</i> , 2019 , 33, 714.2	0.9	
70	Aged endothelial cells exhibit a metabolic shift from anaerobic glycolysis to oxidative phosphorylation. <i>FASEB Journal</i> , 2019 , 33, 693.14	0.9	
69	The pro-atherogenic response to disturbed blood flow is increased by a western diet, but not by old age. <i>Scientific Reports</i> , 2019 , 9, 2925	4.9	2
68	Impact of high-fat diet on vasoconstrictor reactivity of white and brown adipose tissue resistance arteries. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 316, H485-H494	5.2	3
67	Cerebral and skeletal muscle feed artery vasoconstrictor responses in a mouse model with greater large elastic artery stiffness. <i>Experimental Physiology</i> , 2019 , 104, 434-442	2.4	6
66	Induced Trf2 deletion leads to aging vascular phenotype in mice associated with arterial telomere uncapping, senescence signaling, and oxidative stress. <i>Journal of Molecular and Cellular Cardiology</i> , 2019 , 127, 74-82	5.8	9
65	Age-related arterial immune cell infiltration in mice is attenuated by caloric restriction or voluntary exercise. <i>Experimental Gerontology</i> , 2018 , 109, 99-107	4.5	17

64	Reversing age-associated arterial dysfunction: insight from preclinical models. <i>Journal of Applied Physiology</i> , 2018 , 125, 1860-1870	3.7	6
63	Mechanisms of Dysfunction in the Aging Vasculature and Role in Age-Related Disease. <i>Circulation Research</i> , 2018 , 123, 825-848	15.7	160
62	Selected life-extending interventions reduce arterial CXCL10 and macrophage colony-stimulating factor in aged mouse arteries. <i>Cytokine</i> , 2017 , 96, 102-106	4	7
61	Small GTPase ARF6 controls VEGFR2 trafficking and signaling in diabetic retinopathy. <i>Journal of Clinical Investigation</i> , 2017 , 127, 4569-4582	15.9	19
60	Dietary rapamycin supplementation reverses age-related vascular dysfunction and oxidative stress, while modulating nutrient-sensing, cell cycle, and senescence pathways. <i>Aging Cell</i> , 2017 , 16, 17-26	9.9	93
59	Age-related arterial telomere uncapping and senescence is greater in women compared with men. <i>Experimental Gerontology</i> , 2016 , 73, 65-71	4.5	7
58	Experimental reduction of miR-92a mimics arterial aging. <i>Experimental Gerontology</i> , 2016 , 83, 165-70	4.5	15
57	Strategy for identifying repurposed drugs for the treatment of cerebral cavernous malformation. <i>Circulation</i> , 2015 , 131, 289-99	16.7	118
56	Greater impairments in cerebral artery compared with skeletal muscle feed artery endothelial function in a mouse model of increased large artery stiffness. <i>Journal of Physiology</i> , 2015 , 593, 1931-43	3.9	23
55	Cellular and molecular biology of aging endothelial cells. <i>Journal of Molecular and Cellular Cardiology</i> , 2015 , 89, 122-35	5.8	270
54	Dietary Vitamin D and Its Metabolites Non-Genomically Stabilize the Endothelium. <i>PLoS ONE</i> , 2015 , 10, e0140370	3.7	38
53	Partial Carotid Ligation Impairs Middle Cerebral Artery Endothelial Function in Old Mice. <i>FASEB Journal</i> , 2015 , 29, 949.1	0.9	
52	Endothelial ARF6 deletion impairs insulin-induced dilation of adipose arteries and systemic glucose tolerance. <i>FASEB Journal</i> , 2015 , 29, 802.1	0.9	
51	Age-Related Telomere Uncapping Occurs Independent of Telomere Shortening in Mouse Endothelial Cells. <i>FASEB Journal</i> , 2015 , 29, 642.1	0.9	1
50	Inhibition of MiR-92 Mimics Arterial Aging. <i>FASEB Journal</i> , 2015 , 29, 1047.3	0.9	
49	Aging is associated with reduced vasodilation to insulin in subcutaneous adipose arteries in B6D2F1 mice. <i>FASEB Journal</i> , 2015 , 29, 1044.5	0.9	
48	Smooth muscle specific disruption of the endothelin-A receptor in mice reduces arterial pressure, and vascular reactivity and affects vascular development. <i>Life Sciences</i> , 2014 , 118, 238-43	6.8	17
47	The impact of ageing on adipose structure, function and vasculature in the B6D2F1 mouse: evidence of significant multisystem dysfunction. <i>Journal of Physiology</i> , 2014 , 592, 4083-96	3.9	37

46	Dichotomous mechanisms of aortic stiffening in high-fat diet fed young and old B6D2F1 mice. <i>Physiological Reports</i> , 2014 , 2, e00268	2.6	18
45	SIRT1 overexpression protects against high fat diet-induced cerebral artery endothelial dysfunction (1070.10). <i>FASEB Journal</i> , 2014 , 28, 1070.10	0.9	
44	Aging compounds western diet-associated large artery endothelial dysfunction in mice: prevention by voluntary aerobic exercise. <i>Experimental Gerontology</i> , 2013 , 48, 1218-25	4.5	32
43	Life-long caloric restriction reduces oxidative stress and preserves nitric oxide bioavailability and function in arteries of old mice. <i>Aging Cell</i> , 2013 , 12, 772-83	9.9	116
42	Differential effects of aging and exercise on intra-abdominal adipose arteriolar function and blood flow regulation. <i>Journal of Applied Physiology</i> , 2013 , 114, 808-15	3.7	14
41	Aortic stiffening as a result of reduced elastin content leads to cerebral artery dysfunction. <i>FASEB Journal</i> , 2013 , 27, 1194.3	0.9	0
40	Dietary rapamycin selectively improves arterial function in old mice. <i>FASEB Journal</i> , 2013 , 27, 1194.17	0.9	2
39	Morphological Changes Underlying High Fat Diet-Associated Arterial Stiffening Differ with Advancing Age. <i>FASEB Journal</i> , 2013 , 27, 1194.16	0.9	
38	Telomere uncapping causes cellular senescence and inflammation in arteries: implications for arterial aging. <i>FASEB Journal</i> , 2013 , 27, 1131.1	0.9	1
37	Differential effects of aging and exercise training on intra-abdominal adipose arteriolar function and blood flow regulation. <i>FASEB Journal</i> , 2013 , 27, 898.6	0.9	
36	Sustained activation of AMPK ameliorates age-associated vascular endothelial dysfunction via a nitric oxide-independent mechanism. <i>Mechanisms of Ageing and Development</i> , 2012 , 133, 368-71	5.6	36
35	Human skeletal muscle feed arteries: evidence of regulatory potential. <i>Acta Physiologica</i> , 2012 , 206, 135-41	5.4	9
34	TNF- α impairs endothelial function in adipose tissue resistance arteries of mice with diet-induced obesity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012 , 303, H672-9	5.2	37
33	Effects of aging, TNF- α and exercise training on angiotensin II-induced vasoconstriction of rat skeletal muscle arterioles. <i>Journal of Applied Physiology</i> , 2012 , 113, 1091-100	3.7	19
32	Increased TRF2 binding likely limits telomere uncapping in older human arteries despite age-related telomere attrition. <i>FASEB Journal</i> , 2012 , 26, 865.10	0.9	
31	Whole body C-cbl Associated Protein (CAP) deleted mice display impaired endothelium dependent dilation and nitric oxide bioavailability. <i>FASEB Journal</i> , 2012 , 26, 1129.12	0.9	
30	Blunting of Endothelium Dependent Dilation in Adipose Tissue Arteries by Tumor Necrosis Factor Alpha is Lost after High Fat Feeding. <i>FASEB Journal</i> , 2012 , 26, 680.17	0.9	
29	Evidence of the regulatory potential of human skeletal muscle feed arteries. <i>FASEB Journal</i> , 2012 , 26, 1138.29	0.9	

28	Smaller cerebrovascular arteries have a greater age-related endothelial dysfunction and a blunted response to life-long caloric restriction. <i>FASEB Journal</i> , 2012 , 26, 685.31	0.9	
27	SIRT-1 and vascular endothelial dysfunction with ageing in mice and humans. <i>Journal of Physiology</i> , 2011 , 589, 4545-54	3.9	163
26	Salicylate treatment improves age-associated vascular endothelial dysfunction: potential role of nuclear factor kappaB and forkhead Box O phosphorylation. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011 , 66, 409-18	6.4	49
25	Aerobic exercise reverses arterial inflammation with aging in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H1025-32	5.2	88
24	Voluntary running and caloric restriction reverse cerebrovascular endothelial dysfunction in old mice by restoring nitric oxide bioavailability. <i>FASEB Journal</i> , 2011 , 25, 1108.16	0.9	
23	Short-term calorie restriction reverses vascular endothelial dysfunction in old mice by increasing nitric oxide and reducing oxidative stress. <i>Aging Cell</i> , 2010 , 9, 304-12	9.9	125
22	Arterial stiffening with ageing is associated with transforming growth factor- β -related changes in adventitial collagen: reversal by aerobic exercise. <i>Journal of Physiology</i> , 2010 , 588, 3971-82	3.9	145
21	Life-long caloric restriction elicits pronounced protection of the aged myocardium: a role for AMPK. <i>Mechanisms of Ageing and Development</i> , 2010 , 131, 739-42	5.6	59
20	Short-term AMPK activation improves vascular endothelial function in old mice by a different mechanism than habitual aerobic exercise. <i>FASEB Journal</i> , 2010 , 24, 619.9	0.9	
19	Habitual aerobic exercise reverses age-associated increases in transforming growth factor beta 1 in carotid arteries of mice. <i>FASEB Journal</i> , 2010 , 24, 790.6	0.9	
18	B6D2F1 Mice are a suitable model of oxidative stress-mediated impaired endothelium-dependent dilation with aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009 , 64, 9-20	6.4	63
17	Nuclear factor- κ B activation contributes to vascular endothelial dysfunction via oxidative stress in overweight/obese middle-aged and older humans. <i>Circulation</i> , 2009 , 119, 1284-92	16.7	181
16	Voluntary wheel running restores endothelial function in conduit arteries of old mice: direct evidence for reduced oxidative stress, increased superoxide dismutase activity and down-regulation of NADPH oxidase. <i>Journal of Physiology</i> , 2009 , 587, 3271-85	3.9	167
15	Habitual exercise and vascular ageing. <i>Journal of Physiology</i> , 2009 , 587, 5541-9	3.9	117
14	Role of NFkappaB in age-related vascular endothelial dysfunction in humans. <i>Aging</i> , 2009 , 1, 678-80	5.6	44
13	Chronic aerobic exercise opposes age- and high fat diet-associated vascular endothelial dysfunction: relation to IKK β and AMPK. <i>FASEB Journal</i> , 2009 , 23, 777.7	0.9	
12	Voluntary aerobic exercise abolishes age-associated arterial stiffening in mice: relation to collagen subtype expression in the medial and adventitial layers. <i>FASEB Journal</i> , 2009 , 23, 774.13	0.9	
11	Absence of Inhibitor of Nuclear Factor κ B Kinase-Mediated Suppression of Vascular Endothelial Function in Middle-Aged/Older Adults Who Exercise. <i>FASEB Journal</i> , 2009 , 23, LB61	0.9	

10	Aging increases susceptibility to western diet-induced glucose intolerance and insulin resistance in mice. <i>FASEB Journal</i> , 2009 , 23, 990.18	0.9	
9	Decreased NO signaling leads to enhanced vasoconstrictor responsiveness in skeletal muscle arterioles of the ZDF rat prior to overt diabetes and hypertension. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 294, H1840-50	5.2	53
8	Nuclear factor κ B-associated inflammation mediates impaired vascular endothelial function in non-diabetic middle-aged and older overweight/obese men. <i>FASEB Journal</i> , 2008 , 22, 743.2	0.9	
7	Aging is Associated with Increased Susceptibility to Western Diet-Induced Glucose Intolerance and Endothelial Dysfunction in Mice. <i>FASEB Journal</i> , 2008 , 22, 1226.7	0.9	
6	Ageing and exercise training alter adrenergic vasomotor responses of rat skeletal muscle arterioles. <i>Journal of Physiology</i> , 2007 , 579, 115-25	3.9	69
5	Bone marrow-specific Cap gene deletion protects against high-fat diet-induced insulin resistance. <i>Nature Medicine</i> , 2007 , 13, 455-62	50.5	93
4	Influence of ageing and physical activity on vascular morphology in rat skeletal muscle. <i>Journal of Physiology</i> , 2006 , 575, 617-26	3.9	34
3	The effects of aging and exercise training on endothelin-1 vasoconstrictor responses in rat skeletal muscle arterioles. <i>Cardiovascular Research</i> , 2005 , 66, 393-401	9.9	62
2	Mechanisms of force loss in diabetic mouse skeletal muscle. <i>Muscle and Nerve</i> , 2003 , 28, 493-500	3.4	36
1	Effects of aging on vasoconstrictor and mechanical properties of rat skeletal muscle arterioles. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 282, H1843-54	5.2	94