

Hongwei Wang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3420109/hongwei-wang-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32
papers

754
citations

17
h-index

27
g-index

33
ext. papers

836
ext. citations

5.2
avg, IF

4.05
L-index

#	Paper	IF	Citations
32	Preparation of hybrid monolithic columns via "one-pot" photoinitiated thiol-acrylate polymerization for retention-independent performance in capillary liquid chromatography. <i>Analytical Chemistry</i> , 2015 , 87, 8789-97	7.8	69
31	Tailor-Made Stable Zr(IV)-Based Metal-Organic Frameworks for Laser Desorption/Ionization Mass Spectrometry Analysis of Small Molecules and Simultaneous Enrichment of Phosphopeptides. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 20292-300	9.5	66
30	Facile construction of macroporous hybrid monoliths via thiol-methacrylate Michael addition click reaction for capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2015 , 1379, 34-42	4.5	60
29	Construction of hierarchically porous monoliths from covalent organic frameworks (COFs) and their application for bisphenol A removal. <i>Journal of Hazardous Materials</i> , 2018 , 355, 145-153	12.8	60
28	Thiol-epoxy click polymerization for preparation of polymeric monoliths with well-defined 3D framework for capillary liquid chromatography. <i>Analytical Chemistry</i> , 2015 , 87, 3476-83	7.8	47
27	Fast preparation of a highly efficient organic monolith via photo-initiated thiol-ene click polymerization for capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2015 , 1394, 103-110	4.5	46
26	Preparation of polyhedral oligomeric silsesquioxane-based hybrid monolith by ring-opening polymerization and post-functionalization via thiol-ene click reaction. <i>Journal of Chromatography A</i> , 2014 , 1342, 70-7	4.5	44
25	Preparation of Polypropylene Spin Tips Filled with Immobilized Titanium(IV) Ion Monolithic Adsorbent for Robust Phosphoproteome Analysis. <i>Analytical Chemistry</i> , 2016 , 88, 5058-64	7.8	31
24	Facile Preparation of Titanium(IV)-Immobilized Hierarchically Porous Hybrid Monoliths. <i>Analytical Chemistry</i> , 2017 , 89, 4655-4662	7.8	29
23	Synthesis and Characterization of Hydrazide-Linked and Amide-Linked Organic Polymers. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 32060-32067	9.5	28
22	Preparation of well-controlled three-dimensional skeletal hybrid monoliths via thiol-epoxy click polymerization for highly efficient separation of small molecules in capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2015 , 1416, 74-82	4.5	27
21	A novel polymeric monolith prepared with multi-acrylate crosslinker for retention-independent efficient separation of small molecules in capillary liquid chromatography. <i>Analytica Chimica Acta</i> , 2015 , 883, 90-8	6.6	25
20	Rapid "one-pot" preparation of polymeric monolith via photo-initiated thiol-acrylate polymerization for capillary liquid chromatography. <i>Analytica Chimica Acta</i> , 2016 , 925, 88-96	6.6	22
19	Improving permeability and chromatographic performance of poly(pentaerythritol diacrylate monostearate) monolithic column via photo-induced thiol-acrylate polymerization. <i>Journal of Chromatography A</i> , 2016 , 1436, 100-8	4.5	21
18	Preparation and characterization of hydrophilic hybrid monoliths via thiol-ene click polymerization and their applications in chromatographic analysis and glycopeptides enrichment. <i>Journal of Chromatography A</i> , 2017 , 1498, 37-45	4.5	19
17	Chromatographic assessment of two hybrid monoliths prepared via epoxy-amine ring-opening polymerization and methacrylate-based free radical polymerization using methacrylate epoxy cyclosiloxane as functional monomer. <i>Journal of Chromatography A</i> , 2014 , 1367, 131-40	4.5	19
16	Facile preparation of microporous organic polymers functionalized macroporous hydrophilic resin for selective enrichment of glycopeptides. <i>Analytica Chimica Acta</i> , 2018 , 1030, 96-104	6.6	19

15	Preparation of open tubular capillary columns by in situ ring-opening polymerization and their applications in cLC-MS/MS analysis of tryptic digest. <i>Analytica Chimica Acta</i> , 2017 , 979, 58-65	6.6	16
14	A hybrid fluororous monolithic capillary column with integrated nanoelectrospray ionization emitter for determination of perfluoroalkyl acids by nano-liquid chromatography-nanoelectrospray ionization-mass spectrometry/mass spectrometry. <i>Journal of Chromatography A</i> , 2016 , 1440, 66-73	4.5	16
13	Functionalization of hybrid monolithic columns via thiol-ene click reaction for proteomics analysis. <i>Journal of Chromatography A</i> , 2017 , 1498, 29-36	4.5	15
12	Preparation of cyclodextrin-modified monolithic hybrid columns for the fast enantioseparation of hydroxy acids in capillary liquid chromatography. <i>Journal of Separation Science</i> , 2016 , 39, 1110-7	3.4	13
11	Chromatographic efficiency comparison of polyhedral oligomeric silsesquioxanes-containing hybrid monoliths via photo- and thermally-initiated free-radical polymerization in capillary liquid chromatography for small molecules. <i>Journal of Chromatography A</i> , 2015 , 1410, 110-7	4.5	12
10	Aroma and flavor characteristics of commercial Chinese traditional bacon from different geographical regions. <i>Journal of Sensory Studies</i> , 2019 , 34, e12475	2.2	12
9	SH2 Superbinder Modified Monolithic Capillary Column for the Sensitive Analysis of Protein Tyrosine Phosphorylation. <i>Journal of Proteome Research</i> , 2018 , 17, 243-251	5.6	7
8	Combined Use of Deep Eutectic Solvents, Macroporous Resins, and Preparative Liquid Chromatography for the Isolation and Purification of Flavonoids and 20-Hydroxyecdysone from Willd. <i>Biomolecules</i> , 2019 , 9,	5.9	7
7	One-Pot Preparation of Macroporous Organic-Silica Monolith for the Organics-/Oil-Water Separation. <i>ChemistrySelect</i> , 2017 , 2, 4538-4544	1.8	6
6	Synthesis of a stationary phase based on silica modified with branched octadecyl groups by Michael addition and photoinduced thiol-yne click chemistry for the separation of basic compounds. <i>Journal of Separation Science</i> , 2016 , 39, 1461-70	3.4	5
5	Atomically Precise Structure Determination of Porous Organic Cage from Ab Initio PXRD Structure Analysis: Its Molecular Click Postfunctionalization and CO Capture Application. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 17815-17823	9.5	4
4	Porous organic cage incorporated monoliths for solid-phase extraction coupled with liquid chromatography-mass spectrometry for identification of ecdysteroids from <i>Chenopodium quinoa</i> Willd. <i>Journal of Chromatography A</i> , 2019 , 1583, 55-62	4.5	4
3	Preparative separation and purification of loliolide and epilololide from <i>Ascophyllum nodosum</i> using amine-based microporous organic polymer for solid phase extraction coupled with macroporous resin and prep-HPLC. <i>Analytical Methods</i> , 2021 , 13, 1939-1944	3.2	3
2	Facile Synthesis of Dodecamine Organic Cage-Based Monolithic Microreactor via Ring-Opening Polymerization Following Spontaneous Reduction of Gold Ions for Continuous Flow Catalysis. <i>ChemistrySelect</i> , 2017 , 2, 10880-10884	1.8	2
1	The complete mitochondrial genome of (Cyprinidae). <i>Mitochondrial DNA Part B: Resources</i> , 2020 , 5, 1094-1095		