

Shailendra P Joshi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3420830/publications.pdf>

Version: 2024-02-01

63
papers

2,063
citations

236612

25
h-index

243296

44
g-index

66
all docs

66
docs citations

66
times ranked

1728
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Special issue of mechanics of materials: Mechanics of magnesium alloys in dynamic environments. <i>Mechanics of Materials</i> , 2022, 168, 104264. | 1.7 | 2 |
| 2 | On the micromechanics of void mediated failure in HCP crystals. <i>Journal of the Mechanics and Physics of Solids</i> , 2022, 165, 104923. | 2.3 | 6 |
| 3 | On the micromechanics of voids in nanotwinned materials. <i>Journal of the Mechanics and Physics of Solids</i> , 2022, 165, 104887. | 2.3 | 4 |
| 4 | On the Role of Crystallographic Anisotropy and Texture in Damage Tolerance of Magnesium and Its Alloys. <i>Minerals, Metals and Materials Series</i> , 2021, , 81-89. | 0.3 | 0 |
| 5 | A crystal plasticity investigation of grain size-texture interaction in magnesium alloys. <i>Acta Materialia</i> , 2021, 208, 116743. | 3.8 | 19 |
| 6 | Texture effects and rate-dependent behaviors of notched magnesium bars. <i>Mechanics of Materials</i> , 2021, 162, 104042. | 1.7 | 10 |
| 7 | Insights from the MEDE program: An overview of microstructureâ€“property linkages in the dynamic behaviors of magnesium alloys. <i>Mechanics of Materials</i> , 2021, 163, 104084. | 1.7 | 13 |
| 8 | A Numerical Study of Strain-Rate and Triaxiality Effects in Magnesium Alloys. <i>Journal of Dynamic Behavior of Materials</i> , 2020, 6, 459-471. | 1.1 | 6 |
| 9 | Predicting textural variability effects in the anisotropic plasticity and stability of hexagonal metals: Application to magnesium and its alloys. <i>International Journal of Plasticity</i> , 2020, 132, 102762. | 4.1 | 29 |
| 10 | Mapping Anisotropy and Triaxiality Effects in Magnesium Alloys. <i>Minerals, Metals and Materials Series</i> , 2020, , 321-328. | 0.3 | 0 |
| 11 | A phase field model of grain boundary migration and grain rotation under elastoâ€“plastic anisotropies. <i>International Journal of Solids and Structures</i> , 2019, 178-179, 1-18. | 1.3 | 13 |
| 12 | Void growth and coalescence in hexagonal close packed crystals. <i>Journal of the Mechanics and Physics of Solids</i> , 2019, 125, 198-224. | 2.3 | 46 |
| 13 | Void Growth and Coalescence in Porous Plastic Solids With Sigmoidal Hardening. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2019, 86, . | 1.1 | 10 |
| 14 | The role of bimodal grain size distribution in nanocrystalline shape memory alloys. <i>Smart Materials and Structures</i> , 2018, 27, 105004. | 1.8 | 15 |
| 15 | Three dimensional simulations of texture and triaxiality effects on the plasticity of magnesium alloys. <i>Acta Materialia</i> , 2017, 127, 54-72. | 3.8 | 45 |
| 16 | Interacting effects of strengthening and twin boundary migration in nanotwinned materials. <i>Journal of the Mechanics and Physics of Solids</i> , 2017, 101, 180-196. | 2.3 | 17 |
| 17 | On plastic flow in notched hexagonal close packed single crystals. <i>Journal of the Mechanics and Physics of Solids</i> , 2016, 94, 273-297. | 2.3 | 40 |
| 18 | Effect of multiaxial loading on evolution of twinning in magnesium single crystals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 659, 256-269. | 2.6 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Effects of reinforcement morphology on the mechanical behavior of magnesium metal matrix composites based on crystal plasticity modeling. <i>Mechanics of Materials</i> , 2016, 95, 1-14. | 1.7 | 12 |
| 20 | Suppression of Shear Banding and Transition to Necking and Homogeneous Flow in Nanoglass Nanopillars. <i>Scientific Reports</i> , 2015, 5, 15611. | 1.6 | 50 |
| 21 | Surface roughness imparts tensile ductility to nanoscale metallic glasses. <i>Extreme Mechanics Letters</i> , 2015, 5, 88-95. | 2.0 | 24 |
| 22 | Stochastic size-dependent slip-twinning competition in hexagonal close packed single crystals. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2014, 22, 075003. | 0.8 | 9 |
| 23 | Composition and grain size effects on the structural and mechanical properties of CuZr nanoglasses. <i>Journal of Applied Physics</i> , 2014, 116, . | 1.1 | 68 |
| 24 | Predictive maps for stochastic nonaffine stiffening and damage in fibrous networks. <i>Physical Review E</i> , 2014, 89, 022607. | 0.8 | 1 |
| 25 | Orientation-dependent indentation response of magnesium single crystals: Modeling and experiments. <i>Acta Materialia</i> , 2014, 81, 358-376. | 3.8 | 48 |
| 26 | Heating rate dependent delamination of metal-polymer interfaces: experiments and modeling. <i>International Journal of Fracture</i> , 2014, 187, 227-238. | 1.1 | 2 |
| 27 | Mechanism-based crystal plasticity modeling of twin boundary migration in nanotwinned face-centered-cubic metals. <i>Journal of the Mechanics and Physics of Solids</i> , 2014, 68, 107-133. | 2.3 | 29 |
| 28 | Micromechanics of tensile twinning in magnesium gleaned from molecular dynamics simulations. <i>Acta Materialia</i> , 2014, 69, 326-342. | 3.8 | 52 |
| 29 | A transition from localized shear banding to homogeneous superplastic flow in nanoglass. <i>Applied Physics Letters</i> , 2013, 103, . | 1.5 | 110 |
| 30 | Experiments and Three-Dimensional Modeling of Delamination in an Encapsulated Microelectronic Package Under Thermal Loading. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2013, 3, 1859-1867. | 1.4 | 10 |
| 31 | Developing a light weight lithium ion battery - an effective material and electrode design for high performance conversion anodes. <i>RSC Advances</i> , 2013, 3, 6386. | 1.7 | 20 |
| 32 | Micromechanics of crystallographic size-effects in metal matrix composites induced by thermo-mechanical loading. <i>International Journal of Plasticity</i> , 2013, 42, 65-82. | 4.1 | 29 |
| 33 | Cohesive zone modeling of 3D delamination in encapsulated silicon devices. , 2012, , . | | 2 |
| 34 | Stochastic rate-dependent elasticity and failure of soft fibrous networks. <i>Soft Matter</i> , 2012, 8, 7004. | 1.2 | 24 |
| 35 | A crystal plasticity analysis of length-scale dependent internal stresses with image effects. <i>Journal of the Mechanics and Physics of Solids</i> , 2012, 60, 2019-2043. | 2.3 | 6 |
| 36 | Size-effects in textural strengthening of hierarchical magnesium nano-composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 556, 855-863. | 2.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Rate-dependent hardening due to twinning in an ultrafine-grained magnesium alloy. <i>Acta Materialia</i> , 2012, 60, 1818-1826. | 3.8 | 74 |
| 38 | Phenomenological crystal plasticity modeling and detailed micromechanical investigations of pure magnesium. <i>Journal of the Mechanics and Physics of Solids</i> , 2012, 60, 945-972. | 2.3 | 240 |
| 39 | Development of Hierarchical Magnesium Composites Using Hybrid Microwave Sintering. <i>Journal of Microwave Power and Electromagnetic Energy</i> , 2011, 45, 112-120. | 0.4 | 10 |
| 40 | Crystal plasticity of nanotwinned microstructures: A discrete twin approach for copper. <i>Acta Materialia</i> , 2011, 59, 5603-5617. | 3.8 | 23 |
| 41 | Micromechanics of diffusion-induced damage evolution in reinforced polymers. <i>Composites Science and Technology</i> , 2011, 71, 333-342. | 3.8 | 20 |
| 42 | Grain sizeâ€inclusion size interaction in metal matrix composites using mechanism-based gradient crystal plasticity. <i>International Journal of Solids and Structures</i> , 2011, 48, 2585-2594. | 1.3 | 26 |
| 43 | Nonlocal continuum crystal plasticity with internal residual stresses. <i>Journal of the Mechanics and Physics of Solids</i> , 2011, 59, 713-731. | 2.3 | 14 |
| 44 | Hierarchical magnesium nano-composites for enhanced mechanical response. <i>Acta Materialia</i> , 2010, 58, 6104-6114. | 3.8 | 114 |
| 45 | Strengthening mechanisms in cryomilled ultrafine-grained aluminum alloy at quasi-static and dynamic rates of loading. <i>Scripta Materialia</i> , 2009, 60, 619-622. | 2.6 | 63 |
| 46 | An enhanced continuum model for size-dependent strengthening and failure of particle-reinforced composites. <i>Acta Materialia</i> , 2009, 57, 5848-5861. | 3.8 | 137 |
| 47 | Dynamic testing at high strain rates of an ultrafine-grained magnesium alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 517, 24-29. | 2.6 | 96 |
| 48 | On the Occurrence of Portevinâ€Le ChÃtelier Instabilities in Ultrafine-Grained 5083 Aluminum Alloys. <i>Experimental Mechanics</i> , 2009, 49, 207-218. | 1.1 | 33 |
| 49 | Grain size dependent shear instabilities in body-centered and face-centered cubic materials. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 493, 65-70. | 2.6 | 22 |
| 50 | Rotational diffusion and grain size dependent shear instability in nanostructured materials. <i>Acta Materialia</i> , 2008, 56, 282-291. | 3.8 | 35 |
| 51 | Rate-dependent behavior of hierarchical Al matrix composites. <i>Scripta Materialia</i> , 2008, 59, 1139-1142. | 2.6 | 23 |
| 52 | Stability Map for Nanocrystalline and Amorphous Materials. <i>Physical Review Letters</i> , 2008, 101, 025501. | 2.9 | 28 |
| 53 | Transducer shape optimization for instability control of smart piezolaminated columns. <i>Inverse Problems in Science and Engineering</i> , 2007, 15, 151-162. | 1.2 | 0 |
| 54 | Superlightweight Nanoengineered Aluminum for Strength under Impact. <i>Advanced Engineering Materials</i> , 2007, 9, 355-359. | 1.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | An enriched continuum model for the design of a hierarchical composite. Scripta Materialia, 2007, 57, 877-880. | 2.6 | 34 |
| 56 | Modeling the constitutive response of bimodal metals. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2006, 37, 2397-2404. | 1.1 | 60 |
| 57 | A gradientless technique for optimal distribution of piezoelectric material for structural control. International Journal for Numerical Methods in Engineering, 2003, 57, 1737-1753. | 1.5 | 8 |
| 58 | Exact solutions for characterization of electro-elastically graded materials. Computational Materials Science, 2003, 28, 548-555. | 1.4 | 16 |
| 59 | Numerical characterization of functionally graded active materials under electrical and thermal fields. Smart Materials and Structures, 2003, 12, 571-579. | 1.8 | 21 |
| 60 | Piezoelectric Sensor and Actuator Spatial Design for Shape Control of Piezolaminated Plates. AIAA Journal, 2002, 40, 1204-1210. | 1.5 | 38 |
| 61 | Active vibration control of piezolaminated stiffened plates. Composite Structures, 2002, 55, 435-443. | 3.1 | 35 |
| 62 | Mechanical performance of endodontically treated teeth. Finite Elements in Analysis and Design, 2001, 37, 587-601. | 1.7 | 56 |
| 63 | Design of actuator profiles for minimum power consumption. Smart Materials and Structures, 2001, 10, 305-313. | 1.8 | 13 |