Yves Delneste

List of Publications by Citations

Source: https://exaly.com/author-pdf/3421456/yves-delneste-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86 7,821 142 47 h-index g-index citations papers 8,688 6.9 146 5.23 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
142	Involvement of LOX-1 in dendritic cell-mediated antigen cross-presentation. <i>Immunity</i> , 2002 , 17, 353-62	32.3	463
141	The humoral pattern recognition receptor PTX3 is stored in neutrophil granules and localizes in extracellular traps. <i>Journal of Experimental Medicine</i> , 2007 , 204, 793-804	16.6	408
140	Direct stimulation of human T cells via TLR5 and TLR7/8: flagellin and R-848 up-regulate proliferation and IFN-gamma production by memory CD4+ T cells. <i>Journal of Immunology</i> , 2005 , 175, 1551-7	5.3	334
139	Tumor-associated leukemia inhibitory factor and IL-6 skew monocyte differentiation into tumor-associated macrophage-like cells. <i>Blood</i> , 2007 , 110, 4319-30	2.2	299
138	Direct bacterial protein PAMP recognition by human NK cells involves TLRs and triggers alpha-defensin production. <i>Blood</i> , 2004 , 104, 1778-83	2.2	260
137	Complexity and complementarity of outer membrane protein A recognition by cellular and humoral innate immunity receptors. <i>Immunity</i> , 2005 , 22, 551-60	32.3	226
136	Neutrophils efficiently cross-prime naive T cells in vivo. <i>Blood</i> , 2007 , 110, 2965-73	2.2	224
135	CLF associates with CLC to form a functional heteromeric ligand for the CNTF receptor complex. <i>Nature Neuroscience</i> , 2000 , 3, 867-72	25.5	221
134	Histamine polarizes human dendritic cells into Th2 cell-promoting effector dendritic cells. <i>Journal of Immunology</i> , 2001 , 167, 3682-6	5.3	218
133	Interferon-gamma reverses the immunosuppressive and protumoral properties and prevents the generation of human tumor-associated macrophages. <i>International Journal of Cancer</i> , 2009 , 125, 367-73	₃ 7·5	216
132	A soluble form of CTLA-4 generated by alternative splicing is expressed by nonstimulated human T cells. <i>European Journal of Immunology</i> , 1999 , 29, 3596-602	6.1	212
131	OmpA targets dendritic cells, induces their maturation and delivers antigen into the MHC class I presentation pathway. <i>Nature Immunology</i> , 2000 , 1, 502-9	19.1	187
130	Interferon-gamma switches monocyte differentiation from dendritic cells to macrophages. <i>Blood</i> , 2003 , 101, 143-50	2.2	160
129	CCR7 is involved in the migration of neutrophils to lymph nodes. <i>Blood</i> , 2011 , 117, 1196-204	2.2	151
128	Histamine induces CD86 expression and chemokine production by human immature dendritic cells. <i>Journal of Immunology</i> , 2001 , 166, 6000-6	5.3	135
127	Pattern recognition receptors in the immune response against dying cells. <i>Current Opinion in Immunology</i> , 2008 , 20, 530-7	7.8	132
126	Mycobacterial toxin induces analgesia in buruli ulcer by targeting the angiotensin pathways. <i>Cell</i> , 2014 , 157, 1565-76	56.2	126

(2018-2013)

125	IL-34 induces the differentiation of human monocytes into immunosuppressive macrophages. antagonistic effects of GM-CSF and IFN $\square PLoS$ ONE, 2013 , 8, e56045	3.7	114
124	SREC-I, a type F scavenger receptor, is an endocytic receptor for calreticulin. <i>Journal of Biological Chemistry</i> , 2004 , 279, 51250-7	5.4	110
123	The Trypanosoma cruzi Tc52-released protein induces human dendritic cell maturation, signals via Toll-like receptor 2, and confers protection against lethal infection. <i>Journal of Immunology</i> , 2002 , 168, 6366-74	5.3	109
122	Thiols decrease human interleukin (IL) 4 production and IL-4-induced immunoglobulin synthesis. Journal of Experimental Medicine, 1995 , 182, 1785-92	16.6	105
121	Soluble CD86 is a costimulatory molecule for human T lymphocytes. <i>Immunity</i> , 2000 , 13, 303-12	32.3	102
120	IL-26 is overexpressed in rheumatoid arthritis and induces proinflammatory cytokine production and Th17 cell generation. <i>PLoS Biology</i> , 2012 , 10, e1001395	9.7	98
119	Histamine induces interleukin-8 secretion by endothelial cells. <i>Blood</i> , 1994 , 84, 2229-2233	2.2	96
118	CD86 (B7-2) on human B cells. A functional role in proliferation and selective differentiation into IgE- and IgG4-producing cells. <i>Journal of Biological Chemistry</i> , 1997 , 272, 15613-9	5.4	95
117	Outer membrane protein A (OmpA): a new pathogen-associated molecular pattern that interacts with antigen presenting cells-impact on vaccine strategies. <i>Vaccine</i> , 2002 , 20 Suppl 4, A23-7	4.1	93
116	IL-34 and macrophage colony-stimulating factor are overexpressed in hepatitis C virus fibrosis and induce profibrotic macrophages that promote collagen synthesis by hepatic stellate cells. <i>Hepatology</i> , 2014 , 60, 1879-90	11.2	89
115	Histamine and prostaglandin E up-regulate the production of Th2-attracting chemokines (CCL17 and CCL22) and down-regulate IFN-gamma-induced CXCL10 production by immature human dendritic cells. <i>Immunology</i> , 2006 , 117, 507-16	7.8	82
114	The humoral pattern recognition molecule PTX3 is a key component of innate immunity against urinary tract infection. <i>Immunity</i> , 2014 , 40, 621-32	32.3	81
113	Oxidized LDL receptor LOX-1 binds to C-reactive protein and mediates its vascular effects. <i>Clinical Chemistry</i> , 2009 , 55, 285-94	5.5	69
112	The tachykinins substance P and hemokinin-1 favor the generation of human memory Th17 cells by inducing IL-1[IL-23, and TNF-like 1A expression by monocytes. <i>Journal of Immunology</i> , 2011 , 186, 4175-8	3 5 ·3	69
111	Outer membrane protein A (OmpA) binds to and activates human macrophages. <i>Journal of Immunology</i> , 2000 , 165, 2335-40	5.3	68
110	Endogenous PTX3 translocates at the membrane of late apoptotic human neutrophils and is involved in their engulfment by macrophages. <i>Cell Death and Differentiation</i> , 2009 , 16, 465-74	12.7	66
109	Deficiency or blockade of angiotensin II type 2 receptor delays tumorigenesis by inhibiting malignant cell proliferation and angiogenesis. <i>International Journal of Cancer</i> , 2010 , 127, 2279-91	7.5	66
108	The roles of CSFs on the functional polarization of tumor-associated macrophages. <i>FEBS Journal</i> , 2018 , 285, 680-699	5.7	61

107	Histamine induces IL-6 production by human endothelial cells. <i>Clinical and Experimental Immunology</i> , 1994 , 98, 344-9	6.2	58
106	Heat shock proteins 70 and 60 share common receptors which are expressed on human monocyte-derived but not epidermal dendritic cells. <i>European Journal of Immunology</i> , 2002 , 32, 322-32	6.1	55
105	Human NK cells constitutively express membrane TNF-alpha (mTNFalpha) and present mTNFalpha-dependent cytotoxic activity. <i>European Journal of Immunology</i> , 1999 , 29, 3588-95	6.1	55
104	IL-6 and leukemia-inhibitory factor are involved in the generation of tumor-associated macrophage: regulation by IFN-[]/mmunotherapy, 2011 , 3, 23-6	3.8	53
103	Mycobacterial phosphatidylinositol mannosides negatively regulate host Toll-like receptor 4, MyD88-dependent proinflammatory cytokines, and TRIF-dependent co-stimulatory molecule expression. <i>Journal of Biological Chemistry</i> , 2009 , 284, 23187-96	5.4	51
102	Neonatal and adult microglia cross-present exogenous antigens. <i>Glia</i> , 2008 , 56, 69-77	9	51
101	Clusterin facilitates apoptotic cell clearance and prevents apoptotic cell-induced autoimmune responses. <i>Cell Death and Disease</i> , 2016 , 7, e2215	9.8	51
100	Interleukin-6 and interleukin-1 alpha production is associated with antigen-induced late nasal response. <i>Journal of Allergy and Clinical Immunology</i> , 1993 , 92, 878-90	11.5	50
99	IL-26 Confers Proinflammatory Properties to Extracellular DNA. <i>Journal of Immunology</i> , 2017 , 198, 3650)-इ.661	47
98	Measurement of nuclear factor-kappa B translocation on lipopolysaccharide-activated human dendritic cells by confocal microscopy and flow cytometry. <i>Cytometry</i> , 2002 , 48, 71-9		47
97	Unavailability of CD147 leads to selective erythrocyte trapping in the spleen. <i>Blood</i> , 2001 , 97, 3984-8	2.2	47
96	Detection of circulating soluble CD28 in patients with systemic lupus erythematosus, primary Sjgren's syndrome and systemic sclerosis. <i>Clinical and Experimental Immunology</i> , 2004 , 136, 388-92	6.2	46
95	Identification of three alternatively spliced variants of human CD28 mRNA. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 259, 34-7	3.4	45
94	Thiols prevent Fas (CD95)-mediated T cell apoptosis by down-regulating membrane Fas expression. <i>European Journal of Immunology</i> , 1996 , 26, 2981-8	6.1	44
93	Pleural Effusions from Patients with Mesothelioma Induce Recruitment of Monocytes and Their Differentiation into M2 Macrophages. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 1765-73	8.9	42
92	IL-34- and M-CSF-induced macrophages switch memory T cells into Th17 cells via membrane IL-1 <i>European Journal of Immunology</i> , 2015 , 45, 1092-102	6.1	41
91	Evaluation of the therapeutic potential of bone marrow-derived myeloid suppressor cell (MDSC) adoptive transfer in mouse models of autoimmunity and allograft rejection. <i>PLoS ONE</i> , 2014 , 9, e100013	3·7	41
90	IL-26 is overexpressed in chronically HCV-infected patients and enhances TRAIL-mediated cytotoxicity and interferon production by human NK cells. <i>Gut</i> , 2015 , 64, 1466-75	19.2	39

(2010-2008)

89	Antineutrophil cytoplasmic autoantibodies: how should the biologist manage them?. <i>Clinical Reviews in Allergy and Immunology</i> , 2008 , 35, 47-58	12.3	39
88	Human effector memory T cells express CD86: a functional role in naive T cell priming. <i>Journal of Immunology</i> , 1999 , 162, 2044-8	5.3	39
87	Scavenger receptors in human airway epithelial cells: role in response to double-stranded RNA. <i>PLoS ONE</i> , 2012 , 7, e41952	3.7	38
86	Interleukin-7 (IL-7) Enhances Class Switching to IgE and IgG4 in the Presence of T Cells Via IL-9 and sCD23. <i>Blood</i> , 1998 , 91, 1355-1361	2.2	37
85	Human endothelial cells transfected by SV40 T antigens: characterization and potential use as a source of normal endothelial factors. <i>European Journal of Immunology</i> , 1992 , 22, 425-31	6.1	37
84	Expression of recombinant proteins in a lipid A mutant of Escherichia coli BL21 with a strongly reduced capacity to induce dendritic cell activation and maturation. <i>Journal of Immunological Methods</i> , 2003 , 272, 199-210	2.5	36
83	IL-26, a Cytokine With Roles in Extracellular DNA-Induced Inflammation and Microbial Defense. <i>Frontiers in Immunology</i> , 2019 , 10, 204	8.4	34
82	Impact of bronchial epithelium on dendritic cell migration and function: modulation by the bacterial motif KpOmpA. <i>Journal of Immunology</i> , 2006 , 177, 5912-9	5.3	34
81	The ecto-ATPDase CD39 is involved in the acquisition of the immunoregulatory phenotype by M-CSF-macrophages and ovarian cancer tumor-associated macrophages: Regulatory role of IL-27. <i>OncoImmunology</i> , 2016 , 5, e1178025	7.2	31
80	N-acetyl-L-cysteine Exhibits Antitumoral Activity by Increasing Tumor Necrosis Factor Dependent T-Cell Cytotoxicity. <i>Blood</i> , 1997 , 90, 1124-1132	2.2	31
79	Outer membrane protein A from Klebsiella pneumoniae activates bronchial epithelial cells: implication in neutrophil recruitment. <i>Journal of Immunology</i> , 2003 , 171, 6697-705	5.3	31
78	Outer membrane protein A renders dendritic cells and macrophages responsive to CCL21 and triggers dendritic cell migration to secondary lymphoid organs. <i>European Journal of Immunology</i> , 2003 , 33, 326-33	6.1	31
77	PolyI:C plus IL-2 or IL-12 induce IFN-gamma production by human NK cells via autocrine IFN-beta. <i>European Journal of Immunology</i> , 2009 , 39, 2877-84	6.1	30
76	Functional foods: mechanisms of action on immunocompetent cells. <i>Nutrition Reviews</i> , 1998 , 56, S93-8	6.4	30
75	T and B cell immune response to a 55-kDa endothelial cell-derived antigen in severe asthma. <i>European Journal of Immunology</i> , 1993 , 23, 796-803	6.1	30
74	Efficiently stimulated adult microglia cross-prime naive CD8+ T cells injected in the brain. <i>European Journal of Immunology</i> , 2013 , 43, 1173-84	6.1	29
73	Targeting Tumor Associated Macrophages to Overcome Conventional Treatment Resistance in Glioblastoma. <i>Frontiers in Pharmacology</i> , 2020 , 11, 368	5.6	29
72	The scavenger receptors SRA-1 and SREC-I cooperate with TLR2 in the recognition of the hepatitis C virus non-structural protein 3 by dendritic cells. <i>Journal of Hepatology</i> , 2010 , 52, 644-51	13.4	28

71	Scavenger receptors and heat-shock protein-mediated antigen cross-presentation. <i>Biochemical Society Transactions</i> , 2004 , 32, 633-5	5.1	28
70	Alpha-1 antitrypsin up-regulates human B cell differentiation selectively into IgE- and IgG4-secreting cells. <i>European Journal of Immunology</i> , 1998 , 28, 1815-22	6.1	26
69	Levels of soluble IL-2 receptor in plasma from asthmatics. Correlations with blood eosinophilia, lung function, and corticosteroid therapy. <i>Clinical and Experimental Immunology</i> , 1992 , 87, 266-71	6.2	26
68	Differential effects of parainfluenza virus type 3 on human monocytes and dendritic cells. <i>Virology</i> , 2001 , 285, 82-90	3.6	26
67	Interactions between commensal bacteria and mucosal immunocompetent cells. <i>International Dairy Journal</i> , 1999 , 9, 63-68	3.5	26
66	Specific histamine release capacity of peptides selected from the modelized Der p I protein, a major allergen of Dermatophagoides pteronyssinus. <i>Molecular Immunology</i> , 1992 , 29, 739-49	4.3	26
65	Septic shock sera containing circulating histones induce dendritic cell-regulated necrosis in fatal septic shock patients. <i>Critical Care Medicine</i> , 2015 , 43, e107-16	1.4	24
64	FVB/N Mice Spontaneously Heal Ulcerative Lesions Induced by Mycobacterium ulcerans and Switch M. ulcerans into a Low Mycolactone Producer. <i>Journal of Immunology</i> , 2016 , 196, 2690-8	5.3	24
63	Prototypic long pentraxin PTX3 is present in breast milk, spreads in tissues, and protects neonate mice from Pseudomonas aeruginosa lung infection. <i>Journal of Immunology</i> , 2013 , 191, 1873-82	5.3	24
62	Interleukin-12 increases interleukin-4 production by established human Th0 and Th2-like T cell clones. <i>European Journal of Immunology</i> , 1995 , 25, 2247-52	6.1	24
61	Modulation of endothelial cell adhesion molecule expression in a situation of chronic inflammatory stimulation. <i>Cellular Immunology</i> , 1994 , 155, 446-56	4.4	23
60	IL-9 promotes the survival and function of human melanoma-infiltrating CD4(+) CD8(+) double-positive T´cells. <i>European Journal of Immunology</i> , 2016 , 46, 1770-82	6.1	23
59	Lactic Acidosis Together with GM-CSF and M-CSF Induces Human Macrophages toward an Inflammatory Protumor Phenotype. <i>Cancer Immunology Research</i> , 2020 , 8, 383-395	12.5	22
58	Detection of Anti-Pentraxin-3 Autoantibodies in ANCA-Associated Vasculitis. <i>PLoS ONE</i> , 2016 , 11, e014	79 <i>9</i> ⁄1	22
57	Detection of a polymorphism in exon 8 of the human CD86 gene. <i>Immunogenetics</i> , 2000 , 51, 762-3	3.2	20
56	Regulation of mycolactone, the Mycobacterium ulcerans toxin, depends on nutrient source. <i>PLoS Neglected Tropical Diseases</i> , 2013 , 7, e2502	4.8	19
55	Proteolytic cleavage of the long pentraxin PTX3 in the airways of cystic fibrosis patients. <i>Innate Immunity</i> , 2013 , 19, 611-22	2.7	19
54	Immunogenicity and antigenicity of synthetic peptides derived from the mite allergen Der p I. Molecular Immunology, 1993 , 30, 1511-8	4.3	19

53	The angiotensin II type 2 receptor activates flow-mediated outward remodelling through T cells-dependent interleukin-17 production. <i>Cardiovascular Research</i> , 2016 , 112, 515-25	9.9	17
52	Involvement of the M-CSF/IL-34/CSF-1R pathway in malignant pleural mesothelioma 2020 , 8,		16
51	Assessment of anti-endothelial cell antibodies in systemic sclerosis and Sj\(\bar{g}\)ren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 1997 , 56, 230-4	2.4	15
50	Clinical Features of Spontaneous Partial Healing During Mycobacterium ulcerans Infection. <i>Open Forum Infectious Diseases</i> , 2016 , 3, ofw013	1	14
49	Rapid, simple and high yield production of recombinant proteins in mammalian cells using a versatile episomal system. <i>Protein Expression and Purification</i> , 2010 , 72, 209-16	2	13
48	Implication of scavenger receptors in the interactions between diesel exhaust particles and immature or mature dendritic cells. <i>Particle and Fibre Toxicology</i> , 2009 , 6, 9	8.4	13
47	Mycolactone toxin induces an inflammatory response by targeting the IL-1[pathway: Mechanistic insight into Buruli ulcer pathophysiology. <i>PLoS Pathogens</i> , 2020 , 16, e1009107	7.6	13
46	Loss of vascular expression of nucleoside triphosphate diphosphohydrolase-1/CD39 in hypertension. <i>Purinergic Signalling</i> , 2018 , 14, 73-82	3.8	12
45	Treg depletion followed by intracerebral CpG-ODN injection induce brain tumor rejection. <i>Journal of Neuroimmunology</i> , 2014 , 267, 35-42	3.5	12
44	Identification of Scedosporium boydii catalase A1 gene, a reactive oxygen species detoxification factor highly expressed in response to oxidative stress and phagocytic cells. <i>Fungal Biology</i> , 2015 , 119, 1322-1333	2.8	12
43	The outer membrane protein X from Escherichia coli exhibits immune properties. <i>Vaccine</i> , 2003 , 21, 376	65 ₄ .7(4	12
42	Allergen-stimulated T lymphocytes from allergic patients induce vascular cell adhesion molecule-1 (VCAM-1) expression and IL-6 production by endothelial cells. <i>Clinical and Experimental Immunology</i> , 1995 , 101, 164-71	6.2	11
41	Abnormal IgG4 antibody response to aeroallergens in allergic patients. <i>International Archives of Allergy and Immunology</i> , 1994 , 104, 191-8	3.7	11
40	Skin-specific antibodies neutralizing mycolactone toxin during the spontaneous healing of infection. <i>Science Advances</i> , 2020 , 6, eaax7781	14.3	10
39	Potential implication of endothelial cells in bronchial asthma. <i>International Archives of Allergy and Immunology</i> , 1991 , 94, 233-8	3.7	10
38	N-acetyl-L-cysteine exhibits antitumoral activity by increasing tumor necrosis factor alpha-dependent T-cell cytotoxicity. <i>Blood</i> , 1997 , 90, 1124-32	2.2	10
37	Identification of an alternatively spliced variant of human CD86 mRNA. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 280, 1211-5	3.4	9
36	BSMAP, a novel protein expressed specifically in the brain whose gene is localized on chromosome 19p12. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 264, 55-62	3.4	9

35	A staggered decameric assembly of human C-reactive protein stabilized by zinc ions revealed by X-ray crystallography. <i>Protein and Peptide Letters</i> , 2014 , 22, 248-55	1.9	8
34	CD40L confers helper functions to human intra-melanoma class-l-restricted CD4CD8 double positive T cells. <i>Oncolmmunology</i> , 2016 , 5, e1250991	7.2	8
33	Transcriptomic features of tumour-infiltrating CD4CD8 double positive IT cells in melanoma. <i>Scientific Reports</i> , 2020 , 10, 5900	4.9	7
32	Sequential mutational evaluation of CALR -mutated myeloproliferative neoplasms with thrombocytosis reveals an association between CALR allele burden evolution and disease progression. <i>British Journal of Haematology</i> , 2020 , 188, 935-944	4.5	7
31	Pre-transplant CD45RC expression on blood T cells differentiates patients with cancer and rejection after kidney transplantation. <i>PLoS ONE</i> , 2019 , 14, e0214321	3.7	5
30	Molecular and Cellular Interactions of Scavenger Receptor SR-F1 With Complement C1q Provide Insights Into Its Role in the Clearance of Apoptotic Cells. <i>Frontiers in Immunology</i> , 2020 , 11, 544	8.4	5
29	Transcriptional profiling of Scedosporium apiospermum enzymatic antioxidant gene battery unravels the involvement of thioredoxin reductases against chemical and phagocytic cells oxidative stress. <i>Medical Mycology</i> , 2019 , 57, 363-373	3.9	5
28	CD45RC Expression of Circulating CD8 T Cells Predicts Acute Allograft Rejection: A Cohort Study of 128 Kidney Transplant Patients. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	5
27	Routine use of microarray-based gene expression profiling to identify patients with low cytogenetic risk acute myeloid leukemia: accurate results can be obtained even with suboptimal samples. <i>BMC Medical Genomics</i> , 2012 , 5, 6	3.7	5
26	Anti-pentraxin antibodies in autoimmune systemic diseases: Focus on anti-pentraxin-3 autoantibodies. <i>International Reviews of Immunology</i> , 2017 , 36, 145-153	4.6	4
25	Production of anti-endothelial cell antibodies by coculture of EBV-infected human B cells with endothelial cells. <i>Cellular Immunology</i> , 1993 , 150, 15-26	4.4	4
24	Age-Related Expression of IFN-II IFN-I and Beta-Defensins in the Nasopharynx of SARS-CoV-2-Infected Individuals. <i>Frontiers in Immunology</i> , 2021 , 12, 750279	8.4	4
23	MNA and immunity: nutritional status and immunological markers in the elderly. <i>Nestle Nutrition Workshop Series Clinical & Performance Programme</i> , 1999 , 1, 23-33; discussion 33-4		3
22	The Influence of Probiotic Organisms on the Immune Response 2000 , 451-455		3
21	Serum Interleukin-26 Is a New Biomarker for Disease Activity Assessment in Systemic Lupus Erythematosus. <i>Frontiers in Immunology</i> , 2021 , 12, 663192	8.4	3
20	Long-term consequences of Hodgkin lymphoma therapy on T-cell lymphopoiesis. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 818-20.e4	11.5	2
19	Thiols decrease human IL-4 production and IL-4-induced immunoglobulin synthesis. <i>International Archives of Allergy and Immunology</i> , 1997 , 113, 329-30	3.7	2
18	Quantitative chimerism in CD3-negative mononuclear cells predicts prognosis in acute myeloid leukemia patients after hematopoietic stem cell transplantation. <i>Leukemia</i> , 2020 , 34, 1342-1353	10.7	2

LIST OF PUBLICATIONS

17	The Glycosylphosphatidylinositol-Anchored Superoxide Dismutase of Protects the Conidia from Oxidative Stress. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	2
16	Insights into the ligand binding specificity of SREC-II (scavenger receptor expressed by endothelial cells). <i>FEBS Open Bio</i> , 2021 , 11, 2693-2704	2.7	2
15	Acetoacetate protects macrophages from lactic acidosis-induced mitochondrial dysfunction by metabolic reprograming. <i>Nature Communications</i> , 2021 , 12, 7115	17.4	2
14	Fungal Melanin Rewires Macrophage Metabolism. <i>Trends in Biochemical Sciences</i> , 2020 , 45, 728-730	10.3	1
13	Concomitant CALR and LNK mutations leading to essential thrombocythemia with erythrocytosis. <i>Blood Cells, Molecules, and Diseases</i> , 2018 , 71, 75-76	2.1	1
12	Immune Properties of HSP70. <i>Heat Shock Proteins</i> , 2018 , 173-203	0.2	1
11	Heat Shock Proteins and Scavenger Receptors 2007 , 75-94		1
10	N-acetyl-L-cysteine Exhibits Antitumoral Activity by Increasing Tumor Necrosis Factor Dependent T-Cell Cytotoxicity. <i>Blood</i> , 1997 , 90, 1124-1132	2.2	1
9	Dysfunctional T Cell Mitochondria Lead to Premature Aging. <i>Trends in Molecular Medicine</i> , 2020 , 26, 79	9-809	1
8	Anti-Pentraxin Antibodies in Autoimmune Diseases: Bystanders or Pathophysiological Actors?. <i>Frontiers in Immunology</i> , 2020 , 11, 626343	8.4	1
7	IL-26 inhibits hepatitis C virus replication in hepatocytes Journal of Hepatology, 2021,	13.4	1
6	Autoanticorps anticytoplasme des polynucläires neutrophiles (ANCA) et vascularites : diagnostic et physiopathologie. <i>EMC - Biologie Mdicale</i> , 2012 , 7, 1-13		
5	Autoanticorps anticytoplasme des polynucläires neutrophiles (ANCA) : cibles antigliques, mehodes diagnostiques. <i>EMC - Biologie Mdicale</i> , 2012 , 7, 1-14		
4	Biologie des rEepteurs de lEmmunitinne : applications cliniques et thEapeutiques. <i>Revue Francophone Des Laboratoires</i> , 2010 , 2010, 41-51	O	
3	Antioxidants: Protection Versus Apoptosis. Handbook of Experimental Pharmacology, 2000, 257-273	3.2	
2	Endothelial Cells and Asthma 1993 , 200-208		
1	Macrophages: Checking Toxicity of Fungal Metabolites in the Colon. <i>Trends in Endocrinology and Metabolism</i> , 2021 , 32, 63-65	8.8	