

Yves Delneste

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3421456/yves-delneste-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142
papers

7,821
citations

47
h-index

86
g-index

146
ext. papers

8,688
ext. citations

6.9
avg, IF

5.23
L-index

#	Paper	IF	Citations
142	Age-Related Expression of IFN- β IFN-I and Beta-Defensins in the Nasopharynx of SARS-CoV-2-Infected Individuals. <i>Frontiers in Immunology</i> , 2021 , 12, 750279	8.4	4
141	Serum Interleukin-26 Is a New Biomarker for Disease Activity Assessment in Systemic Lupus Erythematosus. <i>Frontiers in Immunology</i> , 2021 , 12, 663192	8.4	3
140	The Glycosylphosphatidylinositol-Anchored Superoxide Dismutase of Protects the Conidia from Oxidative Stress. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	2
139	Macrophages: Checking Toxicity of Fungal Metabolites in the Colon. <i>Trends in Endocrinology and Metabolism</i> , 2021 , 32, 63-65	8.8	
138	Insights into the ligand binding specificity of SREC-II (scavenger receptor expressed by endothelial cells). <i>FEBS Open Bio</i> , 2021 , 11, 2693-2704	2.7	2
137	IL-26 inhibits hepatitis C virus replication in hepatocytes.. <i>Journal of Hepatology</i> , 2021 ,	13.4	1
136	Acetoacetate protects macrophages from lactic acidosis-induced mitochondrial dysfunction by metabolic reprogramming. <i>Nature Communications</i> , 2021 , 12, 7115	17.4	2
135	Skin-specific antibodies neutralizing mycolactone toxin during the spontaneous healing of infection. <i>Science Advances</i> , 2020 , 6, eaax7781	14.3	10
134	Transcriptomic features of tumour-infiltrating CD4CD8 double positive Γ cells in melanoma. <i>Scientific Reports</i> , 2020 , 10, 5900	4.9	7
133	Involvement of the M-CSF/IL-34/CSF-1R pathway in malignant pleural mesothelioma 2020 , 8,		16
132	Fungal Melanin Rewires Macrophage Metabolism. <i>Trends in Biochemical Sciences</i> , 2020 , 45, 728-730	10.3	1
131	Lactic Acidosis Together with GM-CSF and M-CSF Induces Human Macrophages toward an Inflammatory Protumor Phenotype. <i>Cancer Immunology Research</i> , 2020 , 8, 383-395	12.5	22
130	Molecular and Cellular Interactions of Scavenger Receptor SR-F1 With Complement C1q Provide Insights Into Its Role in the Clearance of Apoptotic Cells. <i>Frontiers in Immunology</i> , 2020 , 11, 544	8.4	5
129	Mycolactone toxin induces an inflammatory response by targeting the IL-1 β pathway: Mechanistic insight into Buruli ulcer pathophysiology. <i>PLoS Pathogens</i> , 2020 , 16, e1009107	7.6	13
128	Sequential mutational evaluation of CALR -mutated myeloproliferative neoplasms with thrombocytosis reveals an association between CALR allele burden evolution and disease progression. <i>British Journal of Haematology</i> , 2020 , 188, 935-944	4.5	7
127	Quantitative chimerism in CD3-negative mononuclear cells predicts prognosis in acute myeloid leukemia patients after hematopoietic stem cell transplantation. <i>Leukemia</i> , 2020 , 34, 1342-1353	10.7	2
126	Dysfunctional T Cell Mitochondria Lead to Premature Aging. <i>Trends in Molecular Medicine</i> , 2020 , 26, 799-809		1

125	Targeting Tumor Associated Macrophages to Overcome Conventional Treatment Resistance in Glioblastoma. <i>Frontiers in Pharmacology</i> , 2020 , 11, 368	5.6	29
124	Anti-Pentraxin Antibodies in Autoimmune Diseases: Bystanders or Pathophysiological Actors?. <i>Frontiers in Immunology</i> , 2020 , 11, 626343	8.4	1
123	IL-26, a Cytokine With Roles in Extracellular DNA-Induced Inflammation and Microbial Defense. <i>Frontiers in Immunology</i> , 2019 , 10, 204	8.4	34
122	Pre-transplant CD45RC expression on blood T cells differentiates patients with cancer and rejection after kidney transplantation. <i>PLoS ONE</i> , 2019 , 14, e0214321	3.7	5
121	Transcriptional profiling of <i>Scenedosporium apiospermum</i> enzymatic antioxidant gene battery unravels the involvement of thioredoxin reductases against chemical and phagocytic cells oxidative stress. <i>Medical Mycology</i> , 2019 , 57, 363-373	3.9	5
120	CD45RC Expression of Circulating CD8 T Cells Predicts Acute Allograft Rejection: A Cohort Study of 128 Kidney Transplant Patients. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	5
119	Loss of vascular expression of nucleoside triphosphate diphosphohydrolase-1/CD39 in hypertension. <i>Purinergic Signalling</i> , 2018 , 14, 73-82	3.8	12
118	Concomitant CALR and LNK mutations leading to essential thrombocythemia with erythrocytosis. <i>Blood Cells, Molecules, and Diseases</i> , 2018 , 71, 75-76	2.1	1
117	Immune Properties of HSP70. <i>Heat Shock Proteins</i> , 2018 , 173-203	0.2	1
116	The roles of CSFs on the functional polarization of tumor-associated macrophages. <i>FEBS Journal</i> , 2018 , 285, 680-699	5.7	61
115	Anti-pentraxin antibodies in autoimmune systemic diseases: Focus on anti-pentraxin-3 autoantibodies. <i>International Reviews of Immunology</i> , 2017 , 36, 145-153	4.6	4
114	IL-26 Confers Proinflammatory Properties to Extracellular DNA. <i>Journal of Immunology</i> , 2017 , 198, 3650-3661	3.9	47
113	The ecto-ATPase CD39 is involved in the acquisition of the immunoregulatory phenotype by M-CSF-macrophages and ovarian cancer tumor-associated macrophages: Regulatory role of IL-27. <i>Oncotarget</i> , 2016 , 5, e1178025	7.2	31
112	The angiotensin II type 2 receptor activates flow-mediated outward remodelling through T cells-dependent interleukin-17 production. <i>Cardiovascular Research</i> , 2016 , 112, 515-25	9.9	17
111	Clinical Features of Spontaneous Partial Healing During <i>Mycobacterium ulcerans</i> Infection. <i>Open Forum Infectious Diseases</i> , 2016 , 3, ofw013	1	14
110	FVB/N Mice Spontaneously Heal Ulcerative Lesions Induced by <i>Mycobacterium ulcerans</i> and Switch <i>M. ulcerans</i> into a Low Mycolactone Producer. <i>Journal of Immunology</i> , 2016 , 196, 2690-8	5.3	24
109	Detection of Anti-Pentraxin-3 Autoantibodies in ANCA-Associated Vasculitis. <i>PLoS ONE</i> , 2016 , 11, e0147091	3.9	22
108	IL-9 promotes the survival and function of human melanoma-infiltrating CD4(+) CD8(+) double-positive T cells. <i>European Journal of Immunology</i> , 2016 , 46, 1770-82	6.1	23

107	CD40L confers helper functions to human intra-melanoma class-I-restricted CD4CD8 double positive T cells. <i>Onc Immunology</i> , 2016 , 5, e1250991	7.2	8
106	Clusterin facilitates apoptotic cell clearance and prevents apoptotic cell-induced autoimmune responses. <i>Cell Death and Disease</i> , 2016 , 7, e2215	9.8	51
105	Pleural Effusions from Patients with Mesothelioma Induce Recruitment of Monocytes and Their Differentiation into M2 Macrophages. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 1765-73	8.9	42
104	Septic shock sera containing circulating histones induce dendritic cell-regulated necrosis in fatal septic shock patients. <i>Critical Care Medicine</i> , 2015 , 43, e107-16	1.4	24
103	Long-term consequences of Hodgkin lymphoma therapy on T-cell lymphopoiesis. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 818-20.e4	11.5	2
102	Identification of <i>Scedosporium boydii</i> catalase A1 gene, a reactive oxygen species detoxification factor highly expressed in response to oxidative stress and phagocytic cells. <i>Fungal Biology</i> , 2015 , 119, 1322-1333	2.8	12
101	IL-34- and M-CSF-induced macrophages switch memory T cells into Th17 cells via membrane IL-10	6.1	41
100	IL-26 is overexpressed in chronically HCV-infected patients and enhances TRAIL-mediated cytotoxicity and interferon production by human NK cells. <i>Gut</i> , 2015 , 64, 1466-75	19.2	39
99	The humoral pattern recognition molecule PTX3 is a key component of innate immunity against urinary tract infection. <i>Immunity</i> , 2014 , 40, 621-32	32.3	81
98	Treg depletion followed by intracerebral CpG-ODN injection induce brain tumor rejection. <i>Journal of Neuroimmunology</i> , 2014 , 267, 35-42	3.5	12
97	Mycobacterial toxin induces analgesia in buruli ulcer by targeting the angiotensin pathways. <i>Cell</i> , 2014 , 157, 1565-76	56.2	126
96	IL-34 and macrophage colony-stimulating factor are overexpressed in hepatitis C virus fibrosis and induce profibrotic macrophages that promote collagen synthesis by hepatic stellate cells. <i>Hepatology</i> , 2014 , 60, 1879-90	11.2	89
95	Evaluation of the therapeutic potential of bone marrow-derived myeloid suppressor cell (MDSC) adoptive transfer in mouse models of autoimmunity and allograft rejection. <i>PLoS ONE</i> , 2014 , 9, e100013	3.7	41
94	A staggered decameric assembly of human C-reactive protein stabilized by zinc ions revealed by X-ray crystallography. <i>Protein and Peptide Letters</i> , 2014 , 22, 248-55	1.9	8
93	Regulation of mycolactone, the <i>Mycobacterium ulcerans</i> toxin, depends on nutrient source. <i>PLoS Neglected Tropical Diseases</i> , 2013 , 7, e2502	4.8	19
92	Proteolytic cleavage of the long pentraxin PTX3 in the airways of cystic fibrosis patients. <i>Innate Immunity</i> , 2013 , 19, 611-22	2.7	19
91	Efficiently stimulated adult microglia cross-prime naive CD8+ T cells injected in the brain. <i>European Journal of Immunology</i> , 2013 , 43, 1173-84	6.1	29
90	Prototypic long pentraxin PTX3 is present in breast milk, spreads in tissues, and protects neonate mice from <i>Pseudomonas aeruginosa</i> lung infection. <i>Journal of Immunology</i> , 2013 , 191, 1873-82	5.3	24

89	IL-34 induces the differentiation of human monocytes into immunosuppressive macrophages. antagonistic effects of GM-CSF and IFN- γ . <i>PLoS ONE</i> , 2013 , 8, e56045	3.7	114
88	Autoanticorps anticytoplasme des polynucléaires neutrophiles (ANCA) et vascularites : diagnostic et physiopathologie. <i>EMC - Biologie Médicale</i> , 2012 , 7, 1-13		
87	Autoanticorps anticytoplasme des polynucléaires neutrophiles (ANCA) : cibles antigéniques, méthodes diagnostiques. <i>EMC - Biologie Médicale</i> , 2012 , 7, 1-14		
86	Routine use of microarray-based gene expression profiling to identify patients with low cytogenetic risk acute myeloid leukemia: accurate results can be obtained even with suboptimal samples. <i>BMC Medical Genomics</i> , 2012 , 5, 6	3.7	5
85	IL-26 is overexpressed in rheumatoid arthritis and induces proinflammatory cytokine production and Th17 cell generation. <i>PLoS Biology</i> , 2012 , 10, e1001395	9.7	98
84	Scavenger receptors in human airway epithelial cells: role in response to double-stranded RNA. <i>PLoS ONE</i> , 2012 , 7, e41952	3.7	38
83	IL-6 and leukemia-inhibitory factor are involved in the generation of tumor-associated macrophage: regulation by IFN- γ . <i>Immunotherapy</i> , 2011 , 3, 23-6	3.8	53
82	CCR7 is involved in the migration of neutrophils to lymph nodes. <i>Blood</i> , 2011 , 117, 1196-204	2.2	151
81	The tachykinins substance P and hemokinin-1 favor the generation of human memory Th17 cells by inducing IL-1 β , IL-23, and TNF-like 1A expression by monocytes. <i>Journal of Immunology</i> , 2011 , 186, 4175-82	5.3	69
80	The scavenger receptors SRA-1 and SREC-I cooperate with TLR2 in the recognition of the hepatitis C virus non-structural protein 3 by dendritic cells. <i>Journal of Hepatology</i> , 2010 , 52, 644-51	13.4	28
79	Rapid, simple and high yield production of recombinant proteins in mammalian cells using a versatile episomal system. <i>Protein Expression and Purification</i> , 2010 , 72, 209-16	2	13
78	Deficiency or blockade of angiotensin II type 2 receptor delays tumorigenesis by inhibiting malignant cell proliferation and angiogenesis. <i>International Journal of Cancer</i> , 2010 , 127, 2279-91	7.5	66
77	Biologie des récepteurs de l'immunité : applications cliniques et thérapeutiques. <i>Revue Francophone Des Laboratoires</i> , 2010 , 2010, 41-51	0	
76	Oxidized LDL receptor LOX-1 binds to C-reactive protein and mediates its vascular effects. <i>Clinical Chemistry</i> , 2009 , 55, 285-94	5.5	69
75	Mycobacterial phosphatidylinositol mannosides negatively regulate host Toll-like receptor 4, MyD88-dependent proinflammatory cytokines, and TRIF-dependent co-stimulatory molecule expression. <i>Journal of Biological Chemistry</i> , 2009 , 284, 23187-96	5.4	51
74	Interferon-gamma reverses the immunosuppressive and protumoral properties and prevents the generation of human tumor-associated macrophages. <i>International Journal of Cancer</i> , 2009 , 125, 367-73	7.5	216
73	Poly(I:C) plus IL-2 or IL-12 induce IFN-gamma production by human NK cells via autocrine IFN-beta. <i>European Journal of Immunology</i> , 2009 , 39, 2877-84	6.1	30
72	Implication of scavenger receptors in the interactions between diesel exhaust particles and immature or mature dendritic cells. <i>Particle and Fibre Toxicology</i> , 2009 , 6, 9	8.4	13

71	Endogenous PTX3 translocates at the membrane of late apoptotic human neutrophils and is involved in their engulfment by macrophages. <i>Cell Death and Differentiation</i> , 2009 , 16, 465-74	12.7	66
70	Antineutrophil cytoplasmic autoantibodies: how should the biologist manage them?. <i>Clinical Reviews in Allergy and Immunology</i> , 2008 , 35, 47-58	12.3	39
69	Neonatal and adult microglia cross-present exogenous antigens. <i>Glia</i> , 2008 , 56, 69-77	9	51
68	Pattern recognition receptors in the immune response against dying cells. <i>Current Opinion in Immunology</i> , 2008 , 20, 530-7	7.8	132
67	Heat Shock Proteins and Scavenger Receptors 2007 , 75-94		1
66	Neutrophils efficiently cross-prime naive T cells in vivo. <i>Blood</i> , 2007 , 110, 2965-73	2.2	224
65	Tumor-associated leukemia inhibitory factor and IL-6 skew monocyte differentiation into tumor-associated macrophage-like cells. <i>Blood</i> , 2007 , 110, 4319-30	2.2	299
64	The humoral pattern recognition receptor PTX3 is stored in neutrophil granules and localizes in extracellular traps. <i>Journal of Experimental Medicine</i> , 2007 , 204, 793-804	16.6	408
63	Impact of bronchial epithelium on dendritic cell migration and function: modulation by the bacterial motif KpOmpA. <i>Journal of Immunology</i> , 2006 , 177, 5912-9	5.3	34
62	Histamine and prostaglandin E up-regulate the production of Th2-attracting chemokines (CCL17 and CCL22) and down-regulate IFN-gamma-induced CXCL10 production by immature human dendritic cells. <i>Immunology</i> , 2006 , 117, 507-16	7.8	82
61	Complexity and complementarity of outer membrane protein A recognition by cellular and humoral innate immunity receptors. <i>Immunity</i> , 2005 , 22, 551-60	32.3	226
60	Direct stimulation of human T cells via TLR5 and TLR7/8: flagellin and R-848 up-regulate proliferation and IFN-gamma production by memory CD4+ T cells. <i>Journal of Immunology</i> , 2005 , 175, 1551-7	5.3	334
59	SREC-I, a type F scavenger receptor, is an endocytic receptor for calreticulin. <i>Journal of Biological Chemistry</i> , 2004 , 279, 51250-7	5.4	110
58	Detection of circulating soluble CD28 in patients with systemic lupus erythematosus, primary Sjögren's syndrome and systemic sclerosis. <i>Clinical and Experimental Immunology</i> , 2004 , 136, 388-92	6.2	46
57	Direct bacterial protein PAMP recognition by human NK cells involves TLRs and triggers alpha-defensin production. <i>Blood</i> , 2004 , 104, 1778-83	2.2	260
56	Scavenger receptors and heat-shock protein-mediated antigen cross-presentation. <i>Biochemical Society Transactions</i> , 2004 , 32, 633-5	5.1	28
55	Outer membrane protein A from <i>Klebsiella pneumoniae</i> activates bronchial epithelial cells: implication in neutrophil recruitment. <i>Journal of Immunology</i> , 2003 , 171, 6697-705	5.3	31
54	Interferon-gamma switches monocyte differentiation from dendritic cells to macrophages. <i>Blood</i> , 2003 , 101, 143-50	2.2	160

53	Expression of recombinant proteins in a lipid A mutant of Escherichia coli BL21 with a strongly reduced capacity to induce dendritic cell activation and maturation. <i>Journal of Immunological Methods</i> , 2003 , 272, 199-210	2.5	36
52	Outer membrane protein A renders dendritic cells and macrophages responsive to CCL21 and triggers dendritic cell migration to secondary lymphoid organs. <i>European Journal of Immunology</i> , 2003 , 33, 326-33	6.1	31
51	The outer membrane protein X from Escherichia coli exhibits immune properties. <i>Vaccine</i> , 2003 , 21, 3765-74	5.14	12
50	Heat shock proteins 70 and 60 share common receptors which are expressed on human monocyte-derived but not epidermal dendritic cells. <i>European Journal of Immunology</i> , 2002 , 32, 322-32	6.1	55
49	Measurement of nuclear factor-kappa B translocation on lipopolysaccharide-activated human dendritic cells by confocal microscopy and flow cytometry. <i>Cytometry</i> , 2002 , 48, 71-9		47
48	The Trypanosoma cruzi Tc52-released protein induces human dendritic cell maturation, signals via Toll-like receptor 2, and confers protection against lethal infection. <i>Journal of Immunology</i> , 2002 , 168, 6366-74	5.3	109
47	Involvement of LOX-1 in dendritic cell-mediated antigen cross-presentation. <i>Immunity</i> , 2002 , 17, 353-62	32.3	463
46	Outer membrane protein A (OmpA): a new pathogen-associated molecular pattern that interacts with antigen presenting cells-impact on vaccine strategies. <i>Vaccine</i> , 2002 , 20 Suppl 4, A23-7	4.1	93
45	Unavailability of CD147 leads to selective erythrocyte trapping in the spleen. <i>Blood</i> , 2001 , 97, 3984-8	2.2	47
44	Differential effects of parainfluenza virus type 3 on human monocytes and dendritic cells. <i>Virology</i> , 2001 , 285, 82-90	3.6	26
43	Histamine induces CD86 expression and chemokine production by human immature dendritic cells. <i>Journal of Immunology</i> , 2001 , 166, 6000-6	5.3	135
42	Histamine polarizes human dendritic cells into Th2 cell-promoting effector dendritic cells. <i>Journal of Immunology</i> , 2001 , 167, 3682-6	5.3	218
41	Identification of an alternatively spliced variant of human CD86 mRNA. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 280, 1211-5	3.4	9
40	CLF associates with CLC to form a functional heteromeric ligand for the CNTF receptor complex. <i>Nature Neuroscience</i> , 2000 , 3, 867-72	25.5	221
39	OmpA targets dendritic cells, induces their maturation and delivers antigen into the MHC class I presentation pathway. <i>Nature Immunology</i> , 2000 , 1, 502-9	19.1	187
38	Detection of a polymorphism in exon 8 of the human CD86 gene. <i>Immunogenetics</i> , 2000 , 51, 762-3	3.2	20
37	Outer membrane protein A (OmpA) binds to and activates human macrophages. <i>Journal of Immunology</i> , 2000 , 165, 2335-40	5.3	68
36	Soluble CD86 is a costimulatory molecule for human T lymphocytes. <i>Immunity</i> , 2000 , 13, 303-12	32.3	102

35	Antioxidants: Protection Versus Apoptosis. <i>Handbook of Experimental Pharmacology</i> , 2000 , 257-273	3.2	
34	The Influence of Probiotic Organisms on the Immune Response 2000 , 451-455		3
33	Human NK cells constitutively express membrane TNF-alpha (mTNFalpha) and present mTNFalpha-dependent cytotoxic activity. <i>European Journal of Immunology</i> , 1999 , 29, 3588-95	6.1	55
32	A soluble form of CTLA-4 generated by alternative splicing is expressed by nonstimulated human T cells. <i>European Journal of Immunology</i> , 1999 , 29, 3596-602	6.1	212
31	Interactions between commensal bacteria and mucosal immunocompetent cells. <i>International Dairy Journal</i> , 1999 , 9, 63-68	3.5	26
30	Identification of three alternatively spliced variants of human CD28 mRNA. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 259, 34-7	3.4	45
29	BSMAP, a novel protein expressed specifically in the brain whose gene is localized on chromosome 19p12. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 264, 55-62	3.4	9
28	MNA and immunity: nutritional status and immunological markers in the elderly. <i>Nestle Nutrition Workshop Series Clinical & Performance Programme</i> , 1999 , 1, 23-33; discussion 33-4		3
27	Human effector memory T cells express CD86: a functional role in naive T cell priming. <i>Journal of Immunology</i> , 1999 , 162, 2044-8	5.3	39
26	Functional foods: mechanisms of action on immunocompetent cells. <i>Nutrition Reviews</i> , 1998 , 56, S93-8	6.4	30
25	Alpha-1 antitrypsin up-regulates human B cell differentiation selectively into IgE- and IgG4-secreting cells. <i>European Journal of Immunology</i> , 1998 , 28, 1815-22	6.1	26
24	Interleukin-7 (IL-7) Enhances Class Switching to IgE and IgG4 in the Presence of T Cells Via IL-9 and sCD23. <i>Blood</i> , 1998 , 91, 1355-1361	2.2	37
23	Assessment of anti-endothelial cell antibodies in systemic sclerosis and Sjögren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 1997 , 56, 230-4	2.4	15
22	CD86 (B7-2) on human B cells. A functional role in proliferation and selective differentiation into IgE- and IgG4-producing cells. <i>Journal of Biological Chemistry</i> , 1997 , 272, 15613-9	5.4	95
21	Thiols decrease human IL-4 production and IL-4-induced immunoglobulin synthesis. <i>International Archives of Allergy and Immunology</i> , 1997 , 113, 329-30	3.7	2
20	N-acetyl-L-cysteine Exhibits Antitumoral Activity by Increasing Tumor Necrosis Factor β -Dependent T-Cell Cytotoxicity. <i>Blood</i> , 1997 , 90, 1124-1132	2.2	31
19	N-acetyl-L-cysteine Exhibits Antitumoral Activity by Increasing Tumor Necrosis Factor β -Dependent T-Cell Cytotoxicity. <i>Blood</i> , 1997 , 90, 1124-1132	2.2	1
18	N-acetyl-L-cysteine exhibits antitumoral activity by increasing tumor necrosis factor alpha-dependent T-cell cytotoxicity. <i>Blood</i> , 1997 , 90, 1124-32	2.2	10

17	Thiols prevent Fas (CD95)-mediated T cell apoptosis by down-regulating membrane Fas expression. <i>European Journal of Immunology</i> , 1996 , 26, 2981-8	6.1	44
16	Allergen-stimulated T lymphocytes from allergic patients induce vascular cell adhesion molecule-1 (VCAM-1) expression and IL-6 production by endothelial cells. <i>Clinical and Experimental Immunology</i> , 1995 , 101, 164-71	6.2	11
15	Thiols decrease human interleukin (IL) 4 production and IL-4-induced immunoglobulin synthesis. <i>Journal of Experimental Medicine</i> , 1995 , 182, 1785-92	16.6	105
14	Interleukin-12 increases interleukin-4 production by established human Th0 and Th2-like T cell clones. <i>European Journal of Immunology</i> , 1995 , 25, 2247-52	6.1	24
13	Histamine induces IL-6 production by human endothelial cells. <i>Clinical and Experimental Immunology</i> , 1994 , 98, 344-9	6.2	58
12	Modulation of endothelial cell adhesion molecule expression in a situation of chronic inflammatory stimulation. <i>Cellular Immunology</i> , 1994 , 155, 446-56	4.4	23
11	Abnormal IgG4 antibody response to aeroallergens in allergic patients. <i>International Archives of Allergy and Immunology</i> , 1994 , 104, 191-8	3.7	11
10	Histamine induces interleukin-8 secretion by endothelial cells. <i>Blood</i> , 1994 , 84, 2229-2233	2.2	96
9	Immunogenicity and antigenicity of synthetic peptides derived from the mite allergen Der p I. <i>Molecular Immunology</i> , 1993 , 30, 1511-8	4.3	19
8	Interleukin-6 and interleukin-1 alpha production is associated with antigen-induced late nasal response. <i>Journal of Allergy and Clinical Immunology</i> , 1993 , 92, 878-90	11.5	50
7	T and B cell immune response to a 55-kDa endothelial cell-derived antigen in severe asthma. <i>European Journal of Immunology</i> , 1993 , 23, 796-803	6.1	30
6	Production of anti-endothelial cell antibodies by coculture of EBV-infected human B cells with endothelial cells. <i>Cellular Immunology</i> , 1993 , 150, 15-26	4.4	4
5	Endothelial Cells and Asthma 1993 , 200-208		
4	Levels of soluble IL-2 receptor in plasma from asthmatics. Correlations with blood eosinophilia, lung function, and corticosteroid therapy. <i>Clinical and Experimental Immunology</i> , 1992 , 87, 266-71	6.2	26
3	Specific histamine release capacity of peptides selected from the modeled Der p I protein, a major allergen of <i>Dermatophagoides pteronyssinus</i> . <i>Molecular Immunology</i> , 1992 , 29, 739-49	4.3	26
2	Human endothelial cells transfected by SV40 T antigens: characterization and potential use as a source of normal endothelial factors. <i>European Journal of Immunology</i> , 1992 , 22, 425-31	6.1	37
1	Potential implication of endothelial cells in bronchial asthma. <i>International Archives of Allergy and Immunology</i> , 1991 , 94, 233-8	3.7	10