

Shiyuan Yu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/342160/shiyuan-yu-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

27
papers

626
citations

13
h-index

25
g-index

27
ext. papers

787
ext. citations

5.4
avg, IF

4.19
L-index

#	Paper	IF	Citations
27	Co-production of functional xylooligosaccharides and fermentable sugars from corncob with effective acetic acid prehydrolysis. <i>Bioresource Technology</i> , 2017 , 234, 343-349	11	84
26	Contrasting effects of hardwood and softwood organosolv lignins on enzymatic hydrolysis of lignocellulose. <i>Bioresource Technology</i> , 2014 , 163, 320-7	11	62
25	Impacts of lignocellulose-derived inhibitors on L-lactic acid fermentation by <i>Rhizopus oryzae</i> . <i>Bioresource Technology</i> , 2016 , 203, 173-80	11	53
24	Remarkable solvent and extractable lignin effects on enzymatic digestibility of organosolv pretreated hardwood. <i>Bioresource Technology</i> , 2014 , 156, 92-9	11	53
23	Detoxification of corn stover prehydrolyzate by trialkylamine extraction to improve the ethanol production with <i>Pichia stipitis</i> CBS 5776. <i>Bioresource Technology</i> , 2011 , 102, 1663-8	11	52
22	Three-stage enzymatic hydrolysis of steam-exploded corn stover at high substrate concentration. <i>Bioresource Technology</i> , 2011 , 102, 4905-8	11	49
21	Lignin Alkylation Enhances Enzymatic Hydrolysis of Lignocellulosic Biomass. <i>Energy & Fuels</i> , 2017 , 31, 12317-12326	4.1	42
20	Production of Xylooligosaccharides from Waste Xylan, Obtained from Viscose Fiber Processing, by Selective Hydrolysis Using Concentrated Acetic Acid. <i>Journal of Wood Chemistry and Technology</i> , 2017 , 37, 1-9	2	37
19	Disparate roles of solvent extractable lignin and residual bulk lignin in enzymatic hydrolysis of pretreated sweetgum. <i>RSC Advances</i> , 2015 , 5, 97966-97974	3.7	33
18	Preparation, assessment, and comparison of chitin nano-fiber films with different surface charges. <i>Nanoscale Research Letters</i> , 2015 , 10, 226	5	23
17	An integrated process to produce prebiotic xylooligosaccharides by autohydrolysis, nanofiltration and endo-xylanase from alkali-extracted xylan. <i>Bioresource Technology</i> , 2020 , 314, 123685	11	21
16	Simultaneous Bioconversion of Xylose and Glycerol to Xylonic Acid and 1,3-Dihydroxyacetone from the Mixture of Pre-Hydrolysates and Ethanol-Fermented Waste Liquid by <i>Gluconobacter oxydans</i> . <i>Applied Biochemistry and Biotechnology</i> , 2016 , 178, 1-8	3.2	14
15	Degradation Profiles of Non-lignin Constituents of Corn Stover from Dilute Sulfuric Acid Pretreatment. <i>Journal of Wood Chemistry and Technology</i> , 2016 , 36, 192-204	2	14
14	A One-Step Method for the Simultaneous Determination of Five Wood Monosaccharides and the Corresponding Aldonic Acids in Fermentation Broth Using High-Performance Anion-Exchange Chromatography Coupled with a Pulsed Amperometric Detector. <i>Journal of Wood Chemistry and Technology</i> , 2014 , 34, 67-76	2	13
13	Improving the production yield and productivity of 1,3-dihydroxyacetone from glycerol fermentation using <i>Gluconobacter oxydans</i> NL71 in a compressed oxygen supply-sealed and stirred tank reactor (COS-SSTR). <i>Bioprocess and Biosystems Engineering</i> , 2016 , 39, 1315-8	3.7	12
12	Efficient bioconversion of oleuropein from olive leaf extract to antioxidant hydroxytyrosol by enzymatic hydrolysis and high-temperature degradation. <i>Biotechnology and Applied Biochemistry</i> , 2018 , 65, 680-689	2.8	11
11	Difference analysis of the enzymatic hydrolysis performance of acid-catalyzed steam-exploded corn stover before and after washing with water. <i>Bioprocess and Biosystems Engineering</i> , 2016 , 39, 1619-26	3.7	10

10	Transcriptome and metabolome analysis of <i>Pichia stipitis</i> to three representative lignocellulosic inhibitors. <i>Archives of Microbiology</i> , 2019 , 201, 581-589	3	9
9	Continuous Bioconversion of Oleuropein from Olive Leaf Extract to Produce the Bioactive Product Hydroxytyrosol Using Carrier-Immobilized Enzyme. <i>Applied Biochemistry and Biotechnology</i> , 2020 , 190, 148-165	3.2	9
8	Extractive bioconversion of xylan for production of xylobiose and xylotriose using a PEG6000/sodium citrate aqueous two-phase system. <i>Korean Journal of Chemical Engineering</i> , 2011 , 28, 1897-1901	2.8	5
7	The Prolyl Isomerase Pin1 Controls Lipopolysaccharide-Induced Priming of NADPH Oxidase in Human Neutrophils. <i>Frontiers in Immunology</i> , 2019 , 10, 2567	8.4	5
6	A two-step bioprocessing strategy in pentonic acids production from lignocellulosic pre-hydrolysate. <i>Bioprocess and Biosystems Engineering</i> , 2017 , 40, 1581-1587	3.7	4
5	Quantitative lipidomic insights in the inhibitory response of <i>Pichia stipitis</i> to vanillin, 5-hydroxymethylfurfural, and acetic acid. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 497, 7-12	3.4	3
4	Production of a <i>Trichoderma reesei</i> QM9414 xylanase in <i>Pichia pastoris</i> and its application in biobleaching of wheat straw pulp. <i>World Journal of Microbiology and Biotechnology</i> , 2011 , 27, 751-758	4.4	3
3	Regular enzyme recovery enhances cellulase production by <i>Trichoderma reesei</i> in fed-batch culture. <i>Biotechnology Letters</i> , 2017 , 39, 1493-1498	3	2
2	A Precise Method for Processing Data to Determine the Dissociation Constants of Polyhydroxy Carboxylic Acids via Potentiometric Titration. <i>Applied Biochemistry and Biotechnology</i> , 2017 , 183, 1426-1438	2.3	2
1	Quantitative proteomic analysis of xylose fermentation strain <i>Pichia stipitis</i> CBS 5776 to lignocellulosic inhibitors acetic acid, vanillin and 5-hydroxymethylfurfural. <i>FEMS Microbiology Letters</i> , 2018 , 365,	2.9	1